

No. 232

RECEIVED

AUG 25 1969

AFFIDAVIT OF PUBLICATION

Department of Reclamation

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the S Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
July 10, 1969, and ending
with the issue of July 17, 1969.

Dorothy A. Booth
Fees, \$ 11.25

Subscribed and sworn to before me this 28
day of July, 1969

John L. Lloyd
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 4-1-70, 1970

No. 232 NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Wil-
liam E. Brummett, 1184 W. 1st St.,
Weiser, Idaho has received an ap-
proved permit No. G-33060 issued
by the Idaho State Reclamation De-
partment authorizing the diversion
of 4.8 cubic feet per second of wa-
ter from a ground water source,
subject to all prior rights. The
priority to be established under
this permit is July 29, 1966 and the
permit was approved August 8, 1966.
Water is to be diverted by well
and sprinkler system from a point
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 33; with
reservoirs in SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 33, T. 11 N., R. 4 W., B.M. Wash-
ington County to be used for do-
mestic, irrigation and stock water
in the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$,
SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 33, T. 11 N.,
R. 4 W., B.M.

Proof of the application of the
water to beneficial use is to be
submitted to the Department on or
before August 8, 1969. Any protests
against the issuance of a license
for the above referenced permit
should be filed with the Depart-
ment of Reclamation within ten
(10) days of the last date of pub-
lication of this notice or prior to
the licensing of the permit. Licens-
ing may commence prior to the
date beneficial use proof is due
without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Weiser Signal
Weiser, Idaho on July 10 and July
17, 1969. 32-2s

MICROFILMED




Diagram of System

Re-111

AD

Q measured 4.27 cfs
Q recommended 4.27 cfs
Volume 1069.1 AF/Ann.

Drage -
Found 237
recommended 237

Subv. _____

Standards _____

X None


Place of use _____



28
33

28 | 27
33 | 34

D82
3-3



193

001

11 Ac out

No. 272
**NOTICE OF EXISTING WATER
PERMIT**

Notice is hereby given that William E. Brummett, 1134 W. 1st St., Weiser, Idaho has received an approved permit No. G-33060 issued by the Idaho State Reclamation Department authorizing the diversion of 4.8 cubic feet per second of water from a ground water source, subject to all prior rights. The priority to be established under this permit is July 29, 1966 and the permit was approved August 8, 1966. Water is to be diverted by well and sprinkler system from a point within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 33, with reservoirs in SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 11 N. R. 4 W. B.M. Washington County to be used for domestic, irrigation and stock water in the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 33, T. 11 N. R. 4 W. B.M.


Proof of the application of the water to beneficial use is to be submitted to the Department on or before August 8, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON

State Reclamation Engineer
Published in the Weiser Signal
Weiser, Idaho on July 10 and July
17, 1969.


NAME OF APPLICANT William E. Baumert

Form No. 0



SECTION - 33

TN-11N-R-4 WBM




33060

W

N


33060



GROSS SECTION
SEPT - 1967
W.E. BRUMMETT

E

N



6-33060

FRONT VIEW
SEP-1967
WE BRUMMETT

State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 33060/67-2356 Priority July 29, 1966 Amount 4.27 cfs

THIS IS TO CERTIFY, that WILLIAM E. BRUMMETT
of Weiser, Idaho, has complied with the terms and conditions of Permit
No. 33060/67-2356 issued pursuant to Application for Permit dated July 29, 1966,
and has submitted proof to the Department of Water Resources on June 27, 1969,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.27 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.04</u> cfs and	<u>0.6</u> acre feet	
Stockwater	from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.03</u> cfs and	<u>1.4</u> acre feet	
Irrigation	from <u>March 15</u> to <u>Nov. 15</u> at <u>4.27</u> cfs and (both dates inclusive)	<u>1,066.5</u> acre feet or <u>4.5</u> af per acre	

Subject, however, to the condition that no more than 4.27 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,068.5 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 33,
Twp. 11 N, Rge. 4 W, B. M. in the County of Washington

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
11 N	4 W	33		40	38		40			40	39				40				237

Total number of acres irrigated 237

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26 day of
March, 19 75.

MICROFILMED

Director

No 232

RECEIVED

AUG 25 1969

AFFIDAVIT OF PUBLICATION

Department of Reclamation

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
July 10, 1969, and ending
with the issue of July 17, 1969.

Dorothy A. Booth
Fees, \$ 11.25

No. 232 NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Wil-
liam E. Brummett, 1184 W. 1st St.,
Weiser, Idaho, has received an ap-
proved permit No. G-33060 issued
by the Idaho State Reclamation De-
partment, authorizing the diversion
of 4.8 cubic feet per second of wa-
ter from a ground water source,
subject to all prior rights. The
priority to be established under
this permit is July 29, 1968 and the
permit was approved August 8, 1968.
Water is to be diverted by well
and sprinkler system from a point
within the SE 1/4 NW 1/4, Sec. 33, with
reservoirs in SE 1/4 NW 1/4, SW 1/4 NE 1/4,
Sec. 33, T. 11 N., R. 4 W., B.M. Wash-
ington County to be used for do-
mestic, irrigation and stock water
in the W 1/2 NE 1/4, E 1/2 NW 1/4, NE 1/4
SW 1/4, NW 1/4 SE 1/4, Sec. 33, T. 11 N.,
R. 4 W., B.M.

Proof of the application of the
water to beneficial use is to be
submitted to the Department on or
before August 8, 1969. Any protests
against the issuance of a license
for the above referenced permit
should be filed with the Depart-
ment of Reclamation within ten
(10) days of the last date of pub-
lication of this notice or prior to
the licensing of the permit. Licens-
ing may commence prior to the
date beneficial use proof is due
without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Weiser Signal
Weiser, Idaho on July 10 and July
17, 1969. 32-25

Subscribed and sworn to before me this 28
day of July, 1969
James B. Lloyd
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 4-15, 1970

MICROFILMED

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

JUN 27 1969

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

1. a) Name of Permit Holder William E. Symmett

b) Post Office Address Weiser, Idaho

2. Permit Number G-33060

3. Date of Priority that you are prepared to establish August 8, 1966

4. a) Source from which water was appropriated well

b) Location of the point of diversion: SE 1/4 NW 1/4, Section 33

Township 11 N, Range 4 W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 4.8 cfs for irrigating purposes from 1 March to 1 November incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 4.8 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measured from pump by owner

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A

b) Describe the agreement or understanding by which you take water from the works: N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Berkley pump set (bowls)

390 ft 250 HP motor 16" well casing 1394 ft deep

b) Describe the type and size of measuring device which you have installed at your point of diversion: Orifice on pipe

c) Give well drillers name and address and date the well was completed

Treasure Drilling Co - (Now out of business) Vale, Oregon
well completed October 1966

EXAM TYPED
11-4-69
JRS

33060

W.D.
JRS

of use

sign:

Total number of acres irrigated

33060

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 41256
Permit No. G- 33060
District No.

1. Name of Applicant: William E. Brummett
Postoffice address: 1184 W 1st St., Weiser County: Washington State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second 4.8 or Idaho
Miners' inches 240 or gallons per minute
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 33
Twp. 11 N , Rge. 4 W , B.M., County of Washington
5. Water is to be used for: Irrigation and domestic
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 33 , Twp. 11 N
Rge. 4 W , B.M.
 - (b) Waste water or sewage effluent is to be returned to Galloway ditch
at a point in the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 33 , Twp. 11 N , Rge. 4 W , B.M.
7. Kind of works: well and sprinkler system
8. Estimated cost of works: \$ 25,000.00
9. (a) Is reservoir to be used? no
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is
years. 3
11. If applicant is a corporation, give: N/A
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
No existing permit (water) rights known to applicant
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

BE IT KNOWN THAT The undersigned hereby makes appli cation for permit to appropriate the public waters of the State of Idaho as herein set forth.

By _____ Agent.

Returned to applicant for correction:

Corrected application received: August 2, 1966 8:00 A.M.

The number of this permit is G— 33060

Recorded in Book 115 Page 33060 Approved August 8, 1966

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before _____ and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before February 8, 1968

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before August 8, 1959

Witness my hand this 8th day of August, 1966.

/s/ R. KEITH HIGGINSON, Deputy
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLIE, Governor of the State of Idaho,
and LOUIS E. CLAPP, Secretary of State of the State of Idaho, have caused this instrument to
be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 8th
day of August, 19 66

STATE OF IDAHO

(SEAL)

By /s/ LOUIS E. CLAPP
Secretary of State.

By /s/ ROBERT E. SMYLLIE
Governor

12.

Twp.	Range	Sec.	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	Totals
			NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	
11 N	4 W	33	40 40	40 40	40	40	240

LICENSE # SUFD FOR 42 SEC. FT.
 MCENSE PAG

LICENSE FUSD FOR 428EC. FT.
 LICENSE PAG

APPLICATION FOR AMENDMENT ✓

Comes now William E. Brummett, and represents to the State Reclamation Engineer of the State of Idaho: That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho, No. G-33060 and requests that the permit be changed as follows:

4. Other: to include filling a reservoir for stock water and irrigation. Reservoir is located in SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 33, Township 11 North, Range 4 West, B.M. Total capacity 30 acre feet Reservoir will be filled about 10 times a year.

That no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho this 22nd day of September, 1967.

/s/ WILLIAM E. BRUMMETT,

Date of receipt at office of Department of Reclamation: September 22, 1967.

ACTION OF STATE RECLAMATION ENGINEER

I, R. Keith Higginson, State Reclamation Engineer of the State of Idaho, hereby approves the above application for amendment for permit G-33060.

Witness my hand this 9th day of November, 1967.

/s/ R. KEITH HIGGINSON
State Reclamation Engineer


Address all communications to:

William E. Brummett
P. O. Wiser, Idaho
1184 West 1st St.

APPLICATION FOR PERMIT

TO APPROPRIATE THE SUBTERRANEAN WATERS OF THE STATE OF IDAHO

Application No. G. 41256
Permit No. G. 33060
Water District No. _____



1. Name of applicant: William E. Brummett
Post office address: Wiser County Washington State Idaho
4.8
2. Quantity of water claimed: 4.8 cubic feet (500 in.)
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 33
Twp. 11-N, Rge. 4-W, B.M., County of Washington
5. Water is to be used for: Irrigation - domestic
6. If for domestic, municipal, industrial or recreational purposes give:
 - (a) Point of use of water is in the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 33
Twp. 11-N, Rge. 4-W, B.M.
 - (b) Waste water or sewage effluent is to be returned to Halloway ditch
at a point in the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 33, Twp. 11-N, Rge. 4, B.M.
7. Kind of Works: well & sprinkler system
8. Estimated cost of works: \$ 25,000.
9. (a) Is reservoir to be used? No
(b) Capacity of reservoir: _____
10. The time required for the completion of such work and complete application of the water to the proposed use is
3 years.
11. If applicant is a corporation, give: N/A
 - I. (a) Date and place of incorporation: _____
 - (b) Amount of capital stock \$ _____ (c) Amount paid in: \$ _____
 - (d) Names and addresses of directors: _____

33060

4

L

(d) Other resources: _____

(Give irrigable acreage in each 40-acre subdivision)

[illegible]

33060

Remarks:

BE IT KNOWN That the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William E. Drummond
Applicant

By _____, Agent

33060

Approval of State Reclamation Engineer
33060

The number of this permit is G_____

AUG 8 1966

Recorded in Book 115 Page 33060 Approved _____

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$_____ to be filed before _____

One-fifth of the work above specified to be completed on or before February 8, 1968

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made on or before August 8, 1969

Witness my hand this 8th day of August 1966

Deputy

State Reclamation Engineer

IN TESTIMONY WHEREOF, We ROBERT E. SMYLLIE, Governor of the State of Idaho,

and LOUIS E. CLAPP, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be

hereunto affixed, this 8th day of August, 1966

Countersigned:

STATE OF IDAHO

By

Secretary of State

By

Governor

No. G 33060

PERMIT

Date of first receipt at office of State
Reclamation Engineer

July 29, 1966 8:00 A.M.

Returned to applicant for correction

Corrected application received

August 2, 1966 9:00 A.M.

Fees, \$ 7.50

FILING FEES FOR USE PERMIT:

For the first Sec. Ft. \$5.00

For each additional Sec. Ft. or Fraction

Thereof 25

33060

March 27, 1975

Re: Permit No. 33060/67-2356

William E. Brummett
1184 West 1st Street
Weiser, Idaho 83672

Dear Mr. Brummett:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

March 13, 1975

Mr. William E. Brummett
1184 West 1st Street
Weiser, Idaho 83672

Dear Mr. Brummett:

A representative of this Department has made an examination of the works covered by your Permit No. 33060/67-2356 and has found the following:

Quantity of water diverted: 4.27 cfs Source: ground water

Amount of water that can be recognized as beneficially used under Idaho law: 4.27 cfs

The maximum quantity diverted shall not exceed 1,068.5 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 33, Twp. 11 N, Rge. 4 W, B.M.

Beneficial use: Domestic & stockwatering purposes and the irrigation of 237 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 33, Twp. 11 N, Rge. 4 W, B.M.

Priority date established: July 29, 1966

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

MICROFILMED

FIELD REPORT

Post office address _____ Phone _____

Person to contact _____ Phone _____

(name spring, stream, etc.)

Tributary to _____

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Max Rate of Diversion _____ cubic feet per second and annual volume _____ AF/Annum.

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____

County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Other Points of Diversions: _____

Description of diverting works: _____

Measuring device required: yes ☐ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACROSS




Diagram of System

DATE OF EXAM Sept 16, 1974

ACREAGE
Found 237
Recommended 237

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = 4.20 c.f.s. V = 1066.5 AF/Ann. from Mar 15 to Nov 15
Domestic Q = .04 c.f.s. V = 1.2 AF/Ann. from Jan 1 to Dec 31
Livestock Q = .03 c.f.s. V = 1.4 AF/Ann. from Jan 31 to Dec 31

Is water co-mingled? yes ☐ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes ☐ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.27 cfs Method of measurement P. gauge

Total Q recommended 4.27 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 1069.1 A.F./Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

198 RB 30 heads w/ 1/4 nozzles @ 75 PSI = 1890.90 gpm = 4.20 cfs
Q = 4.20 cfs + .04 Dom. + .03 Stk.
V = 4.5 x 237 + 1.2 Dom. + 1.4 Stk. = 1069.1 A.F./Ann.

SYSTEM DESCRIPTION:

1394' x 16" well w/ Berkeley Pump (Mod. 1204 M-7; Ser. #C4092X)
w/ GE 150 HP Motor (#ADJ117144) w/ 8" Mainline to Reservoir;
8" main from pump & Res to Rain Flow Booster pump (#11867)
w/ 100 HP Motor, 8" Discharge into 2640' of 10" & 8" Mainline
& 1320' of 6" mainline, 6 Lateral lines.

REMARKS:

Reservoir is approx. 2 Ac (Surface Area) with a depth
in the middle of approx 15'. It is filled about
10 times during the season.

Examiner's Signature W. Clayton Linn Date Sept 16, 1974

Checked by _____ Date _____

Approved by _____ Date _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. G-33060/67-2356

This proof is for 4.8 cfs In Water District No. _____

1. Name of applicant William E. Brummett, 1184 West 1st Street, Weiser, Idaho

2. Source of water supply: ground-water

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 33

T. 11 N R. 4 W County of Washington

4. Describe works as they exist, giving dimensions and capacities of same: _____

well & sprinkler system.

PROOF - Berkley pump set (bowls), 390', 250 HP motor, 16" well casing, 1394' deep.

5. Water is used for: stockwater irrigation & domestic (PROOF - domestic not listed) stockwater

6. State whether or not water has been turned into works of diversion: _____

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

11 N - 4 W, Sec. 33, W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ 240 acres

Reservoir - SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 11 N, R. 4 W. Total Cap. 30 A-F *

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: * Reservoir will be filled about 10 times a year.

This examination was made on the 16th day of Sept, 1974

(Signed) W. Clayton Brown Examiner.

*and on
BS/9/74*

DATE EXAMINATION RECORDS

7/23/10 Not irrigating this year

by: TE

7/72 Not irrigating this year

1973 " " ✓ " "

by: CB

9/74 irrigating this year, will

call in 2 wks to arrange

Car _____ by: CS

by:_____

1399' x 16" well w Berkelo/ Mod. 1209M-7 SPT 4092X

W/ Cof 1904 P. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 84

will 8" max. in to 20" 8" to Rain Flow Bores.

Quand #11967 w/ 100412 w/ 12193

8" Distance, 8" diam 2600', 1320 x 6" max. i.

60 lateral 11.00 33/11.

RB 30 13

15

13

120 cl

2496

450 11890.90

1956

909

900

3.

100

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Permit No. G-33060/67-2356

Examination for b/u - William E. Brummett

County Washington

Sec. 33 T. 11N R. 4W

Quantity: 4.8 cfs

Source: ground-water

P.D.: SE $\frac{1}{4}$ NW $\frac{1}{4}$ * Reservoir located SE NW & SW NE

Use: irrigation & domestic & stock water 100% b. f.

Extensions

xProtestx

Completion of Works :

~~Other Rights:~~

Filed: 7-29-66 Made: ~~X~~⁹-27-69

Due: 8-8-69 Priority: 7-29-66

Buxes:

OK

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. G-33060/67-2356

REPORT ON PROOF OF William E. Brummett

519 OS

Order of 1st
✓ Main water line
1164 W 1st
Weiser
5" pipe

MICROFILMED

Red LU

11

11

11

PD



Q measured 54.27 cfs
Q recommended 4.27 cfs
Volume 1069.5 AF/An.


Acresage =
Found 237
recommended 237

Subv. _____
Comments _____
☒ None
☐ PD
☐ Other Use

28
33

28 27
33 34

D82
3-3



261

001

Ac out

August 26, 1969

Re: Permit No. 33060 (New No. 67-2356)

Mr. William E. Brummett
1184 West 1st Street
Weiser, Idaho 83672

Dear Mr. Brummett:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination. If someone other than yourself should be contacted, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

33060
67-2356

August 19, 1969

Re: Permit No. 33060

Mr. William E. Brummett
1184 West 1st Street
Weiser, Idaho

Dear Mr. Brummett:

As of this date, we have not yet received the affidavit of publication to be submitted in connection with permit No. 33060. You should be aware that many newspapers do not keep copies of these advertisements for their files. We, therefore, recommend that you obtain this affidavit as soon as possible from the Weiser Signal, Weiser, Idaho, and submit it promptly to the Department. Please be advised that a license will not be issued until we are in receipt of this affidavit.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

33060
67-2356

July 1, 1969

Re: Permit No. G-33060

William E. Brummett
1184 West 1st St.
Weiser, Idaho

Dear Mr. Brummett:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit G-33060.

Before a license can be issued you must submit an affidavit of publication to this department. The affidavit of publication may be obtained from the Weiser Signal, Weiser, Idaho, (after July 17th) upon payment of the bill of publication.

Prior to the issuance of the license a field examination must also be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

33060

No. 232

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that William E. Brummett, 1184 W. 131 St., Weiser, Idaho has received an approved permit No. G-33060 issued by the Idaho State Reclamation Department authorizing the diversion of 4.8 cubic feet per second of water from a ground water source, subject to all prior rights. The priority to be established under this permit is July 29, 1966 and the permit was approved August 8, 1966. Water is to be diverted by well and sprinkler system from a point within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 33; with reservoirs in SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 11 N., R. 4 W., B.M. Washington County to be used for domestic, irrigation and stock water in the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 33, T. 11 N., R. 4 W., B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before August 8, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON

State Reclamation Engineer
Published in the Weiser Signal
Weiser, Idaho on July 10 and July
17, 1969.

July 1, 1969

Re: Permit No. G-33060
William E. Brummett

Weiser Signal
P.O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact the Department of Reclamation immediately.

The expense of the publication is to be paid by William E. Brummett, 1184 West 1st St., Weiser, Idaho, to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Legal notice

33060

RECEIVED

JUN 27 1969

NOTICE OF EXISTING WATER PERMIT

Department of Reclamation

Notice is hereby given that William E. Brummett, 1184 W. 1st St.,

Weiser, Idaho has received an approved permit No.

G-33060 issued by the Idaho State Reclamation Department authorizing the

diversion ~~surface~~ of 4.8 cubic feet per second ~~added field plot added~~

of water from a ground water source,

subject to all prior rights. The priority to be established under this permit is

July 29, 1966 and the permit was approved August 8, 1966.

Water is to be diverted by well and sprinkler system

from a point within the SE1/4NW1/4, Sec. 33; with reservoirs in SE1/4NW1/4, SW1/4NE1/4, Sec.

33, T. 11 N. R. 4 W. B.M., Washington County

to be used for domestic, irrigation and stock water

in the W1/4NE1/4, E1/4NW1/4, NE1/4SW1/4, NW1/4SE1/4, Sec. 33, T. 11 N. R. 4 W. B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before August 8, 1969. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Weiser Signal, Weiser, Idaho on

July 10 and July 17, 1969.

State Reclamation Engineer:

Permit No. G-33060

You are hereby authorized to have the attached notice published at may expense in

the Weiser Signal of Weiser, Idaho;

published in the county in which the works are situated.

William E. Brummett
(Signature)

1184 West 1st St
(Address)

26 June 69
(Date)

Weiser, Idaho

33060

June 1, 1969

Re: Permit No. G-33060

William E. Brummett
1184 W. 1st Street
Weiser, Idaho

Dear Mr. Brummett:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department, stating that you have been issued a permit and are now submitting proof of beneficial use. Previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply it upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Order
Proof due notice
Proof package
Advertising package

33060

BEFORE THE STATE RECLAMATION ENGINEER
OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-33060)
in the name of William E. Brummett)
1184 W. 1st St., Weiser, Idaho)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,


WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-33060 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above-numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 28th day of May, 1969.


R. KEITH HIGGINSON
State Reclamation Engineer

33060

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

21060

INSURED NO.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED (only if requested)

5/31/69

4-33060

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF
DELIVERING OFFICE

INSTRUCTIONS: Show name and address below and
complete instructions on other side, where applicable.
Moisten gummed ends, attach and hold firmly to back
of article. Print on front of article RETURN
RECEIPT REQUESTED.

← RETURN
TO

NAME OF SENDER

Department of Postmaster

STREET AND NO. OR P.O. BOX

Room #2 Statehouse

POST OFFICE, STATE, AND ZIP CODE

Delaware, 19707

655-16-71548-10

Apr. 1967

POD Form 3811

June 1, 1969

Re: Permit No. G-33060


William E. Brummett
1184 W. 1st Street
Weiser, Idaho

Dear Mr. Brummett:

One of the conditions of the approval of your permit
G-33060 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
August 8, 1969.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.



State Reclamation Engineer

Enclosure: Proof form

DR

Form 5

33060

November 16, 1967

Re: Permit No. G-33060

Mr. William E. Brummett
1184 W. 1st St.
Weiser, Idaho

Dear Mr. Brummett:

I am enclosing a copy of your approved application for amendment in connection with Permit G-33060. This amendment provides for the water to be periodically stored in a reservoir located in the SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 11 N., R. 4 W., B. M.

On November 2nd an inspection was made of this reservoir which was already constructed. This inspection revealed that the reservoir was so constructed and of such minor size that this department does hereby waive the requirements of Sec. 42-1707 which requires approval of plans and specifications prior to construction.

Very truly yours,

R. KEITH HIGGINSON
State Reclamation Engineer

RKH:ew

33060

November 14, 1967

RE: Permit G-33060

William E. Brummett
1184 W. 1st Street
Weiser, Idaho 83672

Dear Mr. Brummett:

Enclosed herewith is a copy of your amendment to the above numbered permit. This amendment has been recorded in our records. Also, Departmental receipt No. 3400B in the amount of \$5.00 was given to you at the time you were in our office. This amount covers the recording fee.

Very truly yours,

M. RUSSELL BOSCH
Office Manager

MRB:ejw

Encl: Copy of amendment

3 3060

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR AMENDMENT

Permit No. G-33060

Comes now William E. Brummett
and represents to the State Reclamation Engineer of the State of Idaho:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho, No. G-33060, and requests that the permit be changed as follows:

1. Place of use or land to be irrigated: _____

2. Point of diversion: 1/4 1/4, Sec. _____, T. _____, R. _____, B.M.
Other points of diversion _____

3. Period and nature of use:

For _____ purposes from _____ to _____ (both dates incl.)
For _____ purposes from _____ to _____ (both dates incl.)
For _____ purposes from _____ to _____ (both dates incl.)

4. Other: to include filling a reservoir for stock water and irrigation.

Reservoir is located in SE 1/4 NW 1/4, SW 1/4 NE 1/4, Section 33, Township 11 N, Range 4 W,

B. M. Total capacity 30 acre feet Reservoir will be filled about 10 times
a year.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise Idaho this 22 day of September, 19 67

William E. Brummett
(signature)

Date of receipt at office of Department of Reclamation September 22, 19 67

ACTION OF STATE RECLAMATION ENGINEER

I, R. KEITH HIGGINSON, State Reclamation Engineer of the State of Idaho, hereby approve the above application for amendment for permit G-33060.

Witness my hand this 9th day of November, 19 67.

R. Keith Higginson
State Reclamation Engineer

33060

RECEIVED
MAR 23 1967

REPORT OF WELL DRILLER
State of Idaho

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Wm Baumann

Address Wieser Idaho

1184 W. 1st St. Phone 549-0544

Owner's Permit No. 2-33060

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Farming

METHOD OF CONSTRUCTION: Rotary ☒ Cable ☐

Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

1/4" x 16" Diam. from 0 ft. to 400 ft.

1/4" x 16" Diam. from 392 ft. to 1280 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 1/4" Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used:

Size of perforations: 1/8" by 3"

perforations from 640 ft. to 1270 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

400 ft. Material used in seal: 101 sacks

Cement Pumped in @ 400' to 250'

Did any strata contain unusable water? Yes ☒

No. ☐ Type of water: cold


Depth of strata 55 ft. Method of sealing

strata off: Cemented

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Washington

SE 1/4 NW 1/4 Sec. 33 T. 11 N/S R. 4 E/W

Use other side for additional remarks

20" to 400 - 15" to 1280 - 8 3/4" to 1394

Size of drilled hole: 1394 Total

depth of well: 1394 Standing water

level below ground: Flowing Temp.

Fahr. 101 ° Test delivery: 2000 gpm

or cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

Same Wells - made test

Length of time of test: Hrs. Min.

Drawdown: 375 ft. Artesian pressure: ft.

above land surface Give flow cfs

or 250 gpm. Shutoff pressure:

Controlled by: Valve ☒ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH MATERIAL WATER

FROM TO FEET FEET YES OR NO

0 15 Sandy Top Soil

15 35 med. coarse sand

35 42 small black boulders

42 55 Red + Black Broken Rock X

55 640 Blue sticky clay

640 880 Blue shale str of sand

880 1203 Brown shale

1203 1370 white med. sand X

1370 1394 Firm Brown shale

Local wells pumping from 35' to 55' zone

Method of Sealing

20" hole drilled to 400' - $1\frac{1}{4}$ " x 16" Blank casing welded
and set 0-400. With $\frac{5}{8}$ " steel Flange 5" wide 15- $\frac{3}{4}$ "
Bolt holes welded to top of 16" casing -
Ran 400' of $1\frac{1}{4}$ " steel Pipe Behind 16" casing and
Pumped 101 sacks of construction Cement in
the Annulus - making 150' cemented seal -

15" hole drilled to 1270 - set 10- $\frac{3}{4}$ " - 395 to 1270

1270 - 1394 - 9- $\frac{7}{8}$ " open hole

Capped well with $\frac{5}{8}$ " steel Plate - 8" steel Valve

$\frac{1}{8}$ " Rubber gasket 15 - $\frac{3}{4}$ " steel Bolts

33060

ROBERT E. SMYLLIE
Governor



CARL E. TAPPAN
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

August 17, 1966

Re: Permit No. G-33060

William E. Brummett
1184 West 1st Street
Weiser, Idaho

Dear Mr. Brummett:

We enclose Permit No. G-33060 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer

We also enclose Departmental Receipt No. G-10686 which was issued covering payment in the amount of \$ 6.00 for the filing fee of the above mentioned permit.

Very truly yours,

M. RUSSELL BOSCH
Office Manager

MRB:ejw

Enc: permit
 receipt

33060

Memo

FROM THE DESK OF WM. E. (BILL) BRUMMETT

33060

Mon AM

Dear Mr. Bosch,

I have made The changes
as you recommended.

How can I be assured of
right to adequate water for
house & stock water in addition
to the 240 in?

RECEIVED
AUG 2 1966


Department of Reclamation

Sincerely
Wm E. Brummett

33060


NAME OF APPLICANT William E. Brummett

Form No. 0



SECTION - 33

TN-11N-R-4 WBM



July 29, 1966

RE: Application for Permit

William E. Brummett
1184 West 1st Street
Weiser, Idaho

Dear Mr. Brummett:

Returned herewith is your application and check in the amount of \$7.50. You have requested enough water for 500 acres of ground and you say you have 240 acres. Therefore, you should change your application to read 240 inches or 4.8 cubic feet per second. This will change the fee to \$6.00.

Please make the necessary corrections and return your application promptly.

Very truly yours,

M. RUSSELL BOSCH
Office Manager

MRB:efw

Encl: Application
Check No. 789

33-040


C
O
P
Y

W

S


N

33060



GROSS SECTION
SEPT - 1967
W.E. BRUMMETT

FRONT VIEW
SEPT-1967



6-33060