

No 407

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
September 24, 1970, and ending
with the issue of October 1, 1970.

Dorothy A. Booth
Fees, \$ 10.75

Subscribed and sworn to before me this 28
day of October, 1970

James B. Lloyd
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 4-1-, 1974

No. 407
**NOTICE OF EXISTING
WATER PERMIT**

Notice is hereby given that the
State of Idaho, Dept. of Highways,
Box 7129, Boise, Idaho has receiv-
ed an approved Permit No. G-
32935/67-2344 issued by the Idaho
Department of Water Administra-
tion authorizing the diversion of
0.06 cubic feet per second of water
from a ground water source. The
priority to be established under
this permit is June 16, 1966 and
the permit was approved June 20,
1966.

Water is to be diverted by well
from a point within the NW $\frac{1}{4}$ -
SE $\frac{1}{4}$, Sec. 22, T. 13 N, R. 4W,
B. M., Washington County to be
used for domestic purposes in the
NW $\frac{1}{4}$ -SE $\frac{1}{4}$, Sec. 22, T. 13 N, R. 4
W, B. M.

Proof of the application of the
water to beneficial use is to be
submitted to the Department on or
before June 20, 1971. Any protests
against the issuance of the lic-
ense for the above referenced
permit should be filed with the
Idaho Department of Water Ad-
ministration within ten (10) days
of the last date of publication of
this notice or prior to the licens-
ing of the permit. Licensing may
commence prior to the date bene-
ficial use proof is due without
further notice.

R. KEITH HIGGINSON,
Director Idaho Dept. of
Water Administration

Published in the Weiser Signal,
Weiser, Idaho on September 24
and October 1, 1970. 54-2s

11-13-1970
Department of Water Administration

OK
11-17-70

32935
67-2344

R 4W

67 2344




Diagram of System

T13N., R4W., B.M.

Approximate Well location
332' Lt. Sta. 961+45 of (13)
F-3112(11)

Elvin Evans

11.05 Acres Taken R/W

1.00 Acres Perm. Ease.

187.95 Ac. Rmdr

32935
JUN 20 1966

NW⁴SE⁴ 22

50' Perm.
Easement

Note: Bearings on these Plans
are Grid Bearings

Const. Sm. Dt.

$\Delta \alpha 0^{\circ} 44' 09''$

960

965

Const. Sm. Dt.

Const. Inter. Ditch

50' Perm. Easement

SW⁴SE⁴ 22

1°00'00" Cv. Rt.
 $\Delta = 46^{\circ} 19' 50''$
 $L = 4633.06'$
 $R = 5729.58'$

$T_{\Delta} = 48^{\circ} 19' 50''$
 $T_s = 2670.93'$
 $Super = 0.03'/ft$
 $Z = 133.33'$

Not Cultivated

958+75-12" Cor. Met. Emb.
Prot. 8"x20'

959+20-Const Appr. Rt.
W=20' ~~#2"x22"~~

965+50-12" Cor. Met. Emb. Prot.
8"x8'

Const. Type I-B Fence Lt. & Rt.

32935

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 32935/67-2344 Priority June 16, 1966 Amount 0.06 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Highways
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 32935/67-2344 issued pursuant to Application for Permit dated June 16, 1966,
and has submitted proof to the Department of Water Administration on April 19, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.06 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____ is hereby confirmed in the following amounts:

Amount 0.06 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 22, Twp. 13 N. Rge. 4 W. B. M.

in the county of Washington and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 43 acre feet per year ~~or~~

~~irrigation purposes~~

Description and location of place of use: Midvale Hill Rest Area


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
13 N	4 W	22														X			

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of

August, 19 72.


Director

67 2344
67 2344

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

1. a) Name of Permit Holder State of Idaho, Department of Highways
b) Post Office Address P.O. Box 7129 Boise, Idaho 83703
2. Permit Number G-32935/67-2344
3. Date of Priority that you are prepared to establish June 16, 1966
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: NW 1/4 SE 1/4, Section 22
Township 13 North, Range 4 West Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
amount 0.025 cfs for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated N/A See Remarks cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: N/A
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A Domestic Use
b) Describe the agreement or understanding by which you take water from the works: N/A
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 10 GPM Pump, 5 HP Motor (electric), 8" Standard Casing, Well Depth: 620 feet Water Depth: 400' approximately.
b) Describe the type and size of measuring device which you have installed at your point of diversion: -NONE-
c) Give well drillers name and address and date the well was completed Drake Plumbing & Heating February 16, 1967
2500 West Boise Avenue
Boise, Idaho 83706

Exam. typed 5-5-71. (CR)

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Domestic purposes for Rest Area - operation of toilet facilities and drinking water.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: Not Applicable

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres irrigated _____

10. Remarks: Under sustained operation the well will only produce approximately ten gallons per minute. There is no water meter installed, but the amount appropriated would be insignificant.

The above information is a true statement of the extent to which the above numbered permit has been developed.

CHIEF RIGHT OF WAY AGENT

4/16/71

(Date)

By: *C. B. White*


(Signature)

State of Idaho)

ss.

County of Ada)

On this 16 day of April, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Carl E. Turner

Notary Public residing at Boise, Idaho

My commission expires Sept. 14, 1974

No 407

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
September 24, 1970, and ending
with the issue of October 1, 1970
Dorothy A. Booth
Fees, \$ 10.75

Subscribed and sworn to before me this 28
day of October, 1970
John R. Lloyd
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 4-1-, 1974

No. 407. NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that the
State of Idaho, Dept. of Highways,
Box 7129, Boise, Idaho has receiv-
ed an approved Permit No. G-
32935/67-2344 issued by the Idaho
Department of Water Administra-
tion authorizing the diversion of
0.06 cubic feet per second of water
from a ground water source. The
priority to be established under
this permit is June 16, 1966 and
the permit was approved June 20,
1966.

Water is to be diverted by well
from a point within the NW1/4-
SE1/4, Sec. 22, T. 13 N., R. 4W,
B. M., Washington County to be
used for domestic purposes in the
NW1/4SE1/4, Sec. 22, T. 13 N., R. 4
W. B. M.

Proof of the application of the
water to beneficial use is to be
submitted to the Department on or
before June 20, 1971. Any protests
against the issuance of the lic-
ense for the above referenced
permit should be filed with the
Idaho Department of Water Ad-
ministration within ten (10) days
of the last date of publication of
this notice or prior to the licens-
ing of the permit. Licensing may
commence prior to the date bene-
ficial use proof is due without
further notice.

R. KEITH HIGGINSON,
Director Idaho Dept. of
Water Administration

Published in the Weiser Signal,
Weiser, Idaho on September 24
and October 1, 1970. 54-25

11-17-70
Department of Water Administration

32935
67-2344

✓ 9-32935
D

67-2344

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 41116
Permit No. G- 32935
District No.

John P. Mix, Right-of-Way Agent
P.O. Box 7129, Boise, Idaho

1. Name of Applicant: State of Idaho, Department of Highways
Postoffice address: Box 7129, Boise County: Ada State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second 0.06 or Idaho
Miners' inches or gallons per minute
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the NW 1/4 of the SE 1/4 of Section 22
Twp. 13 N , Rge. 4 W , B.M., County of Washington
5. Water is to be used for: Domestic purposes
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the NW 1/4 of the SE 1/4 of Section 22 , Twp. 13 N
Rge. 4 W , B.M.
 - (b) Waste water or sewage effluent is to be returned to ground
at a point in the NW 1/4 of the SE 1/4 of Section 22 , Twp. 13 N , Rge. 4 W , B.M.
7. Kind of works: 8 inch well
8. Estimated cost of works: \$ 6,500.00
9. (a) Is reservoir to be used? no
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is
years. Five
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash onhand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

By /s/ JOHN P. MIX Chief Right-of-Way Agent
State of Idaho, Dept. of Highways

Date of first receipt at Department of Reclamation: June 16, 1966 2:50 P.M.

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 32935

Recorded in Book 115 Page 32935 Approved June 20, 1966

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before _____ and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before **December 20, 1968**

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before **June 20, 1971**

Witness my hand this 20th day of June, 1966.

/s/ R. KEITH HIGGINSON, Deputy
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLIE, Governor of the State of Idaho,
and LOUIS E. CLAPP, Secretary of State of the State of Idaho, have caused this instrument to
be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 20th
day of June, 19 66.

Countersigned:

STATE OF IDAHO

(SEAL)

By /s/ LOUIS E. CLAPP

By /s/ W. E. DREVLOW, Acting
Governor

Secretary of State.

12.

Twp.	Range	Sec.	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	Totals
			NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	
			Domestic				

LICENSE ISSUED FOR 0.06 SEC. FT.
 LICENSE PAGE NO. _____

WATER RIGHT NUMBER 67-2344

OWNER LAST NAME - STATE OF IDAHO
ADDRESS LINE 1 - DEPT. OF HIGHWAYS
ADDRESS LINE 3 -FIRST NAME - ORIG OWNER -
ADDRESS LINE 2 -
CITY - BOISE

STATE - ID ZIP CODE -

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 06-16-1966 COUNTY - WASHINGTON TOTAL DIV. RATE - .0600 -CFS

TOTAL DIV. VOLUME -

43.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWSE 22 13N 04W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0600 CFS USE DIV. VOLUME - 43.00 AFA

USE - DOMESTIC

PLACE OF USE - TWN 13N RNG 04W SEC 22 TRACT NWSE LOT AC

DATE -

TOTAL ACRES 0

DECREE NAME -

REMARKS - MIDVALE HILL REST AREA.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. - 32935

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

August 30, 1972

Re: Permit No. 32935/67-2344 (Midvale Hill Rest Area)

State of Idaho, Dept. of Highways
Right-of-Way Division
P.O. Box 7129
Boise, Idaho 83707

Gentlemen:

Enclosed herewith is the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: License

67 2344

Planna

Western District Office

August 2, 1972

RE: 67-2344
STR - 3112 (521)
Midvale Hill Rest Area
Washington County
District No. 3

Mr. O. B. White
Chief Right of Way Agent
State of Idaho
Department of Highways
P. O. Box 7129
Boise, Idaho 83707

Dear Mr. White:

We have no objection to the issuance of license 67-2344 for a rate of 0.06 c.f.s.

The proposed license rate was based on "Proof of Application of Water to Beneficial Use" submitted by the Department of Highways.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:mkp

67 2344

FROM Kenneth H. Foit

DATE 8-1-72

TO Files

SUBJECT Justification of 0.06 cfs for HWYS.

Theoretical Pump formula $EHP = \frac{Q h}{550}$

OK to licence

at 0.06 cfs as

requested by Dept. of HWY.

estimated pump's
capacity

$$Q = \frac{EHP 550}{h}$$

$$Q = \frac{(.60)(5)(550)}{62.5(400)}$$

$$Q = \frac{1650}{25,000}$$

$$= Q = 0.066 \text{ cfs}$$

Let E = efficiency
of60%
HP = SHP

Q = ?

h = 400'

 $\gamma = 62.5 \text{ #/ft}^3$ KHP
SIGNATURE

67 2344

Western District Office

C
O
P
Y
August 2, 1972

RE: 67-2344
STR - 3112 (521)
Midvale Hill Rest Area
Washington County
District No. 3

Mr. O. B. White
Chief Right of Way Agent
State of Idaho
Department of Highways
P. O. Box 7129
Boise, Idaho 83707

Dear Mr. White:

We have no objection to the issuance of license 67-2344 for a rate of 0.06 c.f.s.

The proposed license rate was based on "Proof of Application of Water to Beneficial Use" submitted by the Department of Highways.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:mkp

67 2344

CECIL D. ANDRUS
GOVERNOR

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

HOWARD B. THOMASON - CHAIRMAN
LLOYD F. BARRON - VICE CHAIRMAN
JOHN G. FANNING - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY



DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

July 19, 1972

E. L. MATHES
STATE HIGHWAY ENGINEER

67-2344
RECEIVED
JUL 20 1972

Department of Water Administration

STR-3112(521)
Midvale Hill Rest Area
Washington County
District No. 3

Mr. R. Keith Higginson, Director
State of Idaho, Dept. of Water Administration
Statehouse - Annex #2
Boise, Idaho 83707

Dear Mr. Higginson:

Reference is made to your letter of July 17, concerning the examination of the works covered by Permit No. 32935/67-2344 for the Midvale Hill Rest Area.

A check has been made with the Area Highway Design Engineer for District No. 3 and he has provided the following information: The Midvale Hill Rest Area, Project No. STR-3112(521) water system was designed for 0.06 cfs of water to be used for irrigation of landscaping based on vegetation maturity and predictable low precipitation years and for sanitation purposes in the rest rooms at the rest area. Increases in traffic in future years was accounted for in the design and will mean an increasing requirement for water for sanitation purposes. The 0.025 cfs rate obtained by your examination was apparently the quantity of water being used at that one time of examination and does not represent current or anticipated water requirements.

We, therefore, as stated in Permit No. 32935/67-2344, request that you establish the quantity of water that can be diverted as 0.06 cfs when you issue the water license.

Very truly yours,

A handwritten signature in cursive script, appearing to read "O. B. White".

O. B. WHITE
Chief Right of Way Agent

jk

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215

July 17, 1972



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

State of Idaho, Dept. of Highways
P.O. Box 7129
Boise, Idaho 83703

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 32935/67-2344 and has found the following:

Quantity of water diverted: 0.025 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.025 cfs

The maximum quantity diverted shall not exceed 18.10 acre feet per season.

Beneficial use: Domestic purposes within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22,
Twp. 13 N, Rge. 4 W, B. M. Midvale Hill Rest Area
STR-3112(521)

Point of diversion: Same as above.

The priority date established is: June 16, 1966

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

67 2344

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder State of Idaho, Dept. of Highways
Postoffice address Box 7129, Boise, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ Subterranean
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.06 c.f.s. for Domestic
_____ AF/Annum (nature of use)

Period of Use: from January 1 to December 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. G-32935/67-2344
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion 0.06 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 13 N N/S, Range 4 W E/W, B.M., Section 22, Subdivision NW $\frac{1}{4}$ SE $\frac{1}{4}$, Washington
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversion: _____

Description of diverting works: 10 GPM pump, 5 h.p. motor (electric), 8" standard casing, well
depth: 620 feet; water depth: 400' approximately.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
13 N	4 W	22													XX				

R. 4w.

67 2344

T.
13
N.




Diagram of System

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

HOWARD B. THOMASON - CHAIRMAN
LLOYD F. BARRON - VICE CHAIRMAN
JOHN G. FANNING - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY



E. L. MATHES
STATE HIGHWAY ENGINEER

DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

May 5, 1971

STR-3112(521)
Midvale Hill Rest Area
Washington County
District No. 3

Mr. R. Keith Higginson, Director
State of Idaho, Dept. of Water Administration
Statehouse - Annex No. 2
Boise, Idaho 83707

Dear Mr. Higginson:

Pursuant to your letter of April 21, in connection with the captioned rest area please contact our District No. 3 office in Garden City when you are ready to make your field examination. The District Engineer will arrange to have someone accompany your representative.

Very truly yours,

O.B. White
O. B. WHITE
Chief R/W Agent

jk

67 2344

DATE OF EXAM 6/22/71

ACREAGE
Found None
Recommended _____

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q=_____c.f.s. V=_____ AF/Ann. from _____ to _____
Domestic Q= .025 c.f.s. V= .71 AF/Ann. from Jan 1 to Dec 31
Livestock Q=_____c.f.s. V=_____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured unable to measure Method of measurement _____

Total Q recommended .025 Meter No. _____ Type _____ Condition _____

Total V recommended .71 AF/year

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Unable to measure due to enclosed system.
The beneficial use states that the maximum output is
10 GPM.

SYSTEM DESCRIPTION:

Pump house was locked and I was unable to locate
anybody to open the building.

REMARKS:

Water is used to furnish a mens & ladies bathroom,
one drinking fountain plus it is used to irrigate
approx. 120 trees & shruberies.
I recommend to license permit for .025 cfs

Examiner's Signature Paul Greenblatt Jr. Date 6/22/71

Checked by mjd Date 7/1/71

Approved by _____ Date _____

April 21, 1971

Re: Permit No. G-32935/67-2344 - STR-3112(521)
Midvale Hill Rest Area
Washington County
District No. 3

State of Idaho, Dept. of Highways
O.B. White, Chief E/W Agent
Statehouse Mail

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination in order that someone may show him the system.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

67 220

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

HOWARD B. THOMASON - CHAIRMAN
LLOYD F. BARRON - VICE CHAIRMAN
JOHN G. FANNING - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY



E. L. MATHES
STATE HIGHWAY ENGINEER

DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

April 16, 1971

RECEIVED
APR 20 1971

STR-3112 (521) Dept of Water Administration
Midvale Hill Rest Area
Washington County
District No. 3

Mr. R. Keith Higginson, Director
Idaho Dept. of Water Administration
Statehouse - Annex #2
Boise, Idaho 83707

Dear Mr. Higginson:

Enclosed is the executed form "Proof of Application of Water to Beneficial Use" for Permit No. G-32935/67-2344 in connection with the captioned project.

The notarized affidavit of publication was transmitted November 16, 1970.

Very truly yours,

O.B. White

O. B. WHITE
Chief R/W Agent

jk

67 2344
67 2344

Better Highways for a Better Idaho

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

22620

1

Highway Dept.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Dean Stocking

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

APR 2 1971

3

67 2344


67-2344

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**

PS Form 3811 Apr. 1968 c45-16-71448-11

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.



**RETURN
TO**

DEPARTMENT OF REVENUE & COLLECTIONS
STATEHOUSE - ANCHORAGE
BOISE, IDAHO 83702

67 2244

April 1, 1971

CERTIFIED MAIL

#22620

Re: Permit No. G-32935/67-2344 - STR-3112(527) Midvale Hill Rest Area
Washington County
Dist. No. 3


State of Idaho, Dept. of Highways
O.B. White, Chief R/W Agent
P.O. Box 7129
Boise, Idaho 83707

Gentlemen:

One of the conditions of approval of your water Permit No. G-32935/67-2344 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 20, 1971. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

67 2344

November 19, 1970

Re: Permit No. G-32935/67-2344

STR-3112(527)
Midvale Hill Rest Area
Washington County, Dist. #3

Mr. O. B. White,
Chief R/W Agent
Dept. of Highways
Statehouse Mail

Dear Mr. White:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit.

Since proof of beneficial use is not required until June 20, 1971, the Department will notify you sixty days in advance of that date as to further requirements.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

67-2344
32935

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

C. ED FLANDRO - CHAIRMAN
HOWARD B. THOMASON - VICE CHAIRMAN
LLOYD F. BARRON - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY



DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

E. L. MATHES
STATE HIGHWAY ENGINEER
RECEIVED

NOV 13 1970

Department of Water Administration

November 16, 1970

STR-3112(527)
Midvale Hill Rest Area
Washington County
District No. 3

Mr. R. Keith Higginson, Director
Idaho Department of Water Administration
Statehouse - Annex #2
Boise, Idaho 83707

Dear Mr. Higginson:

Pursuant to your letter of November 9, enclosed is the
notorized affidavit of publication in connection with
Water Permit No. G-32935/67-2344.

Very truly yours,

O. B. White

O. B. WHITE
Chief R/W Agent

jk

Better Highways for a Better Idaho

32935
67-2344

November 9, 1970

Re: Permit No. IG-32935/67-2344

Mr. O. B. White
State of Idaho, Department of Highways
Post Office Box # 7129
Boise, Idaho 83707

Dear Mr. White:

As of this date we have not yet received the affidavit of publication to be submitted in connection with the above referenced permit. Proof of beneficial use is not required until June 20, 1971; however, many newspapers do not keep copies of these advertisements in their files. We, therefore, recommend that you obtain this affidavit from the Weiser Signal, Weiser, Idaho and submit it to the Department as soon as possible. This insures that when you are ready to submit proof of beneficial use there will be no unnecessary delay or added expense.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:CM

32935
67-2344

September 9, 1970

Re: Permit No. G-32935/67-2344

State of Idaho, Department of
Highways

P.O. Box 7129
Boise, Idaho 83707

ATTENTION: O. B. White

Dear Mr. White:

The legal notice for the above-referenced permit is being published in the
Weiser Signal, Weiser, Idaho on September 24
and October 1, 1970.

You will be required to submit an affidavit of publication to this department.
The affidavit may be obtained from the above-mentioned newspaper upon payment of
the bill of publication.

Thank you for your cooperation in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
ENCLOSURE

P.S. We are returning the ORDER MODIFYING REQUIREMENTS FOR COMPLETION OF PERMIT
TO APPROPRIATE WATER. We suggest that you keep it for your records.

67-2344
32935

September 9, 1970

Re: Permit No. G-32935/67-2344

The Weiser Signal
P.O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates, allowing ample time for you to submit to us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Water Administration immediately.

The expense of the publication is to be paid by the St. of Idaho, Dept. of Hwys., Box 7129, Boise, Idaho ATTN: O. B. White, to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: legal notice

67-2344

32925

RECEIVED

SEP 3 1970

NOTICE OF EXISTING WATER PERMIT

Department of Water Administration

Notice is hereby given that the State of Idaho, Dept. of Highways, Box 7129,
Boise, Idaho has received an approved Permit No.
G-32935/67-2344 issued by the Idaho Department of Water Administration auth-
orizing the diversion ~~of~~ of 0.06 cubic feet per second ~~of~~
~~of~~/of water from a ground water source.
The priority to be established under this permit is June 16, 1966
and the permit was approved June 20, 1966.

Water is to be diverted by well
from a point within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 13 N, R. 4 W, B. M., Washington
County
to be used for domestic purposes
in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T. 13 N, R. 4 W, B. M.

Proof of the application of the water to beneficial use is to be sub-
mitted to the Department on or before June 20, 1971. Any protests
against the issuance of the license for the above referenced permit should
be filed with the Idaho Department of Water Administration within ten (10)
days of the last date of publication of this notice or prior to the licensing
of the permit. Licensing may commence prior to the date beneficial use proof
is due without further notice.

R. KEITH HIGGINSON, Director
Idaho Dept. of Water Administration

Published in the Weiser Signal, Weiser, Idaho
on September 24 and October
November 1, 1970.

Permit No. 67-2344

Director:

You are hereby authorized to have the above notice published at my expense
in the Weiser Signal of Weiser, Idaho;
published in the county in which the works are situated.

BY: [Signature]
(Signature) Chief R/W Agent

September 3, 1970
(Date)

Department of Highways
(Address)
P.O. Box 7129
Boise, Idaho 83707

67-2344

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-32935/67-2344)
in the name of State of Idaho, Department of)
Highways)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,

WHEREAS, on August 1, 1968, the Department of Water Administration adopted Rules of Practice and Procedure for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-32935 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedure as follows:

1. The above numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 31st day of July, 1970.


R. KEITH HIGGINSON
Director

RKH/DG

67-2344
32935

August 11, 1970

Re: Permit No. G-32935/67-2344

John P. Mix, Right-of-Way Agent
State of Idaho, Dept. of Highways
P.O. Box 7129
Boise, Idaho 83707

Dear Mr. Mix:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department; previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply them upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

Enc: order
advertising package

32935
67-2344

June 23, 1966

Re: Permit No. G-32935

John P. Mix, Chief Right-of-Way Agent
P.O. Box 7129
Boise, Idaho

Dear Sir:

We enclose Permit No. G-32935 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer

We also enclose Departmental Receipt No. _____ which was issued covering payment in the amount of \$ _____ for the filing fee of the above mentioned permit.

no fees required

Very truly yours,

MRB:ejw
permit
Enc:

M. RUSSELL BOSCH
Office Manager

B 32935


T13N., R4W., B.M.

Approximate Well location
332' Lt. Sta. 961+45 of (13)
F-3112(11) Elvin Evans

32935
JUN 20 1966

NW 1/4 SE 1/4 22

11.05 Acres Taken R/W
1.00 Acres Perm. Ease.
187.95 Ac. Rmdr



Const. Type I-B Fence Lt. & Rt.

32935

No fee received or required

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

R. DOYLE SYMMS - CHAIRMAN
ERNEST F. GAFFNEY - VICE CHAIRMAN
C. ED FLANDRO - MEMBER

WAYNE SUMMERS - SECRETARY



DEPARTMENT OF HIGHWAYS

P. O. BOX 7129
BOISE, IDAHO 83707

June 16, 1966

RECEIVED
JUN 18 1966

E. L. MATHES
STATE HIGHWAY ENGINEER

Department of Reclamation

STR-3112(527)
Midvale Hill Rest Area
Washington County
District No. 3

A 32935

Mr. Carl E. Tappan
State Reclamation Engineer
Capitol Building
Boise, Idaho

Dear Mr. Tappan:

Enclosed please find an "Application For Permit To appropriate the Subterranean Waters of The State of Idaho," for use by the State of Idaho, Department of Highways at the captioned rest area.

Very truly yours,

John P. Mix
John P. Mix

Chief Right of Way Agent

lb
bcc: ASHE(E)
S & P Engineer
District 3 Engineer

632935