

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Weiser, Idaho, this 13 day of October, 19 76.

Carl O. Haggerty
(signature)
President

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, ~~Director~~ Administrator, Operations Division of the Department of Water Resources hereby APPROVE the above application for amendment for Permit No. 36-7205.

Witness my hand this 16 day of October, 19 76.

R. Paul Haggerty
~~Director~~
Administrator, Operations Division

No 376

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

May 29, 1970, and ending
with the issue of June 4, 1970

Dorothy A. Booth
Fees, \$ 11.00

Subscribed and sworn to before me this 10
day of June, 1970

Ranvhee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1973

RECEIVED

JUL 9 1970

Department of Water Administration

dg
at
7-9-70

No. 376
**NOTICE OF EXISTING
WATER PERMIT**

Notice is hereby given that Wil-
liam M. Carson, 687 W. Butterfield,
Weiser, Idaho, has received an
approved permit No. 32644/67-2338
issued by the Idaho State Recla-
mation Department authorizing the
diversion of 6.4 cubic feet per
second of water from Scotts
Creek, tributary of the Snake
River. Subject to all prior rights.
The priority to be established un-
der this permit is December 16,
1965, and the permit was approved
December 17, 1965. Water is to be
diverted by ditch, dam and head-
gate from a point within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 2, T. 11N, R.
6W, B. M., Washington County to
be used for irrigation and stock-
water in the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 11;
NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 14, T. 11N,
R. 6W, B. M.


Proof of the application of the
water to beneficial use is to be
submitted to the department on or
before December 17, 1976. Any
protests against the issuance of a
license for the above referenced
permit should be filed with the
Department of Reclamation within
ten (10) days of the last date of
publication of this notice or prior
to the licensing of the permit.
Licensing may commence prior
to the date beneficial use proof
is due without further notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Published in the Signal Ameri-
can, Weiser, Idaho, on May 28
and June 4, 1970. 20-2s

67-2338
32644

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
67-2338	Century	10		Berkeley	5"
pump div. in Sec 14					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** NONE. For storage capacity, see dam inspection form. Scott Creek not flowing @ exam. See theoretical rate for Sec 14 pump station and outlet discharge. No irrigation ~~exam~~ @ time of exam - fields being prepared for cutting.




PERMIT 61-2338/7293 INIT gfb
T. R. S. Q/Q
P/D 11N 6W 1514
SCALE 1:24K
PHOTO ID. U52 1974

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the spillway channel has several willow-bush clumps that need to be removed. The gopher burrow previously leaking (4/3/90 inspection) appears owner has plugged upstream side. The emergency spillway area appears to be stabilized. Rock placed previously below the spillway apron has eliminated bank erosion at channel turn. Some undermining below spillway concrete apron - ongoing problem.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) None

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

1. Control woody growth in the spillway channel and on the embankment.
2. Control rodent activity on the embankment
3. Monitor closely the spillway channel during and after use. Repair eroded areas as required for stabilization

Date: 5/21, 1994


Inspected by: J. West, Western Reg.

* HJH 7/18/96 w/ Dick Johnson

E. Dam: 12" concrete outlet to PVC main, open dis
to earthen / cement ditch system

NW Dam @ Galloway Ditch: PTO driven pump to 40 acres above
ditch, or some below (HP N/A)

1976
Dam built?



Tailwater pond (elev.)

10HP Century motor, Berkeley pump 5"
dis to 6" main 10' lift to pump.

Not used when Scott CK is flowing -

count as Scott CK P/D? count as tailwater relief?

⊙


- Small well & pump next to dam - used when water v. short.


pumps into res for dist. thru above system.

Right for this? yes -

All above acres may also be irrig w/ Galloway Ditch water
Balance of acres: Galloway + wells.

Photos to #15





Reservoir. View
N. from dam.



"galloway pump"



inlet pipe
ft. res. to
galloway pump

67-2338
67-7293 ign



P/u
- East of
Reservoir
/



67-2338
67-7293 gm



P/u South
of Reservoir




P/D #2 for
67.2338
Scott Ck pump
(sec 14)

67.2338
67.7293

NAME OF APPLICANT William M. Carson

Form No. 0



Permit Map No. 32644
As Approved
CARL E. TAPPAN DEC 17 1965
State Reclamation Engineer

32644

State of Idaho
Department of Water Resources

RECEIVED
OCT 14 1976
Department of Water Resources
Department of Water Resources

ASSIGNMENT OF PERMIT

I, WILLIAM M. CARSON, hereby assign to H-J-H COMPANY
of 35 East Commercial St., Weiser, Idaho 83672
Address

CHECK ONE



All my right, title, and interest in and to Permit No. ~~67-2238~~ 67-2338
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 8th day of OCTOBER, 19 76.

William M Carson
Permit Holder

X (Hattie Carson)
Spouse of Permit Holder

State of Idaho)
County of Washington) ss.

On this 8th day of October, 19 76, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) (they) executed the same.

SEALED

My commission expires: 9-1-80
9-1-80

A. Jackson
Notary Public residing at
Weiser, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR EXTENSION OF TIME

RECEIVED

OCT 19 1976

Department of Water Resources

State of Idaho

County of Washington

Permit No. 67-2338

H-T-H Company of 35 E. Coml Box 269, Weiser, Id
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 67-2338.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before Dec. 17, 19 76.

That he has heretofore performed the following work described under said permit:

Costing \$

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: We have purchased the farm from
William M. Carson recently and plan to make some
changes.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to July 1, 19 77.

(signature) *

Subscribed and sworn before me this 18th day of October, 19 76.

seal

Notary Public residing at

My commission expires 12-13-79

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and that the time within which to submit proof of beneficial use of water be
extended to July 1, 1977.

Witness my hand this 22 day of October, 19 76

Administrator, Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.


Receipt # 5900

RECEIVED
OCT 14 1966

Department of Water Resources

Total number of acres to be irrigated

UNPROFITABLE



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Weiser, Idaho, this 13 day of October, 19 76.

Carl Hammings
(signature)
President

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, ^{Administrator, Operations Division}
~~Director~~ of the Department of Water Resources
hereby APPROVE the above application for amendment for Permit No. 36-7205.

Witness my hand this 16 day of October, 19 76

[Signature]
DIRECTOR
Administrator, Operations Division

Application For Permit

Assigned to 4-J-1/6 To Appropriate the Public Waters of the State of Idaho

APPLICATION No. 40806
 PERMIT No. 32644
 DISTRICT No.

1. Name of Applicant: William M. Carson

Postoffice address: 687 W. Butterfield, Weiser

County: Washington

State: Idaho

I. If applicant is a corporation, give:

(a) Date and place of incorporation: N.A.

(b) Amount of capital stock:

(c) Amount paid in:

(d) Names and addresses of directors:

II. The financial resources of the applicant are:

(a) Cash on hand:

(c) Bond to be issued:

(b) Treasury stock:

(d) Other resources:

2. Quantity of water claimed: 320 miner's inches or ~~XXXXXXXXXXXXXXXXXXXX~~
6.4 cubic feet per second.

3. Source of water supply: Scotts Creek which is a tributary of Snake River

4. Location of point of diversion: feet distant from the

corner of Section , T. , R. , B.M., and is in the NE $\frac{1}{4}$ SW $\frac{1}{4}$

of section 2 , T. 11 N , R. 6 W , B. M., County of Washington

5. Water is to be used for Irrigation and Stockwater

6. If for mining, milling, power or manufacturing purposes, give:

(a) Point of use of water: feet distant from corner of Section

T. , R. , B.M., in the of Section of , T. , R. , B.M.

(b) Amount of power generated: H.P., under feet head.

(c) Water is to be returned to at a point feet

distant from the corner of Section , T. , R. , B.M., in the
of Section , T. , R. , B.M.

7. Estimated cost of works: \$

8. Kind of works: 2 Mile ditch with diversion dam and headgate at P.D.

9. Height of ~~dam~~ 3 feet; length of ~~dam~~ at top 30 feet; length of ~~dam~~ at bottom 30
diversion
feet; material used in dam:

10. Size of headgate: Width 4 feet; height 6 feet.

11. Ditch: Width at bottom 4 feet; width at water line feet; depth of water feet;
dimensions of flume:

Diameter of pipe inches; length of conduit miles.

Average grade per mile feet.

12. The time required for the completion of such work is 5 years.

13. The time required for the complete application of the water to the proposed use is 6 additional years.

14. The land to be irrigated is described in the following tabulation: See remarks.

15. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: none

16. (a) Is reservoir to be used? no If so, fill in (b) and (c) below:
 (b) Name of Reservoir and number of Storage Permit: N.A.
 (c) Date of filing of Application for Storage Permit and Name of Applicant:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

/s/ William M. Carson, Jr. *Applicant.*

By

Agent.

Date of first receipt at Department of Reclamation: 2:30 P.M. December 16, 1965

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is 32644

Recorded in Book 114 Page 326⁴⁴ Approved December 17, 1965

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before February 17, 1966 and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before June 17, 1968

The whole of said work to be completed on or before December 17, 1970

Beneficial use of water appropriated in accordance herewith, to be made on or before December 17, 1976

WITNESS My hand this 17th day of December 1965

/s/ CARL E. TAPPAN
State Reclamation Engineer.

IN TESTIMONY WHEREOF, WE, _____, ROBERT E. SMYLIE, Governor of the State of Idaho,
and _____, ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to

be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this.....17th...

day of December, 19 65
Countersigned:

STATE OF IDAHO

(SEAL)

By /s/ ARNOLD WILLIAMS

By /s/ ROBERT E. SMYLIE

.....
Governor:

REMARKS:

14.

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
11N	6W	11																	80
		14	X	X	X	X	X			X							X	X	240

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 32644/67-2338)

in the name of WILLIAM M. CARSON)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law;
and,

WHEREAS, these changes raised questions as to the procedures to be followed by
holders of permits issued prior to the effective date of the amendments, May 31, 1967;
and,


WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice
and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. 32644 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are
hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42,
Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above-numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit
holders expense for two weekly issues in the official newspaper of
the county in which the point of diversion lies.
 - b. The permittee will not be required to submit proof of completion of
works as originally specified, but will be required to submit proof
to the Department of Reclamation of the application of the water to
beneficial use on or before December 17, 1976. The permit holder
should be aware that failure to complete one-fifth (1/5) of the works
within one-half (1/2) of the time originally set for completion of
works may be grounds for cancellation at the instance of the Department.

Dated this 8th day of May, 1970.


R. KEITH HIGGINSON
State Reclamation Engineer

32644
67-2338

No 376

AFFIDAVIT OF PUBLICATION

RECEIVED

JUL 9 1970

Department of Water Administration

dy
at
7-9-70

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
MAY 28, 1970, and ending
with the issue of JUNE 4, 1970

Dorothy A. Booth
Fees, \$ 11.00

No. 376 NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Wil-
liam M. Carson, 687 W. Butterfield,
Weiser, Idaho, has received an
approved permit No. 32644/67-2338
issued by the Idaho State Recla-
mation Department authorizing the
diversion of 6.4 cubic feet per
second of water from Scotts
Creek, tributary of the Snake
River. Subject to all prior rights.
The priority to be established un-
der this permit is December 16,
1965, and the permit was approved
December 17, 1965. Water is to be
diverted by ditch, dam and head-
gate from a point within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 2, T. 11N, R.
6W, B. M., Washington County to
be used for irrigation and stock-
water in the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 11,
NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 14, T. 11N,
R. 6W, B. M.

Proof of the application of the
water to beneficial use is to be
submitted to the department on or
before December 17, 1976. Any
protests against the issuance of a
license for the above referenced
permit should be filed with the
Department of Reclamation within
ten (10) days of the last date of
publication of this notice or prior
to the licensing of the permit.
Licensing may commence prior
to the date beneficial use proof
is due without further notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

Published in the Signal Ameri-
can, Weiser, Idaho, on May 28
and June 4, 1970. 20-25

Subscribed and sworn to before me this 10
day of JUNE, 1970

Don Wheeler
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1973

67-2338
32644

NOTE: B/L EXAM FOR TWO PERMITS

RECEIVED

FEB 04 1997

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-2338 / 7293

1. Owner: H & H Company Phone No. _____

Current Address: PO Box 269 Weiser ID 83672

2. Accompanied by: DICK JOHNSON EXAM DATE: 7/18/96

Address: _____ Phone No. 336 5322

Relationship to Permit Holder: OWNER

3. Source: SCOTT CREEK tributary to SNAKE RIVER

B. OVERLAP REVIEW

OVERLAP REVIEW

1. Other water rights with the same place of use: 67-2213, 7856, 7540 } Ground water
67-2266, 2285, 7784 } A67-10279, 10280
Crane Ck Weiser R.

2. Other water rights with the same point of diversion: 67-2285

2. Other water rights with the same point of diversion: 67-2285

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use: (Both rights)

Indicate Method of Determination A.C.S.

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

Delivery N. of ditch See also reservoir diagram on dam inspection form.



Scale: T - NTS.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
67-2338	Century	10		Berkelley	5"
pump div. in Sec 14					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE. For storage capacity, see dam inspection form. Scot Creek not flowing @ exam. See theoretical rate for Sec 14 pump station and outlet discharge. No irrigation ~~exam~~ @ time of exam. fields being prepared for cutting.

E. NARRATIVE/REMARKS/COMMENTS

GO AF Reservoir System serves 176 acres with water from Scott Creek. This exam is for the 2 permits used to construct the system. 67.2338 is for live flow from Scott Creek.

67.7293 is for reservoir constructed in about 1976. ~~Atres~~ Dam outlet on east embankment is connected to a 6" line which discharges to cement & earth ditches east and south of the reservoir. A pump station on Galloway Ditch uses a water lifter to deliver water to field N & W of reservoir. This pump may operate from a reservoir inlet ^{line} or from a sump fed by Galloway Ditch (See overlap comments). The dam & outlet are considered a common P/D for both rights. The Galloway pump station is a relief site which should not be considered a unique P/D. Approx 1/3 mile south in the Scott Ck channel, a second pump site was established which can either return tailwater flows to the reservoir or directly to the south end fields. Although this pump does not operate during natural flow periods, it is located in the channel and therefore needs to be treated as a P/D rather than a relief, for 67.2338 only.

Acres under this project are part of a larger farm which may also be irrigated w/ Weiser River/Chanel Creek water via Galloway Ditch. Acres W. of Scott Creek not irrigated under these permits have groundwater licenses also. A well developed under 67.2285 is located just east of the res. & may be discharge to the res. or mainline for a few acres ~~east of~~ ^{is} S 1/2 S11.

Scott Creek was not flowing @ exam but dam inspection in 4/96 noted Spillways flowing @ 15 cfs. A fee limitation @ proof filings (see 9/18/87 file correspondence) will limit licensed natural flows under 67.2338 to 2 cfs unless greater fees pd.

Have conditions of permit approval been met? ☒ yes ☐ no

No stockwater (67.2338) found.

Historical diversion for 67.2338 no longer used, washed out many years ago.

will S.O. solicit additional fee?

F. FLOW CALCULATIONS

Measured Method:

For Sec 14 Scott Creek pump: $\frac{10 \times 8.8 \times 7}{15 + (10 \times 2.31)} = 1.62 \text{ cfs}$

Rated discharge from Res. outlet (6" mainline @ ditch) = 3.0 cfs
w/ no mainline hookup = 9-10 cfs est (from dam file)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 176 \times 4.5 = 792$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.0 \times 246 \times 1.9835 = 975.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 792$

2. Volume Calculations for Other Uses:

(67.7293)
RESERVOIR STORAGE = 90 AF
CAPACITY

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
67.2338: IRRIGATION	3/15	11/15	2.0	792.0
67.7293: IRRIGATION STORAGE 1/1		12/31		90
IRR FR. STORAGE 3/15		11/15		90
Totals:				

2. Recommended Amendments

☒ Change P.D. as reflected above (67.2338)
☐ Change P.U. as reflected above
☒ Add P.D. as reflected above (67.2338)
☒ Add P.U. as reflected above (both)
☐ None
☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 1/8/97

Reviewer _____ Date _____

SEAL

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
1/8/97

Project: Flow Computation for Permit No. 67-02338

Given: See Data Table H J H Reservoir Outlet (6" mainline attached)

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 20.00 feet — 17 ft hydraulic head @ full pool + 3' drop to mainline discharge.

Pressure Req'd: 0.00 psi

Available Head: 20.00 feet

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length 30' = 130, joint length 40' = 132, joint length 50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95, old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
6.00	200.00	20.09	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	20.09

Rate of Flow: 3.000 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.



PERMIT 61-2338/7293 INIT *of*
T. R. S. Q/Q
P/D *11N 6W 11S14*
SCALE *1:24K*
PHOTO ID. *1152 1974*

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECORD OF INSPECTION OF DAM

Name of dam: Scott Creek Stream: Scott Creek ☐ OffstreamName of owner: Richard Johnson 549 2253 Location: 11-111-6 WIndividuals accompanying inspector: Met Richard Johnson on 4/3/96 at the siteReservoir characteristics: Dam height 17.3 Ft Surface area 14 ac Storage capacity 90 Ac-FtHazard class: significant Photographs: yesCONDITION OF EMBANKMENT OR STRUCTURE: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentType: ☒ Earth ☐ Rockfill ☐ Conc. arch ☐ Conc. gravity ☐ Timber crib ☐ Other _____

	UPSTREAM SLOPE	CREST	DOWNSTREAM SLOPE	TOE AREA
Surface cover material	Rock riprap	gravel	Earth - rock	Earth
Growth	weeds - native grasses		A few Bustan willows	Spillway
Settlement or cracks	None	None	None	
Surface erosion	OK	None	Some cutting from spillway on west embankment	
Debris	None	None	Some brush / debris in spillway	
Animal burrows	None noted	None	A few squirrel burrows	None
Crest width and slope measurements	3:1	± 18 Ft	2:1	

CONDITION OF OUTLET WORKS: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentLocation: ☒ Left side ☐ Center ☐ Right side ☐ Other _____Description and condition: 12" dia concrete pipe thru the damGate hoist: ☒ Manual ☐ Electric ☐ Other _____Stem: ☒ Inclined from entrance to crest ☐ Vertical on tower at entrance☐ Vertical through dam from crest ☐ Downstream valveEntrance: Submerged Outlet: attached to mainlineCONDITION OF SPILLWAY: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentLocation: ☐ Left abutment ☒ Right abutment ☐ Away from dam ☐ Other _____Base width 40.4 Freeboard at crest 3 Ft Sideslope Vert Channel slope Mild Fetch 1/4 mi.Overflow channel: ☐ Well defined ☐ Flow directed away from toe ☒ Flow could reach toe
West-South embankErosion control present: Concrete apron crest w/rock Erosion present: undermining below apronMaintenance condition: Debris some sticks/debris below apron Growth scattered willows/bushes along spillway channel

SEEPAGE:

Reservoir level during inspection: Full - spilling @ 15 CFS
Heavy rainfall during the inspection


	TOE AREA	DOWNSTREAM SLOPE	ABUTMENTS	OTHER
Piping of material evident (Est. G.P.M.)	<u>None</u>	<u>None</u>	<u>None</u>	
Flowing water @ Culvert (Est. G.P.M.) <u>23 gpm</u>	<u>East - South embankments</u>	<u>None</u>	<u>None</u>	
Marshy or standing water		<u>None</u>	<u>None</u>	
Damp		<u>None</u>	<u>None</u>	
Evident from growth present		<u>Spillway flows</u>	<u>None</u>	

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the spillway channel has several willow-bush clumps that need to be removed. The gopher burrow previously leaking (4/3/96 inspection) appears owner has plugged upstream side. The emergency spillway area appears to be stabilized. Rock placed previously below the spillway apron has eliminated bank erosion at channel turn. Some undermining below spillway concrete apron - ongoing problem.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) _____

None

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

1. Control woody growth in the spillway channel and on the embankment.
2. Control rodent activity on the embankment.
3. Monitor closely the spillway channel during and after use. Repair eroded areas as required for stabilization.

Date: 5/21, 1998

Inspected by: J. Wester, Western Reg.


* HJH 7/18/96 w/ Dick Johnson

E. Dam: 12" concrete outlet to ^{6"}PVC main, open dis
to earthen / cement ditch system

NW Dam @ Galloway Ditch: PTO driven pump to 40 acres above
ditch, or some below (HP N/A)

1976
Dam built?

Scott CK water: acres
N & west of res, SE of res
& east of Scott CK only.



RES lift variable
based on pool elev.
No motor this year
portable pump
(not present)

Tailwater pond (elev.)

10HP Century motor, Berkeley pump 5"
dis to 6" main 10' lift to pump.

Not used when Scott CK is flowing -


count as Scott CK P/D? count as tailwater relief?

⊙

- Small well & pump next to dam - used when water v. short.
pumps into res for dist. thru above system.
Right for this? yes -

All above acres may also be irrig w/ Galloway Ditch water
Balance of acres: Galloway + wells.

Photos to #15






Reservoir. View
N. from dam.




"galloway pump"




inlet pipe
ft. res. to
galloway pump


67-2338
67-7293 ign




P/W
- East of
Reservoir
/



67-2338
67-7293 gm



P/a South
of Reservoir



P/D #2 for
67.2338
Scott-Ck pump
(sec 14)

67.2338
67.7293 cjh

REPORT

TOTAL ACREAGE 300

DATE OF EXAM _____

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q=_____c.f.s. V=_____ AF/Ann. from _____ to _____
Domestic Q=_____c.f.s. V=_____ AF/Ann. from _____ to _____
Livestock Q=_____c.f.s. V=_____ AF/Ann. from _____ to _____

Is water co-mingled? yes_____ no_____

Name source: _____
twp._____ N/S, Rge_____ E/W, B.M., Sec._____, Sub._____ 1/4 _____ 1/4 _____
County

Exchange? yes_____ no_____

Name source exchanged with: _____
twp._____ N/S, Rge_____ E/W, B.M., Sec._____, Sub._____ 1/4 _____ 1/4 _____
County

Point of injection:
twp._____ N/S, Rge_____ E/W, B.M., Sec._____, Sub._____ 1/4 _____ 1/4 _____
County

Point of exchange:
twp._____ N/S, Rge_____ E/W, B.M., Sec._____, Sub._____ 1/4 _____ 1/4 _____
County

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____

FROM Cindy Hodges

DATE 1/9/97

TO Sue / State Office

SUBJECT File Processing. 67.2338/7293

This B/U report is for two permits. Sue: please be sure "exam to S.O." dates get data entered to both numbers. Western does not even have a shelf file for 2338, so one copy of exam in 7293 folder should do.

So: these both have 1988 exam done dates - even tho no exams conducted at that time - just 2 of our orphan permits!

Please make sure exam gets copied to both microfiche pages for above rights - Thanks! cjh

SIGNATURE

4/86

RECEIVED

APR 20 1987

Department of Water Resources
Western Regional Office

RECEIVED

DEC 17 1987

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCH

see letter of 9/18/87
For Office Use Only
Fee Received 4.25
Date 4-27-87
Receipt # 42371
Receipt by HA
Sent to S.O. 12/14/871. Permit No. 67-2338

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: H-J-H CO3. Post Office Address: 1005 W 7th StWeiser Idaho Telephone No. 549-08884. Source of Water: Scotts Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 190 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted _____ cfs 190 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Spring of 1979

8. Person to contact to accompany the department representative during the field examination:

Carl O. Hanning (Name)1005 W 7th Weiser Idaho 549-0888
(Address) (Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

4/16/87

Signature of Permit Holder (and title, if appropriate)

Carl O. Hanning Pres.

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

September 18, 1987

Carl O. Hennings
H-J-H Co.
1005 W. 2nd St.
Weiser, ID 83672

Dear Mr. Hennings:

We have received the exam fee sheets and fees for Permit No. 67-2338 and 67-7293.

Permit No. 67-7293 was issued for 90 acre feet storage for irrigation and the correct fee was submitted to cover the 90 acre feet amount. However, Permit No. 67-2338 was originally issued for 6.4 cubic feet per second direct flow from Scotts Creek. On the exam fee sheet you have shown and paid the corresponding fee for 190 acre feet. Since this permit is for a rate of diversion rather than acre feet of storage, the fee you have paid is also equivalent for up to 2.0 cubic feet per second or 100 inches of water. We have processed this fee sheet based on the 2.0 cfs which does limit your permit to that amount of water. If you feel more than 100 inches of water is being diverted under this right and would like your license to reflect this, then an additional fee should be submitted at this time. Enclosed is a fee schedule for your review. If the field exam is conducted and more water found, a penalty fee plus the additional fee is charged before the license can be issued for the increased amount. This letter is not to solicit an additional fee, rather it is only to inform you of the current limitation on your permit.

If you have any questions concerning this letter, please feel free to contact this office.

Sincerely,

JAN SHURTE
Sr. Water Resource Agent

JS:j

NOTE:

ENCLOSED PLEASE FIND

RECEIPT NO. 42371
IN THE AMOUNT OF \$225.00



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-2338
H-J-H COMPANY
P.O. BOX 269
WEISER, ID 83672

138182

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

July 25, 1977

Re: Permit No. 67-2338

H-J-H Company, Ltd.
35 East Commercial St.
Weiser, Idaho 83672

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights

MICROFILMED

Identification No.

Permit No. 67-2338

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 27 1977

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder H. J. H. Company
b) Post Office Address Weiser Idaho Box 269
2. Permit Number 67-2338
3. Date of Priority that you are prepared to establish June 25th 1977
4. a) Source from which water was appropriated Scotts Creek
b) Location of the point of diversion: NE 1/4 SW 1/4, Section 2
Township 11 N, Range 6 W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 320 Minors inches for Irrigation purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2 mi ditch with Diversion dam at PP
dam - 3' high, 30' long, head gate - 4' wide, 6' high

- b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

- c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed

7/25/77

MICROFILMED

If you are irrigating 15 or more acres, please attach an aerial photo of the property with this application.

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	6W	11									90	40	40	40	40	40	40	40	300

Total number of acres irrigated 300

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/24/77 (Date) H&J-HCO by Carol Thompson pres. (Signature)

State of IDAHO)
) ss.
County of WASHINGTON)

On this 24th day of JUNE, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Freida Strong
Notary Public residing at Weiser Idaho

My commission expires 8-10-77

April 29, 1977

CERTIFIED MAIL

138438

Re: Permit No. 67-2338

H-J-H Company
35 East Commercial St.
Weiser, Idaho 83672

Gentlemen:

One of the conditions of approval of your water Permit No. 67-2338 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

MICROFILMED

October 26, 1976

Re: Permit No. 67-2338

H-J-H Company
35 East Commercial St.
Box 269
Weiser, Idaho 83672

Gentlemen:

We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department's records have been changed.

Enclosed is a copy of the approved application for extension of time. The time within which to submit proof of beneficial use has been extended to July 1, 1977.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:JFR

Enclosure

FROM Bob Fleenor

DATE

TO File 67-2338

SUBJECT

Extension of Time Request.

Mr Carl Hennings of H.J.H. Company indicated during his Oct. 14, 1976 visit to the office that the ditch is constructed and most of the land irrigated however he needs a extension of time to make changes in the delivery system so that the lands to which the permit has been amended can be irrigated

Bob Fleenor

SIGNATURE

October 18, 1976

Re: Permit No. 67-2338

H-J-H Company
Weiser, ID 83672

Gentlemen:

Enclosed herewith is a copy of the approved Application for Amendment issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.

September 30, 1976

CERTIFIED MAIL

138971

Re: Permit No. 67-2338


William M. Carson
637 W. Butterfield
Weiser, Idaho 83672

Dear Mr. Carson:

One of the conditions of approval of your water Permit No. 67-2338 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 17, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED
SEP 30 1976
WATER DIVISION

July 9, 1970

Re: Permit No. 32644/67-2338

Mr. William M. Carson
687 W. Butterfield
Weiser, Idaho 83672

Dear Mr. Carson:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit. Since proof of beneficial use of the water is not required until December 17, 1976, the Department will notify you sixty days in advance of this date as to further requirements. We wish to advise you, however, that if you have fulfilled the requirements under the permit you may submit proof anytime prior to the above date.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

32644
67-2338

July 7, 1970

Re: Permit No. 32644/67-2338

Mr. William M. Carson
687 W. Butterfield
Weiser, Idaho 83672

Dear Mr. Carson:

As of this date we have not yet received the affidavit of publication to be submitted in connection with the above referenced permit. Proof of beneficial use is not required until December 17, 1976; however, many newspapers do not keep copies of these advertisements in their files. We, therefore, recommend that you obtain this affidavit from the Signal American, Weiser, Idaho and submit it to the Department as soon as possible. This insures that when you are ready to submit proof of beneficial use there will be no unnecessary delay or added expense.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

67-2338
32644

May 14, 1970

Re: Permit No. 32644/67-2338

Mr. William M. Carson
687 W. Butterfield
Weiser, Idaho 83672

Dear Mr. Carson:

The legal notice for the above referenced permit is being published in the Signal American, Weiser, Idaho on May 28, 1970 and June 4, 1970.

You will be required to submit an affidavit of publication to this department. The affidavit may be obtained from the above mentioned newspaper upon payment of the bill of publication.

Thanking you for your cooperation in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

32644
67-2338

May 14, 1970

Re: Permit No. 32644/67-2338 - William M. Carson

Signal American
P.O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Reclamation immediately.

The expense of the publication is to be paid by William M. Carson, 1687 W. Butterfield, Weiser, Idaho, to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: legal notice

32644
67-2338

NOTICE OF EXISTING WATER PERMIT

RECEIVED
MAY 12 1970
Department of Reclamation

Notice is hereby given that William M. Carson, 687 W. Butterfield,

Weiser, Idaho,

has received an approved permit No.

32644/67-2338

issued by the Idaho State Reclamation Department authorizing the

diversion ~~storage~~ of 6.4 cubic feet per second ~~6666 feet per second~~

of water from Scotts Creek, tributary of the Snake River

subject to all prior rights. The priority to be established under this permit is

December 16, 1965,

December 17, 1965

and the permit was approved

Water is to be diverted by ditch, dam and headgate

from a point within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 2, T. 11N, R. 6W, B.M., Washington

County

to be used for irrigation and stockwater

in the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 11; NE $\frac{1}{4}$, E $\frac{1}{2}$ N $\frac{1}{2}$, Sec. 14, T. 11N, R. 6W, B.M.

Proof of the application of the water to beneficial use is to be submitted to the department on or before December 17, 1976. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Signal American, Weiser, Idaho, on

May 28

and

June 4, 1970

State Reclamation Engineer:

Permit No. 32644/67-2338

You are hereby authorized to have the attached notice published at my expense in

the Signal American of Weiser, Idaho;

published in the county in which the works are situated.

Wm M Carson
(Signature)

687 W Butterfield
(Address)

5-13-1970
(Date)

32644
67-2338

May 12, 1970

Re: Permit No. 32644 (New No. 67-2338)

Mr. William M. Carson
687 W. Butterfield
Weiser, Idaho 83672

Dear Mr. Carson:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department; previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply them upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Order
Advertising package

67-2338
32644

January 6, 1966

Re: Permit No. 32644

William M. Carson
687 West Butterfield
Weiser, Idaho

Dear Mr. Carson:

We enclose Permit No. 32644 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

By this same mail, we have sent to the Bureau of Land Management two copies of this permit, one of which has been certified, to be used in connection with the Desert Land Entry filed in that office. A copy of that letter is enclosed.

~~XXXXXXXXXXXX~~ Departmental Receipt No. 33039 which was issued covering payment in the amount of \$ 6.50, which includes \$ 6.50 for the filing fee and \$ 0.00 for the copies sent to the Bureau of Land Management, was given to you at which time you were in our office.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By


(MRS.) EDNA P. RULE
Chief Clerk

Encl. application and receipt
EPR:pmk

32644

NAME OF APPLICANT William M. Carson

Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

32644

Scotts Creek Washington County
Twp 11N. Rge. 6W.

Permit # 12864 Lic. 2308 .8cfs

11867 C.W. 20AF or 1.5cfs

10805 C.W. 1.3cfs

10063 Lic 2655 .06cfs

Permit Map No. 32644

As Approved

CARL E. TAPPAN

State Reclamation Engineer

DEC 17 1965

32644

ACKNOWLEDGEMENT

Permit Map No. 32644

As Approved

CARL E. TAPPAN DEC 17 1965

State Reclamation Engineer

Date: _____

Re: Application No. _____

I hereby acknowledge that, even though I was assisted by employees of the Idaho State Department of Reclamation in the preparation of Application No. _____, all responsibility with regard to the accuracy and completeness of the information contained therein rests with me.

Signed:

J^{rn} M. Carson

Applicant,

E 32644