

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)

A grid map with handwritten labels and a red stamp. The labels are:

- R. 18E
- T. 3N
- 25
- PDs
- 22

A red stamp is located in the bottom right corner, reading:

MICROFILMED
DEC 11 1995

Scale: 2 inches equal 1 mile

Signed this 4 day of oct, 19 95.

Walter J. ...
Permit Holder
Project Engineer.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by CS ^{10/26/95} Publication prepared by MB Date 10/27/95


Published in Wood River Journal Publication dates 11/9 + 11/16/95

I, L. GLEN SAXTON, of the Department of Water Resources hereby
approve the above referenced application for amendment provided the conditions
as set forth in Permit 37-08848 are met.

Witness my hand this 4th day of December, 1995
H. H. Saylor
SIGNATURE

SIGNATURE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

OCT 04 1935

MAYOR

(Applicant)

RECEIVED

NOV 16 1995

Department of Water Resources
Northern Region

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } ss.

On this 15 day of Nov, in the year 1995, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 8 day of Nov, 1995, and the date of the last publication was on the 15 day of Nov, 1995

Daniel J. Gorham
Subscribed and sworn to before me this 15th day of Nov, 1995.
(SEAL)

Roberta Meyerchen

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 45.933
Number of Insertions 2
Lines tabular at 45.933 6¢ / Pica
Lines straight at 26.412 5¢ / Pica
Subsequent lines at 21.129 4¢ / Pica
TOTAL COST +5 \$52.54

COPY OF NOTICE
(Paste Here)

Amend. Permit 37-08848

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

ID Dept. Water Resources
BILL TO

Amendment to a water permit

NOTICE OF AMENDMENT TO A WATER PERMIT

Notice is hereby given that the CITY OF BELLEVUE, PO BOX 449; BELLEVUE ID 83313 has applied to the Department of Water Resources to change the following described water right. WATER RIGHT AS RECORDED:

Permit No. 37-08848

Source: groundwater

Priority: 6/6/95

Amount: 3.35 cfs

Use: Municipal (1/1-12/31)

Point of Diversion:

SW1/4SW1/4, S25, T2N, R18E;

Blaine County.

Place of Use: Within the city limits of Bellevue.

WATER RIGHT TO BE CHANGED AS FOLLOWS:

One (1) additional point of diversion will be added within SWSWSW, S25, T2N, R18E; Blaine County.

Any protest against approval of the proposed amendment must be filed with the Director, Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before November 27, 1995. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Publish: Wood River Journal
November 8 & 15, 1995.

7-8 pt. line successive
insertion: 4 pica

MICROFILMED
DEC 11 1995

9848

AFFIDAVIT of PUBLICATION

RECEIVED

AUG 29 1995

Department of Water Resources
Southern Region

State of Idaho, }
County of Blaine } SS.

On this 23 day of Aug., in the year 1995, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 16 day of Aug, 1995, and the date of the last publication was on the 23 day of Aug, 1995.

Daniel J. Gorham
Subscribed and sworn to before me this 23 day of Aug, 1995.
(SEAL)

Roberta Myercher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 39, 267
Number of Insertions 2
39.867 Lines tabular at 22.923 6¢ / Pica
39.867 Lines straight at 18.339 5¢ / Pica
Subsequent lines at 4¢ / Pica
TOTAL COST +5 \$46.26

COPY OF NOTICE
(Paste Here)

Ap. for Permit, 37-08848
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

ID Dept. Water Res.
BILL TO

Application for Water Permit

NOTICE OF APPLICATION FOR WATER PERMIT

The following application has been filed to appropriate the public waters of the State of Idaho:

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313
37-08848

Source: groundwater

Diversion Pt:
SW1/4SW1/4SW1/4, S25, T2N,
R18E; Blaine County.

Use: Municipal (3.35 cfs)
1/1-12/31

Date Filed: 6/6/1995

In: Within city limits of Bellevue.

The permit will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before September 4, 1995. The protestant must also send a copy of the protest to the applicant. Karl J. Dreher, Director

Published in Wood River Journal on 8/16 & 8/23/95.

Publication Rates

As of Jan., 1990

(Idaho Code, Pub. Statutes 1984)

6-pt. line straight: 5 pica

7-pt. line tabular: 6 pica

8-pt. line successive insertion: 4 pica

MICROFILMED

OCT 04 1995

9720

RECEIVED

SEP 27 1996

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 175.00

Receipt No. 05266-26

Receipt By: RET

Date Received: 9-27-96

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08848 Telephone No. (208) 788-2128
2. Name(s) of Permit Holder(s): CITY OF BELLEVUE
3. Mailing Address: PO BOX 449 BELLEVUE ID 83313
4. Source of Water: GROUND WATER WELL If GROUNDWATER (well), Date Drilled: mo. 11 / yr. 95
 - a. Well Driller: ANDREW WELL DRILLING Drilling Permit Number: 37 - 95 - 5 - 0180 000
 - b. OPTIONAL:
Pump Horsepower: 150 Pressure (psi): 70 Dynamic pumping level (ft): 220
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: MUNICIPAL
6. Total rate of diversion and/or volume for which proof is submitted: 3.35 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>X</u>
	Has the measuring device been installed?	Yes <u>X</u> or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>X</u>
	Has the measurement port been installed?	Yes <u>X</u> or No _____
8. Fee Enclosed: \$ 175.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: MONTE BROTHWELL Telephone Number: (208) 788-2128
Address: PO BOX 449 BELLEVUE ID 83313
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Monte Brothwell Mayor Date: 9/12/96
(include your title, if on behalf of company or organization)

MICROFILMED

NOV 05 1996

10/93

RECEIVED

 Receipt No. 2018553
 Received By AS
 Date 10-06-1995

OCT 11 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESDepartment of Water Resources
Southern Region

APPLICATION FOR AMENDMENT OF A PERMIT

DEC 01 1995

APPROVED

Applicant City of Bellevue Department of Water Resources Phone 788-2128Address PO Box 449, Bellevue, ID 83313I am the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-08848, and request that the permit and permit map be amended and/or changed as follows:
 Purpose of Amendment: Change point of diversion ☒ Add point of diversion
Change place of use Change nature of use Change period of use Other

 1. Point of diversion: 2 points SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 25, Township 2N, Range 18E, B.M.,
 County of Blaine. Other points of diversion _____
2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) Same
 Amount 3.35 cfs for Municipal purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre feet per annum) (water use) (Begin month) (End month)

 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum) (water use) (Begin month) (End month)

 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum) (water use) (Begin month) (End month)
3. Place of use or land to be irrigated: No Change

T w p	R g e	S e c	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated at the place of use? city residents
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

DEC 11 1995

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)

R. 18E

T. 3N 25

PDS
00

MICROFILMED
DEC 11 1995

Scale: 2 inches equal 1 mile

Signed this 4 day of oct, 19 95

Walter J. Jones
Permit Holder
Project 84991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by CS ^{10/26/95} Publication prepared by MB Date 10/27/95
Published in Wood River Journal Publication dates 11/9 + 11/16/95

I, L. GLEN SAXTON, of the Department of Water Resources hereby
approve the above referenced application for amendment provided the conditions
as set forth in Permit 37-08848 are met.

Witness my hand this

4 五

day of

December 19 95

A. H. Saxon

SIGNATURE

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08848

Proposed Priority: June 6, 1995 Maximum Diversion Rate: 3.35 CFS

This is to certify, that CITY OF BELLEVUE

PO BOX 449

BELLEVUE ID 83313-0449

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

MUNICIPAL	01/01 to 12/31	3.35 CFS
-----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 25, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1996.
2. Subject to all prior water rights.
3. The daily diversion volume for non-domestic uses under this municipal right shall not exceed 2,500 gallons per use and the daily diversion volume for domestic uses under this right shall not exceed 13,000 gallons per dwelling in accordance with Section 42-111, Idaho Code.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
8. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
9. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
10. The place of use within city limits of Bellevue.
11. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.

MICROFILMED
OCT 04 1995


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08848


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of September, 1995.


for Karl J. Dreher, Director

MICROFILMED

OCT 04 1995



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08848
RECEIVED
JUN 06 1995

Department of Water Resources To appropriate the public waters of the State of Idaho Department of Water Resources
Southern Region

1. Name of applicant City of Bellevue Phone (208) 788-2128

Post office address PO Box 449 Bellevue ID 83313

2. Source of water supply New Well - Groundwater ^{NO 6-12-95} which is a tributary of N/A

3. Location of point of diversion is SW 1/4 of SW 1/4 of SW 1/4, Govt. Lot _____
Sec. 25 Township 2N Range 18E B.M. Blaine County; additional
points of diversion if any: None

4. Water will be used for the following purposes:

Amount 3.35 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3.35 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 150 HP Pump, Well

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 14 inches; proposed depth of well is 350 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
May 1996 / NO 6-12-95 years (minimum 1 year).

RECEIVED
OCT 04 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. City of Bellevue
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

90 6-13-96

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	25											M	M					
2N	18E	26													M			M	
2N	18E	26																	
2N	18E	26	M	M	M	M	M	M	M	M	M	M	M	M					

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. The City has currently one existing well being used for some purpose (municipal).

11. a. Who owns the property at the point of diversion? City of Bellevue
- b. Who owns the land to be irrigated or place of use? City of Bellevue
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This new well will be for additional water supply in addition to the existing well.

OCT 04 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

OCT 04 1995

MAYOR

(Applicant)

[Signature]

Received by MTS Date 6-6-95 Time 1:30 Preliminary check by J.E. Stanton
Fee \$ 8160 Received by MTS # 5018165 Date 6-6-95
Publication prepared by MB Date 8/2/95 Published in Wood River Journal
Publication approved MBaldwin Date 9/11/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

OCT 04 1995

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 37-08848 Reviewed by [Signature] Date 10-29-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

no Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 37-95-S-0180-000
200- Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
175- Amount Submitted
yes Correct?
yes Required?
yes Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 9-27-96

November 1, 1996

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 833130449

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08848

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208) 736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
NOV 05 1996

July 31, 1996

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 833130449

PROOF DUE NOTICE

RE: PERMIT NO. 37-08848

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
NOV 05 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DECEMBER 4, 1995

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313


RE: Permit No. 37-08848

Dear Water Right Holder(s):

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please contact me at (208) 327-7946.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED

DEC 11 1995

AMENDMENT OF PERMIT REVIEW

Reviewed by Cindy Zimmerman

on 12/1/95*Outside Aquifer*PERMIT NO. 37-8848 NAME City of Bellevue Ad OK? ✓**TYPE:**

A = AMENDED E = CHANGE N/U I = CHANGE P/D & P/U
B = CHANGE P/D F = CHANGE Per/U J = ADD P/D & CHANGE P/U
C = ADD P/D G = OTHER
D = CHANGE P/U H = CHANGE P/D & + P/D

AREA OF CONCERN: ESRP Mor Big Wood R. GWMA Trust/Non-trust - Municipal
B/U PROOF DUE DATE: 10/1/96 Submitted? Yes/No Due -6 months? Yes/No exempt**SURFACE WATER: <flow chart>**

In Water District - 005; WD No. _____
+ 0.2 cfs - 01J
- 0.2 cfs - 01H
Not in WD; +0.2 cfs - 01M
-0.2 cfs - No MD

GROUNDWATER: <flow chart>

+ 0.2 cfs - ~~01M~~ on permit
- 0.2 cfs - No MD
Drilling Permit - Included? No. 37-95-S-0145-801
- Not included? 046-46B 7/95
- NA

LOCATION:

Swan Falls Flag - 7 (1, Blank or Other)
Trust - 051-052-053 (Consumptive Uses); NA
Non Trust <1> - 048-049; NA

RIVER BASINS (Surface Water)

Boise (63) - 05A & 11E, N/A
Payette (65) - 047 (Payette Lake), 064 (consump. use), NA
Snake (01, 02 & 03) - 11A (01), 061 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 06A/09E/010 (WQ/Choose One), 042-002,
- 07A (Spec.), 044 (Policy 5G)
Power - _____ (Use Power Review)
Mining - 06A/010/09E (WQ) & 054 (req.)
Storage (3 comp?) - 18A (multi MD in WD), 18B (+10' dam)
Domestic - 021 (Boise R + L Peak), 064 (Payette R)

NON LAND OWNER**PROTEST AGREEMENT**

- ~~004~~ on permit
- 020

Recommended conditions same as on the permit or subsequent amendment(s)
to the permit? Yes ✓ Yes + cond _____ No _____

Conditions of Approval: Standard, _____

(do not include any conditions already on permit)

Comments _____

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: C. SKINNER

Right Number 37-08848 Applicant City of Bellevue

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ ~~Stream index information (reverse).~~
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.

NA

- ☐ Existing water rights from the same source, amended place of use.
- ☐ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☒ Protests processed. None
- ☒ Approve.
- ☐ Deny.

Conditions Same conditions as original permit

By AD Date 11/30/95

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By ez Date 12/1/95
- ☐ Approved copy sent to applicant and to Region. By _____ Date _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

From: DWR60::AMERRITT 30-NOV-1995 14:38:15.85
To: GFUNDERB
CC: AMERRITT
Subj: APPROVING AMENDMENT OF 37-08848

I AM FORWARDING THE AMENDMENT TO BOISE FOR APPROVAL. IN THE FILE IS A NOTE THAT YOU WANTED TO BE NOTIFIED SO YOU COULD CHANGE THE SUFFIX OF THE DRILLING PERMIT FROM TEST WELL TO PRODUCTION. 37-95-S-0145-801

PLEASE MAKE NECESSARY CHANGES.

ALLEN

MINUTED
DEC 11 1995

Test Well turned into Production Well

RECEIVED

Ident. No.

37-95-S-0145-801

AUG 21 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR DRILLING PERMIT

Department of Water Resources
Southern Region

1. Name: CITY OF BELLEVUE
Address: P.O. BX 449
BELLEVUE ID 83313

O 208-788-2128

2. Proposed Well Location: Township 02^N, Range ~~03~~^{18E}, Sec. 25, SWSW
BLAINE County

3. Proposed Use of Well: Other
THIS WELL WILL BE A TESTWELL. AND MAYBE CONVERTED TO PRODUCTION WELL.

4. Well Construction Information:

- A. NEW WELL
 - B. Proposed Surface Diameter 6 In. Proposed Maximum Depth 250 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 7/15/1995

6. Anticipated Well Driller: ANDREW WELL DRILLING SERVICES INC (No. 0005)
NOTE: The actual well driller must be identified prior to drilling.

7. Applicant's Signature [Signature] Date 8/17/95

Title [Signature], City Engineer
(Owner, Firm Representative, Other)

Fee \$ 200.00 Received by [Signature] No. 5018386 Date 08/22/1995

MICROFILMED

DEC 11 1995

(Continued)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This permit is APPROVED

Date: 8/16/1995

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.
9. At the time this well is no longer needed for the purpose for which it is constructed, a proposal for decommissioning this well shall be submitted, and approval obtained from the Department of Water Resources, prior to the commencement of abandonment.
10. The owner, operator or contractor will give the Department of Water Resources prior notice of 24 Hrs. to the commencement of the abandonment.
11. Drilling fluids shall be developed with water which meets or exceeds drinking water standards.
12. This Drilling Permit is issued for a test well only. Diversion of water from this well is not authorized except for a well test not to exceed 24 hrs. No permanent casing shall be installed. Upon acquisition of necessary data, all casing shall be removed and the hole abandoned by an approved method and seal material. This approval shall be done through the use of an application for abandonment. Water obtained from the test shall be disposed of in a manner which does not adversely effect other individuals, this or another resource.

(Continued)

MICROFILMED

DEC 11 1995

Ident. No.

37-95-S-0145-801

CONDITIONS OF APPROVAL:

13. IF THIS WELL IS TO BE USED FOR DEVELOPEMENT OF THE PRODUCTION WELL, A COPY OF THE CHANGE WILL BE SUBMITTED AT THE TIME REQUEST IS MADE FOR THE CONVERSION.
14. IF THIS WELL IS ABANDONED, THE CASING SHALL BE REMOVED AND THE WELL FILLED FROM THE BOTTOM TO THE SURFACE WITH BENTONITE.

A. Junderburg

Signature of Authorized Dept. Representative

S. Water Res. Agent

Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____

Expires On: _____

MICROFILMED
DEC 11 1995

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No:

2074377

Date:

Time:

8/15/1995

12:58:13

Received

From: CITY OF BELLEVUE

Type of Payment	Program A cct	Amount
WELL CON. PERMIT379590145801	64115 229 21 1305	200.00
CHECK 2074		
	Total	\$ 200.00

Region: SOUTHERN

Signature:

Gay Eidenburg

MICROFILMED

DEC 11 1995

ACTION REQUIRED

FROM: Funderburg

TO: File

10/6/95

37-08848

Let Gary know when this permit is to be sent to Boice for final approval. He will need to change the suffix of the Drilling Permit from test well to production well

RECEIVED

NOV 16 1995

Department of Water Resources
Southern Region

AFFIDAVIT of PUBLICATION

State of Idaho,

County of Blaine

SS.

On this 15 day of Nov, in the year 1995, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 8 day of Nov, 1995, and the date of the last publication was on the 15 day of Nov, 1995

Subscribed and sworn to before me this 15th day of Nov, 1995.
(SEAL)

Roberta McFarlane

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 45.933
Number of Insertions 2
Lines tabular at 45.933 6c / Pica
Lines straight at 26.412 5c / Pica
Subsequent lines at 21.129 4c / Pica
TOTAL COST 52.54

COPY OF NOTICE
(Paste Here)

Amend. Permit 37-08848

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

ID Dept. Water Resources
BILL TO

Amendment to a water permit

NOTICE OF AMENDMENT TO A WATER PERMIT

Notice is hereby given that the CITY OF BELLEVUE, PO BOX 449, BELLEVUE ID 83313 has applied to the Department of Water Resources to change the following described water right:
WATER RIGHT AS RECORDED:

Permit No. 37-08848

Source: groundwater

Priority: 6/6/95

Amount: 3.35 cfs

Use: Municipal (1/1-12/31)

Point of Diversion: SW1/4SW1/4, S25, T2N, R18E;

Blaine County.

Place of Use: Within the city limits of Bellevue.

WATER RIGHT TO BE CHANGED AS FOLLOWS:

One (1) additional point of diversion will be added within

SWSWSW, S25, T2N, R18E;

Blaine County.

Any protest against approval of the proposed amendment must be filed with the Director, Idaho Department of Water Resources, 227 Shoshone Street East, Twin Falls, ID 83401 together with a protest fee of \$25.00 on or before November 27, 1995. The protestant must also send a copy of the protest to the applicant, Karl J. Decker, Blaine.

Published: Wood River Journal November 8 & 15, 1995

7.8 pr line successive insertion: 4 pica

9848

RECEIVED
DEC 11 1995

**NOTICE OF AMENDMENT TO
A WATER PERMIT**

Notice is hereby given that the
CITY OF BELLEVUE, PO BOX
449; BELLEVUE ID 83313 has
applied to the Department of
Water Resources to change the
following described water right.

**WATER RIGHT AS
RECORDED:**

Permit No. 37-08848

Source: groundwater

Priority: 6/6/95

Amount: 3.35 cfs

Use: Municipal (1/1-12/31)

Point of Diversion:
SW1/4SW1/4, S25, T2N, R18E;
Blaine County.

Place of Use: Within the city
limits of Bellevue.

**WATER RIGHT TO BE
CHANGED AS FOLLOWS:**

One (1) additional point of
diversion will be added within
SWSWSW, S25, T2N, R18E;
Blaine County.

Any protest against approval of
the proposed amendment must
be filed with the Director, Idaho
Department of Water Resources,
222 Shoshone Street East, Twin
Falls, ID 83301 together with a
protest fee of \$25.00 on or
before November 27, 1995. The
protestant must also send a copy
of the protest to the applicant.

Karl J. Dreher, Director

Published in the Wood River
Journal on 11/9 & 11/16/95.

MICROFILMED

DEC 11 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033
Fax (208) 736-3037

October 27, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

WOOD RIVER JOURNAL
PO BOX 988
HAILEY ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

Submitted
DEC 1 1995

NOTICE OF AMENDMENT TO A WATER PERMIT

Notice is hereby given that the CITY OF BELLEVUE, PO BOX 449; BELLEVUE ID 83313 has applied to the Department of Water Resources to change the following described water right.

WATER RIGHT AS RECORDED:

Permit No. 37-08848
Source: groundwater
Priority: 6/6/95
Amount: 3.35 cfs
Use: Municipal (1/1-12/31)
Point of Diversion: SW1/4SW1/4, S25, T2N, R18E; Blaine County.
Place of Use: Within the city limits of Bellevue.

WATER RIGHT TO BE CHANGED AS FOLLOWS:

One (1) additional point of diversion will be added within SWSWSW, S25, T2N, R18E; Blaine County.

Any protest against approval of the proposed amendment must be filed with the Director, Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before November 27, 1995. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Wood River Journal on 11/9 & 11/16/95.

NOV 1 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033

Fax (208) 736-3037

October 27, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313

Re: Application for Amendment, 37-08848

Gentlemen:

The Department of Water Resources acknowledges receipt of your application for amendment of a permit.

This office has scheduled advertising the application in the Wood River Journal on 11/9 & 11/16/95. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely yours,

Corey Skinner, E.I.T.
Safety of Dams Engineer

cs:mb



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 29, 1995

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313-0449

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08848

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

MICROFILMED

OCT 04 1995

SK:rl

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 37-8848 Name: City of Bellevue Date: 9/28/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 3018/65 Priority: 6/6/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes ESRP Mor Big Wood GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-468-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dom~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - 7 <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS: - 002

STANDARD REMARKS: - ① Pu/ Bellevue ② WZ1

BENEFICIAL USE DUE: - 10-1-1996

COMMENTS: -

MEMORANDUM

DATE: September 28, 1995
TO: File No. 37-08848
FROM: Cindy Zimmerman
SUBJECT: Trustwater Review

=====

This application proposes to divert 3.35 cfs of trustwater from groundwater for municipal use within the city limits of Bellevue. This application satisfies 42-203A & C requirements.

MICROFILMED
OCT 04 1995

FROM: Allen Merritt *AM*

DATE: September 22, 1995

TO: File: Application for Permit 37-08848

SUBJECT: Review & Recommendation

The application proposes to develop a new well for municipal use for the city of Bellevue. The well is to be located in an area presently covered by the "Eastern Snake Plain Moratorium" and in the "Big Wood Groundwater Management Area". Pursuant to the moratorium and the management order such municipal wells have been allowed for "domestic & fire protection" purposes but not authorized for new major consumptive uses such as irrigation of large tracts of lands such as ballfields, parks, etc.

The application was advertised with no protests.

Recommendation:

I recommend that the application be approved subject to the following conditions:

1. A measuring device with totalizing meter be installed at the new well.
2. The place of use is limited to within the city limits of the city of Bellevue and to the surrounding service area.
3. Irrigation of large projects such as parks, golf courses, or athletic fields is not authorized under this permit.
4. Uses authorized under this permit must be for fire protection or uses which individually meet the definition for domestic use provided in 42-111, Idaho Code.
5. The new well authorized under this permit must comply with the drilling permit requirement and meet IDWR well construction standards and DEQ health requirements.
6. Subject to all county, state & federal permits that may be required.

MICROFILMED

OCT 04 1995

RECEIVED
SEP 25 1995
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JF. Stanton DATE 6-12, 1995
APPLICATION NO. 37-08848

RECEIVED
SEP 25 1995
Department of Water Resources

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.)
☒ County
☒ Quantity (flow &/or volume)
☒ Period of use
☒ Nature of proposed use (include description of use)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt
- ++++PROPOSED PRIORITY DATE
6-6 1995

ADDITIONAL INFORMATION

- ☒ Overlapping place of use(Describe source & relationship to present application on the back.
Overlapping point of diversion. *Process App.*
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical Ground water area
☒ Yes ☐ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary(If yes, attach trustwater supplementary analysis sheet.
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.
See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Date Requested _____, 19____

PROCESSING ☒ Yes ☐ No In form for Advertising
☐ Yes ☒ No No Statewide Advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on app.

SEND COPIES TO: ☐ Idaho Dept of Health & Welfare ☐ USDI BLM
☐ Idaho Dept of Fish & Game ☐ USFS
☐ Idaho Dept of Lands ☐ Water Dist.
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest _____
N/A Yes ☐ No Protests, dates, resolution of protest, recorded on app.
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See Attached Memo

See below for additional information

Date of priority recommended 6/6/95, 19
By AD Date 9/22, 19 95

STATE OFFICE REVIEW

See below for additional information

By _____ Date _____, 19 _____

ADDITIONAL INFORMATION:

LOCAL PUBLIC INTEREST

Comments recieved from:

___ City	___ Idaho Fish & Game	___ Irrigation Dist.
___ County	___ Idaho Health & welfare	___ Canal Company
___ Reservations	___ Div. of Enviromental Quality	___ Other_____

PROJECT IMPACTS/IMPLICATIONS REPORT

COMMENTS:

DATE _____, 19____

AFFIDAVIT of PUBLICATION

RECEIVED

AUG 29 1995

State of Idaho, }
County of Blaine } ss.

Department of Water Resources
Southern Region

On this 23 day of Aug., in the year 1995, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 16 day of Aug., 1995, and the date of the last publication was on the 23 day of Aug., 1995.

Daniel J. Gorham
Subscribed and sworn to before me this 23rd day of Aug., 1995.
(SEAL)

Roberta Myerkercher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 39, 267
Number of Insertions 2
Lines tabular at 39.867 6c / Pica
Lines straight at 22.923 5c / Pica
Subsequent lines at 18.339 4c / Pica
TOTAL COST +5 \$46.26

COPY OF NOTICE
(Paste Here)

Ap. for Permit, 37-08848
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

ID Dept. Water Res.
BILL TO

Water Permit
NOTICE OF APPLICATION
FOR WATER PERMIT
The following application has been filed to appropriate the public waters of the State of Idaho:
CITY OF BELLEVUE
PO BOX 449
BELLEVUE, ID 83813
37-08848
Source: groundwater
Diversion: P.
City of Bellevue, ID, 83813
Elmer R. Rasmussen
City Manager
City of Bellevue
141-11201
Date Filed: 8/11/95
For Water: City of Bellevue
This permit will be subject to all prior water rights. Any person must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Chestnut Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before September 4, 1995. The protestant must also send a copy of the protest to the applicant.
Karl J. Decker, Director

Published in Wood River Journal on 8/16 & 8/23/95.

Publication Rates
As of Jan., 1990
(Idaho Code, Pub. Statutes 1984)
1/2" line straight: 5 pica
1/2" line tabular: 6 pica
7/8" line successive insertion: 4 pica

MICROFILMED

OCT 04 1995

9720

**NOTICE OF APPLICATION
FOR WATER PERMIT**

The following application has
been filed to appropriate the
public waters of the State of
Idaho:

CITY OF BELLEVUE

PO BOX 449

BELLEVUE ID 83313

37-08848

Source: groundwater

D i v e r s i o n P t :

SW1/4SW1/4SW1/4, S25, T2N,

R18E; Blaine County.

Use: Municipal (3.35 cfs)

1/1-12/31

Date Filed: 6/6/1995

**In: Within city limits of
Bellevue.**

The permit will be subject to all
prior water rights. Any protest
must be filed with the Director,
Dept. of Water Resources,
Southern Region, 222 Shoshone
Street East, Twin Falls, ID
83301 together with a protest fee
of \$25.00 on or before
September 4, 1995. The
protestant must also send a copy
of the protest to the applicant.
Karl J. Dreher, Director

Published in Wood River
Journal on 8/16 & 8/23/95.

MICROFILMED
OCT 04 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033

Fax (208) 736-3037

August 2, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

WOOD RIVER JOURNAL
PO BOX 988
HAILEY ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

MICROFILMED
OCT 04 1995

NOTICE OF APPLICATION FOR WATER PERMIT

The following application has been filed to appropriate the public waters of the State of Idaho:

CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313

37-08848

Source: groundwater

Diversion Pt: SW1/4SW1/4SW1/4, S25, T2N, R18E; Blaine County.

Use: Municipal (3.35 cfs) 1/1-12/31

Date Filed: 6/6/1995

In: Within city limits of Bellevue.

The permit will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before September 4, 1995. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in Wood River Journal on 8/16 & 8/23/95.

MICROFILMED

OCT 04 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033
Fax (208) 736-3037

August 2, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

MAYOR DENNIS WRIGHT
CITY OF BELLEVUE
PO BOX 449
BELLEVUE ID 83313

Re: Application for Permit No. 37-08848

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above referenced identification numbers. Please refer to this number in all further correspondence.

This office has scheduled advertising the applications in the Wood River Journal for 8/16 & 8/23/95. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

MISSOURI MED
James E. Stanton
State Water Resource Agent

JS:MB

OCT 04 1995

City of Bellevue

P.O. Box 449 • Bellevue, Idaho 83313 • (208) 788-2128

June 2, 1995

Idaho Department of Water Resources
222 Shoshone Street East
Twin Falls, Idaho 83301

RECEIVED

JUN 06 1995

Department of Water Resources
Southern Region

Gentlemen:

Enclosed is an application for a Well Permit and a
check of one hundred sixty (\$160.00) dollars for the same.

Yours truly,



Anna Faye O'Donnell
Clerk-treasurer

RECEIVED

OCT 04 1995

37-08848