



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Christopher B. Slaughter
(Applicant)

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: I was unable to get a measurement from the well, or even find the identification plate. I used the measurement done by the drillers, which was recorded as 40 gpm.

MICROFILMED
JUN 01 2001

Idaho Department of Water Resource
Recommendation for 37-08826
Chris Singleton



● Point of Diversion

□ Section Lines

□ Quarter-quarter lines

□ Place of Use

MICROFILMED

JUN 01 2001





Point of Diversion and Place of Use
T03N R18E S18

Data entry on Jan 23, 2001

Point of Diversion Presentation
1987/1988 NAPP Photography
Data Entry By: Amanda Folsom

703X RIFE 518
37-08826







Chris & Dana Singleton

FE: Amanda Folsom
Date: May 25, 2000

MICROFILMED

JUN 01 2001

37-08826



MICROFILMED
JUN 01 2001

Chirs & Dana Singleton

FE: Amanda Folsom
Date: May 25, 2000

37-08826

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } ss.

JUL 19 1994
Department of Water Resources
Southern Region Office

On this 15 day of July, in the year 19 94, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6 day of July, 19 94, and the date of the last publication was on the 13 day of July, 19 94.

Daniel J. Gorham

Subscribed and sworn to before me this 15th day of July, 19 94.
(SEAL)

Roberta McKeehan

NOTARY PUBLIC

#9187

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5

Number of Lines in Notice 70.287

Number of Insertions 2

Lines tabular at _____ 6¢ / Pica

70.287 Lines straight at 40.415 5¢ / Pica

70.287 Subsequent lines at 32.332 4¢ / Pica

TOTAL COST TS \$77.75

COPY OF NOTICE

(Paste Here)

Application-Water permit: Singleton
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. Water Resources
BILL TO

Applications for water permit

NOTICE OF APPLICATIONS FOR WATER PERMIT

The following applications have been filed to appropriate the public waters of the State of Idaho: 37-08826

CHRISTOPHER B. SINGLETON
&/OR DANA S. SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Source: groundwater
Diversion Pt: NESEW, S18, T03N, R18E; Blaine County.

Use: 01/01 to 12/31

Domestic (0.04 cfs)
Fire protection storage
(0.60 afa)

Total Diversion: 0.04 cfs

Date Filed: 5/31/94

In: SENW, S18, T03N, R18E;
Blaine County.

71-07173
CAMP PERKINS LUTHERAN OUTDOOR
MINISTRIES INC
PO BOX 1965
HAILEY ID 83333

Source: groundwater
Diversion Pt: SESE, S17, T07N, R14E; Blaine County.

Use: Heating (0.1 cfs)
from 01/01 to 12/31

Date Filed: 05/19/94

In: SESE, S17, T07N, R14E;
Blaine County.

The permits will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before July 25, 1994. The protestant must also send a copy of the protest to the applicant.

R. Keith Higginson, Director

Publish: Wood River Journal—July 6 & 13, 1994.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08826

Priority: May 31, 1994

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.5 AF

It is hereby certified that CHRISTOPHER B SINGLETON And/Or DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340-0987 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 31, 1994; and has
submitted Proof of Beneficial Use on June 25, 1996. An examination indicates that the works have a
diversion capacity of 0.09 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		0.3 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 18, Twp 03N, Rge 18E, B.M., BLAINE County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N 18E 18								X									

PLACE OF USE: FIRE PROTECTION STORAGE

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N 18E 18								X									

MICROFILMED
JUN 01 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08826

CONDITIONS OF APPROVAL

1. Water shall not be diverted from storage for fire protection use under this right except to fight or repel an existing fire.
2. Domestic use is for 1 home.
3. Point of diversion and place of use are located within Lot 7, Greenhorn Bench Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23RD day of MAY, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED
JUN 01 2001

RECEIVED

JUN 25 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08826 Telephone No. (208) 726-4421

2. Name(s) of Permit Holder(s): Christopher B. and Dana S. Singleton

3. Mailing Address: c/o Hogue, Speck & Aanestad, P.A., P.O. Box 987, Ketchum, ID 83340

4. Source of Water: groundwater If **GROUNDWATER** (well), Date Drilled: mo. June / yr. 94

a. Well Driller: Scott Drilling & Pump Co. Drilling Permit Number: 37 - 945-0061-000

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: fire protection

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR 0.6 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X

Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Chris Singleton Telephone Number: (208) 788-6161

Address: P.O. Box 2803, Sun Valley, ID 83353

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Chris Singleton Dana Singleton Date: 6-18-96
(include your title, if on behalf of company or organization)

AUG 07 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08826

Proposed Priority: May 31, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that CHRISTOPHER B SINGLETON
DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340-0987

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	
FIRE PROTECTION STORAGE	01/01 to 12/31		0.6 AF
	Totals	0.04 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NESENW , Sec. 18, Township 03N, Range 18E
BLAINE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 18E 18 SENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Construction of the well must comply with Idaho well construction standards.
6. Point of diversion and place of use are located within Lot 7, Greenhorn Bench Subdivision.
7. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. SEP 09 1994
Witness the signature of the Director, affixed at Boise, this

29th day of August, 1994.

for J. Keith Higginson
R. Keith Higginson, Director

RECEIVED
AUG 02 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08826

RECEIVED

Department of Water Resources To appropriate the public waters of the State of Idaho

MAY 27 1994

1. Name of applicant CHRISTOPHER B. SINGLETON and/or DANA S. SINGLETON
Post office address c/o James P. Speck, HOGUE, SPECK & AANESTAD, PO BOX 987, Ketchum, ID 83340

2. Source of water supply groundwater which is a tributary of
3. Location of point of diversion is NE 1/4 of SE 1/4 of NW 1/4, Govt. Lot
Sec. 18 Township 3N Range 18E B.M. Blaine County; additional
points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.04 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) storage for
Amount 0.6 for fire protection purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) 0.6 acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump to lined pond; standpipe
to draw from pond for fire protection purposes; direct line from well to
residence for domestic use

b. Height of storage dam 0 feet; active reservoir capacity 0 acre-feet; total
reservoir capacity 0.6 acre-feet; period of year when water will be diverted to storage:
Jan. 1 to Dec. 31 inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 120 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

SEP 09 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. One (1)
- e. Other; describe fully. Storage for fire protection in rural area of County

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	18E	18								D/FP									

D=Domestic FP=Fire Protection Storage

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Point of diversion and place of use are on Lot 7, Greenhorn Bench Subdivision

SEP 09 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles B. Smith
(Applicant)

Received by MTS Date 5-31-94 Time 2:10 Preliminary check by J. G. Stanten
Fee \$ 30 Received by MTS # 5016950 Date 5-31-94
Publication prepared by MB Date 6/14/94 Published in Wood River Journal
Publication approved MBaldwin Date 7/26/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

SEP 09 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 24, 2001

CHRISTOPHER B SINGLETON
DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340-0987

RE: License No. 37-8826 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 01 2001

CERTIFICATE OF MAILING

I hereby certify that on May 24, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-8826

**CHRISTOPHER B SINGLETON
DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 833400987**


**Kari Lynn Townsend
Secretary**

MICROFILMED

JUN 01 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JUN 01 2001

LICENSE REVIEW CHECKLIST

Permit No. 37-88246 Date: 5-21-2001 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): none

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit 0.20 cfs

Measured _____ cfs

Theoretical 0.09 cfs

Recommended Total Diversion Rate 0.04

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.04 cfs 1.2 af

FP _____ cfs 0.3 af

Total 0.04 cfs 1.5 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Div to Stor 0.04 X 12/31
add-
no amendment
reg'd
Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: W01, W59/W60, 077

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

Not req'd

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

Place of Use Comparison Report

↑

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 16 2001
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 37-08824
1. Owner: Christopher & Dana Singleton Phone No. 208-788-6161
Current Address: PO Box 2803 Sun Valley ID 83353
2. Accompanied by: Permission given by Dana EXAM DATE: May 25, 2000
Address: same Phone No. same
Relationship to Permit Holder: Owner
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: none
2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NW	18	03N	18E	Blaine	GPS TAG# A0007949


2. Place(s) of Use:

Indicate Method of Determination GIS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	18E	18								D/E									

MICROFILMED
JUN 01 2001

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

MICROFILMED

D. FLOW MEASUREMENTS

1.

JUN 01 2001

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: I was unable to get a measurement from the well, or even find the identification plate. I used the measurement done by the drillers, which was recorded as 40 gpm.

E. NARRATIVE/REMARKS/COMMENTS

FILE: 37-08826

FROM: Amanda Folsom

DATE: January 24, 2001

I had left a message for Chris and Dana Singleton at their home in Sun Valley. Dana phoned me back from California where she was staying with family while her husband worked over seas. She gave me permission to conduct the field exam for the domestic and fire protection use. She did say that a house keeper took care of the property while she was gone, and the watering of the lawn and the fire protection pond are all automatic.

The well is located on the SW side of the house, however, I was unable to find any identification tags for the well pump or motor. I was also unable to get any information from the well drilling company, so I used the well driller's log here at the Department, which records a measurement of 40gpm. The well is used for the home, pond, and 1/2 acre of lawn.

MICROFILMED

JUN 01 2001

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

MICROFILMED

JUN 01 2001

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{40 \text{ gpm}}{448.83} = 0.09 \text{ cfs}$$

Permitted $\rightarrow$ 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\text{Fire Protection Pond} \sim 69' (132') = 9108 (4' \text{ deep}) (.4) =$$

$$\frac{14572.8}{43560} = 0.33 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	Y1	12/31	0.04	
Fire Protection Storage	Y1	12/31		0.33
Totals:			0.04	0.33

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Amanda L. Lamm Date 4/24/01

Reviewer _____ Date _____

MICROFILMED
JUN 01 2001
SEAL

Idaho Department of Water Resource
Recommendation for 37-08826
Chris Singleton



- Point of Diversion
- Section Lines
- Quarter-quarter lines
- Place of Use


MICROFILMED


JUN 01 2001



Point of Diversion and Place of Use
T03N R18E S18
Data entry on Jan 23, 2001
Point of Diversion Presentation
1987/1988 NAPP Photography
Data Entry By: Amanda Folsom

703X RIFE S18
37-08826






Chris & Dana Singleton


FE: Amanda Folsom
Date: May 25, 2000

MICROFILMED

JUN 01 2001

37-08826





MICROFILMED

JUN 01 2001

Chirs & Dana Singleton

FE: Amanda Folsom
Date: May 25, 2000

37-08826

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO.

2708826

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- () Blank Field Report & Notice of Completed Exam
- () Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
- () Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- () Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- () Copy of Orthophotoquad Map
- () 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
- () Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date May 25 Time _____ Place Home

Contact Person & Phone Dana Singleton (949) 290-1622

D. Post-Exam Review & Processing

Exam Completed May 25, 2000 Notice of Completion Turned In _____
Field Report Completed 4/24/01 Amanda Folsom 4/24/01
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. MR 3/14/01 (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____

MICROFILMED

JUN 9 1 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

July 3, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHRISTOPHER B SINGLETON
C/O JAMES P SPECK
HOGUE SPECK & AANESTAD
PO BOX 987
KETCHUM ID 83340

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 37-08826

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use statement and the \$50.00 license examination fee filed in connection with the above referenced permit.

Your proof statement indicates you are diverting 0.04 cfs from a groundwater source for domestic use and fire protection. A rate of diversion of 0.04 cfs does not require a license examination fee. Therefore, I have initiated the process to refund the \$50.00 exam fee submitted with the proof. The refund process takes approximately seven (7) to ten (10) days and will arrive under separate cover.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have any questions concerning the field examination, contact the SOUTHERN Regional Office in Twin Falls, at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region, Fiscal

RECEIVED
AUG 07 1996

Permit No. 37-08826 Reviewed by [Signature] Date 7-1-96

If not, complete calculation below.

dom. pine

Surface water source

☒ Ground water source

yes Drilling permit required?

no Copy in the file?

35.00 Amount paid for permit

no Well log in the file?

Drilling Permit No. 37-94-S-0061-000

Yes Correct?

no Required?

50- Amount Submitted

no Correct?

no Required?

 Installed?

 Waiver requested?

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

Refund \$ 50.00 Warm fee.
Proof acceptable

New Address _____

Proof Made 6-25-96

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
TRACY DUNLAP
MICHELE C. MESKE

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567
FAX (208) 788-4230

RECEIVED

JUN 25 1996

June 24, 1996

Department of Water Resources

Ms. Julie L. Yarbrough
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Permit No. 37-08826

Dear Ms. Yarbrough:

Enclosed is the completed and executed Proof of Beneficial Use for the above-referenced permit, with the applicants' check for Fifty Dollars (\$50) for the filing fee. Please contact the applicants when it is necessary to schedule the field examination.

Thank you for your assistance.

Sincerely,

HOGUE, SPECK & AANESTAD, P.A.

Michele C. Meske

Michele C. Meske

MCM/
cc: Chris and Dana Singleton

AUG 07 1996

May 31, 1996

CHRISTOPHER B SINGLETON
DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 833400987

PROOF DUE NOTICE

RE: PERMIT NO. 37-08826

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

AUG 07 1996





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 29, 1994

CHRISTOPHER B SINGLETON
DANA S SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 833400987

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08826

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

RECEIVED

SEP 09 1994

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 37-8826 Name: Singleton Date: 8/9/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes E.S., R.P., Mor GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted	-	P16
Proof submitted	-	NA

GROUNDWATER:

```
+ 0.2 cfs <FLO-CH>      - T17 (new), 01K (existing), No MD
- 0.2 cfs                - No MD <FLOW CHART>
```

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~)	-	WD No. _____
*Surface water	-	005 (req) 01J-P08 <FLOW CHART>
(<i>doesn't sink</i>)		or 01H-P01 <FLOW CHART>; No MD
Groundwater	-	P05 (new irrigation well)
In stream channel	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Drainage Districts	-	024
Flood Control Dist.	-	063
Boise Front (63)	-	058 (-85° GW temp only)
Swan Falls Flag	-	<u>C</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non Trust <1>	-	048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
 Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
 Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation	-	07A-042 (req) & 010/06A/09E(WQ)-P10 044 (N 1000 Spr)
Irrigation	-	03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power	-	08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10; +25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining	-	054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.)	-	18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface)	-	021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____
ESTED: - 020 (Prehearing agreement) / W19 (See Order)

OTHER COND

REMARKS:

① Wolf, ② FIC L 1, = nein von denen Subd.

BENEFICIAL USE DUE: - 8-1-1996

COMMENTS:

WR0749NP
No. P37-08826

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/09/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHRISTOPHER B SINGLETON	05/31/1994	DOMESTIC	01-01 12-31	0.04 CFS	
C	DANA S SINGLETON		FIRE PROTECTION STORAGE	01-01 12-31		0.60 AFA
	C/O JAMES P SPECK ESQUIRE					
	PO BOX 987					
	KETCHUM ID 83340-0987			TOTAL DIVERSION:	0.04 CFS	
	(208) 726-4421					

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion:

T03N R18E S18

NESENW

BLAINE County

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
03N	18E	18	:					:				D	:					:					:

Pou County: BLAINE

Other Water Rights Listing Overlapping Place(s) of use:

37-00153A 37-00153B 37-00154A 37-02644B T37-00153C T37-00153D

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well
- construction standards.

Remarks: Point of diversion and place of use are located within Lot 7,
Greenhorn Bench Subdivision.
Domestic use is for 1 home.

Dates: App. Received: 05/31/1994 Priority Date: 05/31/1994
Proof Due Date: 08/01/1996 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 08/09/94 CZIMMERM

Singleton, Christopher B.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. F. Stanton DATE 6-1, 1994
APPLICATION NO. 37-08826

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.)
☒ County
☒ Quantity (flow &/or volume)
☒ Period of use
☒ Nature of proposed use (include description of use)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt
- ++++PROPOSED PRIORITY DATE
5-21 1994

ADDITIONAL INFORMATION

- ☐ Overlapping place of use(Describe source & relationship to present application on the back.
☐ Overlapping point of diversion. *Process App.*
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical Ground water area
☒ Yes ☐ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary(If yes, attach trustwater supplementary analysis sheet.
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.

See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Date Requested _____, 1994

RECEIVED
AUG 02 1994

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for Advertising
☐ Yes ☒ No No Statewide Advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on app.

SEND COPIES TO: ☐ Idaho Dept of Health & Welfare ☐ USDI BLM
☐ Idaho Dept of Fish & Game ☐ USFS
☐ Idaho Dept of Lands ☐ Water Dist.
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken.

☐ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on app.
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist.
☒ Yes ☐ No Special conditions of approval or cover letter below.

062,
See below for additional information

Date of priority recommended 5/27, 1994 5/31/94
By ADM Date 7/29, 1994

STATE OFFICE REVIEW

See below for additional information

By _____ Date _____, 19 ____

ADDITIONAL INFORMATION:

LOCAL PUBLIC INTEREST

Comments recieved from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation Dist.
☐ County	☐ Idaho Health & welfare	☐ Canal Company
☐ Reservations	☐ Div. of Enviromental Quality	☐ Other _____

PROJECT IMPACTS/IMPLICATIONS REPORT

COMMENTS:

DATE _____, 19____

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } ss.

JUL 19 1994
Department of Water Resources
Southern Region Office

On this 15 day of July, in the year 1994, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6 day of July, 1994, and the date of the last publication was on the 13 day of July, 1994.

Daniel J. Gorham

Subscribed and sworn to before me this 15th day of July, 1994.
(SEAL)

Roberta McKershan

NOTARY PUBLIC

#9187

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 70,287
Number of Insertions 2
Lines tabular at _____ 6¢ / Pica
70,287 Lines straight at 40,415 5¢ / Pica
70,287 Subsequent lines at 32,332 4¢ / Pica
TOTAL COST +5 \$77.75

SEP 09 1994

- COPY OF NOTICE
(Paste Here)

Application-Water permit; Singleton
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. Water Resources
BILL TO

Application for water permit

NOTICE OF APPLICATIONS FOR WATER PERMIT

The following applications have been filed to appropriate the public waters of the State of Idaho: 37-08826

CHRISTOPHER B. SINGLETON
&/OR DANA S. SINGLETON
C/O JAMES P. SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Source: groundwater
Diversion Pt: NESEMU, S18,
TOSH, R18E; Blaine County.

Use: 01/01 to 12/31

Domestic (0.04 cfs)
Fire protection storage
(0.60 afa)

Total Diversion: 0.04 cfs

Date Filed: 5/31/94

In: _____
Blaine County, Idaho

71-0823
CAMP _____
HAILEY ID 83333

Source: groundwater
Diversion Pt: SESE, S17, TOSH,
R14E; Blaine County.

Use: Irrigation (0.1 cfs)
from 01/01 to 12/31

Date Filed: 05/19/94

In: SESE, S17, TOSH, R14E;
Blaine County.

The permits will be subject to
all prior water rights. Any
pr _____ with

NOTICE OF APPLICATIONS FOR
WATER PERMIT

The following applications have
been filed to appropriate the
public waters of the State of
Idaho:

37-08826

CHRISTOPHER B. SINGLETON
&/OR DANA S. SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Source: groundwater
Diversion Pt: NESEW, S18,
T03N, R18E; Blaine County.

Use: 01/01 to 12/31

Domestic (0.04 cfs)
Fire protection storage
(0.60 afa)

Total Diversion: 0.04 cfs

Date Filed: 5/31/94

In: SENW, S18, T03N, R18E;
Blaine County.

71-07173

CAMP PERKINS LUTHERAN OUTDOOR
MINISTRIES INC
PO BOX 1965
HAILEY ID 83333

Source: groundwater
Diversion Pt: SESE, S17, T07N,
R14E; Blaine County.

Use: Heating (0.1 cfs)
from 01/01 to 12/31

Date Filed: 05/19/94

In: SESE, S17, T07N, R14E;
Blaine County.

The permits will be subject to
all prior water rights. Any
protest must be filed with the
Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin
Falls, ID 83301 together with
a protest fee of \$25.00 on or
before July 25, 1994. The
protestant must also send a
copy of the protest to the
applicant.

R. Keith Higginson, Director

Published in Wood River Journal
on 7/6 & 7/13/94.

SEP 09 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

15-Jun-1994

R. KEITH HIGGINSON
Director

WOOD RIVER JOURNAL
PO BOX 988
HAILEY ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

8-15-94

NOTICE OF APPLICATIONS FOR WATER PERMIT

The following applications have been filed to appropriate the public waters of the State of Idaho:

37-08826

CHRISTOPHER B. SINGLETON
&/OR DANA S. SINGLETON
C/O JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Source: groundwater
Diversion Pt: NESENW, S18, T03N, R18E; Blaine County.

Use: 01/01 to 12/31

Domestic (0.04 cfs)
Fire protection storage (0.60 afa)

Total Diversion: 0.04 cfs

Date Filed: 5/31/94

In: SENW, S18, T03N, R18E; Blaine County.

71-07173

CAMP PERKINS LUTHERAN OUTDOOR MINISTRIES INC
PO BOX 1965
HAILEY ID 83333

Source: groundwater
Diversion Pt: SESE, S17, T07N, R14E; Blaine County.

Use: Heating (0.1 cfs) from 01/01 to 12/31

Date Filed: 05/19/94

In: SESE, S17, T07N, R14E; Blaine County.

The permits will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before July 25, 1994. The protestant must also send a copy of the protest to the applicant.

R. Keith Higginson, Director

Published in Wood River Journal on 7/6 & 7/13/94.

SEP 09 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

14-Jun-1994

R. KEITH HIGGINSON
Director

JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Re: Application for Permit No. 37-08826 (Singleton)

Dear Mr. Speck:

The Department of Water Resources acknowledges receipt of the water right application for permit on behalf of Christopher B. &/or Dana S. Singleton. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office has scheduled advertising the application in the Wood River Journal for 7/6 & 7/13/94. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

SEP 08 1994

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP
JOHN A. SEILLER

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567
FAX (208) 788-4230

May 26, 1994

RECEIVED

MAY 27 1994

Dept. of Water Resources
Southern Region Office

Mr. Loren Holmes
Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

Re: Application for Permit for Christopher B. Singleton and/or Dana S. Singleton

Dear Loren:

Enclosed you will find an Application for Permit which I have prepared on behalf of Christopher and Dana Singleton, the owners of certain residential property south of Ketchum, Idaho. The fire protection storage purpose of the Application meets or exceeds the requirements of Blaine County for the rural location of the single family residence my clients intend to construct. It is my understanding this Application will not be subject to the restrictions of the Big Wood River Groundwater Management Area.

Please call me if you have any questions and keep me advised of the schedule for advertising this Application. Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/vl

Enclosure

cc: Mr. and Mrs. Christopher B. Singleton (with enclosure)

37-08826