


13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



T-5S
R-14E
S-35

T5
T6

REPRODUCTION
FEB 07 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lina L. Canchola
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Gooding } ss.

OCT 24 1991

Department of Water Resources
Southern Region Office

Patty Spance, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 16th day of Oct., 1991, and the date of the last publication was on the 23rd day of Oct., 1991.

Patty Spance

Subscribed and sworn to before me this 23rd day of Oct., 1991.

(SEAL)

Vincent J. Gandiaga
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

393.7 Lines straight at 19.69 5¢/Pica

Subsequent lines at 15.75 4¢/Pica

TOTAL COST 35.44

COPY OF NOTICE

(Paste Here)

Not. Appl. to Wat. Rt.
TITLE OF NOTICE

Canchola - 37-08750

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R. T. F.
BILL TO

NOTICE OF APPLICATION
FOR TRUST WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08750
CANCHOLA, PEDRO
CANCHOLA, TINA L.
326 6TH AVE. W
GOODING, ID 83330
Source: GROUNDWATER
Diversions Pt: SESENE Sec 35 T 05S R 14E

Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/12/1991

In: T05S R14E S35 SENE
7.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before NOVEMBER 4, 1991.

-s-R. Keith Higginson
Director
10063

Pub: 10-16, 23


RECEIVED
FEB 07 1992

No 5178

10063

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SYSTEM LOCATED IN WHITE BUILDING JUST EAST OF MOBILE HOME



Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	5	3J50013F12	UNKNOWN	3J50013F12

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS NONE USED THEORETICAL

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED
JAN 07 1998



POINT OF
DIVERSION
AND PLACE OF
USE 37-08750
(CANCHOLA)

TOSS, RIYE

FILED
JAN 07 1938

26
35

26
35

COPY OF 1987
AERIAL PHOTO FROM
ASCS OFFICE. CANCHOLA
PROPERTY (37-08750)
OUTLINED IN **RED**.
BLUE OUTLINES ON PROPERTY
INDICATE OUTLINES OF
UNIRRIGATED AREAS PROJECTED
FROM ASCS SLIDE.



GOODING COUNTY

City _____
Cem. Dist. **GOODING**
Fire Dist. Gooding

Sec. 5 Twp. 5 Rng. 14
 §30

Fire Dist. Gooding

055 14E 35

Fire Dist. Gooding

2597

JULIA + VERA

COPY OF MAP
OBTAINED FROM
GOODING COUNTY
ASSESSOR'S OFFICE MAY 97
SHOWING LOCATION AND
DIMENSIONS OF
CANCHOLA PROPERTY.
(PERMIT 37-08750)

MARTHA I WALLIS

FELIX L. WILSON

TAX 9

GARY W. + THERESA MILLER

H. Novis

NAOMI

PEDRO + TINA CANCHOLA

GARY L. + Lucy C. OSBORNE

FRANCIS W. Lampshire

CHARLES W. CHADWICK SA

6524


6568

MICROFILMED
JAN 07 1998

**FOR ASSESSMENT
USE ONLY**

B.V. FIELD EXAM FOR 37-08750

APPROXIMATE SCALE $1'' \approx 100'$



IRRIGATED AREAS 

UNIRRIGATED AREAS 

#1: HOME

#2: PARKING

#3: DRIVEWAY

#4: BUILDINGS, PENS,
HAYSTACK, ETC.

#5: MAINLINE AREA

#6: WEST BOUNDARY AREA

#7: EAST BOUNDARY AREA

#8: NORTH BOUNDARY AREA

#9: NORTHEAST CORNER

DRAWN
BY C. SKINNER

05S14E

06 LT04	06 LT03	06 LT02	06 LT01	05 LT04	05 LT03	05 LT02	05 LT01	04 LT04	04 LT03	04 LT02	04 LT01	03 LT04	03 LT03	03 LT02	03 LT01	02 LT04	02 LT03	02 LT02	02 LT01	01 LT04	01 LT03	01 LT02	01 LT01
06 LT05	06 SENW	06 SWNE	06 SENE	05 SWNW	05 SENW	05 SWNE	05 LT05	04 SWNW	04 SENW	04 SWNE	04 SENE	03 SWNW	03 SENW	03 SWNE	03 SENE	02 SWNW	02 SENW	02 SWNE	02 SENE	01 SWNW	01 SENW	01 SWNE	01 SENE
06 LT06	06 NESW	06 NWSE	06 NESE	05 NWNW	05 NESW	05 NWSE	05 LT06	04 NWNW	04 NESW	04 NWSE	04 NESE	03 NWNW	03 NESW	03 NWSE	03 NESE	02 NWNW	02 NESW	02 NWSE	02 NESE	01 NWNW	01 NESW	01 NWSE	01 NESE
06 LT07	06 SESW	06 SWBE	06 SESE	05 SWBW	05 SESW	05 SWBE	05 LT07	04 SWBW	04 SESW	04 SWBE	04 SESE	03 SWBW	03 SESW	03 SWBE	03 SESE	02 SWBW	02 SESW	02 SWBE	02 SESE	01 SWBW	01 SESW	01 SWBE	01 SESE
07 LT01	07 NENW	07 NWNE	07 NENE	06 NWNW	06 NENW	06 NWNE	06 LT01	05 NWNW	05 NENW	05 NWNE	05 NENE	04 NWNW	04 NENW	04 NWNE	04 NENE	03 NWNW	03 NENW	03 NWNE	03 NENE	02 NWNW	02 NENW	02 NWNE	02 NENE
07 LT02	07 SENW	07 SWNE	07 SENE	06 SWNW	06 SENW	06 SWNE	06 LT02	05 SWNW	05 SENW	05 SWNE	05 SENE	04 SWNW	04 SENW	04 SWNE	04 SENE	03 SWNW	03 SENW	03 SWNE	03 SENE	02 SWNW	02 SENW	02 SWNE	02 SENE
07 LT03	07 NESW	07 NWSE	07 NESE	06 NWNW	06 NESW	06 NWSE	06 LT03	05 NWNW	05 NESW	05 NWSE	05 NESE	04 NWNW	04 NESW	04 NWSE	04 NESE	03 NWNW	03 NESW	03 NWSE	03 NESE	02 NWNW	02 NESW	02 NWSE	02 NESE
07 LT04	07 SESW	07 SWBE	07 SESE	06 SWBW	06 SESW	06 SWBE	06 LT04	05 SWBW	05 SESW	05 SWBE	05 SESE	04 SWBW	04 SESW	04 SWBE	04 SESE	03 SWBW	03 SESW	03 SWBE	03 SESE	02 SWBW	02 SESW	02 SWBE	02 SESE
18 LT01	18 NENW	18 NWNE	18 NENE	17 NWNW	17 NENW	17 NWNE	17 LT01	16 NWNW	16 NENW	16 NWNE	16 NENE	15 NWNW	15 NENW	15 NWNE	15 NENE	14 NWNW	14 NENW	14 NWNE	14 NENE	13 NWNW	13 NENW	13 NWNE	13 NENE
18 LT02	18 SENW	18 SWNE	18 SENE	17 SWNW	17 SENW	17 SWNE	17 LT02	16 SWNW	16 SENW	16 SWNE	16 SENE	15 SWNW	15 SENW	15 SWNE	15 SENE	14 SWNW	14 SENW	14 SWNE	14 SENE	13 SWNW	13 SENW	13 SWNE	13 SENE
18 LT03	18 NESW	18 NWSE	18 NESE	17 NWNW	17 NESW	17 NWSE	17 LT03	16 NWNW	16 NESW	16 NWSE	16 NESE	15 NWNW	15 NESW	15 NWSE	15 NESE	14 NWNW	14 NESW	14 NWSE	14 NESE	13 NWNW	13 NESW	13 NWSE	13 NESE
18 LT04	18 SESW	18 SWBE	18 SESE	17 SWBW	17 SESW	17 SWBE	17 LT04	16 SWBW	16 SESW	16 SWBE	16 SESE	15 SWBW	15 SESW	15 SWBE	15 SESE	14 SWBW	14 SESW	14 SWBE	14 SESE	13 SWBW	13 SESW	13 SWBE	13 SESE
19 LT01	19 NENW	19 NWNE	19 NENE	20 NWNW	20 NENW	20 NWNE	20 LT01	20 NWNW	21 NENW	21 NWNE	21 NENE	22 NWNW	22 NENW	22 NWNE	22 NENE	23 NWNW	23 NENW	23 NWNE	23 NENE	24 NWNW	24 NENW	24 NWNE	24 NENE
19 LT02	19 SENW	19 SWNE	19 SENE	20 SWNW	20 SENW	20 SWNE	20 LT02	20 SWNW	21 SENW	21 SWNE	21 SENE	22 SWNW	22 SENW	22 SWNE	22 SENE	23 SWNW	23 SENW	23 SWNE	23 SENE	24 SWNW	24 SENW	24 SWNE	24 SENE
19 LT03	19 NESW	19 NWSE	19 NESE	20 NWNW	20 NESW	20 NWSE	20 LT03	20 NWNW	21 NESW	21 NWSE	21 NESE	22 NWNW	22 NESW	22 NWSE	22 NESE	23 NWNW	23 NESW	23 NWSE	23 NESE	24 NWNW	24 NESW	24 NWSE	24 NESE
19 LT04	19 SESW	19 SWBE	19 SESE	20 SWBW	20 SESW	20 SWBE	20 LT04	20 SWBW	21 SESW	21 SWBE	21 SESE	22 SWBW	22 SESW	22 SWBE	22 SESE	23 SWBW	23 SESW	23 SWBE	23 SESE	24 SWBW	24 SESW	24 SWBE	24 SESE
20 LT01	20 NENW	20 NWNE	20 NENE	21 NWNW	21 NENW	21 NWNE	21 LT01	21 NWNW	22 NENW	22 NWNE	22 NENE	23 NWNW	23 NENW	23 NWNE	23 NENE	24 NWNW	24 NENW	24 NWNE	24 NENE	25 NWNW	25 NENW	25 NWNE	25 NENE
20 LT02	20 SENW	20 SWNE	20 SENE	21 SWNW	21 SENW	21 SWNE	21 LT02	21 SWNW	22 SENW	22 SWNE	22 SENE	23 SWNW	23 SENW	23 SWNE	23 SENE	24 SWNW	24 SENW	24 SWNE	24 SENE	25 SWNW	25 SENW	25 SWNE	25 SENE
20 LT03	20 NESW	20 NWSE	20 NESE	21 NWNW	21 NESW	21 NWSE	21 LT03	21 NWNW	22 NESW	22 NWSE	22 NESE	23 NWNW	23 NESW	23 NWSE	23 NESE	24 NWNW	24 NESW	24 NWSE	24 NESE	25 NWNW	25 NESW	25 NWSE	25 NESE
20 LT04	20 SESW	20 SWBE	20 SESE	21 SWBW	21 SESW	21 SWBE	21 LT04	21 SWBW	22 SESW	22 SWBE	22 SESE	23 SWBW	23 SESW	23 SWBE	23 SESE	24 SWBW	24 SESW	24 SWBE	24 SESE	25 SWBW	25 SESW	25 SWBE	25 SESE
31 LT01	31 NENW	31 NWNE	31 NENE	32 NWNW	32 NENW	32 NWNE	32 LT01	32 NWNW	33 NENW	33 NWNE	33 NENE	34 NWNW	34 NENW	34 NWNE	34 NENE	35 NWNW	35 NENW	35 NWNE	35 NENE	36 NWNW	36 NENW	36 NWNE	36 NENE
31 LT02	31 SENW	31 SWNE	31 SENE	32 SWNW	32 SENW	32 SWNE	32 LT02	32 SWNW	33 SENW	33 SWNE	33 SENE	34 SWNW	34 SENW	34 SWNE	34 SENE	35 SWNW	35 SENW	35 SWNE	35 SENE	36 SWNW	36 SENW	36 SWNE	36 SENE
31 LT03	31 NESW	31 NWSE	31 NESE	32 NWNW	32 NESW	32 NWSE	32 LT03	32 NWNW	33 NESW	33 NWSE	33 NESE	34 NWNW	34 NESW	34 NWSE	34 NESE	35 NWNW	35 NESW	35 NWSE	35 NESE	36 NWNW	36 NESW	36 NWSE	36 NESE
	31 SESW	31 SWBE	31 SESE	32 SWBW	32 SESW	32 SWBE	32 LT04	32 SWBW	33 SESW	33 SWBE	33 SESE	34 SWBW	34 SESW	34 SWBE	34 SESE	35 SWBW	35 SESW	35 SWBE	35 SESE	36 SWBW	36 SESW	36 SWBE	36 SESE

MICROFILMED
JAN 17 1953

↑
NO GOV'T
LOTS IN
SECTION 35

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

[Signature]



ENGINEER IN TRAINING

Signature of Dept. Representative & Title

05/14/97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



PHOTOS FOR BENEFICIAL USE FIELD REPORT FOR 37-08750 (CANCHOLA)

JAN 07 1998

PROPERTY
LINES



91 5 14



91 5 14



91 5 14

PROPERTY
LINES

VIEW LOOKING ACROSS 1750 SOUTH ROAD TOWARDS CANCHOLA PROPERTY,
FACE OF USE FOR 37-08750. WHITE BUILDING (INDICATED BY ARROW)
IS LOCATION OF WELL THAT SERVES AS POINT OF DIVERSION. ACCESS
TO WELL IS THROUGH DOORWAY ON NORTHSIDE (BACKSIDE IN THIS VIEW) OF
BUILDING. BLUE MOBILE HOME IS WHERE DOMESTIC USE OCCURS. NOTE
IRRIGATION OF PROPERTY ALL AROUND BUILDINGS. CANCHOLA PROPERTY
LINES ARE AS INDICATED.

SKINNER

WHITE BUILDING
(WELL HOUSE)



VIEW FROM EDGE OF WHITE BUILDING THAT SERVES AS WELL HOUSE (INDICATED) LOOKING NORTH TOWARDS NORTH BOUNDARY OF PROPERTY. DASHED LINES INDICATE APPROXIMATE PATH OF PIPELINE THAT SERVES AS MAINLINE FOR IRRIGATION SYSTEM. AREA INDICATED BY #9 CORRESPONDS TO NORTHEAST CORNER OF PROPERTY (UNIRRIGATED). NOTE FAUCET (USED FOR SOME IRRIGATION) AND PENS FOR LIVESTOCK.



VIEW INSIDE WHITE BUILDING THAT SERVES AS WELL HOUSE SHOWING WELL AND DELIVERY SYSTEM. PRESSURE GAUGE ON PIPELINE DID NOT WORK.

TO DOMESTIC AND OUTDOOR FAUCETS.

*BLACK PLASTIC LINE GOES TO STOCKWATER

TO IRRIGATION PIPELINE SHOWN IN PHOTO ABOVE.

MICROFILMED
JAN 07 1998

PHOTOS FOR BENEFICIAL USE FIELD REPORT FOR 37-08750 (CANCHOLA)

P. SKINNER

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 37-08750

Priority: July 12, 1991

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

24.9 AF

This is to certify, that PEDRO CANCHOLA
TINA L CANCHOLA

1680 E 1750 S
GOODING ID 83330

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 12, 1991; and has submitted Proof of Beneficial Use on December 27, 1993. An examination indicates that the works have a diversion capacity of 0.130 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.12 CFS	24.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.13 CFS	24.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 35, Township 05S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	14E	35	SENE	6		6

Total number of acres irrigated: 6

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
JAN 07 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 37-08750

CONDITIONS OF APPROVAL AND REMARKS

5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of DECEMBER, 1992.

Acting for  KARL J. DREHER, Director

NOT RECORDED
JAN 07 1993

RECEIVED
DEC 27 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 12/27/93
Receipt No. 1029306
Receipt by DW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08750 Telephone No. 734-4639
2. Name(s) of Permit Holder(s): Pedro and Tina Canchola
3. Mailing Address: 11680 E. 1750 S Gooding ID. 83330
4. Source of Water: well water

If GROUNDWATER, Well Driller's Name: Eaton Wells Drilling Date Drilled: -89

OPTIONAL:

Pump horsepower: 1 Pressure (psi): 40-60 Dynamic pumping level (ft.):

5. Extent of Use (as authorized by the permit):

Domestic 4 (No. of households) Stockwater 10-cows, 10-pigs (No. and type of stock)
21 pigs.
Irrigation 5 (No. of acres) Other

6. Total rate and/or volume for which proof is submitted .20 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR
Flow Measurement Port: Required? Yes X No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Water Resources Dept. 736-3033
Name Telephone No.
230 Shoreline East Twin Falls
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Dec 22, 93 Pedro & Tina Canchola
Date Signature (and title, if on behalf of a company or organization)

JAN 11 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08750

Proposed Priority: July 12, 1991 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **PEDRO CANCHOLA**
TINA L CANCHOLA
326 6TH AVE W
GOODING ID 83330

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.14 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENE , Sec. 35, Township 05S, Range 14E
GOODING County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
05S 14E 35	SENE 7			7	
Total number of acres irrigated:				7	

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

MICROFILMED

FEB 07 1992

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 37-08750

CONDITIONS/REMARKS:

7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
9. Stockwater use is for 4 horses, 10 pigs and 10 range cattle.
10. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27 day of January, 1992.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
FEB 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant PEDRO AND/OR TINA L. CANCHOLA Phone 934-5383
Post office address 326 6th AVE W GOODING ID 83330

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 5S Range 14E B.M. GOODING County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

01 Amount .14 cfs for IRRIGATION purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
43 Amount .04 cfs for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
2- Amount .02 cfs for STOCK WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.18 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 EXISTING WELL & 2HP
PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 18' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED
FEB 07 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 10 COWS, 4 HORSES, 10 PIGS.
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
05S	14E	25				7													7
05S	14E	25				D/S													

Total number of acres to be irrigated 7

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? CLAIMANT
- b. Who owns the land to be irrigated or place of use? SAME
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Diversion is from an existing well.

RECEIVED

FEB 07 1992

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



T-5S
R-14E
S-35

T5
T6

RECEIVED
FEB 07 1992

Scale: 2 Inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lina L. Canchola
(Applicant)

Received by det Date 7-12-91 Time 2:50 pm Preliminary check by J. Stanton
Fee \$ 30.00 Receipted by K.C. # 5013526 Date 7/12/91
Publication prepared by MB Date 9-30-91 Published in Gooding Co. Leader
Publication approved M. Baldwin Date 10-29-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED
FEB 07 1992

RECEIVED

OCT 24 1991

Fatty Vance, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

16th day of Oct., 1926.

Oct., 1991.

Subscribed and sworn to before me this 23 day of

Oct., 1991

Vivian Pandiaga
NOTARY PUBLIC

Gooding, Idaho

OK
MB
10-29-91

Number of Insertions 2x

TOTAL COST 35.44

Net. Appl. 72. Net. Rt.

Canchola - 37-08750

DEFENDANT

PLAINTIFF

210 WR. T.F.

BILL TO

[illegible]

IN: 1065 RT4E \$35 SER#
7.0 ADRES TOTAL
The parenthesis with the dollar
sign means: Projects are
indexed on the criteria of
their cost under the
category of cost.
The word "Physical" must be
omitted. Dept. of Water &
Electricity, St. East, 1st
Floor, 1st or before 1065
- 1065 -
Pub: 10-16, 23

Pub: 10-16, 23

FEB 07 1968

№ 5178

10063



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 10, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PEDRO CANCHOLA
TINA L CANCHOLA
1680 E 1750 S
GOODING ID 83330

RE: WATER RIGHT NO. 37-08750

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECEIVED

DEC 17 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of December, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 37-08750

PEDRO CANCHOLA
TINA L CANCHOLA
1680 E 1750 S
GOODING ID 83330


Kari Lynn Townsend
Secretary

MAILED

DEC 17 1997

MEMORANDUM

TO: File 37-08750

FROM: Sharla

DATE: December 5, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 37-08750 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.12 cfs	24.0 afa
Stockwater	1/1 - 12/31	0.02 cfs	0.3 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.13 cfs	24.9 afa

Domestic use is for in-house use only; the rate has been adjusted accordingly.

The volume for stockwater is based upon the limited number of animals originally shown on the application for permit (14 horses/cows and 10 pigs).

Examiner: Corey Skinner

Exam Date: May 14, 1997

100
100 0 7 100

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08750

DATE 12/4/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>—</u>	Address Change <u>NO</u>
SOURCE	—	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	—	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>.20</u> cfs <u>\$5000</u>
Measured	<u>—</u> cfs
Theoretical	<u>.13</u> cfs

Recommended Total Div Rate .13 cfs

ANNUAL VOLUME/ NATURE OF USES

	Use <u>✓</u>	cfs	Volume Calc	af
<u>Dom.</u>	<u>.12</u>	<u>6 x 4.0 = 24</u>	<u>af</u>	
<u>Stock</u>	<u>.02</u>	<u>.3</u>	<u>af</u>	<u>.2 + .1</u>
<u>Dom.</u>	<u>.02</u>	<u>.6</u>	<u>af</u>	
<u>SUBTOTAL</u>	<u>.13</u>	<u>24.9</u>	<u>af</u>	

stock max
 $14 \text{ cattle/horses} \times 12 \text{ gpd} \times 365 / 325,850 = .2$
 $10 \text{ pigs} \times 4 \text{ gpd} \times 365 / 325,850 = .1$

Flow rate .12 cfs X 24 days X 1.98 = 50.8 af
 Total volume recommended 24.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I (WBS)

CONDITIONS

— Watermaster Control WD# —

2/4 GW Measurement/Measuring Device
2/4 Overlap
— Use-specific conditions

R55.052

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo in house dom rate
stock vol.

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 11 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08750

1. Owner: PEDRO AND/OR TINA CANCHOLA Phone No. (208) 934-4639

Current Address: 1680 EAST 1750 SOUTH GOODING, IDAHO 83330

2. Accompanied by: PEDRO AND TINA CANCHOLA EXAM DATE: 05/14/97

Address: SAME AS ABOVE Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot *	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	35	05S	14E	GOODING	ASSESSORS MAP & FIELD VISIT

2. Place(s) of Use:


Indicate Method of Determination SAME AS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05S	14E	35				6													6
05S	14E	35				D/S													
																			6

* NO GOVERNMENT LOTS IN SECTION 35

166 07 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SYSTEM LOCATED IN WHITE BUILDING JUST EAST OF MOBILE HOME*



Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	5	3J50013F12	UNKNOWN	3J50013F12

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS *NONE USED THEORETICAL*

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

JAN 07 1958

E. NARRATIVE/REMARKS/COMMENTS

INFO
PROVIDED
BY MRS.
CANCHOLA

NO MEASUREMENT(S) OF FLOW TAKEN, USING 5 HP PUMP, 70% EFFICIENCY, WATER PUMPING LEVEL OF 145 FEET, AND 40 PSI, THE THEORETICAL CALCULATION YIELDS:

$$Q = \frac{8.8 \times (5) \times .70}{145 + 2.31(40)} = 0.1297 \text{ cfs} \Rightarrow \underline{\underline{0.13 \text{ cfs}}}$$

* ACRES IRRIGATED DETERMINED BY OBTAINING TOTAL LOT SIZE (7.0 ACRES) FROM INFORMATION FROM GOODING COUNTY ASSESSOR'S OFFICE. ALL UNIRRIGATED AREAS WERE MEASURED BY USE OF MEASURING WHEEL AND AREAS CALCULATED WERE THEN SUBTRACTED FROM TOTAL LOT SIZE, SEE ATTACHMENTS.

* RECOMMENDATIONS FOR DOMESTIC BASED ON DEPARTMENT STANDARDS.

* RECOMMENDATIONS FOR STOCKWATER BASED ON CONVERSATION WITH PERMIT HOLDER(S). MR. CANCHOLA SAID THAT IT TAKES HIM ALMOST 1/2 HOUR TO FILL HIS 200 GALLON STOCK TANK ($\approx 0.0148 \text{ cfs} \therefore$ RECOMMEND 0.02 cfs) MRS. CANCHOLA SAID THAT THE MOST LIVESTOCK THEY HAVE HAD ON THEIR PROPERTY CONSISTED OF 70 PIGS, 26 COWS (INCLUDES CALVES), AND 20 CHICKENS. I DID NOT OBSERVE THIS MUCH LIVESTOCK DURING MY VISIT, BUT STOCK FACILITIES (PENS) HAD BEEN DEVELOPED.

NOTE * IRRIGATED ACRES JUSTIFY INCLUDING THIS RIGHT/POD. IN THE GROUNDWATER DISTRICT PROGRAM.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JAN 07 2008

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

USED

THEORETICAL

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6 \text{ ACRES} \times 4 \text{ AFA/acre} = 24 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.12 \text{ cfs} (214) \times 1.9835 = 50.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 24 \text{ AFA}$$

2. Volume Calculations for Other Uses:

STOCKWATER

$$70 \text{ pigs @ } 4 \text{ gallons/day/head} = 280 \text{ gallons per day} \Rightarrow 0.314 \text{ AFA}$$

$$26 \text{ cows @ } 12 \text{ gallons/day/head} = 312 \text{ gallons per day} \Rightarrow 0.349 \text{ AFA}$$

$$20 \text{ chickens} \Rightarrow 2 \text{ gallons per day} \Rightarrow 0.002 \text{ AFA}$$

0.665 AFA (RECOMMEND 0.7 AFA)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	04/01	10/31	0.12 cfs	24.0 AFA
DOMESTIC	01/01	12/31	0.04 cfs	0.6 AFA
STOCKWATER	01/01	12/31	0.02 cfs	0.7 AFA
Totals:			0.13 cfs	25.3 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

* NOTE NEW ADDRESS OF PERMIT HOLDER.

I. AUTHENTICATION

Field Examiner's Name

Cory Skinner

Date EXAM: 05/14/97

WRITE UP: 05/29/97


Reviewer

Date

SEAL

MICROFILMED


JAN 07 1998



POINT OF
DIVERSION
AND PLACE OF
USE 37-08750
(CANCHOLA)

Toss, R14E

OUTLINED IN RED.
BLUE OUTLINES ON PROPERTY
INDICATE OUTLINES OF
UNIRRIGATED AREAS PROJECTED
FROM ASCS SLIDE.




GOODING COUNTY

1 City _____
 231 Cem. Dist. **GOODING**
 Fire Dist. Gooding

Sec. 5 Twp. 5 Rng. 14
 #30

055 14E 35


COPY OF MAP
 OBTAINED FROM
 GOODING COUNTY
 ASSESSOR'S OFFICE MAY 97
 SHOWING LOCATION AND
 DIMENSIONS OF
 CANCHOLA PROPERTY.
 (PERMIT 37-08750)



FOR ASSESSMENT
 USE ONLY

B.V. FIELD EXAM FOR 37-08750

APPROXIMATE SCALE 1" $\approx$ 100'



IRRIGATED AREAS
UNIRRIGATED AREAS

- #1: HOME
- #2: PARKING
- #3: DRIVEWAY
- #4: BUILDINGS, PENS,
HAYSTACK, ETC.
- #5: MAINLINE AREA
- #6: WEST BOUNDARY AREA
- #7: EAST BOUNDARY AREA
- #8: NORTH BOUNDARY AREA
- #9: NORTHEAST CORNER

DRAWN BY C. SKINNER

120 0 7 53

SUMMARY OF UNIRRIGATED AREAS OF CANCHOLA PROPERTY (PERMIT 37-08750)

#1 HOME: $24' \times 60' = 1,440 \text{ ft}^2$

#2 PARKING: $20' \times 40' + (\frac{1}{2}) 33' \times 75' = 2,038 \text{ ft}^2$

#3 DRIVEWAY: $22' \times 175' = 3,850 \text{ ft}^2$

#4 BUILDINGS, PENS, HAYSTACK, ETC.: $(\frac{1}{2}) 143' \times 120' = 8,580 \text{ ft}^2$

#5 MAINLINE AREA: $453' \times 6' = 2,718 \text{ ft}^2$

#6 WEST BOUNDARY AREA: $721' \times 6' = 4,326 \text{ ft}^2$

#7 EAST BOUNDARY AREA: $599' \times 6' = 3,594 \text{ ft}^2$

#8 NORTH BOUNDARY AREA: $[475 - (2)(6)] \times 20' = 9,260 \text{ ft}^2$

#9 NORTHEAST CORNER:

$$\frac{1}{2}(77)(92) + \frac{1}{2}(90)(30) + \frac{1}{2}(34)(140) + (140)(50) = 15,112 \text{ ft}^2$$

$$\Sigma = 50,918 \text{ ft}^2$$

$$= \underline{\underline{1.17 \text{ acres}}}$$

~~6.4 acres~~
TOTAL LOT SIZE = $599(465) + \frac{1}{2}(465)(122) = 7.045 \text{ acres}$

$$7.0 \text{ acres} - 1.17 \text{ acres} = 5.83 \text{ acres}$$

RECOMMEND

6.0 acres
of irrigation

05/28/97
P. SKINNER

1/2 HP - 1 1/2 HP ☐ 2 HP - 3 HP ☐

Warranty Applies to Punched Area Only

FAIRBANKS MORSE DEALER: Fill in all information at time of pump installation. Write on hard surface with a ball point pen. To make sure all copies are legible, check the bottom sheet (Dealer copy). Forms that are incomplete or illegible will be returned to you.		REGISTRATION CERTIFICATE FOR VALIDATION This copy will be returned to consumer after validation. Only this copy showing the registered certificate number assigned by Fairbanks Morse will be accepted for Five Year Warranty credit.		NO. 39014 REGISTRATION CERTIFICATE NO. 082594-12																																																																																																			
ISSUED BY: <i>WEEKS Dallas</i> DEALER'S BUSINESS NAME: <i>WEEKS Dallas</i> DEALER'S ADDRESS: <i>6000 INDEPENDENCE</i> TOWN & STATE: <i>83330</i> <i>TX</i> ZIP CODE: <i>83330</i> PHONE: <i>208-734444</i>		FOR FAIRBANKS MORSE PURPOSE ONLY <table border="1"> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>00</td> </tr> </table>			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	00				
DEALER'S AUTHORIZED SIGNATURE: <i>Dany m m...</i>		ISSUED TO: <i>RED NO Canchola</i> CONSUMER'S ADDRESS: <i>16003. 1553</i> TOWN: <i>6000 INDEPENDENCE</i> STATE: <i>TX</i> ZIP: <i>83330</i>		SUBSIDIARY PUMP DATA MODEL: <i>194</i> DATE CODE: <i>33502</i> DATE: <i>08/12</i> DATE INSTALLED: <i>08/12</i> PUMP: <i>3.5</i> HP: <i>3.5</i> WATER PUMPING CAPACITY: <i>160</i> GAL. WATER PUMPING LEVEL: <i>160</i> FT. PUMP SETTING: <i>160</i> PSI PUMP SWITCH SETTING: <i>400</i> PSI PRESSURE TANK SIZE (Actual Gallons Capacity): <i>160</i> GAL. CAPTURE AIR OR STANDARD																																																																																																			
CONSUMER'S PHONE: <i>208-734444</i>		DISTRIBUTOR'S BUSINESS NAME: <i>FO MOOSE FRESH CASH</i>																																																																																																					



COPY OF DOCUMENT OBTAINED FROM TINA CANCHOLA
 PROVIDING INFORMATION (PUMP SIZE, WATER LEVEL, ETC.)
 RELATING TO WELL UNDER PERMIT 37-08750.

05S14E

[illegible]

NO GOV'T
LOTS IN
SECTION 35

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

DRILLING PERMIT NO: UNKNOWN OTHER APPLICABLE NO: 37-08750 ^{WATER RIGHT #}

OWNER: PEDRO AND/OR TINA CANCHOLA Phone: (208) 934-4639
Address: 1680 EAST 1750 SOUTH GOODING, ID 83330

WELL LOCATION: Twp 05 S, Rge. 14 E, Sec. 35, SE 1/4 NE 1/4
County GOODING (Provide sketch map and photo on reverse.)

DRILLER: UNKNOWN Lic. No. _____
When Drilled? _____

WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No DOES NOT WORK
Condition of Piping and Valving FAIR
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

HYDROLOGIC INFORMATION:

Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

WELL USE

☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

[Signature]


ENGINEER IN TRAINING

Signature of Dept. Representative & Title

05/14/97


Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



PHOTOS FOR BENEFICIAL USE FIELD REPORT FOR
37-08750 (CANCHOLA)


PROPERTY
LINES



VIEW LOOKING ACROSS 1750 SOUTH ROAD TOWARDS CANCHOLA PROPERTY,
PLACE OF USE FOR 37-08750. WHITE BUILDING (INDICATED BY ARROW)
IS LOCATION OF WELL THAT SERVES AS POINT OF DIVERSION. ACCESS
TO WELL IS THROUGH DOORWAY ON NORTHSIDE (BACKSIDE IN THIS VIEW) OF
BUILDING. BLUE MOBILE HOME IS WHERE DOMESTIC USE OCCURS. NOTE
IRRIGATION OF PROPERTY ALL AROUND BUILDINGS. CANCHOLA PROPERTY
LINES ARE AS INDICATED.

D. SKINNER

WHITE BUILDING
(WELL HOUSE)



VIEW FROM EDGE OF WHITE BUILDING THAT SERVES AS WELL HOUSE (INDICATED) LOOKING NORTH TOWARDS NORTH BOUNDARY OF PROPERTY. DASHED LINES INDICATE APPROXIMATE PATH OF PIPELINE THAT SERVES AS MAINLINE FOR IRRIGATION SYSTEM. AREA INDICATED BY #9 CORRESPONDS TO NORTHEAST CORNER OF PROPERTY (UNIRRIGATED). NOTE FAUCET (USED FOR SOME IRRIGATION) AND PENS FOR LIVESTOCK.



VIEW INSIDE WHITE BUILDING THAT SERVES AS WELL HOUSE SHOWING WELL AND DELIVERY SYSTEM. PRESSURE GAUGE ON PIPELINE DID NOT WORK.

TO DOMESTIC
AND OUTDOOR FAUCETS.

*BLACK PLASTIC LINE
GOES TO STOCKWATER

TO IRRIGATION PIPELINE
SHOWN IN PHOTO ABOVE.

January 10, 1994

PEDRO AND TINA CANCHOLA
1680 E 1750 S
GOODING ID 83330

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 37-08750

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls, at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MISSOULI, MT

JAN 11 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08750

Reviewed by Jy

Date 1-10-94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom. Irr. Stock

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

 Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 1680 E 1750 S

Proof Made 12-27-93

Gooding Id. #3330

November 30, 1993

PEDRO CANCHOLA
TINA L CANCHOLA
326 6TH AVE W
GOODING ID 83330

PROOF DUE NOTICE

RE: PERMIT NO. 37-08750

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

JAN 11 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 30, 1992

PEDRO CANCHOLA
TINA L CANCHOLA
326 6TH AVE W
GOODING ID 83330

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08750

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions

RECEIVED
FEB 01 1992

pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED

FEB 07 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 37-8745/Trust Water Processing

DATE: 1-16-92

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

Statements on the application indicate that there are no other existing rights used for the same purpose. The irrigation use therefore should be considered a new use and the acreage shall be counted as trust acreage. Trust conditions are still applicable.

RECEIVED

FEB 07 1992

APPLICATION FOR PERMIT REVIEW

Application #: 37-8756
Date: 01-22-92

Reviewer: Pam Skaggs *as*

Existing:

☒ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
LT. ☒ 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99
☒ Not included - 046-P23 (All GW, even existing wells)

Location:

☒ Water Districts - WD No. 37
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

☒ Groundwater *Existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - 7 (1, Blank or Other)

☒ Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A, 010, or 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

☒ Beneficial Use Due Date: - 02-01-1994

Other Conditions Recommended

Route for Trust Review

FEB 07 1992

01-23-92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

CANCHO/A, PEDRO/TINA

INITIAL REVIEW BY J.P. Stanton DATE 7-15, 1991
APPLICATION NO. 37-08750

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.
☒ County
☒ Quantity (flow &/or volume)
☒ Period of use
☒ Nature of proposed use (include description of use)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt
- ++++PROPOSED PRIORITY DATE
7-12 1991

ADDITIONAL INFORMATION

- ☐ Overlapping place of use(Describe source & relationship to present application on the back.
☐ Overlapping point of diversion.
☐ Yes ☒ No Field check required
☐ Yes ☐ No Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical Ground water area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary(If yes, attach trustwater supplementary analysis sheet.
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.

See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Date Requested _____, 19____

RECEIVED
DEC 13 1991

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for Advertising
☐ Yes ☒ No No Statewide Advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on app.

SEND COPIES TO: ☐ Idaho Dept of Health & Welfare ☐ USDI BLM
☐ Idaho Dept of Fish & Game ☐ USFS
☐ Idaho Dept of Lands ☐ Water Dist.
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken. _____

☒ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest 11/4/91
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on app.
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

26A, 43

See below for additional information

Date of priority recommended 7/12, 1991
By Laren O. Halum Date 12/12, 1991

STATE OFFICE REVIEW

See below for additional information

By _____ Date _____, 19 ____

ADDITIONAL INFORMATION:

LOCAL PUBLIC INTEREST

Comments recieved from:

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & welfare	_____ Canal Company
_____ Reservations	_____ Div. of Enviromental Quality	_____ Other _____

PROJECT IMPACTS/IMPLICATIONS REPORT

COMMENTS:

DATE _____, 19____

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08750

CANCHOLA, PEDRO
CANCHOLA, TINA L.
326 6TH AVE W
GOODING, ID 83330

Source: GROUNDWATER

Diversion Pt: SESENE Sec 35 T 05S R 14E

Use: IRRIGATION	(.140 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 7/12/ 1991

In: T05S R14E S35 SENE

7.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before NOVEMBER 4, 1991.

By: Keith Higginson, Director

Published 10/16/1991 & 10/23/1991

RECEIVED
FEB 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

SEPTEMBER 30, 1991

GOODING COUNTY LEADER
PO BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 4, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

FEB 07 1992

30-Sep-1991

PEDRO &/OR TINA L CANCHOLA
326 6TH AVE W
GOODING ID 83330

Re: Application for Permit No. 37-08750

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 10/16 & 10/23/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

RECEIVED

FEB 07 1992