






70, PID
S25
T5N
R17E

MICROFILMED
FEB 07 1992



37-08746

Idaho Department of Water Resource
Recommendation for Permit 37-08746
Glenn Olbum



-  Point of Diversion
-  Section Lines
-  Quarter-quarter lines
-  Place of Use

MICROFILMED
FEB 25 2003



Point of Diversion and Place of Use
T05N R17E S25
Data entry on May 24, 2000
Point of Diversion Presentation
1987/1988 NAPP Photography
Data Entry By: Amanda Folsom

Looking NE'ly



House

Irrig Land



Looking SW'ly



GPS Tag# A0007944

MICROFILMED
FEB 25 2003

Glenn Olbum
FE: Amanda Folsom
Date: May 23, 2000

37-08746

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08746

Priority: July 8, 1991

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

It is hereby certified that GLENN OLBUM And/Or CAROLYN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 8, 1991; and have
submitted Proof of Beneficial Use on March 23, 1992. An examination indicates that the works have a
diversion capacity of 0.04 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW¼NW¼ Sec. 25, Twp 05N, Rge 17E, B.M., BLAINE County

PLACE OF USE: DOMESTIC


Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
05N 17E 25						X											

CONDITIONS OF APPROVAL

1. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
2. Point of diversion and place of use are located within Lot 6, Stonegate Subdivision.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 17th day of JANUARY, 2003.


Acting for KARL J. DREHER
Director

MICROFILMED
FEB 25 2003

RECEIVED
MAR 23 1992

OFFICE USE ONLY
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08746 Telephone No. in Pittsburgh, Pa. 412-571-3300
2. Name(s) of Permit Holder(s): GLENN + CAROLYN OLBUM
3. Mailing Address: 5251 FAIR OAKS ST. PITTSBURGH, PA. 15217
4. Source of Water: GROUND WATER

If GROUNDWATER, Well Driller's Name: WOOD RIVER DRILLING AND PUMP Date Drilled: 7-24-90

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ — (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

GLENN OLBUM 208-726-1551 *Please call first as we are only in town about 1/2 of the year.*
Name Telephone No.
153 STONEGATE CIRCLE (P.O. Box 2077) KETCHUM ID 83340
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/18/92
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

RECEIVED
APR 08 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08746

Proposed Priority: July 8, 1991 Maximum Diversion Rate: 0.04 CFS
This is to certify, that CAROLYN OLBUM

GLENN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 25, Township 05N, Range 17E
NENE , Sec. 26, Township 05N, Range 17E
BLAINE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

05N 17E 25 NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.
6. Place of use is located within Lot 6, Stonegate Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of January, 1992

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

FEB 07 1992

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JUL 08 1991

To appropriate the public waters of the State of Idaho

Department of Water Resources

Southern Region Office

1. Name of applicant Glenn Olbum ^{Wife's name (optional)} or CAROLYN Olbum Phone _____

Post office address 5251 Fair Oaks St, Pittsburgh, PA 15217

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ ^D ¼ of NW ¼ of NW ¼, Govt. Lot _____

Sec. 25 Township 5N Range 17E B.M. Blaine County; additional

points of diversion if any: 2) NE NE S26 T5N R17E (common well)

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 wells, pumps, 1 home,
small swimming pool, less than 1/2 acre landscape

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. ^{Existing} Proposed well diameter is 2) 12" inches; proposed depth of well is 58' feet.
6"

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

FEB 07 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 home with small pool
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4 160 Acres				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	17E	25					D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? 1) Applicants, 2) Homeowners
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: personal well drilled under 37-90-S-043
Lot 6 Stonegate subdivision, Blaine County, Idaho

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by Dr. [Signature] Date 7/8/91 Time 10:00 AM Preliminary check by [Signature]
Fee \$ 30.00 Received by [Signature] # 5013508 Date 7-8-91
Publication prepared by MB Date 7-15-91 Published in Wood River Journal
Publication approved M. Baldwin Date 9-23-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } ss.

SEP 20 1991

Department of Water Resources
Southern Region Office

COPY OF NOTICE
(Paste Here)

Not application / 6 file
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

I.A. Water Dept
BILL TO

Six file on trust water rights

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08737 ✓ OK
REMBER, CRAIG
REMBER, ELIZABETH
HC 84 BOX 9928
STANLEY, ID 83278
Source: GROUNDWATER
Diversification Pt: NENW Sec 23 T 01N
R 19E
Use: IRRIGATION (1.600 CFS)
Total Diversification: (1.600 CFS)
Date Filed: 2/19/1991
In: T01N R18E S23 NENW SENW
80.0 ACRES TOTAL

37-08738 ✓ OK
SHOEMAKER PROPERTIES
P.O. BOX 2172
KETCHUM, ID 83340
Source: SEAMANS CREEK
Tributary: SINKS
Diversification Pt: SENWNE Sec 32 T
02N R 19E; NENW Sec 33 T
02N R 19E
Use: IRRIGATION STORAGE
(12.00 AF); IRRIGATION FROM
STORAGE (12.00 AF)
Total Diversification: (12.00 AF)
Date Filed: 3/4/1991
In: T02N R19E S32 NENE NWNE
SWNE SENE
13.8 ACRES TOTAL

37-08743 ✓ OK
KING, STEVE
P.O. BOX 1285
SUN VALLEY, ID 83353
Source: SPRING
Tributary: SINKS
Diversification Pt: NWSENE Sec 25 T
02N R 17E
Use: STOCKWATER (.020 CFS)
Total Diversification: (.020 CFS)
Date Filed: 4/8/1991
In: T02N R17E S25 SENE
4.0 ACRES TOTAL

37-08744 ✓ OK
KING, STEVE
P.O. BOX 1285
SUN VALLEY, ID 83353
Source: GROUNDWATER
Diversification Pt: NWSENE Sec 25 T
02N R 17E
Use: IRRIGATION (.120 CFS)
DOMESTIC (.040 CFS)
Total Diversification: (.160 CFS)
Date Filed: 4/8/1991
In: T02N R17E S25 SENE
4.0 ACRES TOTAL

37-08745 ✓ OK
CENARRUSA, JERRY
P.O. BOX 184
CAREY, ID 83320
Source: WASTE WATER
Tributary: SINKS
Diversification Pt: SENE Sec 13 T 01S
R 21E
Use: IRRIGATION (2.000 CFS)
Total Diversification: (2.000 CFS)
Date Filed: 6/18/1991
In: T01S R21E S13 SENE NESE;
R22E S18 Lot 2 (SWNW) Lot 3
(NWSW)
160.0 ACRES TOTAL

37-08746 ✓ OK
OLBURN, CAROLYN
OLBURN, GLENN
5251 FAIR OAKS ST.
PITTSBURGH, PA 15217
Source: GROUNDWATER
Diversification Pt: NWNW Sec 25 T
05N R 17E; NENE Sec 25 T 05N R
17E
Use: DOMESTIC (.040 CFS)
Total Diversification: (.040 CFS)
Date Filed: 7/8/1991
In: T05N R17E S25 NWNW

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water Re-
sources, 222 Shoshone St. East,
Twin Falls, Idaho 83301, on or be-
fore SEPTEMBER 9, 1991.

R. Keith Higginson, Director
Publish: Wood River Journal-
August 21 & 28, 1991.

DANIEL J. GORHAM, being first duly sworn, deposes and says
that he is the printer (publisher) of the Wood River Journal, a newspaper published
every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been
continuously and uninterruptedly published for a period of seventy-eight consecutive
weeks prior to the first publication of the annexed notice, and is a newspaper qualified
to publish legal notices as provided by act of the 1919 session of the legislature of the
State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues
in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 21 day of Aug. 1991, and

the date of the last publication was on the 26 day of Aug. 1991.

Subscribed and sworn to before me this 25 day of Aug. 1991
(SEAL)

NOTARY PUBLIC

#7788
WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	11
Number of Lines in Notice	12
Number of Insertions	108
Lines tabular at	6c / Pica
108 Lines straight at	59.40
108 Subsequent lines at	47.52
TOTAL COST	111.92

RECORDED
FEB 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 21, 2003

GLENN OLBUM
CAROLYN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217

RE: License No. 37-8746 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
FEB 25 2003


CERTIFICATE OF SERVICE

I hereby certify that on January 21, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

37-8746

**CAROLYN OLBUM
GLENN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", is written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

FEB 25 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
FEB 25 2003

Comment Report

37-8746

1. kwalker 1/10/2003 Legal Descriptions

Comment: Examiner indicated this p/d and p/u were located in Range 13E. In looking at the map attached to exam I found the range to be 17E as permitted.

2. BALDWIN 7/12/1991

Comment: PLACE OF USE ALSO KNOWN AS LOT 6, STONEGATE SUBDIVISION.

3. VAULT 3/23/1992 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

MICROFILMED

FEB 25 2003

LICENSE REVIEW CHECKLIST

Permit No. 37-8746 Date: 1-10-03 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit _____ cfs

Measured 0.04 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate _____

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.04 cfs 0.6 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.04 cfs 0.6 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions _____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes If yes, explain why below.

no

SRBA Claim?

NO - not reg'd

Adjust memo

see comment report

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 26 2000
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 37-08746

1. Owner: Glenn & Carolyn Olum Phone No. 412-271-3300

Current Address: 5251 Fair Oaks St. Pittsburgh PA 15217

2. Accompanied by: Glenn Olum EXAM DATE: May 23, 2000

Address: 153 Stonegate Circle Ketchum ID 83340 Phone No. 208-726-1551

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	25	05N	13E	Blaine	GPS Tag# A0007944

2. Place(s) of Use:


Indicate Method of Determination GIS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	13E	25						D											

MICROFILMED

FEB 25 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4. **GB**

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta Rite	1	M4E02S-22	Sta-Rite	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** This well was not used for any irrigation. I did not perform a measurement.

MICROFILMED

FEB 25 2003

E. NARRATIVE/REMARKS/COMMENTS

FILE: 37-08746

FROM: Amanda Folsom

DATE: May 24, 2000

I met with Mr. Glenn Olbum on May 23, 2000. He owns one home in the Stonegate subdivision. All of the homes in the subdivision, including Mr. Olbum's, use water from one well in the center of the subdivision. That well provides for irrigation as well. The well relating to this permit is a backup well should anything go wrong with the community used well. This well is located in the NWNW ¼ of Sec 25, Twn 05N, Rng 17E.

Mr. Olbum explained that this well is only connected to his house. It is not used for any irrigation, and he was uncertain whether it could even be activated to do so.

My recommendation is that this well be licensed as a backup to the primary source of water (the subdivision's well) for one home and no irrigation. I am recommending the 0.04cfs that was permitted.

MICROFILMED
FEB 23 2003

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MICROFILMED
SEP 25 2003

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{Theoretical Rate} \rightarrow \frac{8.8(1\text{hp})(1.7)}{65 + [40(2.31)]} = \frac{6.16}{157.4} = \boxed{0.04\text{cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04	0.6
Totals:			0.04	0.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Luanda Tolson Date 1/27/00

Reviewer _____ Date _____


SEAL

MICROFILMED

FEB 25 2003

Idaho Department of Water Resource
Recommendation for Permit 37-08746

Glenn Olbum



● Point of Diversion



Section Lines



Quarter-quarter lines

Place of Use

MICROFILMED

APR 25 2000



Point of Diversion and Place of Use

T05N R17E S25

Data entry on May 24, 2000

Point of Diversion Presentation

1987/1988 NAPP Photography

Data Entry By: Amanda Folsom



MICROFILMED

SEP 25 2003

Glenn Olbum
 FE: Amanda Folsom
 Date: May 23, 2000

37-08746

drt. 6/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESPermit No. 37-8746STAFF ANALYSIS SHEET
For
BENEFICIAL USE FIELD REPORTA. Prior to Conducting the Exam, the file contains: **RECEIVED**☒ Blank Field Report Form

DEC 23 2000

☒ Copy of Permit

Department of Water Resources

☒ Copies of any Amendments/Orders with conditions of approval.☒ Computer Data Proof Report☒ Copy of USGS Quad Map☐ Check for Government Lots. If so, make a copy of Gov. plat.
Check of P/D index _____ (Initial & Date)Overlap? ☐ Yes ☒ No If Yes: ☐ Copy of Exam(s) Attached?
Type of Overlap ☐ Add acres or uses to existing system.
☐ Increase rate of flow or volume.
☐ Other _____

Check of PU Index _____ (Initial & Date)

Overlap? ☐ Yes ☒ No If yes: ☐ Copy of Water Right(s)
Attached?
Type of Overlap ☐ Increase rate or flow volume.
☐ Add P/D's
☐ Increase No. of acres within tracts.
☐ Other _____

Aerial Photo

☐ Required? ☐ Yes ☒ No If yes: ☐ copy attached?
Scheduling letter sent? _____ (Initial & Date)
☐ Appointment made and telephone conversation memo
attached.B. After Conducting the Exam, the file contains:☐ Fully completed and signed Field Report Form☐ Photographs of Point of Diversion and Place of Use☐ Corrected Computer Data Proof Report with recommended license
information, and date and signature of examiner.C. Review and Processing:Exam completed May 23, 2000 ✓ (Signature of Examiner (date) 11/27/00)
Exam reviewed by Sr. Water Res. Agent 52100 (Init & date)
Exam reviewed by Mgr of Reg. Office 12/22/02 (Init & date)
Exam date entered in computer _____ (Init & date)
Exam sent to S.O. _____ (Init & date)
Copy of Staff Analysis Sheet sent to Mgr. of Reg. Office and Orig.
re-filed in White File. _____ (Init & date)

March 27, 1992

CAROLYN OLBUM
GLENN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08746

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 08 1992

Permit No. 37-08746 Reviewed by Klg Date 3/23/92

proof acceptable

Proof Made 3/23/92
3/27/92 Klg

9/89

Drilling Permit No. 31-J-S-043

Water Right Permit No. _____

Injection Permit No. _____

RECEIVED
APR 23 1990
 Department of Water Resources
 Southern Region Office

State of Idaho
 Department of Water Resources

DRILLING PERMIT

222 Shoshone St. E.
 Twin Falls, Id. 83301
 734-3578

RECEIVED
APR 25 1990

1. Applicant (Please Print) GLENN OLIVER
2. Mailing Address 5251 FAIR OAKS ST Department of Water Resources
Pittsburgh PA 15217 Telephone 412-681-9948
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't lot No. _____,
 Sec. 25, Twp. 5N, Rge. 17E, County Blaine,
 Street Address of Well Site _____,
 Lot, block and subdivision Lot #6 - STONSALE CIRCLE, Blaine County
4. Proposed use of well:
 - ☒ Single family or stockwater use (less than 13,000 gallons per day)
 - () Irrigation (more than 1/2 acre)
 - () Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____
 - () Other (describe fully) _____
5. Well construction information:
 - A. ☒ New well () Deepen () Replace - See Condition 9.
 - B. Proposed surface diameter 8" Maximum depth 100'
 - C. Anticipated bottom hole temperature:
 - ☒ 85°F or less (Cold water well)
 - ☒ 85°F to 212°F (Low temp. geothermal well)
 - () 212°F or more (Geothermal well)
6. Construction Start Date 5-15-90
7. Anticipated Well Driller WOODRIVER DRILLING & PUMP BOX 1165 HAILEY, ID 83333
 NOTE: The actual well driller must be identified prior to drilling. 788-3163
8. Applicant's signature Daniel M. Mowbray Date 4/17/90
 Title Contractor
 (Owner, Firm Representative, Other)

RECEIVED
APR 08 1992

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

4/23/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

APPROVED
APR 28 1992

Signature of Authorized Department Representative

FOR LOREN HOLMES

SOUTHERN REGION MANAGER
Title

Receipt No.

50/2160

Received by

JP

Fee

\$10.

Date

4-23-90EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1992

CAROLYN OLBUM
GLENN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08746

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
FEB 07 1992

APPLICATION FOR PERMIT REVIEW

Application #: 37-8746

Reviewer: Pam Skaggs *CS*

Date: 01-22-92

Existing:

No - 26A-P17

Complete in 1 year - P16

Yes

✓ Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

✓ LT. 0.2 cfs - N/A

Drilling Permit:

✓ Approved w/permit - P99

Not included - 046-P23 (All GW, even existing wells)

Location:

✓ Water Districts - WD No. 37
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

✓ Groundwater *Existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - C (1, Blank or Other)

✓ Trust *Exempt* - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A, 010, or 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

✓ Non land owner - 004 2nd P/D

Protested:

Agreement - 020

Beneficial Use Due Date:

Other Conditions Recommended

02-01-1993

Big Wood River G-WMA ✓

APPROVED
FEB 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY MS DATE 7/10/91, 1991
APPLICATION NO. 37-08746

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.)
☒ County
☒ Quantity (flow &/or volume)
☒ Period of use
☒ Nature of proposed use (include description of use)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

++++PROPOSED PRIORITY DATE
7-8 1991
10:00AM.

ADDITIONAL INFORMATION

- Overlapping place of use(Describe source & relationship to present application on the back.
Overlapping point of diversion.
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical Ground water area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☒ Yes ☒ No Within trustwater boundary(If yes, attach trustwater supplementary analysis sheet.
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.

See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Date Requested _____, 19____

RECEIVED
DEC 13 1991

Department of Water Resources

PROCESSING

☒ Yes ☐ No
☐ Yes ☒ No
☒ Yes ☐ No

In form for Advertising
No Statewide Advertising
Fee amount, receipt date & No. recorded on app.

SEND COPIES TO:

☐ Idaho Dept of Health & Welfare
☐ Idaho Dept of Fish & Game
☐ Idaho Dept of Lands
☐ Adjudication Bureau Unit

☐ USDI BLM
☐ USFS
☐ Water Dist.
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest 9/2/91
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on app.
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

43

See below for additional information

Date of priority recommended 7/8, 1991
By Larry D. Kuhn Date 12/2, 1991

STATE OFFICE REVIEW

See below for additional information

By _____ Date _____, 19 ____

ADDITIONAL INFORMATION:

LOCAL PUBLIC INTERES

Comments recieved from:

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & welfare	_____ Canal Company
_____ Reservations	_____ Div. of Enviromental Quality	_____ Other _____

PROJECT IMPACTS/IMPLICATIONS REPORT

COMMENTS:

_____ DATE _____, 19____



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

06-Sep-1991

R. KEITH HIGGINSON
Director

Glenn Olbum
Carolyn Olbum
5251 Fair Oaks St.
Pittsburgh, PA 15217

Re: Application 37-8746


Dear Applicant:

You were recently sent a letter from this office notifying you that a showing your application would result in no reduction of surface water flows was required or that you had a plan for mitigation of reduce flows.

Further review of your application reveals that you do not propose a diversion in excess of what will be permitted under the management plan for the Big Wood River Groundwater Management Area.

You may therefore, disregard the previous letter. We will continue to process your application normally.

Sincerely,


Loren O. Holmes, P. E.
Southern Region Manager

RECORDED
FEB 07 1992

37-8746



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

28-Aug-1991

Glenn Olbum
Carolyn Olbum
5251 Fair Oaks St.
Pittsburgh, PA 15217

Re: Application number 37-8746

Dear Applicant:

The Department of Water Resources recently designated a ground water management area (GWMA) which encompasses the upper Big Wood River Valley, the Bellevue Triangle, a portion of the Silver Creek drainage, and the Camas Prairie. You have filed the above referenced application(s) which proposes a point of diversion within the ground water management area.

The Department intends to process pending applications within the GWMA. Any applicant who proposes a consumptive water use, other than domestic use not exceeding one-half acre of irrigation, must show that his proposed use will not reduce flows in the Big Wood River or Silver Creek, or he must propose a reasonable plan to mitigate the reduction in flow.

Your application proposes a consumptive use of water. Prior to further processing of your application, or conducting a hearing if the application is protested, you must submit the following information:

1. Hydrologic evaluation of the ground water aquifer at the proposed point of diversion and its relationship to surface water, including timing of potential impacts.
2. If the hydrologic evaluation results in a conclusion that a well can be constructed without impact, a prospectus discussing well construction methods and standards must be submitted which will be implemented to prevent depletion of surface flow.
3. If the hydrologic evaluation results in a conclusion that a well cannot be constructed without depleting surface flow, a plan of mitigation and/or compensation must be submitted that will replace depletions of surface water caused by proposed ground water withdrawal.

37-8746

RECEIVED
FEB 07 1992

Page 2

28-Aug-1991

If you do not wish to submit the above information, you may withdraw your application by completing the enclosed withdrawal form. if your application includes a domestic component, and you wish to limit the application to domestic use, please inform this office.

Failure to respond to this inquiry within thirty (30) days, with either the withdrawal or a schedule for submittal of the above information, is cause for the Department to void the application for failure to submit the requested information.

Sincerely,



Loren O. Holmes, P. E.
Southern Region Manager

RECEIVED
FEB 7 1992

FEB 7 1992

MEMORANDUM

TO: FILE

FROM: Mary Baldwin, Sec/Office Coordinator

DATE: 20-Aug-1991

SUBJECT: Wood River Journal Publication problems

37-08737-Rember
37-08739, Shoemaker Properties
37-08743, King
37-08744, King
37-08745, Cenarrusa
37-08746, Olbum

Received a telephone call on this date from Patty Healy from the Wood River Journal that the scheduled publication for 8/7 did run but did not run on 8/14/91 due to WRJ staff failure to put them in the paper.

Therefore, a re-scheduling was made for publications on 8/21 & 8/28/91 with the last date for timely submitting of protests being on September 9, 1991.

RECORDED

FEB 07 1992

1990-1991

Department of Water Resources
Southern Region Office

of 7/1-21

OK

1887

2.

2. 2

1

W

T/C to WPT
Dan Gorkham, Conn Mgr.
Correction made.
ms

FEB 07 1992

17-Jul-1991

GLENN &/OR CAROLYN OLBUM
5251 FAIR OAKS ST
PITTSBURGH PA 15217

Re: Application for Permit No. 37-08746

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 8/7 * 8/14/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED
JUL 17 1991

JUL 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

JULY 15, 1991

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 26, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
FEB 07 1992

37-08746

OLBUM, CAROLYN
OLBUM, GLENN
5251 FAIR OAKS ST.
PITTSBURGH, PA 15217

Source: GROUNDWATER

Diversion Pt:	NWNW	Sec 25 T 05N R 17E
	NENE	Sec 26 T 05N R 17E

Use: DOMESTIC	(.040 CFS)
Total Diversion:	(.040 CFS)

Date Filed: 7/ 8/ 1991

In: T05N R17E S25	NWNW
-------------------	------

RECORDED

FEB 07 1992

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before AUGUST 26, 1991.

R. Keith Higginson, Director

Published 8/ 7/1991 & 8/14/1991

OFFICE OF THE DIRECTOR
DEPARTMENT OF WATER RESOURCES

7 1992

BING ALBUM

1991-7-2

Doug

Please enter the legal
description for me. I
will be in Ketchikan from
July 4th to Sept 1. So
please anything to me
at Box 2044 - Ketchikan.
After Sept 1 I will be
back in Pittsburgh.

Thanks for all your
help

If you need me in
Ketchikan our phone is
926-1331

FEB 07 1992

Lee

37-08746

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name G. Glenn Olburn
Address 2251 Fair Oaks St. Pittsburg
Pa. 15217
Owner's Permit No. 37-0-3-043

2. NATURE OF WORK

- ☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>5.50</u> inches	<u>6</u> inches	<u>1</u> feet	<u>3.88</u> feet
<u>5.00</u> inches	<u>5.00</u> inches	<u>4.00</u> feet	<u>5.40</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
<u>.250</u> perforations	<u>100</u> feet	<u>200</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth


Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name STRAVE
GATE SUB
Lot No. 63 Block No.

County BLAINE
N 1/4 N 1/4 Sec. 25, T. 5 N ☒ E ☐
 S ☐ R. 17 W ☐

7. WATER LEVEL

Static water level 6.5 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality good
Describe artesian or temperature zones below.

8. WELL TEST DATA

- ☐ Pump ☐ Bailer ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
5	450	1

9. LITHOLOGIC LOG

[illegible]

Result
1/2 Acre Sprinkler

10.

Work started 7-1-50 finished 7-14-50

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

WOOD RIVER DRILLING AND PUMP Firm No.
BOX 1165 788-3163
Address HAILEY, IDAHO 83333 Date 8-2-90

Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

37-08746