


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP	FRANKLIN ELECTRIC	7.5	MODEL # 282 2019 202	- SUB -	
Booster	N/A	3	F 988		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot & Pressure Gauge						

2. Measurements: 55 AVERAGE PSI AT ELEVEN $\frac{3}{16}$ " NOZZLES
 = 7.77 GPM per NOZZLE = 85.47 GPM = 0.19 CFS

AUG 26 2003

PERMIT 37-8740 INIT M.H.
T. R. S. Q/Q
P/D 6S 15E 5 NWNE
SCALE _____
PHOTO ID. _____



PERMIT 37-874D INIT AH
T. R. S. Q/Q

SCALE _____
PHOTO ID. P10 + P11



P10



P11

MICROFILMED

AUG 26 1993

ORIGINAL PHOTOS IN FILE 37-0817 (WABBS)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Gooding } ss.

AUG 16 1991

Department of Water Resources
Southern Region Office

Patty Spance, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7th day of Aug., 1991, and the date of the last publication was on the 14th day of Aug., 1991.

Subscribed and sworn to before me this 14th day of Aug., 1991.
(SEAL)

Vivian J. Anderson
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2x

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Not. Appl. Trust Water Rts.
TITLE OF NOTICE

Donna Leeper

37-08740

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R. T. F.
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08740

LEEPER, DONNA

SO RELLE, SHARON
C/O MAYBELLE WARBIS
821 9TH AVE. E.
GOODING, ID 83330

Source: GROUNDWATER
Diversion Pt: LOT 2 (SWNWNE) Sec 5 T
06S R 15E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 3/14/1991
In: T06S R15E S05 Lot 2 (NWNE)
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho on or before AUGUST 26, 1991.

-s- R. Keith Higginson, Director
Pub: 8-7, 14 G6000

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

NO 5106

6000

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08740

Priority: March 14, 1991

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 12.0 AF

This is to certify, that DONNA LEEPER
SHARON SORELLE

C/O MAYBELLE WARBS
821 9TH AVE E
GOODING ID 83330

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 14, 1991; and has submitted Proof of Beneficial Use on February 13, 1992. An examination indicates that the works have a diversion capacity of .190 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.09 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNWE), Sec. 5, Township 06S, Range 15E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	15E	5	Lot 2(NWNE)	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Place of use is located within Lots 11 and 14, Little Wood Villa Subdivision.

AUG 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08740

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of AUGUST, 1993.

Acting for  R. Keith Higginson, Director

RECEIVED

AUG 26 1993

11/91
RECEIVED

OFFICE USE ONLY

Amt. of Fee \$ 50.00Date 2-13-92Receipt No. 5014153Receipt by G. F. Stanton

FEB 13 1992

Department of Water Resources
Southern Region Office**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES****PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08740 Telephone No. 208-345-0507
2. Name(s) of Permit Holder(s): Sharon SoBelle / Donna Leeper
3. Mailing Address: 1906 W. Victory Rd. Boise, ID 83705
4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: Weeks Drilling Date Drilled: 8-10-91

OPTIONAL:

Pump horsepower: 7 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 3 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.09 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

MAYBELLE WARBIS 934-4606
Name Telephone No.

821 9th Ave E. Gooding, Id. 83330
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature (and title, if on behalf of a company or organization)

MAR 05 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08740

Proposed Priority: March 14, 1991 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **DONNA LEEPER**
SHARON SORELLE
C/O MAYBELLE WARBIS
821 9TH AVE E
GOODING ID 83330

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNWE), Sec. 5, Township 06S, Range 15E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	15E	5	Lot 2(NWNE)	3		3


Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Place of use is located within Lots 11 and 14, Little Wood Villa Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of January, 1992

for 
R. Keith Higginson, Director

RECORDED
FILMED

FEB 07 1992

RECEIVED

Ident. No. 37-08740

MAR 14 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources
Southern Region Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Ms Donna Leeper &/or Sharon SoRelle Phone 934-4606

Post office address c/o Maybelle Warbis, 821 9th Ave. E., Gooding, ID 83330

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 2

Sec. 5 Township 6S Range 15E B.M. Gooding County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.09 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.09 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump, sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
One years (minimum 1 year).

FEB 07 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
65	15E	5		12 3															3

Total number of acres to be irrigated _____

FEB 07 1992


10. Describe any other water rights used for the same purposes as described above. _____

Canal shares

- Who owns the property at the point of diversion? Applicants Maybelle Warbis
- Who owns the land to be irrigated or place of use? Applicants
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Applicants are daughters of Maybelle Warbis

12. Remarks: Well will supplement canal shares,
P/U is Lots 11 & 14 of Little Wood Villa Subdiv.
P/D will be on Lot 12 or 13 of LWV Subdiv. (see App. for Permit of
Maybelle Warbis).

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold J. Tolson
(Applicant)

Received by J. E. Hunter Date 3-14-91 Time 12:05 pm Preliminary check by St. J.
Fee \$ 30.00 Receipted by J. E. Hunter # 5013112 Date 3-14-91
Publication prepared by MB Date 7-15-91 Published in Gooding Co. Leader
Publication approved M. Baldwin Date 9-20-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED

FEB 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1993


DONNA LEEPER
SHARON SORELLE
C/O MAYBELLE WARBS
821 9TH AVE E
GOODING ID 83330

RE: WATER RIGHT NO. 37-08740

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 26 1993

WR0749NP
No. L37-08740

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/17/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
		DATE		FROM	TO		
C	DONNA LEEPER C/O MAYBELLE WARBIS 821 9TH AVE E GOODING ID 83330 (208) 934-4606	03/14/1991	IRRIGATION	04-01	10-31	0.09 CFS	12.0 AFA
			TOTAL DIVERSION:			0.09 CFS	12.0 AFA
C	SHARON SORELLE C/O MAYBELLE WARBIS 821 9TH AVE E GOODING ID 83330						

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.19 CFS

Point(s) of Diversion: T06S R15E S05 Lot 02(SW NW NE)

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	
06S	15E	5	:	02-03	:	:	:	:	:	:	:	:	:	:	:	3.0
TOTAL ACRES																3.0

Pou County: GOODING

Other Rights: CANAL SHARES

Other Water Rights with Same Point(s) of Diversion and Source:
37-08717 37-08740

Other Water Rights Listing Overlapping Place(s) of use:
37-00709A 37-08717 37-08740

Conditions of Approval:

- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Place of use is located within Lots 11 and 14, Little Wood Villa
Subdivision.

Dates: App. Received: 03/14/1991 Priority Date: 03/14/1991
Proof Due Date: 02/01/1993 Proof Made Date: 02/13/1992
Exam Made Date: 06/08/1993 Exam Sent to S.O.: 07/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

WR0749NP
No. L37-08740

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/17/93
PAGE: 2

=====

Comments: Date: 07/11/1991 User-ID: BALDWIN Subject:
PLACE OF USE ALSO KNOWN AS LOTS 11 & 14, LITTLE WOOD VILLA SUBD.
POINT OF DIVERSION ALSO KNOWN AS LOT 12 OR LOT 13 OF LITTLE WOOD
VILLA SUBD.

Date: 02/14/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 08/17/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM				
		NE		NW		SW		SE		NE		NW		SW		SE						
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac					
L3708740	T06S R15E S 5	GROUNDWATER																3				
	:	02-03																:				
0100006	SNAKE RIVE :																	:				
A0100006	SNAKE RIVE :	03 0								04								7				
A3700262A	LITTLE WOO :					03-20 04-30				40				10				100				
3700271A	LITTLE WOO :									10								10				
A3700271A	LITTLE WOO :									04-10								10				
3700282	LITTLE WOO :									10								10				
A3700282	LITTLE WOO :									04-10								10				
3700662	LITTLE WOO :									10								10				
A3700662	LITTLE WOO :									04-10								10				
3700709A	LITTLE WOO :	02-1 1								04-1 1				1 1				:				
A3700709A	LITTLE WOO :					03-20 04-30				40				10				100				
A370086722	LARGE CLAI :	42	42	37	34	42 34				34	04	09	34	35	27	39	37	40	37	527		
A3700960A	LITTLE WOO :									03-20 04-30				40								100
3700979	LITTLE WOO :																	1				:
3708717	GROUNDWATE :	02-03																				3
3708740	GROUNDWATE :	02-03																				3
A3710839	LITTLE WOO :									09								26				35
A3710907	GROUNDWATE :					04																4
A3711203	GROUNDWATE :					01																1
A3713043	SILVER CRE :	42	42	37	34	42 34				34	04	09	34	35	27	39	37	40	37	527		

□ Surface water claims

LICENSE REVIEW CHECKLIST

Permit # 37-8740 Date 5-17-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐ ☒	Order to Reinstate Needed?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☐ ☒	Amendment Needed? <u> </u>
	☐ ☒	Is Overlap Analysis a Consideration?
P/U	☐ ☒	Amendment Needed? <u> </u>
	☐ ☒	Is Overlap Analysis a Consideration?
TOTAL CFS	☐ ☒	Incorrect Fee for rate recommended?
	☐ ☒	Disagree/Measurement <u>11 x 7.77 = 85.47 = .19 CFS</u>
	☐ ☒	Pumping Theoretical <u>8.8 x .70 x 7.5 HP</u>
	☐ ☒	<u>200 + 2.31 x 60</u> = .14 CFS
	☐ ☒	System Capacity <u>.19</u> WITH BOOSTER / = .19 CFS
	☐ ☒	Allowable Amount: <u>3 x .03 = .09 CFS</u>
TOTAL VOLUME		Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
		<u>4-1 to 10-31</u> Standard Irr. Season
		Season Recommended
	☐ ☒	Disagree with Examiner's Calculations?
	☐ ☒	<u>3 x 4.0 = 12 AF</u>
	☐ ☒	Flow limit: <u>.09</u> x 214 x 1.9835 = <u>38.2</u>
USES	☐ ☒	Change(s) in Nature of Use? <u> </u>
	☐ ☒	Amendment Needed? <u> </u>
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐ ☒	Non-Irr. Uses <u> </u>
	☐ ☒	Special Overlap Condition (<u>same P/D as 37-8717</u>)
	☐ ☒	Other <u> </u>
CONDITIONS	☐ ☒	Measuring/Locking Devices Misc/Dates
	☐ ☒	W/Master Control <u> </u> Water Dist
	<u>BSI</u> ☐ ☒	Irrigation Overlap <u>3-14-91</u> App Rec'd
	☐ ☒	Water Quality <u>6-8-93</u> Exam Made
COMMENTS:	<u>This right when combined with 37-8717 does not exceed Capacity per volume System can produce.</u>	

RECOMMENDED	CFS	VOL	LICENSE ☒
Irrigation	<u>.09</u>	<u>12.0</u>	
Domestic	<u> </u>	<u> </u>	
Stockwater	<u> </u>	<u> </u>	AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 28 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-8740

1. Owner: DONNA LEEPER + SHARON SORELLE Phone No. 345-0507

Current Address: 90 MAYBELLE WARBLIS, 821 9TH AVE. E., GOODING, ID 83330

2. Accompanied by: BOB + MAYBELLE WARBLIS EXAM DATE: 6/8/93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: - NONE -

2. Other water rights with the same point of diversion: 37-8717 (WARBLIS)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
PUMP & BOOSTER		SW	NW	NE	5	6S	15E	GOODING	Photo Quad


2. Place(s) of Use:

Indicate Method of Determination Photo Quad

	TWP	RGE	SEC	NE				NW				SW				SE				Totals
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
FIELD EXAM	6S	15E	5		3.2															3.2
Permit	6S	15E	5		3															3.0
Record Error	6S	15E	5		3															3.0

AUG 26 1993

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP	FRANKLIN ELECTRIC	7.5	MODEL # 282 2019 202	- SUB -	
Booster	N/A	3	F 988		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot & Pressure Gauge						

2. Measurements: 55 AVERAGE PSI AT ELEVEN $\frac{3}{16}$ " NOZZLES
 = 7.77 GPM per NOZZLE = 85.47 GPM = 0.19 CFS

E. NARRATIVE/REMARKS/COMMENTS

AN 8" CASED WELL WITH 7.5 HP PUMP AND 3 HP
BOOSTER LOCATED ON WARBIS PROPERTY LIFTS WATER
FROM 200 FT TO A MAINLINE AND FAUCET. AN
ELEVEN-STATION WHEELLINE WITH $\frac{3}{16}$ " NOZZLES
SUPPLIES WATER TO THIS LAND AND ADJACENT LAND
(UNDER PERMIT 37-8717)

PUMP + BOOSTER CAN ADEQUATELY SUPPLY WATER FOR
BOTH PERMITS.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

AUG 26 1993

X Additional Computation Sheets Attached

THEORETICAL (55 PSI, 200 FT LIFT, 10.5 HP) = 0.198 CFS

1. Volume Calculations for Irrigation:

Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{56 \text{ TOTAL} \times 4.0}{0.19} = 22.4 \text{ AFA TOTAL} / 12.0 \text{ AFA THIS PERMIT}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 81.0 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 22.4 \text{ AFA} \quad 12.0 \text{ AFA}$$


1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>I R R I G A T I O N</u>	<u>4/1</u>	<u>11/1</u>	<u>0.09</u>	<u>12.0</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>0.09</u>	<u>12.0</u>

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name MIKE HARSHBARGER Date 6/10/93

Reviewer Laura O'Halloran Date 7/26/93



Aug 26 1954

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-8740
DATE: 6/10/93
BY: MTH.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (10.5) (0.70)}{[(200) + (55 \times 2.31)]} = 0.20 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement (G)	Motor Make, Serial or ID
owner (G)	owner (G)	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs (G)	owner gage (G)	
Booster (Y) (N)		FRANKLIN ELECTRIC

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	
3/1 - 12/1	276	


POTENTIAL = 15.0

REQUIRED Acre Feet/Acre/Annum = 4.0
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (S)
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

AUG 26 1993


PERMIT 37-8740 INIT 744
T. R. S. Q/Q
P/D 6S 15E 5 NW VE
SCALE _____
PHOTO ID. _____



AUG 26 1963

126 South Range

37-8740



RECORDED

AUG 20 1893

Form 6-7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name MAXBELLE + BOB WARBIS

Address 821 9TH AVE EAST

Owner's Permit No. 47-91-5-020

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>0</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☒ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level 190 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>75</u>	<u>200</u>	<u>3</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	16	CLAY		X
8"	16	31	HARD BLACK LAUR		X
8"	31	50	SOFT RED LAUR		
8"	50	70	CLAY RED		X
8"	70	110	HARD GREY LAUR		X
8"	110	150	HARD BLACK LAUR		X
8"	150	170	CLAY LIGHT COLORED		X
8"	170	190	SOFT GREY LAUR	X	
8"	190	220	SOFT BLACK LAUR	X	

RECEIVED

SEP 11 1991

Department of Water Resources
Southern Region Office


RECEIVED

SEP 27 1991

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name NOISE

Lot No. _____ Block No. _____

County GOODIN

NW 1/4 NW 1/4 Sec. 5, T. 6S, R. 15E

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name WEEK'S DRILLING Firm No. 494

Address 1832 S. 2000 E Date AUG 10, 1991

Signed by (Firm Official) Larry M. Week

and

(Operator) Larry M. Week

PERMIT SP-7742 INIT AK
T. R. S. Q/Q
SCALE _____
PHOTO ID. P13 - P10



P10



P10

MICROFILMED

AUG 26 1993

ORIGINAL PHOTOS IN FILE 37-0817 (WARBIS)

February 21, 1992

DONNA LEEPER
SHARON SORELLE
C/O MAYBELLE WARBS
821 9TH AVE E
GOODING ID 83330

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08740

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAR 05 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 37-08740

Reviewed by Klg

Date 2/14/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 3 acres
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 47-91-S-020
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u> </u>	-
No. of days late	<u> </u>	=
Priority Date	<u> </u>	+
New Priority Date	<u> </u>	

DEFICIENCIES OR ACTION ITEMS

driller 494

proof acceptable

DATA ENTRY

New Address

Proof Made 2/13/92
2/21/92 Klg

Drilling Permit No. 47-91-5-020
Water Right Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Maybelle Warbis
2. Mailing Address 821 9th Ave. E., Gooding, ID 83330 Telephone 934-4606
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't Lot No. 2
Sec. 5, Twp. 6S, Rge. 15E, County Gooding
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Irrig. - 3 acres
- ☐ Injection
- ☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9
- B. Proposed Surface Diameter 8" Proposed Maximum Depth 200'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)
6. Construction Start Date As soon as possible
7. Anticipated Well Driller RAY ROESSLER DRILLING 934-4572
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Maybelle Warbis Date 3-1-91

RECEIVED
MAR 05 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3/1/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Larry O. Halmer
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION

Title

Receipt No. SO/3070 Received by [Signature] Fee \$200.00 Date 3-1-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

APPROVED
MAR 05 1992

Drilling permit No. 47-91-S-020

Water right No. App

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Maybelle Warbis, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Driller availability,

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date 3-1-91

Signature Maybelle Warbis

Applicant

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name MAXBELLE + BOB WARBLIS
Address 821 9TH AVE EAST
Owner's Permit No. 47-91-5-020 *OK*

7. WATER LEVEL

Static water level 190 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow —
Artesian closed-in pressure — p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature — °F. Quality —
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
75	200	3

3. PROPOSED USE

☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	16	CLAY		X
8"	16	31	HARD BLACK LAUR		X
8"	31	50	SOFT RED LAUR		
8"	50	70	CLAY RED		X
8"	70	110	HARD GREY LAUR		X
8"	110	150	HARD BLACK LAUR		X
8"	150	170	CLAY LIGHT COLORED		X
8"	170	190	SOFT GREY LAUR	X	
8"	190	220	SOFT BLACK LAUR	X	

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches +	<u>0</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☒ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name NO MEX 05

Lot No. Block No.

County Gooding

NW ¼ NW ¼ Sec. 5 T. 6S N. 15 E.

10.

Work started 7/1/91 finished 8/10/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name *WEEK'S DRILLING* Firm No. *494*

Address 1832 S. 2000 E Date AUG 10, 91

Signed by (Firm Official) James M. Welch

and
(Operator) *Larry M. Woods*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 31, 1992

DONNA LEEPER
SHARON SORELLE
C/O MAYBELLE WARBS
821 9TH AVE E
GOODING ID 83330

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08740

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

RECEIVED
JAN 31 1992

APPLICATION FOR PERMIT REVIEW

Application #: 37-8740
Date: 01-17-92

Reviewer: Pam Skaggs *PS*

✓Existing:

✓No - 26A-P17

✓Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

✓Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

✓LT. 0.2 cfs - N/A

✓Drilling Permit:

Approved w/permit - P99

✓Not included - 046-P23(All GW, even existing wells)

✓Location:

✓Water Districts - WD No. 374
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

✓Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

✓Boise Front (63) - 058 (Groundwater)

✓Swan Falls Flag - X (1, Blank or Other)

Trust *Exempt* - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A, 010, or 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

✓Ownership:

✓Non land owner - 004

Protested:

Agreement - 020

✓Beneficial Use Due Date: - 02-01-1993
Other Conditions Recommended

FEB 07 1992



ate of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

23-Jul-1991

R. KEITH HIGGINSON
Director

DONNA LEEPER
SHARON SO RELLE
C/O MAYBELLE WARBIS
821 9TH AVE E
GOODING ID 83330

Re: Application for Permit No. 37-08740

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 8/7 & 8/14/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED

FEB 07 1992

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Gooding } ss.

AUG 16 1991

Patty Spence Department of Water Resources
being the duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7th day of Aug., 1991, and the date of the last publication was on the 14th day of Aug., 1991.

Patty Spence
Subscribed and sworn to before me this 14th day of Aug., 1991.
(SEAL)

Vivian J. Jandiga
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2x

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Not. Appl. Trust & Mt. Lt.
TITLE OF NOTICE
Donna Zeepers
37-08740
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R. T. F.
BILL TO

NOTICE OF PROTEST FOR
GOODING, ID 83330
Source: GROUNDWATER
Diversification Pt: LOT 2 (SWNWNE) Sec 5 T
98S R 18E
Use: IRRIGATION (.080 CFS)
Total Diversification: (.080 CFS)
Date Filed: 8/14/1991
In: T88S R18E S05 Lot 2 (NWNE)
3.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 S. Spokane St. East, Twin Falls, Idaho on or before AUGUST 28, 1991.
- R. Keith Higginson, Director
Pub: 8-7, 14 G6000

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line successive insertions.....4¢/Pica

No 5106

6000

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08740

LEEPER, DONNA
SO RELLE, SHARON
C/O MAYBELLE WARBS
821 9TH AVE. E.
GOODING, ID 83330

Source: GROUNDWATER

Diversion Pt: LOT 2 (SWNWNE) Sec 5 T 06S R 15E

Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 3/14/ 1991

In: T06S R15E S05 Lot 2 (NWNE)

~~3.0 ACRES TOTAL~~

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before AUGUST 26, 1991.

R. Keith Higginson, Director

Published 8/ 7/1991 & 8/14/1991

FEB 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

JULY 15, 1991

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 26, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

SEP 07 1992