


The purpose of this application is to increase the diversion capacity of an existing system covered by the above water rights and add any uncovered acres.


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James D. Neffiger
(Applicant)



United States Geological Survey
with the Army Corps of Engineers
and NOS/NOAA





12 7

1494.
+463

75.3

12 7
13 18

-6S

7
15.8

4.
5.5

3
125.6

5

OWT

53.0

9
29.3
N

106
113.6

13
8.3

6.9

14
99.8

29.4

14.6

14.0


2 62
4 1
22.8

15
24.1

3
41.9
HEL

12 18
2 10

18 17
19 20



+463

37-7634

275.3

37-2550

3
125.4

7
15.8

4
5.5

5
6.2A
B 7 8


OCT 30 1995

53.0

113.6

53.8

G f F e E d



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**1. WELL OWNER**Name James D. Dufzinger
Address 1645 E 3100 S
Drilling Permit No. 37-92-8-022
Water Right Permit No. 2**7. WATER LEVEL**Static water level 90' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 85° OF. Quality _____
Describe artesian or temperature zones below.**2. NATURE OF WORK**

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
1 1/4"	0	6 1/2	Gr. Lava		
1 1/2"	6 1/2	42	Gr. Lava		X
1"	42	56	Gr. Sand + Clay		
1"	56	58	Greensand. No Returns		
1"	58	84	Hard		
1"	84	91	Hard		
1"	91	93	Hard		
1"	93	94	Soft		
1"	94	96	Clay		
1"	96	127	Clay + brockin		X
1"	127	136	Clay		
1"	136	170	Hard + brockin Loose Rock		X
1"	170	201	Soft		
1"	201	238	Hard + brockin		
1"	238	241	Clay		
1"	241	284	Hard		
1"	284	299	Soft		
1"	299	301	Greensand		X
1"	301	304	Clay		

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTIONCasing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	Inches	From	To
25	15	inches	1	6 1/2
		inches		
		inches		
		inches		

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal depth 6 1/2 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld _____

☐ Cemented between strataDescribe access port Welded steel pipe**6. LOCATION OF WELL**

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Gooding

NE 1/4 NE 1/4 Sec. 18 T. 6 N R. 14 E

10.Work started 3-26-92 finished 3-30-92**11. DRILLERS CERTIFICATION**I/We certify that all minimum well construction standards were
compiled with at the time the rig was removed.Firm Name Faton Drilling Firm No. 26Address Wendell Date 4-5-92Signed by (Firm Official) [Signature]

and

(Operator) [Signature]

732
37-8372

Well A

(Well B in
Background)



Well B

OCT 30 1995



37-8732

~~37-8572~~

Well C

Well C, Mainline to Pond



Pond & Mainline from Well C.
Mainline from Wells A & B in Fgr Corner

Re-lift Pumps from Pond
1995

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Gooding } ss.

JUL 17 1991

Department of Water Resources
Southern Region Office

Patty Spence, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the

3rd day of July, 1991.

and the date of the last publication was on the 10th day of

July, 1991.

Subscribed and sworn to before me this 10th day of

July, 1991.

(SEAL)

Vince J. Gardiaga
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

435.9 Lines straight at 21.80 5¢/Pica

Subsequent lines at 17.44 4¢/Pica

TOTAL COST 39.24

COPY OF NOTICE

(Paste Here)

Not. Appl. Wt. R.

TITLE OF NOTICE

James Nafziger

37-08732

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

W. Dept. Water Res.
BILL TO T.R.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho.

37-08732

NAFZIGER, JAMES D.

1645 E. 3100 S.

WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: NENENE Sec 18 T 06S R 14E

NENENW Sec 18 T 06S R 14E

Use: IRRIGATION (3,000 CFS)

Total Diversion: (3,000 CFS)

Date Filed: 2/27/ 1991

In: T06S R14E S07 Lot 1 (NENE) SENE
SESW NESE

NWSE SWSE SESE

S18 NENE NWNE SWNE SENE

NENW Lot 2 (SWNW) SENW NESW

Lot 3 (NWSW) Lot 4 (SWSW) SESW

NESE

NWSE

700.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 23, 1991.

-s-R. Keith Higginson, Director

Pub: 7-3, 10

G5752

RECORDED
FEB 07 1992

No 5077

5752

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08732

Priority: April 13, 1991

Maximum Diversion Rate:

3.00 CFS

Maximum Diversion Volume:

1273.4 AF

This is to certify, that JAMES D NAFZIGER

1645 E 3100 S

WENDELL ID 83355

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated February 27, 1991; and has submitted Proof of Beneficial Use on March 18, 1993. An examination indicates that the works have a diversion capacity of 11.480 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	3.00 CFS	1273.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 18, Township 06S, Range 14E
NENW , Sec. 18, Township 06S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	14E	7	NENE 33	SENE 38	NESE 39	
			NWSE 29	SWSE 38	SESE 39	216
	18		NENE 35	NWNE 30	SWNE 34	
			SENE 37	NENW 36	Lot 2 (SWNW) 11	
			SENE 39	NESW 35	Lot 3 (NWSW) 36	
		Lot 4 (SWSW)	12	SESW 12	NESE 22	-
		NWSE	32			371

Total number of acres irrigated: 587

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-08732

CONDITIONS OF APPROVAL AND REMARKS

5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. Two points of diversion are located within NENE, S18, T06S, R14E.
9. The following rights are also diverted through the points diversion described above: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.
10. Use of this right with the rights listed below is limited to a total combined diversion rate of 10.8 cfs and a total combined annual diversion volume of 2348.0 af. The combined rights include: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.
11. This right when combined with the following rights and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above. The combined rights include: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11TH
day of OCTOBER, 1995.

Acting for KARL J. DREHER, Director

37-08732

RECEIVED

OCT 06 1995

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 37-08732

Date of Priority: April 13, 1991

Maximum Diversion Rate: 3.00 CFS

Maximum Diversion Volume: 1273.4 AF

Comes now

JAMES D NAFZIGER

1645 E 3100 S

WENDELL ID 83355

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-08732, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	3.00 CFS	1273.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 18, Township 06S, Range 14E

NENW , Sec. 18, Township 06S, Range 14E

GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	14E	7	NENE 33	SENE 38	NESE 39	
			NWSE 29	SWSE 38	SESE 39	216
		18	NENE 35	NWNE 30	SWNE 34	
			SENE 37	NENW 36	Lot 2(SWNW) 11	
			SENE 39	NESW 35	Lot 3(NWSW) 36	
		Lot 4(SWSW)	12	SESW 12	NESE 22	
		NWSE	32			371

Total number of acres irrigated: 587

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Office of Secretary, this 3 day of Oct, 1995.

James D. Nafziger

OCT 06 1995

James D. Nafziger
(Signature)

State of Idaho
Department of Water Resources

RECEIVED

OCT 06 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08732

Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by ____ Fee = 50⁰⁰ Received by RT # 1033682 Date 10/6/95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-08732 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. Two points of diversion are located within NENE, S18, T06S, R14E.
9. The following rights are also diverted through the points diversion described above: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.
10. Use of this right with the rights listed below is limited to a total combined diversion rate of 10.8 cfs, a total combined annual diversion volume of 2348.0 af. The combined rights include: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.

State of Idaho
Department of Water Resources

RECEIVED

OCT 06 1995


APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08732

Department of Water Resources

CONDITIONS OF APPROVAL AND REMARKS

11. This right when combined with the following rights and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above. The combined rights include: 37-02549, 37-02550, 37-07370, 37-07572 and 37-07634.

Witness my hand this 11TH day of OCTOBER, 1995.

Acting for 
KARL J. DREHER, Director

IN THE MATTER OF PERMIT NO. 37-08732)
) ORDER OF
IN THE NAME OF JAMES D NAFZIGER) REINSTATEMENT
)

L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

MAR 18 1993

RECEIVED

MAR 11 1993

Department of Water Resources

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 150.00

Date 3-18-93

Receipt No. CC37015

Receipt by CA

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08732 Telephone No. 208-536-6628
2. Name(s) of Permit Holder(s): James D. & Patrice Lois Nafziger
3. Mailing Address: 1645 E. 3100 St. Wendell, Id. 83355
4. Source of Water: Eden Drilling under ground
If GROUNDWATER, Well Driller's Name: Eden Drilling Date Drilled: 6-1-92

OPTIONAL:

Pump horsepower: 150 Pressure (psi): 80 Dynamic pumping level (ft.): 130

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 695 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 3,000 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes ✓ No _____

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes ✓ No _____

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name James D. Nafziger Telephone No. 208-536-6628
Address 1645 E. 3100 St.

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-10-93
Date

James D. Nafziger
Signature (and title, if on behalf of a company or organization)

APR 12 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08732

Proposed Priority: February 27, 1991 Maximum Diversion Rate: 3.00 CFS
This is to certify, that **JAMES D NAFZIGER**

1645 E 3100 S
WENDELL ID 83355

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	3.00 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE , Sec. 18, Township 06S, Range 14E
NENENW , Sec. 18, Township 06S, Range 14E
GOODING County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	14E	7	Lot 1(NENE) 40	SENE 40	SESW 20	
			NESE 40	NWSE 40	SWSE 40	
			SESE 40			260
	18		NENE 40	NWNE 40	SWNE 40	
			SENE 40	NENW 40	Lot 2(SWNW) 20	
			SENW 40	NESW 40	Lot 3(NWSW) 44	
		Lot 4(SWSW) 20	SESW 15	NESE 26		
		NWSE 35				440

Total number of acres irrigated: 700

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1992.** 1993
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

BLM
APPROVED

FEB 07 1992

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 37-08732

7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

27 day of January, 1992.


R. Keith Higginson, Director
for

RECEIVED

FEB 07 1992

Form 202
8/88
RECEIVED

Ident. No. 37-08732

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

MAR - 1 1991

Department of Water Resources **To appropriate the public waters of the State of Idaho**
Southern Region Office

1. Name of applicant James D. Nafziger Phone 536-6678
Post office address 1645 E. 3100 S. , Wendell , ID 83355

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE NE NE ¼ of NE ¼ of NW ¼, Govt. Lot _____

Sec. 18 Township 6S. Range 14E B.M. Gooding County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.0 cfs for Irrig. purposes from 4/1 3/15 to 11/1 11/15 (both dates inclusive) per standard season 01-22-92

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) 3.0 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells with turbine pumps delivering to sprinklers.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Existing 20" 20" inches; proposed depth of well is 150' ? 150' ? feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

FEB 07 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	14E	7	40			40								20	40	40	40	40	260
6S	14E	18	40	40	40	40	40		20	40	40	44	20	15	26	35			440

Total number of acres to be irrigated 700

10. Describe any other water rights used for the same purposes as described above. _____

(See Remarks)

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


Lic. 37-02549 A37-02549
37-02550 A37-02550
37-07572 A37-07572 FEB 07 1992
37-07370 A37-07370
37-07 37-07634

* 7.8cfs
when combined.

Adjudication Claims

The purpose of this application is to increase the diversion capacity of an existing system covered by the above water rights and add any uncovered acres.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James R. McFizer
(Applicant)

Received by M. Baldwin Date 2-27-91 Time 9:45 am Preliminary check by MS
Fee \$ 85⁰⁰ Receipted by DRJ # SD13059 Date 2/27/91
Publication prepared by MB Date 6-18-91 Published in Gooding Co. Leader
Publication approved M. Baldwin Date 8-2-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

FEB 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 11, 1995

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

RE: WATER RIGHT NO. 37-08732

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

OCT 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 12, 1995

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

RE: WATER RIGHT NO. 37-08732

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

SEP 20 1995

BRENDA

Permit was for additional
water & acres.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 23 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08732

1. Owner: James D. Nafziger Phone No. 536-6678
Current Address: 1645 E. 3100 S., Wendell, ID 83355
2. Accompanied by: Paul Koylc EXAM DATE: 11-15-94 & 8-1-95
Address: 422 8th Ave. West, Gooding, ID 83330 Phone No. 934-5882
Relationship to Permit Holder: employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 37-07634, 2549, 7572, 2550, 7370
2. Other water rights with the same point of diversion: Same

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
A		NE	NE	NE	18	6S	14E	Gooding	North well in tract
B		"	"	"	"	"	"	Gooding	South well in tract
C		NE	NE	NW	18	6S	14E	Gooding	


2. Place(s) of Use:

Indicate Method of Determination ASCS photo

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
*	6S	7	33			38									39	29	38	39	216
		18	35	30	34	37	36		11	39	35	113	144	12	22	32			371
		~~18~~																	587

* Present P/U - To be licensed

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
A	US Motors	200	C 2691-01-362	Lynne & Bowler	None
B	GE	100	F 5J 616137	"	LP93246
C	GE	100	NJJ6949883	Aurora	None

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						

2. Measurements: Well A (north branch) - 878 gpm; south branch - 950 gpm.
 Well B north branch - 780 gpm; south branch - 918 gpm
 Well C - 1624 gpm. Total is 5150 gpm or 11.48 cfs

OCT 30 1995

E. NARRATIVE/REMARKS/COMMENTS

Wells A & B are connected via steel mainlines. Well C pumps into a pond. Re-lift pumps take water from the pond to the common mainline. System runs 5 pivots and various handlines. Well A has a variable-speed pump; south branch was measured at 400 gpm, 950 gpm, & 1547 gpm depending on system needs. Normal operation of this line is 950 gpm (1 booster pump from pond running).

A total of 593.7 acres have been licensed on this farm. However, the latest aerial photo shows 587 acres irrigated (not counting many small rock piles). Of this ground, 238 acres are already licensed at 0.02 cfs/acre. This ^{is} really a permissible place of use for all six of the rights on this property. So rather than confuse things by excluding the fully-licensed acres, I am including the entire P/U in my licensing recommendation. This also insures that all three wells are licensed for all the ground. Due to lowered water levels in Well B, Well A has been added to the system; there are 3 wells instead of 2 as stated in the permit, so a licensing amendment is needed.

Licensed capacity is 7.8 cfs. Measured capacity is 11.48 cfs, leaving 3.68 cfs that could be licensed. Permit is for 3.0 cfs, so recommend licensing for permitted flow. No additional volume to be licensed.

Right 37-2549 includes land in Sec. 19 under this system, but that land is no longer irrigated. All of that right was purchased with the ground purchased by Mr. Nafziger in Sec. 7 & 18.

Photos & pump numbers were obtained last Fall. Wells were measured earlier this month. Yesterday I confirmed the present P/U with Mr. Nafziger at his office, marking the ASCS photo. I later drove around the property to confirm the P/U.

Have conditions of permit approval been met? ☒ yes ☐ no

NOT COPIED

F. FLOW CALCULATIONS✓ Additional Computation Sheets Attached

Measured Method:

Measured 11.48 cfs. Allow 3.0 cfs permitted.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.0 \times 587 = 2348$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 7.8 \times 214 \times 1.9835 = 3310.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 0. \text{ Existing rights allow full volume.}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	3.0 cfs	-
Totals:			3.0	

2. Recommended Amendments

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name G. F. Allenton Date 8-16-95

Reviewer _____ Date _____

SEAL

OCT 30 1995

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

• = 1"/acre licensed

75
163
238

Well A North Line

INPUT

OUTER DIAMETER
 10.8224 IN
 PIPE MATERIAL
 ? CS.SS
 WALL THICKNESS
 0.1890 IN
 INNER LINING
 ? NO LING.
 KIND OF FLUID
 ? WATER
 SENSOR MOUNTING
 ? U
 TYPE OF SENSOR
 DATA CHANGE
 ? NO
 SPACING
 8.357 IN U
 ZERO MODE
 CLEAR
 ZERO MODE
 AUT ZERO
 ZERO MODE
 ZERO OPR
 00-03 23:3600 *R
 +002.20 % AI2
 00-03 23:3800 *R
 +077.579E 06PM
 00-03 23:4000 *R
 + 3.261E 06PS
 00-03 23:4000 *R
 +000000 *G
 00-03 23:4000 *R
 +000.00 % AI1
 00-03 23:4000 *R
 +002.20 % AI2
 MODE SELECT
 TO CHECK

0092.6 MMSEC
 00.61 % TO

Well A North Line

MODE SELECT INPUT

OUTER DIAMETER
 10.8224 IN
 PIPE MATERIAL
 ? CS.SS
 WALL THICKNESS
 0.1890 IN
 INNER LINING
 ? NO LING.
 KIND OF FLUID
 ? WATER
 SENSOR MOUNTING
 TYPE OF SENSOR
 ? SMALL
 DATA CHANGE
 ? NO
 SPACING
 8.357 IN U
 ZERO MODE
 CLEAR
 ZERO MODE
 AUT ZERO
 ZERO MODE
 ZERO OPR
 00-03 23:5300 *R
 +000000 *G
 00-03 23:5300 *R
 +000.00 % AI1
 00-03 23:5300 *R
 +002.50 % AI2
 00-04 00:0300 *R
 +947.849E 06PM
 00-04 00:0800 *R
 + 1.591E 36PM
 00-04 00:1200 *R
 + 1.546E 36PM
 MODE SELECT
 TO CHECK
 0003.62 MMSEC
 0.78 % TO

OCT 30 1995

37-08732

Well B north line

MODE SELECT
INPUT

OUTER DIAMETER
10.0264 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1110 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.547 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
CLEAR

00-04 01:2800 *R
+783.534E 06PM

00-04 01:2800 *R
+778.779E 06PM

00-04 01:2900 *R
+ 3.326E 0FPS

00-04 01:2900 *R
+00000 *G

00-04 01:2900 *R
+000.00 % AI1

00-04 01:2900 *R
+002.40 % AI2

MODE SELECT
PAGE 15 2 10

0381.5 MMSEC
104.14 % T0

Well B south line

MODE SELECT
INPUT

OUTER DIAMETER
10.0264 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1110 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.547 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

00-04 01:4000 *R
+002.80 % AI2

00-04 01:4100 *R
+888.410E 06PM

00-04 01:4200 *R
+897.656E 06PM

00-04 01:4200 *R
+906.902E 06PM

00-04 01:4400 *R
+917.733E 06PM

00-04 01:4500 *R
+922.488E 06PM

00-04 01:4500 *R
+ 3.923E 0FPS

00-04 01:4600 *R
+00000 *G

00-04 01:4600 *R
+000.00 % AI1

00-04 01:4600 *R
+002.90 % AI2

MODE SELECT
TO CHECK

0372.0 MMSEC
101.54 % T0

MICROFILMED

OCT 30 1995

37-0 8732

Well C

MODE SELECT
INPUT

OUTER DIAMETER

PIPE MATERIAL
? CS,SS

8.1898 IN

INNER LINING
? NO LING.

KIND OF FLUID
SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

SPACING
8.357 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

00-03 23:0800 *R
+ 1.624E 3GPM

00-03 23:0900 *R
+ 6.085E 0FPS

00-03 23:0900 *R
+000.00 % AI1

00-03 23:1000 *R
+002.70 % AI2

MODE SELECT
T0 CHECK


0395.1 MMSEC
101.24 % T0

0395.1 MMSEC
101.24 % T0


MICROPROCESSOR

OCT 30 1995


37-08732



United States Geological Survey
with the Army Corps of Engineers
d NOS/NOAA







+463

75.3

125.4

7
15.8

4
5.5

53.0

14
99.8

15
24.1

29.4

14.6

41.9
HEL


9
29.3

2 02
4 1
22.8

18 17
19 20

12 7
13 18

-6S



+463

37-7634

275.3

37-2550

125.4

7
15.8

4
5.5

5
6.2 A

B 7 18

53.0


007 00 1998

113.6

55.0

9
20
1

Township N° 6 South, Range N° 14 E





State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

24-Jun-1993

R. KEITH HIGGINSON
Director

ATTN GREG EVANS
IDAHO POWER CO
422 MAIN
GOODING ID 83330

Re: Nafziger water permit 37-8732

Dear Mr. Evans:

Our records indicate that this 700 acre farm has appurtenant water rights to divert 11.63 cfs (5220 gpm) of groundwater for irrigation.

If points of diversion (wells) other than the ones described in the recorded water rights are to be added to the water system, an application to transfer or amend the existing rights is required.

Sincerely,

Loren O. Holmes
Loren O. Holmes, P. E.
Southern Region Manager

C: Jim Nafziger

OCT 30 1993

WR #	Total Q	Total Acres	SEC	Acres Overlap w/ 8732	Adjustment to Acres in 8732
37-2549 37-92-5-0022-000	1.86	100	7, 18, 19	82	1.53
37-2550	2.67	142	7	0	0
37-2572	2.53	195	7, 18	195	2.53
37-7320 37-91-5-0029-000	3.26	163	18	163	3.26
37-7634	1.31	65	7	65	1.31
37-8732	3.00	700	7, 18	700	3.00

$$11.63 / 700 = .02 \text{ per Ac.}$$

5219.5487 ac

Has capacity for 3400
needs

1200
4600

RECEIVED

OCT 30 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name James D. AufingerAddress 1645 E. 2100 SDrilling Permit No. 37-92-S-022Water Right Permit No. 02

7. WATER LEVEL

Static water level 90 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow Artisan closed-in pressure P.S.I.Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 25°F. Quality

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other

Discharge G.P.M. Pumping Level Hours Pumped

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
<u>25</u> inches	<u>15</u> inches	<u>1</u> feet	<u>65</u> feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ GunSize of perforation inches by inchesNumber From feet To feetperforations feetperforations feetperforations feetWell screen installed? ☐ Yes ☒ NoManufacturer's name Type Model No. Diameter Slot size Set from feet to feetDiameter Slot size Set from feet to feetGravel packed? ☐ Yes ☒ No ☐ Size of gravel Placed from feet to feetSurface seal depth 65 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐ Other Sealing procedure used: ☐ Slurry plug ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent☐ Cemented between jointsDescribe access port: Welded steel pipe

9. LITHOLOGIC LOG

Bore	Depth	Material	Water
Log	From	To	Yes No
	0	65	
	65	92	
	92	95	
	95	98	
	98	101	
	101	104	
	104	107	
	107	110	
	110	113	
	113	116	
	116	119	
	119	122	
	122	125	
	125	128	
	128	131	
	131	134	
	134	137	
	137	140	
	140	143	
	143	146	
	146	149	
	149	152	
	152	155	
	155	158	
	158	161	
	161	164	
	164	167	
	167	170	
	170	173	
	173	176	
	176	179	
	179	182	
	182	185	
	185	188	
	188	191	
	191	194	
	194	197	
	197	200	
	200	203	
	203	206	
	206	209	
	209	212	
	212	215	
	215	218	
	218	221	
	221	224	
	224	227	
	227	230	
	230	233	
	233	236	
	236	239	
	239	242	
	242	245	
	245	248	
	248	251	
	251	254	
	254	257	
	257	260	
	260	263	
	263	266	
	266	269	
	269	272	
	272	275	
	275	278	
	278	281	
	281	284	
	284	287	
	287	290	
	290	293	
	293	296	
	296	299	
	299	302	
	302	305	
	305	308	
	308	311	
	311	314	
	314	317	
	317	320	
	320	323	
	323	326	
	326	329	
	329	332	
	332	335	
	335	338	
	338	341	
	341	344	
	344	347	
	347	350	
	350	353	
	353	356	
	356	359	
	359	362	
	362	365	
	365	368	
	368	371	
	371	374	
	374	377	
	377	380	
	380	383	
	383	386	
	386	389	
	389	392	
	392	395	
	395	398	
	398	401	
	401	404	
	404	407	
	407	410	
	410	413	
	413	416	
	416	419	
	419	422	
	422	425	
	425	428	
	428	431	
	431	434	
	434	437	
	437	440	
	440	443	
	443	446	
	446	449	
	449	452	
	452	455	
	455	458	
	458	461	
	461	464	
	464	467	
	467	470	
	470	473	
	473	476	
	476	479	
	479	482	
	482	485	
	485	488	
	488	491	
	491	494	
	494	497	
	497	500	
	500	503	
	503	506	
	506	509	
	509	512	
	512	515	
	515	518	
	518	521	
	521	524	
	524	527	
	527	530	
	530	533	
	533	536	
	536	539	
	539	542	
	542	545	
	545	548	
	548	551	
	551	554	
	554	557	
	557	560	
	560	563	
	563	566	
	566	569	
	569	572	
	572	575	
	575	578	
	578	581	
	581	584	
	584	587	
	587	590	
	590	593	
	593	596	
	596	599	
	599	602	
	602	605	
	605	608	
	608	611	
	611	614	
	614	617	
	617	620	
	620	623	
	623	626	
	626	629	
	629	632	
	632	635	
	635	638	
	638	641	
	641	644	
	644	647	
	647	650	
	650	653	
	653	656	
	656	659	
	659	662	
	662	665	
	665	668	
	668	671	
	671	674	
	674	677	
	677	680	
	680	683	
	683	686	
	686	689	
	689	692	
	692	695	
	695	698	
	698	701	
	701	704	
	704	707	
	707	710	
	710	713	
	713	716	
	716	719	
	719	722	
	722	725	
	725	728	
	728	731	
	731	734	
	734	737	
	737	740	
	740	743	
	743	746	
	746	749	
	749	752	
	752	755	
	755	758	
	758	761	
	761	764	
	764	767	
	767	770	
	770	773	
	773	776	
	776	779	
	779	782	
	782	785	
	785	788	
	788	791	
	791	794	
	794	797	
	797	800	
	800	803	
	803	806	
	806	809	
	809	812	
	812	815	
	815	818	
	818	821	
	821	824	
	824	827	
	827	830	
	830	833	
	833	836	
	836	839	
	839	842	
	842	845	
	845	848	
	848	851	
	851	854	
	854	857	
	857	860	
	860	863	
	863	866	
	866	869	
	869	872	
	872	875	
	875	878	
	878	881	
	881	884	
	884	887	
	887	890	
	890	893	
	893	896	
	896	899	
	899	902	
	902	905	
	905	908	
	908	911	
	911	914	
	914	917	
	917	920	
	920	923	
	923	926	
	926	929	
	929	932	
	932	935	
	935	938	
	938	941	
	941	944	
	944	947	
	947	950	
	950	953	
	953	956	
	956	959	
	959	962	
	962	965	
	965	968	
	968	971	
	971	974	
	974	977	
	977	980	
	980	983	
	983	986	
	986	989	
	989	992	
	992	995	
	995	998	
	998	1001	
	1001	1004	
	1004	1007	
	1007	1010	
	1010	1013	
	1013	1016	
	1016	1019	
	1019	1022	
	1022	1025	
	1025	1028	
	1028	1031	
	1031	1034	
	1034	1037	
	1037	1040	
	1040	1043	
	1043	1046	
	1046	1049	
	1049	1052	
	1052	1055	
	1055	1058	
	1058	1061	
	1061	1064	
	1064	1067	
	1067	1070	
	1070	1073	
	1073	1076	
	1076	1079	
	1079	1082	
	1082	1085	
	1085	1088	
	1088	1091	

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.




1. WELL OWNER Name <u>James D. Nafziger (Sunshine Farms)</u> Address <u>1645 E 3100 S Wendell, ID 83355</u> Drilling Permit No. <u>37-91-S-029</u> Water Right Permit No. <u>37-07370; 37-07572; 37-07634</u>	7. WATER LEVEL Static water level <u>78</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below</i>																																																																																																																						
2. NATURE OF WORK ☐ New well ☐ Deepened ☒ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																					
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Inaction ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>17 1/2</td><td>0</td><td>3</td><td>Topsoil</td><td> </td><td>x</td></tr> <tr><td> </td><td>3</td><td>6</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td>13</td><td>6</td><td>25</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>25</td><td>36</td><td>Black cinders & brown clay</td><td> </td><td>x</td></tr> <tr><td> </td><td>36</td><td>70</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>70</td><td>77</td><td>Black cinders</td><td> </td><td>x</td></tr> <tr><td> </td><td>77</td><td>91</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>91</td><td>99</td><td>Red cinders</td><td>x</td><td> </td></tr> <tr><td> </td><td>99</td><td>103</td><td>Black cinders</td><td> </td><td>x</td></tr> <tr><td> </td><td>103</td><td>109</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>109</td><td>112</td><td>Red & black cinders</td><td>x</td><td> </td></tr> <tr><td> </td><td>112</td><td>116</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>116</td><td>119</td><td>Red cinders & sand</td><td>x</td><td> </td></tr> <tr><td> </td><td>119</td><td>125</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>125</td><td>129</td><td>Brown lava</td><td>x</td><td> </td></tr> <tr><td> </td><td>129</td><td>148</td><td>Lava</td><td> </td><td>x</td></tr> <tr><td> </td><td>148</td><td>160</td><td>Broken lava & water calc.</td><td>x</td><td> </td></tr> <tr><td> </td><td>160</td><td>200</td><td>Lava</td><td> </td><td>x</td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	17 1/2	0	3	Topsoil		x		3	6	Lava		x	13	6	25	Lava		x		25	36	Black cinders & brown clay		x		36	70	Lava		x		70	77	Black cinders		x		77	91	Lava		x		91	99	Red cinders	x			99	103	Black cinders		x		103	109	Lava		x		109	112	Red & black cinders	x			112	116	Lava		x		116	119	Red cinders & sand	x			119	125	Lava		x		125	129	Brown lava	x			129	148	Lava		x		148	160	Broken lava & water calc.	x			160	200	Lava		x
Bore Diam.	Depth		Material	Water																																																																																																																			
	From	To		Yes	No																																																																																																																		
17 1/2	0	3	Topsoil		x																																																																																																																		
	3	6	Lava		x																																																																																																																		
13	6	25	Lava		x																																																																																																																		
	25	36	Black cinders & brown clay		x																																																																																																																		
	36	70	Lava		x																																																																																																																		
	70	77	Black cinders		x																																																																																																																		
	77	91	Lava		x																																																																																																																		
	91	99	Red cinders	x																																																																																																																			
	99	103	Black cinders		x																																																																																																																		
	103	109	Lava		x																																																																																																																		
	109	112	Red & black cinders	x																																																																																																																			
	112	116	Lava		x																																																																																																																		
	116	119	Red cinders & sand	x																																																																																																																			
	119	125	Lava		x																																																																																																																		
	125	129	Brown lava	x																																																																																																																			
	129	148	Lava		x																																																																																																																		
	148	160	Broken lava & water calc.	x																																																																																																																			
	160	200	Lava		x																																																																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>3-21-91</u> finished <u>3-26-91</u>																																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>14</u> inches</td> <td><u>1</u> feet</td> <td><u>7</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>7</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Side port</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>14</u> inches	<u>1</u> feet	<u>7</u> feet													Number	From	To										11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Elsing Drilling</u> Firm No. <u>31</u> P.O. Box <u>919</u> Address <u>Twin Falls, ID 83301</u> Date <u>3-27-91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																						
Thickness	Diameter	From	To																																																																																																																				
<u>.250</u> inches	<u>14</u> inches	<u>1</u> feet	<u>7</u> feet																																																																																																																				
Number	From	To																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td colspan="2" rowspan="2"> X </td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">W</td> <td style="text-align: center;">S</td> </tr> </table> County <u>Gooding</u> Subdivision Name _____ Lot No. _____ Block No. _____ NE 1/4 NW 1/4 Sec. <u>18</u> T. <u>6</u> N ☐ S ☐ R. <u>14</u> W ☐	N	X		E	W	S	12. RECEIVED <u>MAR 29 1991</u> Department of Water Resources Southern Region Office																																																																																																																
N	X			E																																																																																																																			
W			S																																																																																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

782
37-8292


Well A

(Well B in
Background)



Well B

OCT 20 1995





37-8732

~~37-8732~~

Well C

Well C, Mainline to Pond



Pond & Mainline from Well C.
Mainline from Wells A & B in Far Corner

Re-lift Pumps from Pond
1895

March 26, 1993

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08732

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

APR 12 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 37-08732

Reviewed by KLG

Date 3/10/93

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
 If not, complete calcul

TYPES OF USE

Urgate -695

Correct Uses? yes

SOURCE OF WATER

Surface water source

☒ Ground water source

Yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 37-92-S-0022-000

200 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
150 Amount Submitted
Yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>3/18/93</u>		<u>77</u>
Date proof due	<u>2/1/93</u>	-	<u>32</u>
No. of days late		=	<u>45</u>
Priority Date	<u>2/27/91</u>	+	<u>58</u>
New Priority Date	<u>4/13/91</u>		<u>103</u>

DEFICIENCIES OR ACTION ITEMS

DEFICIENCIES OR ACTION ITEMS
needs *Ok* fee
cannot locate a well log or drilling permit

DATA ENTRY

New Address

Proof Made 5/18/93

needs an order
needs a flow
Made 3/18/93
3/26/93 Klg

Drilling Permit No. 37-92-57022
Water Right Permit No. 37-02549/02550/07370/
Injection Permit No. 07572/07634/08732

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) James D. Nafziger - Sunshine Farm
2. Mailing Address 1645E. 3100S. Wendell, ID, 83355
Telephone 536-6678

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 18, Twp. 6S., Rge. 14E., County Gooding
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. () New well () Deepen ☒ Replace - See Condition 9

B. Proposed Surface Diameter 14" Proposed Maximum Depth 350

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

APR 12 1993

6. Construction Start Date March 25, 1992

7. Anticipated Well Driller Esten Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature James D. Nafziger Date 3-25-92
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 3/24/92

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

 FOR LOREN HOLMES
Signature of Authorized Department Representative

SOUTHERN REGION MANAGER
Title

Receipt No. 5014292 Receipted by RF Fee 200.00 Date 3-24-92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date APR 1 2 1992

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name James D. Nafzinger
Address 1645 E 3100 S
Drilling Permit No. 37-92-S-022
Water Right Permit No. _____

7. WATER LEVEL

Static water level 90' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature -85° F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____Thickness _____ Diameter _____ From _____ To _____
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal depth 65' Material used in seal: ☒ Cement grout☐ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port Welded steel pipe

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County GoodingNE 1/4 NE 1/4 Sec. 18, T. 6 N ☐ S ☒ R. 14 E ☒ W ☐

10.

Work started 3-26-92 finished 3-30-92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Faton Drilling Firm No. 26Address Wendell Date 4-5-92Signed by (Firm Official) [Signature]and
(Operator) [Signature]



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 11, 1993

James D Nafziger
1645 E 3100 S
Wendell, ID 83355

Re: Permit No. 37-08732

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. It indicates the total rate of diversion of water to be 3.00 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 3.00 cfs is \$150. Note the back of the enclosed instruction sheet/fee schedule.

Furthermore, you indicated that the well was drilled in June of 1992. The Department has been unable to locate a well log or drilling permit. We were able to locate drilling permits for several wells drilled in 1991, but none in 1992. Since you should have obtained the drilling permit prior to drilling the well, please supply the Department with a copy of the drilling permit and well log.

Since the permit lapsed on February 1, 1993, it is imperative that you return the original proof and \$150 fee, along with the well log and drilling permit as soon as possible. If it is not received by April 1, 1993, the Department may not be able to reinstate the permit, and you could lose your water right. You are also being penalized one day on your priority date for every day the Department does not have acceptable information.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 12 1993

February 4, 1993

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

LAPSE NOTICE

RE: PERMIT NO. 37-08732

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 2/4/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

APR 12 1993

November 30, 1992

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

PROOF DUE NOTICE

RE: PERMIT NO. 37-08732

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



REPROFILMED

FEB 12 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 30, 1992

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08732

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions

RECEIVED

FEB 07 1992

pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED
FEB 07 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 37-8732/Trust Water Processing

DATE: 1-23-92

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

Review of the application and overlap reports indicate that this a supplemental filing. Review of a 1983 infrared aerial photo shows that all of the land under the application was irrigated at that time. The acreage should not count as trust acreage since this is a supplemental filing. Trust conditions however are still applicable.

MICROFILMED

FEB 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

19-Jun-1991

R. KEITH HIGGINSON
Director

JAMES D NAFZIGER
1645 E 3100 S
WENDELL ID 83355

Re: Application for Permit No. 37-08732

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Gooding County Leader on 7/3 & 7/10/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED
FEB 07 1992

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho }
County of Gooding } ss.

JUL 17 1991

Department of Water Resources
Southern Region Office

Patty Spence, being first duly sworn, deposes and says that she is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for

2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of July, 1991, and the date of the last publication was on the 10th day of July, 1991.

Patty Spence
Subscribed and sworn to before me this 10th day of July, 1991.

(SEAL)

Walter J. Sandberg
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
435.9 Lines straight at 21.80 5¢/Pica
Subsequent lines at 17.44 4¢/Pica
TOTAL COST 39.24

COPY OF NOTICE

(Paste Here)

Not. Appl. Wat. Rt.
TITLE OF NOTICE

James Naziger

37-08732

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

H. Dept. Wat. Res.
BILL TO T.F.

NOTICE OF PROTEST
The following protest(s) have been filed to appropriate the public waters of the State of Idaho:
37-08732
NAFZIGER, JAMES D.
1645 E. 3100 S.
WENDELL, ID 83355
Source: GROUNDWATER
Diverson Pt: NENENE Sec 18 T 08S R 14E
NENENE Sec 18 T 08S R 14E
Use: IRRIGATION (3,000 CFS)
Total Diverson: (3,000 CFS)
Date Filed: 2/27/1991
In: T08S R14E S07 Lot 1 (NENE) SESE
SESW NESE
NWSE SWSE SESE
S18 NENE NWNE SWNE SESE
NENW Lot 2 (SWNW) SENW NESW
Lot 3 (NWSW) Lot 4 (SWSW) SESW
NESE
NWSE
709.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-202A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St., East, Twin Falls, Idaho 83301 on or before JULY 23, 1991.
-R. Keith Higginson, Director
Pub: 7-3, 10 08752

07 1992 No 5077

5752

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

JUNE 18, 1991

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 23, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

FEB 07 1992

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08732

NAFZIGER, JAMES D.
 1645 E. 3100 S.
 WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: NENENE Sec 18 T 06S R 14E
 NENENW Sec 18 T 06S R 14E

Use: IRRIGATION (3.000 CFS)
 Total Diversion: (3.000 CFS)

Date Filed: 2/27/ 1991

In: T06S R14E S07	Lot 1	(NENE)	SENE	SESW	NESE
		NWSE	SWSE	SESE	
S18		NENE	NWNE	SWNE	SENE
	Lot 2	NENW	(SWNW)	SENW	NESW
Lot 3	(NWSW)	Lot 4	(SWSW)	SESW	NESE
	NWSE				

700.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 23, 1991.

R. Keith Higginson, Director

Published 7/ 3/1991 & 7/10/1991

FEB 07 1992