


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Peterson
(Applicant)

JAN 22 1992

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 660'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Electric Motors	15	867544		
Re-Diversion }	Holding Pond				
Re-Diversion }	G.E. Motor	60	# C5133019	Berkley	# 804762I

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Ultrasound Flowmeter	Tyco Flyte	Polysonics	TF-1P	W7H5506		

2. **Measurements:** With the Polysonic ultrasound flowmeter, I measured a diversion rate of 940.2 gpm or 2.09 cfs.

OCT 20 1994

137-08729

MODE SELECT
INPUT

OUTER DIAMETER
8.07710 IN

PIPE MATERIAL
? CS, SS

WALL THICKNESS
0.2250 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.051 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

MODE SELECT
T0 CHECK

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-23 13:0800 *R
+002.10 % AI2

MODE SELECT
T0 CHECK

DAMPING SET
15 SEC

DAMPING SET
10 SEC

07-23 13:0900 *R
+972.153E 06GPM

07-23 13:0900 *R
+964.228E 06GPM

DAMPING SET
15 SEC

07-23 13:1000 *R
+939.924E 06GPM

MODE SELECT
INPUT

OUTER DIAMETER
8.0772 IN

PIPE MATERIAL
? CS, SS

7-23-93
B.R.B.
2:00P.M.

WALL THICKNESS
0.2248 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1430 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.790 IN U

ZERO MODE
CLEAR

ZERO MODE
ZERO OPR

ZERO MODE
AUT ZERO

MODE SELECT
T0 CHECK

0292.5 MMSEC
099.75 % T0

ZERO MODE
ZERO OPR

DAMPING SET
15 SEC

07-23 13:2100 *R
+907.695E 06GPM

07-23 13:2100 *R
+904.525E 06GPM

07-23 13:2100 *R
+912.714E 06GPM

07-23 13:2200 *R
+002.00 % AI2

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-23 13:2600 *R
+002.20 % AI2

MODE SELECT
T0 CHECK

0293.6 MMSEC
100.15 % T0

ZERO MODE
ZERO OPR

ZERO MODE
ZERO OPR

DAMPING SET
15 SEC

07-23 13:2700 *R
+945.471E 06GPM

07-23 13:2800 *R
+939.924E 06GPM

07-23 13:2800 *R
+002.00 % AI2

MODE SELECT
T0 CHECK

0293.4 MMSEC
100.09 % T0

07-23 13:2900 *R
+935.169E 06GPM

DAMPING SET
30 SEC

DAMPING SET
10 SEC

Aug.
940.2
gpm
or
2.09 cfs


To Check
Made was not
within 98 to 102%
recalculated
velocity
↓-fixed new
set
up

made
connections
strong
+ g. later
- cleaned
more
rust
out
pipe

RECEIVED

OCT 20 1994

PERMIT _____
T. R. S. Q/Q
P/D 015 21E 21 SWWE
SCALE _____
PHOTO ID. _____



Aerial Photo

PERMIT 37-8729 INIT B.R.B.

T. R. S. Q/Q
P/D 01S 21E 21 SWNE

SCALE 1"=660'

PHOTO ID. 1987

P/D

25

P/O 40

15

40

IMPROVEMENT

OCT 20 1994

20 21
29 28



P37-08729
These photos
were taken on
July 23, 1993.

This photo was
taken looking
north from the
road beside
the holding pond.

Ditch that
carries little
Wood River Irr. District
water
- headgate is approximately
1/2 north from here



This photo was
taken looking
toward the well
from the holding
pond.
(looking
southwest)
well

IMPROVED

OCT 20 1994

P37-08729 These photos were taken on July 23, 1993.

(looking north from behind the well)



well is located just left of here

polysonic measurement taken here

ump or holding pond is located behind this grove of trees
normal operation is to extend this pipe to holding pond

because normal operation was an open discharge, I did not see the need to extend the pipe to take a measurement

this pump can divert




ump or holding pond re-diverts water with one of two 60 H.P. motors

water mixes with water from Little Wood River Irr. District Shores

this pump supplies water for barley & 120 acres on this permit

OCT 20 1994



Barley P37-08729 P/U These photos were taken looking east to southeast from the holding pond.

OCT 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08729

Priority: June 11, 1991

Maximum Diversion Rate: 2.00 CFS

Maximum Diversion Volume: 420.0 AF

This is to certify, that LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 5, 1991; and has submitted Proof of Beneficial Use on January 7, 1993. An examination indicates that the works have a diversion capacity of 2.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	2.00 CFS	420.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 21, Township 01S, Range 21E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	21E	21	SWNE 25	SENE 40	NESE 40	
			NWSE 15			120

Total number of acres irrigated: 120

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

OCT 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08729

CONDITIONS/REMARKS:

8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
9. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director

OCT 20 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 37-08729)
IN THE NAME OF LARRY PETERSON) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on January 7, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 37-08729 be REINSTATED with an advance in priority to June 11, 1991.

Dated this 12th day of January, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MISSOURI

JAN 28 1993

RECEIVED

JAN 07 1993

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 125
Date 1-7-93
Receipt No. 5013263
Receipt by MTS

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08729 Telephone No. 823-4565
2. Name(s) of Permit Holder(s): Larry Peterson
3. Mailing Address: #48 Dry Creek Rd, Carey, ID 83320
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Hand dug by Charles Nisson Date Drilled: 1950 or earlier

OPTIONAL:

Pump horsepower: 20 Pressure (psi): 0 Dynamic pumping level (ft.): ?

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 120 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes X No Installed? ____ Yes X No

OR

Flow Measurement Port: Required? ____ Yes X No Installed? ____ Yes X No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Permittee
Name

Telephone No.

Same
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Jan 7
Date

Larry Peterson
Signature (and title, if on behalf of a company or organization)

JAN 28 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08729

Proposed Priority: June 5, 1991 Maximum Diversion Rate: 2.00 CFS

This is to certify, that LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	2.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 21, Township 01S, Range 21E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	21E	21	SWNE 25	SENE 40	NESE 40	120
			NWSE 15			

Total number of acres irrigated: 120

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1993.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JAN 22 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08729

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of January, 1992.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JAN 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Larry Peterson Phone 823-4565
Post office address 48 Dry Crk Rd Carey, ID 83320
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 1S Range 21E B.M. Blizinc County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.00 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.00 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, ~~ditch~~ pipe
to sump, pressurized @ sump and sprinkled
by wheel and hand lines
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Existing Proposed well diameter is 15 inches; ~~proposed~~ depth of well is 49 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
JAN 22 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
01S	21E	21			25	40									40	15			120

Total number of acres to be irrigated 120

10. Describe any other water rights used for the same purposes as described above. A37-0421, -0422, -1132, -2773, -2774, -2779

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Supplemental emergency groundwater to offset unavailable surface water from Little Wood River. System initially developed under canceled permit 37-251

JAN 22 1992

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JAN 22 1892
James Peterson
(Applicant)

Received by DRJ Date 6/5/91 Time 4/15/91 Preliminary check by J. K. Stanton
Fee \$ 65.00 Receipted by DRJ # 5013412 Date 6/5/91
Publication prepared by MB Date 6-12-91 Published in Wood River Journal
Publication approved M. Baldwin Date 8-9-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JAN 22 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1994

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

RE: WATER RIGHT NO. 37-08729

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 20 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08729 DATE 9-28-94



NAME	Yes	No	Or Address Change?
PRIORITY DATE	☒	☐	Advance? <u>YES</u> Advanced to: <u>JUNE 11, 1991</u> Order to reinstate needed? <u>Done</u> Incorrect fee for rate recommended? _____
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒	Permit/fee limits: <u>2.0 CFS</u> Meas Q = <u>2.09</u> Theo Q = <u>2.49</u> Recommend: <u>2.0</u> <u>120 x .02 = 2.4</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒	Season of use: <u>8/3.5 (4-15 to 10-15) (NEW)</u> Calculations: <u>120 x 3.5 = 420</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	<u>WB3</u> ☒ Multiple p/d(s) in 1/4 1/4? Other <u>Little Wood In Dist Shares</u>		
CONDITIONS	☐	☒	Measuring/Locking Devices <u>R30</u> ☒ Watermaster control - District _____ ☒ Irrigation Overlap ☒ Water Quality <u>55</u> ☒ Other <u>TRUST/R 56</u> Heat/Cool/ Fish verified _____
COMMENTS: <u>Supplemental gw</u>			

RECOMMENDED	CFS	VOL	SRBA Claim Filed	NO/NA
<u>Irrigation</u>	<u>2.0</u>	<u>420</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08729

1. Owner: Larry Peterson

Phone No. 823-4565

Current Address: 48 Dry Creek Rd. Carey

83320

2. Accompanied by: Teofilo Leon

EXAM DATE: 7-23-93

Address: _____

Phone No. _____

Relationship to Permit Holder: Employee of Larry Peterson - Hired Hand

3. Source: Groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

37-1162, 00127

Little Wood River Tr. District Shares

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	21	01S	21E	Blaine	Aerial Photo, USGS QUAD


2. Place(s) of Use:

Indicate Method of Determination Aerial Photo, Planimeter

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	21E	21			25	40										40	15		120

OCT 20 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 660'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Electric	15	867544		
Re-Diversion	Holding Pond				
Re-Diversion	G.E. Motor	60	# (S133019	Berkeley	# 804762I

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Ultrasound	Tyue Flyte	Polysonic	TF-P	U7H5506		
Flowmeter						

2. Measurements: With the Polysonic ultrasound flowmeter, I measured a diversion rate of 940.2 gpm or 2.09 cfs.

OCT 20 1994

E. NARRATIVE/REMARKS/COMMENTS

See attached sheet for comments & conditions

~~Reference~~

No measurement part or device installed - measurement made with polysonic - wave condutor.

OCT 20 1994

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Avg. of 3 readings = 940.2 gpm or 2.09 cfs
 Theoretical on 60 hp pressurizing pump:

$$\frac{60 \times 8.8 \times .7}{(2.31 \times 60) + 10} = 2.49 \text{ cfs.}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (120 \text{ acres}) (3.5 \text{ ac-in./acre}) = 420 \text{ ac-in.}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (2.09 \text{ cfs}) (184 \text{ days}) (1.9835) = 763 \text{ ac-in.}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 420 \text{ ac-in.}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ac-in.)
	From	To		
Irrigation	4/15	10/15	2.0 cfs	420 ac-in.
Totals:			2.0 cfs	420 ac-in.

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Bruce Barry Date 8-26-93

Reviewer _____ Date _____

SEAL

OCT 20 1994

DATE: August 26, 1993

FROM: Brett Barry

SUBJECT: P37-08729: Field Exam-Narrative/Comments

On July 23, 1993 the field examination for the above water permit was conducted. Teotilo Leon, an employee of Larry Peterson(hired hand), accompanied myself during this examination. This permit is to appropriate a total of 2.0 cfs for 120 acres of irrigation use.

This is an old well that was never appropriated under water law. This well supplies supplemental emergency groundwater to offset unavailable surface water from the Little Wood River Irrigation District.

A 15 H.P. turbine well pumped water to a sump or holding pond approximately 40 yds away. At the holding pond, the groundwater mixes with surface water from the Little Wood Irr. District. The headgate for the surface water is approximately 1/2 of a mile north of the holding pond.

At the holding pond, the water is re-diverted with one of two pumps. A 60 H.P. pump diverts the water to the 120 acre barley field for this permit. The other pump diverts the water to another field north of this barley field and hasn't been used this year.

A 12 in underground mainline runs from the holding pond southeast along the edge of the field, the mainline tapers down to a 6 in surface mainline. Three wheellines that contain 13/64 in to 9/64 in nozzles run east off this mainline.

A planimeter was used to check the acreage on the aerial photo from the SCS. It was found the acreage to be almost exactly 120 acres.

No overlap analysis was needed because no other groundwater sources divert water to the place of use.

The rate of diversion of water for irrigation under this license and all other water rights on the same land shall not exceed 0.02 cfs for each acre of land.

This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.

OCT 26 1994

P37-08729

MODE SELECT
INPUT

OUTER DIAMETER
8.07710 IN

PIPE MATERIAL
? CS-SS

WALL THICKNESS
0.2250 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.051 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

MODE SELECT
TO CHECK

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-23 13:0800
+002.10 % A12

MODE SELECT
TO CHECK

DAMPING SET
15 SEC

DAMPING SET
10 SEC

07-23 13:0900 *R
+972.153E 06PM

07-23 13:0900 *R
+964.228E 06PM

DAMPING SET
15 SEC

07-23 13:1000 *R
+939.924E 06PM

MODE SELECT
INPUT

OUTER DIAMETER
8.0772 IN

PIPE MATERIAL
? CS-SS

WALL THICKNESS
0.2240 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SOUND VELOCITY
1432 M/S

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.790 IN U

ZERO MODE
CLEAR

ZERO MODE
ZERO OPR

ZERO MODE
AUT ZERO

MODE SELECT
TO CHECK

0292.5 MMSEC
099.75 % A12

ZERO MODE
ZERO OPR

DAMPING SET
15 SEC

07-23 13:2100 *R
+997.695E 06PM

07-23 13:2100 *R
+924.525E 06PM

07-23 13:2100 *R
+917.714E 06PM

07-23 13:2200 *R
+992.00 % A12

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-23 13:2600 *R
+002.20 % A12

MODE SELECT
TO CHECK

0293.6 MMSEC
100.15 % A12

ZERO MODE
ZERO OPR

ZERO MODE
ZERO OPR

DAMPING SET
15 SEC

07-23 13:2700 *R
+945.471E 06PM

07-23 13:2800 *R
+938.904E 06PM

07-23 13:2900 *R
+007.00 % A12

MODE SELECT
TO CHECK

0297.4 MMSEC
100.00 % A12

07-23 13:2900 *R
+935.100E 06PM

DAMPING SET
15 SEC

DAMPING SET
12 SEC

Ag.
940.2
gpm
or
2.09 cfs


To Check
Make sure not
within 78 to 1000
recalculated
velocity
4.61 m/s
up

made
connections
strong
+ 1/2" dia
- checked
more
rust
on
pipe

PROXY MED

OCT 20 1994

SCALE _____
PHOTO ID. _____



Aerial Photo

PERMIT 37-8729 INIT B.R.B.

T. R. S. Q/Q
P/D 01S 21E 21 SWNE

SCALE 1"=660'

PHOTO ID. 1987

P/D

25

P/O

40

RECEIVED

OCT 20 1994

20 21
29 28

P37-08729
These photos
were taken on
July 23, 1993.



This photo was
taken looking
north from the
road beside
the holding pond.

Ditch that
carries little
Wood River Irr. District
water
- headgate is approximately
 $\frac{1}{2}$ north from here



This photo was
taken looking
toward the well
from the holding
pond.
(looking
southwest)
well

UNAPPROVED

OCT 20 1994

P37-08729 These photos were
taken on
July 23, 1993.

(looking north
from behind
the well)



well
is
located
just
left
of
here

polysonic
measurement
taken here

this pump can divert

sump or holding
pond is located
behind this grove
of trees
normal operation is
to extend this
pipe to holding
pond

because normal operation
was an open discharge,
I did not see the need
to extend the pipe
to take a measurement



sump or holding
pond
re-diverts water
with one of two
60 H.P. motors

water mixes
with water
from Little Wood River
Inv. District Shores

this
pump supplies
water for barley
& 1000 lbs of
perennial

OCT 20 1994



Barley
P/O

P37-08729

These photos were taken looking east to southeast
from the holding pond.



OCT 20 1994

January 15, 1993

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08729

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure



JAN 28 1993

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

January 5, 1993

LAPSE NOTICE

RE: PERMIT NO. 37-08729

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 1/5/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

RECEIVED

JAN 28 1993

October 31, 1992

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

PROOF DUE NOTICE

RE: PERMIT NO. 37-08729

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JAN 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 13, 1992

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08729

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions

NOT RECORDED

JAN 22 1992

pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED

JAN 22 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 37-8729/Trust Water Processing

DATE: 12-31-91

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

The applicants state on the application that the groundwater system was originally developed under cancelled permit no. 37-2516. I have reviewed this cancelled permit and found that a Department field exam/report had been completed. The permit was cancelled because the permit holders at the time failed to pay a license exam fee. The 1954 field report confirms beneficial use of groundwater for irrigation of 100 of the 120 acres under the application. The 20 acres not included on the report appeared irrigated in a 1974 orthophoto and 1977 and 1980 infrared aerial photos. It appears that the development represented by the application was completed prior to 1984. Acreage under the filing therefore shall not count as trust acreage.

Continued processing of the application is recommend. Trust conditons are applicable due to the post 1984 priority/filing date.

RECORDED

JAN 22 1992

**Six file
on water rights**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08725

MC ATEE, KENT
MC ATEE, W. VAL
P.O. BOX 744
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: NWNENE Sec 35 T
02N R 17E
Use: IRRIGATION (2.000 CFS)
Total Diversión: (2.000 CFS)
Date Filed: 3/8/1991
In: T02N R17E S25 SWSW; S35
NENE SENE; S38 NWNW SWNE
NENW NWNW SWNW SENW
222.0 ACRES TOTAL

37-08726

SWANSON, WILLIAM J.
P.O. BOX 5129
KETCHUM, ID 83340
Source: SILVER CREEK
Tributary: LITTLE WOOD RIVER
Diversión Pt: NESESW Sec 26 T
01S R 20E
Use: WILDLIFE (2.500 CFS)
Total Diversión: (2.500 CFS)
Date Filed: 3/27/1991
In: T01S R20E S26 NESE NWSE
SWSE SESE

37-08727

ROSE, DONNA
P.O. BOX 3730
KETCHUM, ID 83340
Source: GROUNDWATER
Diversión Pt: SESW Sec 25 T 04N
R 18E
Use: IRRIGATION (.060 CFS);
FIRE PROTECTION STORAGE
(1.85 CFS)
Total Diversión (.060 CFS)
Date Filed: 5/16/1991
In: T04N R18E S25 SESW
2.0 ACRES TOTAL

37-08728

KENDALL, CHUCK
P.O. BOX 665
LA CANADA, CA 91012
Source: GROUNDWATER
Diversión Pt: SESENW Sec 19 T
04N R 18E
Use: IRRIGATION (.090 CFS)
DOMESTIC (.040 CFS)
Total Diversión (.130 CFS)
Date Filed: 5/21/1991
In: T04N R18E S19 SWNE SENW
NESW
2.8 ACRES TOTAL

37-08729

PETERSON, LARRY
48 DRY CREEK RD.
CAREY, ID 83320
Source: GROUNDWATER
Diversión Pt: SWNE Sec 21 T 01S
R 21E
Use: IRRIGATION (2.000 CFS)
Total Diversión (2.000 CFS)
Date Filed: 6/5/1991
In: T01S R21E S21 SWNE SENE
NESE NWSE
120.0 ACRES TOTAL

37-08730

LIMELIGHT
CONDOMINIUMS, INC.
P.O. BOX 1312
KETCHUM, ID 83340
Source: GROUNDWATER
Diversión Pt: SWNESE Sec 11 T
04N R 17E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.200 CFS)
RECREATION (.040 CFS)
Total Diversión (.200 CFS)
Date Filed: 6/6/1991
In: T04N R17E S11 NESE
1.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 222 Shoshone St.
East, Twin Falls, Idaho 83301, on
or before JULY 9, 1991.

R. Keith Higginson, Director
Publish: Wood River Journal-
June 19 & 26, 1991.

RECEIVED

JUN 17 1991

Department of Water Resources
Southern Region Office

OK
NB
6-17-91

JUN 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

13-Jun-1991

R. KEITH HIGGINSON
Director

LARRY PETERSON
48 DRY CREEK RD
CAREY ID 83320

Re: Application for Permit No. 37-08729

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 6/19 & 6/26/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

JAN 22 1991

AFFIDAVIT of PUBLICATION

COPY OF NOTICE
(Paste Here)

Six file - Water Rights
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

IF Dept of Water

BILL TO

Six file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08728 ✓ OK
MC ATEE, KENT
MC ATEE, WYV
P.O. BOX 744
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: NWNE Sec 36 T
02N R 17E

Use: IRRIGATION (2,000 CFS)
Total Diversion: (2,000 CFS)
Date Filed: 3/8/1991

In: T02N R17E S26 SWSW; S36
NENE SENE; S36 NWNE SWNE
NENW NWNW SWNW SENW
222.0 ACRES TOTAL

37-08728 ✓ OK
SWANSON, WILLIAM J.
P.O. BOX 6128
KETCHUM, ID 83340

Source: SILVER CREEK
Tributary: LITTLE WOOD RIVER
Diversion Pt: NESESW Sec 28 T
01S R 20E

Use: WILDLIFE (2,500 CFS)
Total Diversion: (2,500 CFS)
Date Filed: 3/27/1991

In: T01S R20E S28 NESE NWSE
SWSE SESE

37-08727 ✓ OK
ROSE, DONNA
P.O. BOX 3730
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SESEW Sec 25 T 04N
R 18E

Use: IRRIGATION (.060 CFS);
FIRE PROTECTION STORAGE
(1.85 CFS)
Total Diversion (.060 CFS)

Date Filed: 5/18/1991
In: T04N R18E S26 SESEW
2.0 ACRES TOTAL

37-08728 ✓ OK
KENDALL, CHUCK
P.O. BOX 665
LA CANADA, CA 91012

Source: GROUNDWATER
Diversion Pt: SESEW Sec 19 T
04N R 18E

Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion (.130 CFS)

Date Filed: 5/21/1991
In: T04N R18E S19 SWNE SENW
NESEW

3.0 ACRES TOTAL
37-08728 ✓ OK

PETERSON, LARRY
48 DRY CREEK RD.
CAREY, ID 83320

Source: GROUNDWATER
Diversion Pt: SWNE Sec 21 T 01S
R 21E

Use: IRRIGATION (2,000 CFS)
Total Diversion (2,000 CFS)

Date Filed: 6/5/1991
In: T01S R21E S21 SWNE SENE
NESE NWSE

120.0 ACRES TOTAL
37-08730 ✓ OK

LIMELIGHT
CONDOMINIUMS, INC.
P.O. BOX 1312
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SWNE Sec 11 T
04N R 17E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.200 CFS)
RECREATION (.040 CFS)
Total Diversion (.200 CFS)

Date Filed: 6/8/1991
In: T04N R17E S11 NESE
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301, on or before JULY 9, 1991.

R. Keith Higginson, Director
Publish: Wood River Journal
June 19 & 26, 1991

RECEIVED
JAN 22 1992

RECEIVED

JUN 17 1991

Department of Water Resources
Southern Region Office

State of Idaho, }
County of Blaine } SS.

CARL L. JOHNSON, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for _____ consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 6 day of 19, 1991, and

the date of the last publication was on the 6 day of 26, 1991.

Subscribed and sworn to before me this 20 day of June, 1991.
(SEAL)

Roberta J. Ferguson
NOTARY PUBLIC

7707
WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 117.00
Number of Insertions _____
Lines tabular at 6e / Pica
117.00 Lines straight at 64.35 5e / Pica
117.00 Subsequent lines at 64.35 4e / Pica
TOTAL COST \$133.70 \$5.00 off

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208) 734-3578

JUNE 12, 1991

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

JUN 12 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08729

PETERSON, LARRY
48 DRY CREEK RD.
CAREY, ID 83320

Source: GROUNDWATER

Diversion Pt: SWNE Sec 21 T 01S R 21E

Use: IRRIGATION (2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 6/ 5/ 1991

In: T01S R21E S21 SWNE SENE NESE NWSE
120.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 9, 1991.

R. Keith Higginson, Director

Published 6/19/1991 & 6/26/1991

JUN 22 1992