


JAN 28 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JAN 28 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


[Signature]
(Applicant)

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	37 8662	KENNETH A BACKSTROM,	GROUND WATER	01S13E15	2																2
Permit	37 8662	KENNETH A BACKSTROM,	GROUND WATER	01S13E15	3																3
Right	37 2078	WILLIAM M GILES,	CORRAL CREEK, LANSING CREEK	01S13E15	X		X	X		X	X										0
Claim	37 7030	AMBROSE FARMS,	GROUND WATER	01S13E15									40	39	39	40	39	40	40	39	316
Right	37 2106	SAND SPRINGS RANCH AND COMPANY,	CORRAL CREEK	01S13E15									18	40	40	18					116
Right	37 7030	SUN VALLEY RANCHES INC,	GROUND WATER	01S13E15									40	39	39	40	39	40	40	39	316

Not
claimed in
SRBA -
R63 -
use

Idaho Department of Water Resource
Recommendation for Permit 37-08662
Ken Backstrom



-  Point of Diversion
-  Section Lines
-  Place of Use

MICROFILMED
JUN 11 2002



Point of Diversion and Place of Use
T01S R13E S15
Data entry on Dec 28, 1999
Point of Diversion Presentation
19 1988 NAPP Photography
Data Entry By: Amanda Folsom

29980-LS

Hwy 20

↑ N

House

Well

Well
GPS Tag#
40004983


Drip System

93' Spigot

126

MICROFILMED
JUN 11 2002

$$921'(93') = \frac{85653}{43,560} = 1.9 \text{ acres}$$



Corral, Idaho
Provisional Edition 1986
Y-69



MICROFILMED
JUN 11 2002

Ken Backstrom
FE: Amanda Folsom
Date: 3 Sept 1999

37-08662



Looking SW'ly

Home

Trees Irrg

9 3'93

9 3'93

9 3'93



Looking NE'ly



5 Rows of Trees Irrg

Home

Ken Backstrom
FE: Amanda Folsom
Date: 3 Sept 1999

MICROFILMED
37-08662
JUN 11 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08662

Priority: August 13, 1990

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 8.6 AF

It is hereby certified that KENNETH A BACKSTROM
RT 1 BOX 2080
FAIRFIELD ID 83327 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 13, 1990; and has
submitted Proof of Beneficial Use on November 29, 1995. An examination indicates that the works have
a diversion capacity of 0.05 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
IRRIGATION	05/01 to 10/31	0.05 CFS	7.0 AF
STOCKWATER	08/01 to 11/01	0.05 CFS	1.0 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 15, Twp 01S, Rge 13E, B.M., CAMAS County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S 13E 15	2.0																2.0
Total Acres:	2																

PLACE OF USE: DOMESTIC - Same as Irrigation

PLACE OF USE: STOCKWATER - Same as Irrigation

CONDITIONS OF APPROVAL

- Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
- Irrigation use under this right is authorized only in connection with a domestic use.

MICROFILMED
JUN 11 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08662


CONDITIONS OF APPROVAL

3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 5TH day of JUNE, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED
JUN 11 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
NOV 29 1995

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08662 Telephone No. 764-2613
2. Name(s) of Permit Holder(s): Kenneth A Backstrom
3. Mailing Address: Rt 1 Box 2080 Fairfield Id. 83327
4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 8 / yr. 91
- a. Well Driller: Larry Weeks Drilling Permit Number: 37-91-5-0035
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 300

Irrigation (No. of acres): 3 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .17 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Kenneth Backstrom Telephone Number: 764-2613

Address: Rt 1 Box 2080 Fairfield 83327

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: 11/3/95

DEC 11 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08662

Proposed Priority: August 13, 1990 Maximum Diversion Rate: 0.17 CFS

This is to certify, that **KENNETH A. BACKSTROM**

P.O. BOX 17

CORRAL, ID 83322

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/15	0.06 CFS
STOCKWATER	08/01 to 11/01	0.07 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.17 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 15, Township 01S, Range 13E
CAMAS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	13E	15	NENE	3		3

Total number of acres irrigated: 3

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Irrigation use under this permit is authorized only in connection with a domestic use.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Domestic use is for 1 home.
8. Stockwater use is for 300 range cattle.

MICROFILMED

JAN 28 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08662

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11 day of January, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
JAN 8 6 1991

30.00

Form 202
6/85Ident. No. 37-08662

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Kenneth A. Buckatnom Phone 764-2344
Post office address PO Box 17 Corral, Id. 83322
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 15 Township 15 Range 13E B.M. Camas County; additional
points of diversion if any: N/A
4. Water will be used for the following purposes:
Amount 0.06 for Irrigation purposes from Apr. 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.07 for Livestock purposes from Aug. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.17 and/or (b) N/A
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Deep Well, Electric Pump, Pipe, Drip Emitters.
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 125 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

JAN 23 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. 300 head cattle
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. 1
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	13E	15	3																3
1S	13E	15	D																
1S	13E	15	S																


Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Kenneth A. Backstrom
- b. Who owns the land to be irrigated or place of use? Kenneth A. Backstrom
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This application is for water I intend to use for Windbreak / Treerow irrigation as soon as possible, and for seasonal livestock watering. The domestic use will not begin until we build on site (probably 1995). This is the reason for the request of 5 years for completion.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JAN 28 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by T. Parker Date 8-13-90 Time 10:50 AM Preliminary check by AJ
Fee \$ 30.00 Receipted by JP # 5012559 Date 8-13-90
Publication prepared by M. Baldwin Date 8/30/90 Published in The Snakehole
Publication approved M. Baldwin Date 10-30-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

JAN 28 1991

RECEIVED

AFFIDAVIT OF PUBLICATION

OCT 30 1990

Department of Water Resources
Southern Region Office

STATE OF IDAHO)
 ss.
County of Camas)

Bessa Manber, being first duly sworn, deposes and says that he/she is the designated agent for publisher of the Snowshoe, a newspaper published every week in Fairfield, County of Camas, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement, a copy of which is hereto attached, was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 19 day of September, 1990, and the date of the last publication was on the 26 day of September, 1990.

Bessa Manber

Subscribed and Sworn to before me this 26th day of October, 1990.

Notary Public in and for
The State of Idaho.
Residing at Fairfield.

THE SNOWSHOE
Fairfield, Idaho
Cost of Publication

Number of lines in notice 26
Number of insertions 2
Cost for advertisement 31.46

MICROFILMED

OK

MB

10-30-90

JAN 28 1991

Legal Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

37-08662

BACKSTROM, KENNETH A.

P.O. BOX 17

CORRAL, ID 83322

Source: GROUNDWATER

Diversion Pt: NENE Sec 15 T 01S R 13E

Use: IRRIGATION (.060 CFS)

DOMESTIC (.040 CFS)

STOCKWATER (.070 CFS)

Total Diversion: (.170 CFS)

Date Filed: 8/13/1990

In: T01S R13E S15 NENE

3.0 ACRES TOTAL

The permit will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before OCTOBER 8, 1990.

R. Keith Higginson, Director

Published 9/19/1990 & 9/26/1990

MICROFILMED

JAN 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 6, 2002

KENNETH A BACKSTROM
RT 1 BOX 2080
FAIRFIELD ID 83327

RE: License No. 37-8662 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 11 2002

CERTIFICATE OF SERVICE

I hereby certify that on June 6, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-8662

**KENNETH A BACKSTROM
RT 1 BOX 2080
FAIRFIELD ID 83327**


**Kari Lynn Townsend
Secretary**

MICROFILMED

JUN 11 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 37-8662 Date: 5-29-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): None

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.17 cfs

Fee Limit 0.20 cfs

Measured 0.05 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.05

Water Uses OK

Change (P46)

Season of Use per new Standards

5/1 10/31

Irrigation 0.05 cfs 7.0 af

Stockwater 0.05 cfs 4.0 af

Domestic 0.04 cfs 0.6 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.05 cfs 8.6 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

~~<1 acre (W31)~~

Domestic (W01/wb5/070/071/075)

~~Power (W42 or W43/025/027/R22 or R23)~~

~~Fish (042)~~

~~Fire (077)~~

~~Water Quality (106/R07)~~

~~Payette - (W22/047/27A)~~

~~Stockwater for US (R37)~~

Volume Determination

0.05 cfs x 1.9835 x 184 days = 18.2 af (vs) 2.0 acres x 3.5 (FHR) = 7.0 af
2.5 (con)

Remarks: _____

Additional Conditions _____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

~~Trust R55 - remove 051)~~

~~Non-trust (048)~~

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? N/O

Adjust memo _____

Amend Letters _____ P87, S06

Second Amendment Notice _____ S06

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TR3	NESE	NWSE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
1	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	2
2	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	3
3	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	0
4	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	316
5	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	116
6	27 100	PAUL & JILL BACHMAN	GROUND WATER	100																	316

Not
claimed in
SRBA -
R63 -
see

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 7 2000
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 37-08662

1. Owner: Ken Backstrom Phone No. 764-2613

Current Address: Rt 1 Box 2080 Fairfield ID 83327

2. Accompanied by: Ken Backstrom EXAM DATE: September 5, 1999

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	15	01S	13E	Camas	Quad Map
									GPS TAG # A0004833

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	13E	15	2															2.0	
			P/S																
									</										

REPRODUCED

APR 11 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 3 Stop watch & bucket measurements - Averaged
5 gal @ 14.8 sec.

MICROFILMED

11 2002

E. NARRATIVE/REMARKS/COMMENTS

FILE: 37-08662

FROM: AMANDA FOLSOM

DATE: SEPTEMBER 17, 1999

The field exam for Ken Backstrom was conducted on September 3, 1999. I met with Mr. Backstrom on his property in the NENE ¼ of Sec 15, Twn 01S, Rng 13E. He is no longer living at this house, but is renting it out. There is one well on the property that supplies water for the house, irrigation, and stockwater.

The irrigation is for three acres. However, after pacing off the land and using GIS, it came to 2 acres. In the two acres are five rows of trees being irrigated for a windbreaker. The irrigation system is an organized drip system. Mr. Backstrom regulates the PSI at 20 so not to damage the drip system. There are three spigots surrounding the property. These are used to water the 300 range cattle that graze in the surrounding area.

I took three measurements from one of the spigots and then averaged them together. The well capacity calculated to be 0.05cfs. I am recommending the following:

Irrigation	0.05cfs
Domestic	0.04cfs
Stockwater	0.05cfs
Total	0.05cfs

Have conditions of permit approval been met? ☒ yes ☐ no

JUN

MICROFILMED

JUN 11 2002

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \text{ gal}}{14.8 \text{ sec}} \left(\frac{60 \text{ sec}}{1 \text{ min}} \right) = \frac{20.27}{448.83} = 0.05 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2(2.5) = 5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.05)(199)(1.9835) = 19.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 5$$

2. Volume Calculations for Other Uses:

$$\text{Stock} = \frac{(300 \text{ head} \times 12 \text{ gpd} \times 90 \text{ days})}{325,900} = 1.0 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-01	10-15	0.05	5.0
Domestic	1-01	12-31	0.04	0.6
Stockwater	8-01	11-01	0.05	1.0
Totals:			0.05	5.6 6.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Amanda Johnson Date 9-28-99


Reviewer _____ Date _____

SEAL

MICROFILMED

JUN 11 2002

Idaho Department of Water Resource
Recommendation for Permit 37-08662
Ken Backstrom



● Point of Diversion

□ Section Lines

Place of Use

MICROFILMED

1999 9 1 2002




Point of Diversion and Place of Use
T01S R13E S15

Data entry on Dec 28, 1999

Point of Diversion Presentation
19 1988 NAPP Photography
Data Entry By: Amanda Folsom

29980-LS



444 20



Well
GPS TAG#
40004983

spigot


Drip System

93' spigot

126

MICRO
11/11/2002

$$921(93) = 85653$$
$$\frac{85653}{43,560} = 1.9 \text{ acres}$$



Corral, Idaho
Provisional Edition 1986
Y-69



MICROFILMED

JUN 11 2002

Ken Backstrom
FE: Amanda Folsom
Date: 3 Sept 1999


37-08662



Looking SW'ly

Home

Trees Irrig



Looking NE'ly

5 Rows of Trees Irrig

Home

Ken Backstrom
FE: Amanda Folsom
Date: 3 Sept 1999

MIGR 68662

10/1/2002

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO.

37-08662

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (☒) Blank Field Report & Notice of Completed Exam
(☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
(☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
(☐) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
(☒) Copy of Orthophotoquad Map
(☐) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
(☐) Government Lot Plats (If Applicable)

RECEIVED

APR 7 - 2000

Department of Water Resources

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: (☐) Add Acres or Uses to Existing System
(☐) Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: (☐) Increase Rate of Flow or Volume
(☐) Add Supplemental Water Source
(☐) Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 3 Sept 99

Time 2:30

Place _____

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed 3 Sept 99

Notice of Completion Turned In 10-1-99

Field Report Completed 10-1-99

Amanda Tolson 10-1-99
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. AD 12/17/99 (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 29, 1999

Kenneth A Backstrom
Rt 1 Box 2080
Fairfield ID 83327

RE: Permit No. 37-08662

FIELD EXAM NOTICE

Dear Permit Holder:

This is the follow up letter to our phone conversation on 29 July 1999. Just to explain to you in more detail: an examination is needed to verify your water use in order to issue a water right license.

Please be advised that you will need to operate your system under normal conditions during the examination.

If there is a problem with the time that we scheduled or if I could conduct the examination at an earlier time, please call and other arrangements can be made.

Sincerely,

Amanda Folsom
Summer Field Aid

Field Exam on Sept 3, 1999 @ 2:30pm
Call on Sept 2, 1999 to remind
Mr. Backstrom

MICROFILMED

JUN 11 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 5, 1995

KENNETH A BACKSTROM
RT 1 BOX 2080
FAIRFIELD ID 83327

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 37-08662

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the SOUTHERN Regional Office in Twin Falls, at (208) 736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 11 1995

~ Celebrating Our Centennial Year of Service to Idaho 1895-1995 ~

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 37-08642 Reviewed by [Signature] Date 12-5-95

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom. Irr. Stock

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file?

200.00 Amount paid for permit

no Well log in the file?

Drilling Permit No. 37-91-5-0035-000

yes Correct?

LICENSE EXAMINATION FEE

yes Required?

50.00 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

/ Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address Rt. 1 Box 2080
Fairfield, Id. 83327

Proof Made 11-29-95

October 31, 1995

KENNETH A. BACKSTROM
P.O. BOX 17
CORRAL ID 83322

PROOF DUE NOTICE

RE: PERMIT NO. 37-08662

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

DEC 11 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 15, 1991

KENNETH A. BACKSTROM
P.O. BOX 17
CORRAL, ID 83322

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08662

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MICROFILMED

JAN 20 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JAN 9 1981

APPLICATION FOR PERMIT REVIEW

Application #: 37-8662
Date: 1-4-96

Reviewer: Pam Skaggs

Existing:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. 37

Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - C (1 or Blank)

Trust - 051-052-053-P74(Cons.), 041(DCMI)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 11D-P72

Payette (65) - 047-P04, 059-P71

SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
17K, 17G-17M(Choose One), 025

Mining - 06A, 006, 09E-P10, 010, 54

Storage - 18A-P09(In W.D.), 18B-P09(Size)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 01-01-~~1994~~1996

Other Conditions Recommended _____

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY AD DATE 8/27/90 APPLICATION NUMBER 37-08662REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 8-13-90 10:50 AM

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information
- SWAN FALLS HOLD? _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

NOV 14 1990

Department of Water Resources

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS

30-Aug-1990

KENNETH A BACKSTROM
PO BOX 17
CORRAL ID 83322

Re: Application for Permit No. 37-08662

Dear Mr. Backstrom:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Snowshoe on 9/19 & 9/26/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

JAN 8 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

AUGUST 30, 1990

THE SNOWSHOE
BOX 360
FAIRFIELD, ID 83327

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 8, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECORDED

JAN 20 1991

37-08662

BACKSTROM, KENNETH A.
PO BOX 17
CORRAL, ID 83322

Source: GROUNDWATER

Diversion Pt: NENE Sec 15 T 01S R 13E

Use: IRRIGATION	(.060 CFS)
DOMESTIC	(.040 CFS)
STOCKWATER	(.070 CFS)
Total Diversion:	(.170 CFS)

Date Filed: 8/13/ 1990

In: T01S R13E S15 NENE

3.0 ACRES TOTAL

RECEIVED

JAN 20 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-03A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before OCTOBER 8, 1990.

R. Keith Higginson, Director

Published 9/19/1990 & 9/26/1990