

AFFIDAVIT of PUBLICATION

RECEIVED

SEP 28 1990

Department of Water Resources
Southern Region

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 5 day of Sept, 19 90, and

the date of the last publication was on the 18 day of Sept, 19 90.

Subscribed and sworn to before me this 12 day of Sept, 19 90
(SEAL)

NOTARY PUBLIC

7243
WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 11
Number of Insertions 2
65.25 Lines tabular at 35.89 6¢ / Pica
65.25 Lines straight at 28.71 5¢ / Pica
65.25 Subsequent lines at 5.00 4¢ / Pica
TOTAL COST \$69.60

COPY OF NOTICE

(Paste Here)

Notice of App. 37-08655
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

Three file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08655

DALZELL, TED
P.O. BOX 2354
SUN VALLEY, ID 83353
Source: GROUNDWATER
Diversification Pt: NENENE Sec 36 T
05N R 17E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversification: (.130 CFS)

Date Filed: 5/31/1990
In: T05N R17E S25 SESE; S36
NENE

3.0 ACRES TOTAL

37-08657

JOHNSON, CHARLES M.
P.O. BOX 1883
HAILEY, ID 83333
Source: GROUNDWATER
Diversification Pt: NENW Sec 10 T 02N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversification: (.130 CFS)

Date Filed: 6/19/1990
In: T02N R18E S10 NENW
3.0 ACRES TOTAL

37-08658

FREHLING, JAMES J.
149 ASPEN LAKES DRIVE
P.O. BOX 909
HAILEY, ID 83333
Source: GROUNDWATER
Diversification Pt: SWSE Sec 32 T 03N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversification: (.130 CFS)

Date Filed: 7/30/1990
In: T03N R18E S32 SWSE
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before SEPTEMBER 24, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
September 5 & 12, 1990.

STANLEY 59 MI.
GALENA 20 MI.
6057

R. 17 E. R. 18 E.

713000m.E.

714

Big



Dip

RIVER

Lake Creek

WOD

BOUNDARY

Lake

A topographic map of Taylor Canyon. The map shows contour lines with elevations of 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, 4100, 4200, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 5000, 5100, 5200, 5300, 5400, 5500, 5600, 5700, 5800, 5900, 6000, 6100, 6200, 6300, 6400, 6500, 6600, 6700, 6800, 6900, 7000, 7100, 7200, 7300, 7400, 7500, 7600, 7700, 7800, 7900, 8000, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 8900, 9000, 9100, 9200, 9300, 9400, 9500, 9600, 9700, 9800, 9900, 10000. The canyon is labeled 'Taylor Canyon' and 'Taylor Canyon'.

Creek

MICROFILMED

JUN 08 1999

Shriver / Schwarzenegger

37-08655

Griffin Butte
7.5' Quad Y23
1967 Modification

Summly. 7.5' Quad
X24 1967
No Revision

SEC. 25, T. 5 N., R. 17 E.

LAKE CREEK MEADOWS SUBDIVISION No. 2

LAKE CREEK MEADOWS SUBDIVISION

MEADOWS NO. 2 SUBDIVISION

LAKE CREEK SUBDIVISION

LAKE CREEK HIGHLANDS SUBDIVISION

LAKE CREEK MEADOWS SUBDIVISION


STATE HIGHWAY 75

other rights w/ same P/U
A37-02177, -02418

LAKE CREEK MEADOWS
SUBDIVISION No. 2

MICROFILMED
JUN 08 1999

SUB. No. 2



Shriver/Schwarzenegger 37-08655

HULEN MEADOWS NO. 6 SUBDIVISION



Lot 12 → Lot 13 Photo Looking S'ly



Photo Looking N'ly Lot 13

Shriver/Schwarzenegger 37-08655
 1400 hrs 26Oct1998
 Examiner:Satterlee

MICROFILMED
JUN 08 1999

2/2

1/2



common area filled by Lake Creek

filled by Lake Creek

common area

photo looking NE'ly


10-26-98



diversion system
surface rights
A37-02177, -02418

photo looking N'ly

home



Tag D0002608

photo looking S'ly




Tag D0002608

photo looking W'ly

common area Lake Crk.

MICROFILMED
JUN 08 1999

Shriver/Schwarzenegger 37-08655
26Oct1998
1400 hrs.
Examiner: Satterlee

Model 25GS*Schwarzenegger***GOULDS PUMPS**
ITT Industries**DIMENSIONS AND WEIGHTS**

Model	HP	Phase	Stages	Length (Inches)			Weight (lbs.)		
				W.E.②	Motor	L.O.A.③	W.E.	Motor	Total
25GS10412,22	1	1	7	12.7	11.8	24.5	7	23	30
25GS15412	1½	1	9	14.6	13.6	28.2	8	28	36
25GS15422	1½	1	9	14.6	15.1	29.7	8	31	39
25GS15432,34	1½	3	9	14.6	11.8	26.4	8	23	31
25GS20412	2	1	11	16.5	15.1	31.6	9	30	39
25GS20432,34	2	3	11	16.5	13.6	30.1	9	28	37
25GS30412	3	1	15	20.2	23.5	43.7	11	52	63
25GS30432,34	3	3	15	20.2	20.6	40.8	11	43	54
25GS50412	5	1	26	30.9	29.5	60.4	17	69	86
25GS50432,34	5	3	26	30.9	23.6	54.5	17	53	70


② W.E. = water end or pump without motor.

③ L.O.A. = length of assembly - complete pump - water end and motor.

old well Filled w/ Bentonite + plate welded was 6"

Now well 91' D Snd 31' 9" See TAB # 2608 for Details

Pump Set on 63' of 1¼ GTC

MICROFILMED**JUN 08 1999**

Disk: Legals/3NofAp

Three file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08655

DALZELL, TED
P.O. BOX 2354
SUN VALLEY, ID 83353
Source: GROUNDWATER
Diversion Pt: NENENE Sec 36 T
05N R 17E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)

Date Filed: 5/31/1990
In: T05N R17E S25 SESE; S36
NENE

3.0 ACRES TOTAL

37-08657

JOHNSON, CHARLES M.
P.O. BOX 1883
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: NENW Sec 10 T 02N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)

Date Filed: 6/19/1990
In: T02N R18E S10 NENW
3.0 ACRES TOTAL

37-08658

FREHLING, JAMES J.
149 ASPEN LAKES DRIVE
P.O. BOX 909
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SWSE Sec 32 T 03N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)

Date Filed: 7/30/1990
In: T03N R18E S32 SWSE
3.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 222 Shoshone Street
East, Twin Falls, Idaho 83301, on
or before SEPTEMBER 24, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
September 5 & 12, 1990.

OK
MB
8/27/90

MICROFILMED

JAN 28 1991

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08655

Priority: May 31, 1990

Maximum Diversion Rate:

0.06 CFS

This is to certify, that MARIA SHRIVER
ARNOLD SCHWARZENEGGER

C/O OAK PRODUCTIONS
3110 MAIN STE 300
SANTA MONICA ID 90405

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 31, 1990; and has submitted Proof of Beneficial Use on December 19, 1994. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	
DOMESTIC	01/01 to 12/31	0.04 CFS	
	Totals	0.06 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 36, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	17E	25	SESE	0.3		0.3
		36	NENE	2.2		2.2

Total number of acres irrigated: 2.5

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
05N	17E	36

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
3. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.

MICROFILMED

JUN 8 8 1999

State of Idaho
Department of Water Resources

Water Right License


WATER RIGHT NO. 37-08655

CONDITIONS OF APPROVAL AND REMARKS

4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 8.8 af at the field headgate for irrigation of the lands above.
5. Domestic use of water under this right is limited to a total annual maximum diversion volume of 0.6 af.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
7. Point of diversion and place of use known as Lot 13, Lake Creek Meadows Subdivision #2.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 3rd day of

JUNE, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 08 1999

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original application~~	~~37-08655~~	~~Dalzell, T. Paul~~	~~0.13~~
Full assignment	37-08655	Schwarzenegger, Arnold Shriver, Maria c/o Oak Productions	0.13

AUG 07 1996

RECEIVED

JUN 26 1996

Department of Water Resources
Southern RegionState of Idaho
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$25.00 Filing Fee
Receipt # 5019282
Date 06/26/96

RECEIVED

JUN 28 1996

Department of Water Resources

ASSIGNMENT OF PERMIT

To change the ownership of a permit

I, T. PAUL DALZELL, II, hereby assign to ARNOLD SCHWARZENEGGER +
(Permit Holder)
 of MARIA SHRIVER SCHWARZENEGGER % ONK Productions 3110 MAIN
(Full Address and Phone Number) STE 300 SANTA MONICA 90405

All my right, title, and interest in and to Permit No. 32-08655
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 25th day of June, 1996.

T. Paul Dalzell, II Trustee
 Permit Holder(s)

State of Idaho)
 County of Blaine)^{ss}

On this 25 day of June, 19996, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

Judith A. Sproule
 Notary Public

SEAL

Judith A. Sproule
 Signature

My commission expires: 2/13/97

RECEIVED
 AUG 07 1996

DZ

5621V
DEC 18 1994
7/84
Department of Water Resource
Southern Region Office

RECEIVED DEC 19 1994

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 5017618
Receipt By: J.E. [unclear]
Date Received: 12-17-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE DEC 20 1994

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) ~~has~~ ^{have} completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08655 Telephone No. (208) 734-0700
2. Name(s) of Permit Holder(s): Ted Dalzell
3. Mailing Address: c/o Evan Robertson, P.O. Box 1906, Twin Falls, ID 83303-1906
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. Aug. / yr. 1990
 - a. Well Driller: Wood River Drilling & Pump Drilling Permit Number: 37 - 90 - S - 106-000
 - b. OPTIONAL:
Pump Horsepower: N/A Pressure (psi): N/A Dynamic pumping level (ft): N/A
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): N/A
Irrigation (No. of acres): 3 Other: N/A
6. Total rate of diversion and/or volume for which proof is submitted: 4.3 0.13 cfs OR N/A acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u> or No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u> or No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u> or No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u> or No <u> </u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: James McLaughlin Telephone Number: (208) 726-9392
Address: P.O. Box 479, Sun Valley, ID 83353
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
Signature of permit holder: [Signature] Date: 12/15/94
(Include your title, if on behalf of company or organization)

DEC 20 1994

Form 204
11-91

RECEIVED

DEC 29 1993

Department of Water Resources

For Office Use Only
\$15 Fee Received by DW
Date 12/29/93
Receipt No. 1629330STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08655Name(s) of Permit Holder: Ted DalzellMailing Address: c/o Evan Robertson, P.O. Box 1906, Twin Falls, ID 83301Date Proof is Due January 1, 1994Telephone No. 208-734-0700

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been completed.Costing \$ > 2,500.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

See attached explanation.Permit holder(s) request an extension to January 1, 19 95

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

MICROFILMED

JAN 12 1994

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1995.

Signed this

10th day January, 19 94J. Glen Saxton
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08655

Proposed Priority: May 31, 1990 Maximum Diversion Rate: 0.13 CFS
This is to certify, that **TED DALZELL**

P.O. BOX 2354
SUN VALLEY, ID 83353

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE Sec. 36, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	17E	25	SESE	0.5			0.5
		36	NENE	2.5			2.5

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
05N	17E	36	NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.
7. Place of use is located within Lot 13, Lake Creek Subdivision #2.

RECORDED

JAN 20 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08655

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of January, 1991.

for

R. Keith Higginson, Director

RECEIVED

JAN 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ted Dalzell Phone (208) 622-8436

Post office address P.O. Box 2354 Sun Valley, ID. 83353

2. Source of water supply well which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 36 Township 5N Range 17E B.M. Blaine County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for Irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.13 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump, irrigation of trees

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application for the proposed beneficial use is
3 years (minimum 1 year).

RECORDED

JAN 26 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. Land to be irrigated is $3\frac{1}{2}$ acres and is located
as follows: Sec. 25, Twp. 5N, Rge. 17E, County Blaine,
Lot 13 Lake creek Meadows Sub. #2, and one household.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	17E	25																.5	0.5
		36	D																2.5

Total number of acres to be irrigated 3 $\frac{1}{2}$

10. Describe any other water rights used for the same purposes as described above. _____

Surface water from Lake Creek

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Trees will eventually be watered from Lake Creek using community water system.


RECORDED

JAN 28 1991


37-08655

LAKE CREEK
SUBDIVISION
#2

JAN 28 1991




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECEIVED
JAN 28 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

5-31-90 9:30 am. *cl received. M*
Received by IC Date 5/29/90 Time 10:00 am Preliminary check by no ck JJ
Fee \$ 30.00 Receipted by JF. Larkin # 50/2371 Date 5-31-90
Publication prepared by M. Baldwin Date 8/15/90 Published in Wood River Journal
Publication approved M. Baldwin Date 10/9/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JAN 28 1991

AFFIDAVIT of PUBLICATION

RECEIVED

SEP 28 1990

Department of Water Resources
Southern Region

State of Idaho, } ss.
County of Blaine }

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 5 day of Sept, 1990, and

the date of the last publication was on the 18 day of Sept, 1990.

Subscribed and sworn to before me this 12 day of Sept, 1990
(SEAL)

Robert L. Keen

NOTARY PUBLIC

#7243

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 65.25
Number of Insertions 2
Lines tabular at _____ 6¢ / Pica
65.25 Lines straight at 35.89 5¢ / Pica
65.25 Subsequent lines at 28.77 4¢ / Pica
TOTAL COST \$69.60 5.00 fee

COPY OF NOTICE
(Paste Here)

Notice of App. 37-08655
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

Def

ON water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08655

DALZELL, TED
P.O. BOX 2354
SUN VALLEY, ID 83333
Source: GROUNDWATER
Division Pt: NENENE Sec 38 T
05N R 17E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.080 CFS)
Total Diversion: (.130 CFS)
Date Filed: 5/21/1990
In: T05N R17E S26 SESE, S36
NENE

3.0 ACRES TOTAL

37-08657

JOHNSON, CHARLES M.
P.O. BOX 1883
HAILEY, ID 83333
Source: GROUNDWATER
Division Pt: NENW Sec 10 T 02N
R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.080 CFS)
Total Diversion: (.130 CFS)
Date Filed: 6/19/1990
In: T02N R18E S10 NENW
3.0 ACRES TOTAL

37-08658

FREEMING, JAMES J.
THE ASPEN LAKES DRIVE
P.O. BOX 909
HAILEY, ID 83333
Source: GROUNDWATER
Division Pt: SWSE Sec 32 T 03N
R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.080 CFS)
Total Diversion: (.130 CFS)
Date Filed: 7/30/1990
In: T03N R18E S32 SWSE
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before SEPTEMBER 24, 1990.
R. Keith Haggerson, Director
Publisher: Wood River Journal
September 28-12, 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 4, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MARIA SHRIVER
ARNOLD SCHWARZENEGGER
C/O OAK PRODUCTIONS
3110 MAIN STE 300
SANTA MONICA ID 90405

RE: WATER RIGHT NO. 37-08655

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MAILED

JUN 8 1999

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of June, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 37-08655

MARIA SHRIVER
ARNOLD SCHWARZENEGGER
C/O OAK PRODUCTIONS
3110 MAIN STE 300
SANTA MONICA ID 90405


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

JUN 08 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 08 1999

MEMORANDUM

TO: File 37-08655

FROM: Sharla

DATE: May 27, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 37-08655 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.06 cfs	8.8 afa
Domestic	1/1 - 12/31	0.04 cfs	0.6 afa
	TOTALS	0.06 cfs	9.4 afa

The standard irrigation season for this area is 4/1 through 10/31.

Exam Date: October 26, 1998
Examiner: Georgia Satterlee

MICROFILMED
JUN 08 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08655 DATE 5/27/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

lot 13, Lake Creek Meadows
Subd #2.

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .13 cfs

Fee limit .20 cfs \$50⁰⁰

Measured .06 cfs pump curve

Theoretical .06 cfs 40 psi 63' lift

Recommended Total Div Rate .06 cfs

WATER USES

WATER USES	Change (P46)	af
<u>1/2</u>	<u>.06</u> cfs	<u>2.5</u> af
<u>Dom</u>	<u>.04</u> cfs	<u>.6</u> af
	cfs	af
	cfs	af
	cfs	af
TOTALS	<u>.06</u> cfs	<u>9.4</u> af

8.8
 Irrig -
 overlap (R58-R61, R62-R65, R66-R69)
 supp gw (WB7/065/079)
 overlap spec. combined rts (W35)
 <1 acre (W31)
 (W01/WB5/070/071/075)
 (W42 or W43/025/027/R22 or R23)
 Fire (077) Wtr Quality (081/R07)

Flow rate .06 cfs X 214 days X 1.98 = 25.4 af

REMARKS

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no

SRBA Claim N/A

Adjust Memo Season
 Amend letters /

6/92

RECEIVED

JAN 05 1999

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTContact
Person

A. GENERAL INFORMATION

Permit No. 37-086551. Owner: Maria Shriver & Arnold Schwarzenegger Phone No. (208) 726-8816Current Address: 2 Oak Productions, 3110 Main, Ste 300, Santa Monica, Calif.2. Accompanied by: Gary Story (Contact Person) EXAM DATE: 26 Oct 98Address: _____ Phone No. 726-8816Relationship to Permit Holder: built home for Dalzell 1990±3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A37-02418, -02177

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	36	05N	17E	Blaine	Field Exam, Flat Map *
									Tag ID 002608


2. Place(s) of Use:

Indicate Method of Determination Same as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	17E	36	D																
		11	2.2																2.2
11	11	25															.3		0.3
																			2.5

Place of Use: Lot 13; Lake Creek Meadows Subd. *

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

Plat Map!

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
D0002608	Franklin	1.5	#2823008110		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pump Curve <i>→</i>						
Theoretical <i>→</i>						

2. Measurements:

Included in file

MICROFILMED

JUN 08 1999

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 22 December 1998
RE: 37-08655

I met with Gary Story on 26 October 1998 to conduct field examination for the permit for domestic and irrigation from a well. The existing well and home are both located on Lot 13 of the Lake Creek Meadows Subdivision No. 2. The location is also known as 119 Lake Creek Meadows Road which is located in the NENE $\frac{1}{4}$ of Section 36, T05N, R17E.

According to Gary Story and Fred Walker (Walker Water Systems), the old well needed to be abandoned because of low flow. The new well was drilled by Walker Water Systems (pump curve submitted). The abandoned well is approximately 150 feet east of the new well.

The domestic and irrigation uses are connected with Lot 13. However, both Lot 13 and Lot 12 are irrigated. When I asked about the system, I was told by Gary Story the lots (both owned by Shriver/Schwarzenegger) are watered via the surface rights, A37-02177 and A37-02418. The groundwater will supply water for irrigation when the surface rights are not available. This statement is validated by #10 and #12 on the application for permit.

The permitted place of use is for Lot 13 and the recommendation will recognize only Lot 13 for the domestic and irrigation uses. The very large home and driveway are excepted which leaves approximately 2.5 acres of irrigation. Please see Plat Map of Lake Creek Meadows Subdivision with the cross-hatch area depicting irrigated area.

NOTE TO ALL FILES - A37-02177, A37-02418, and 37-08655

The irrigation for Lot 12 (A37-02177 and A37-02418) is spread among three different sections: a portion of the NENE $\frac{1}{4}$ of Sec 36, T05N, R17E, a portion of the SESE $\frac{1}{4}$ of Sec 25, T05N, R17E, and a portion of the SWSW $\frac{1}{4}$ of Sec 30, T05N, R18E.

The licensed rights and adjudication claims, (A)37-02177 and (A)37-02418, show the incorrect range for Sections 25 and 36. The correct range line is R17E, not R18E.

Only Section 30 is in T05N, R18E.

When the transfer #3610 (per A37-02177, -02418) was filed, the agents who filled out the application and staffed it, Doug Jones and Jim Stanton, had correctly shown the range lines. Atta boy guys...

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 08 1999

Additional Computation Sheets Attached

$$\text{System Capacity} = 0.06(215)1.9835 = 25.6$$

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2.5)(3.5) = 8.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06(215)1.9835 = 25.6$$

$$V = \text{Smaller of } V_{L,R} \text{ and } V_{D,R} = 8.8$$

2. Volume Calculations for Other Uses:

Exam Fee Limit 0.20 cfs

Permit Rate 0.13

Measured Rate 0.06 cfs

Recommended " 0.06

System Capacity

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Domestic In-House Irrigation Only	1/1	12/31	0.04 cfs	0.6 af
	4/1	11/1	0.06 "	8.8 "
Totals:			0.06 cfs	9.4 af

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

✓ None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name _____

Date**Reviewer**

Date _____


SEAL

MICROFILMED

JUN 03 1999

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STANLEY 50 MI. GALENA 20 MI. 400 000 FEET 114° 22' 30" R. 17 E. R. 18 E. 1230000 E. 714



Griffin Butte
7.5' Quad X23
1967 No Revision

Summit 7.5' Quad
X24 1967
No Revision

MICROFILMED
Shriver/08 1990
Schwarzenegger

37-08655

SEC. 25, T. 5 N., R. 17 E.

LAKE CREEK MEADOWS SUBDIVISION No. 2

LAKE CREEK MEADOWS SUBDIVISION

LAKE CREEK SUBDIVISION
LAKE CREEK HIGHLANDS SUBDIVISION
LAKE CREEK MEADOWS SUBDIVISION

MEADOWS NO. 2 SUBDIVISION

STATE HIGHWAY 75


other rights w/ same P/U
A37-02177, -02418

Shriver/Schwarzenegger 37-08655

LAKE CREEK MEADOWS
SUBDIVISION No. 2

MICROFILMED
JUN 08 1999

SUB. No. 2



-HULEN MEADOWS NO. 6 SUBDIVISION

2/2




Photo Looking S'LY

Lot 13

Lot 12



Photo Looking N'LY

Lot 13

Shriver/Schwarzenegger 37-08655
1400 hrs 26 Oct 1998
Examiner: Satterlee
MICROFILMED
JUN 08 1999

1/2

common area filled by Lake Creek

filled by Lake Creek
common area

photo looking NE'ly

home

diversion system
surface rights
A37-02177, -02418

photo looking N'ly

Tag D0002608

photo looking S'ly

common area Lake Crk.

Tag D0002608


MICROFILMED
JUN 08 1999

Shriver/Schwarzenegger 37-08655
26Oct1998
1400 hrs.
Examiner: Satterlee

photo looking W'ly

Model 25GS

Schwarzenegger

GOULDS PUMPS
ITT Industries

DIMENSIONS AND WEIGHTS

Model	HP	Phase	Stages	Length (inches)			Weight (lbs.)		
				W.E. ⌀	Motor	L.O.A. ⌀	W.E.	Motor	Total
25GS10412.22	1	1	7	12.7	11.8	24.5	7	23	30
25GS15412	1½	1	9	14.6	13.6	28.2	8	28	36
25GS15422	1½	1	9	14.6	15.1	29.7	8	31	39
25GS15432.34	1½	3	9	14.6	11.8	26.4	8	23	31
25GS20412	2	1	11	16.5	15.1	31.6	9	30	39
25GS20432.34	2	3	11	16.5	13.6	30.1	9	28	37
25GS30412	3	1	15	20.2	23.5	43.7	11	52	63
25GS30432.34	3	3	15	20.2	20.6	40.8	11	43	54
25GS50412	5	1	26	30.9	29.5	60.4	17	69	86
25GS50432.34	5	3	26	30.9	23.6	54.5	17	53	70

⌀ W.E. = water end or pump without motor.

⌀ L.O.A. = length of assembly - complete pump - water end and motor.


old well filled w/ Bentonite + plate welded was 6"
 New well 91' D Suel 31' 9" See TAB # 2608 for Details

Pump Set on 63' of 1¼ GTC

MICROFILMED

JUN 08 1999

DISCHARGE 1½" NPT



GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08655
DATE: October 1998
BY: Satterlee

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (1.5) \times (0.70)}{[(.60) + (.50 \times 2.31)]} = \frac{9.2}{175.5} = 0.05 \text{ cfs}$$

LIFT FROM:
measurement ()
owner ()
area estimate ()
well logs (X)

PSI FROM:
measurement ()
owner ()
estimate ()
owner gage (X)

NOTES ON PUMP:

Motor Make, Serial or ID
Franklin Mod #2823008110
Pump Make, Serial or ID, rating

REMARKS Walker redrilled well recently. Abandoned old well appropriately

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)
3/15 - 11/15	246
4/1 - 11/1	215
4/15 - 10/15	184
3/1 - 12/1	276

POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

MICROFILMED
JUN 08 1999

MD0731NP
(00-0731)

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 12/21/98
PAGE: 1

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY	ACC FLG
37-90-S-0076-000	0	TED DALZELL BOX 2354 SUN VALLEY, ID 83353 (208) 622-8436	05N	17E	36	NE NE		BLAINE	L

Subdivision Well Site Location and Description:
Subdivision Name: LAKE CREEK MEADOWS #2
Well Site Address:
City, State:

Lot(s): 013
Block(s):

Geographic Location:
GPS Site ID:
Lat: : :
Long: : :
Accuracy Code:

Proposed Use of Well: Irrigation
Anticipated Bottom Hole Temperature: 85F or Less
Proposed Casing Diameter: 6 In.
Proposed Depth: 300 Ft.

Well Use Comments:

Driller License No: 0265
Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Permit Status:	Filed	Verbal Issue Date:	Receipt No.	Receipt Date	Fee
		Date Received: 05/29/1990	S012356	05/30/1990	\$ 100.00
		Date Approved: 05/31/1990		NOT ON FILE	
		Proposed Start Date: 05/31/1990		NOT ON FILE	
		Extension Date:		NOT ON FILE	
		Extension Expiration:		NOT ON FILE	

Permit Remarks: REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT ATTACHED.
Permit Remarks:

Comments: No Comments Found

WELL DRILLER'S LOG REPORT

Drilling Permit No:	37-90-S-0076-000	Water Right No:	37-08655
Log Status:	Sent To/Microfilmed	Injection Permit No:	
Nature of Work:	NEW WELL	Construction Method:	ROTARY
Casing Diameter:	6 In.	Static Water Level:	80 Ft.
Depth of Casing:	84 Ft.	Temperature:	F.
Total Depth:	300 Ft.	Production Rate:	10.00 GPM
Screen Installed?	No	Actual Start Date:	06/13/1990
		Well Finish Date:	06/15/1990
		Log Received Date:	07/20/1990
		Certification Date:	
Violation Flag:		Field Inspection Date:	
		Inspector:	

Well Log Remarks: NO CERTIFICATION DATE SHOWN ON THIS LOG.

MICROFILMED
JUN 08 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULY 17, 1996

ARNOLD SCHWARZENEGGER
MARIA SHRIVER
C/O OAK PRODUCTIONS
3110 MAIN STE 300
SANTA MONICA CA 90405


RE: Permit No. 37-08655

Dear Permit Holder(s):

We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

RECEIVED
AUG 07 1996

Permit No. 37-08655 Reviewed by [Signature] Date 12-28-94

TYPES OF USE

Dom, Jr

Correct Uses? yes

Surface water source

WCS Drilling permit required?

200.00 Amount paid for permit

yes Well log in the file? 1

MEASURING DEVICE

no Required?

Installed?

 Waiver requested?

Date proof received

No. of days late

Priority Date

New Priority Date

Proof acceptable

New Address _____ Proof Made 12-19-94

Proof Made 12-19-94

December 28, 1994

TED DALZELL
P O BOX 2354
SUN VALLEY ID 83353

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08655

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208) 736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

DEC 29 1994

October 31, 1994

TED DALZELL
P O BOX 2354
SUN VALLEY ID 83353

PROOF DUE NOTICE

RE: PERMIT NO. 37-08655

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
DEC 29 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 10, 1994

Ted Dalzell
C/O Evan Robertson
P.O. Box 1906
Twin Falls, ID 83301

RE: Permit No. 37-08655

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Regional Office

RECEIVED

JAN 12 1994

ROSHOLT, ROBERTSON & TUCKER

Chartered
ATTORNEYS AT LAW

JOHN A. ROSHOLT
J. EVAN ROBERTSON
JAMES C. TUCKER
GARY D. SLETTE
JERRY V. JENSEN
BRUCE M. SMITH
THOMAS J. RYAN
GARY L. QUIGLEY
JUSTIN R. SEAMONS
JOHN K. SIMPSON
PATRICK D. MADIGAN
PAUL W. SAMUELSON
TIMOTHY J. STOVER
NORMAN M. SEMANKO

Twin Falls Office
142 3rd Ave. North
P.O. BOX 1906
TWIN FALLS, IDAHO 83303-1906
TELEPHONE (208) 734-0700
FAX (208) 736-0041

Boise Office
1221 WEST IDAHO, SUITE 400
P.O. BOX 2139
BOISE, IDAHO 83701-2139
TELEPHONE (208) 336-0700
FAX (208) 344-6234

December 27, 1993

VIA FACSIMILE 327-7866

Karen L. Gustafson
Secretary/Records Manager
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RE: Permit No. 37-08655

Dear Ms. Gustafson:

I represent Ted Dalzell, holder of the above-referenced permit to appropriate water. I have reviewed your letter dated October 31, 1993, concerning proof of beneficial use pursuant to said permit, and at this time am requesting an extension pursuant to Idaho Code §42-204, for a period of one year.

Mr. Dalzell is the owner of Lot 13, Lake Creek Subdivision No. 2, in Blaine County, north of Ketchum. This is a residential lot on which my client is currently constructing a personal residence, and the water to be appropriated is for domestic and limited irrigation uses on the lot. He did commence working on the well in accordance with the permit, and it is now completed. However, because of the time involved in developing the plans for his residence and obtaining necessary approval from Blaine County before starting construction, completion of his house has taken longer than anticipated. As mentioned above, it is now under construction, and will be completed sometime during the summer of 1994. We would like to wait until the house and adjoining landscaping has been completed before connecting the well and applying the water to beneficial use, and consequently request an extension of one year, to January 1, 1995, to submit proof of beneficial use.


RECEIVED

JAN 12 1994

Karen L. Gustafson
December 27, 1993
Page 2

No previous extensions have been applied for or granted in connection with permit
No. 37-08655.

Sincerely,



J. EVAN ROBERTSON

JER:mw
12279301JER

RECEIVED

JAN 12 1994

RECEIVED

DEC 28 1993

Department of Water Resources

ROSHOLT, ROBERTSON & TUCKER

Chartered

ATTORNEYS AT LAW

JOHN A. ROSHOLT
J. EVAN ROBERTSON
JAMES C. TUCKER
GARY D. SLETTE
JERRY V. JENSEN
BRUCE M. SMITH
THOMAS J. RYAN
GARY L. QUIGLEY
JUSTIN R. SEAMONS
JOHN K. SIMPSON
PATRICK D. MADIGAN
PAUL W. SAMUELSON
TIMOTHY J. STOVER
NORMAN M. SEMANKO

Twin Falls Office
142 3rd Ave. North
P.O. BOX 1906
TWIN FALLS, IDAHO 83303-1906
TELEPHONE (208) 734-0700
FAX (208) 736-0041

Boise Office
1221 WEST IDAHO, SUITE 600
P.O. BOX 2139
BOISE, IDAHO 83701-2139
TELEPHONE (208) 336-0700
FAX (208) 344-6034

December 27, 1993

VIA FACSIMILE 327-7866

Karen L. Gustafson
Secretary/Records Manager
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RE: Permit No. 37-08655

Dear Ms. Gustafson:

I represent Ted Dalzell, holder of the above-referenced permit to appropriate water. I have reviewed your letter dated October 31, 1993, concerning proof of beneficial use pursuant to said permit, and at this time am requesting an extension pursuant to Idaho Code §42-204, for a period of one year.

Mr. Dalzell is the owner of Lot 13, Lake Creek Subdivision No. 2, in Blaine County, north of Ketchum. This is a residential lot on which my client is currently constructing a personal residence, and the water to be appropriated is for domestic and limited irrigation uses on the lot. He did commence working on the well in accordance with the permit, and it is now completed. However, because of the time involved in developing the plans for his residence and obtaining necessary approval from Blaine County before starting construction, completion of his house has taken longer than anticipated. As mentioned above, it is now under construction, and will be completed sometime during the summer of 1994. We would like to wait until the house and adjoining landscaping has been completed before connecting the well and applying the water to beneficial use, and consequently request an extension of one year, to January 1, 1995, to submit proof of beneficial use.


RECEIVED

JAN 12 1994

Karen L. Gustafson
December 27, 1993
Page 2

No previous extensions have been applied for or granted in connection with permit No. 37-08655.

Sincerely,



J. EVAN ROBERTSON

JER:mw
12279301.JER

RECEIVED

JAN 12 1994

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 37-08655 Reviewed by Jy Date 1-10-94

BASIC INFORMATION

12-29-93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST


yes Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*recommend approve to Jan. 1, 1995
for due diligence*

PRIORITY CALCULATION

Date extension received	_____
Proof due date	_____
Number of days late	_____
Priority date	_____
New Priority Date	_____



DATA ENTRY

New Address _____
Change Proof Due Date 1-1-95
Change Priority Date _____

October 31, 1993

TED DALZELL
P.O. BOX 2354
SUN VALLEY ID 83353

PROOF DUE NOTICE

RE: PERMIT NO. 37-08655

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECORDED

JAN 12 1994



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

9/89

Drilling Permit No. 7-90-5-076Water Right Permit No. App. 37-08655

Injection Permit No. _____

RECEIVED
JUN 4 1990State of Idaho
Department of Water Resources**RECEIVED**

MAY 29 1990

Department of Water Resources

DRILLING PERMITDepartment of Water Resources
Southern Region Office

1. Applicant (Please Print) Ted Dalzell
2. Mailing Address P.O. Box 2354
Sun Valley, ID. 83353 Telephone (208) 622-8436
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location N 1/4 N 1/4, or Gov't lot No. _____,
Sec. 36, Twp. 5N, Rge. 17E, County Blaine,
Street Address of Well Site _____,
Lot, block and subdivision Lot 13 Lake Creek Meadows Sub. #2
4. Proposed use of well:
(X) Single family or stockwater use (less than 13,000 gallons per day)
(X) Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other (describe fully) _____
5. Well construction information:
A. (X) New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 6" Maximum depth 300 ft.
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date May 31, 1990
7. Anticipated Well Driller Wood River Drilling & Pump; Box 1165; Hailey ID. 83333
NOTE: The actual well driller must be identified prior to drilling. 788-3163
8. Applicant's signature Ted Dalzell Date May 26, 1990
Title Owner
(Owner, Firm Representative, Other)

Please send copy to driller**MISSOURI**

JAN 12 1994

ACTION F DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED


Date

5/31/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION

Title

Receipt No.

5012866

Received by

gs

Fee

\$100,

Date

5-30-90EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.

JAN 12 1994

RECEIVED

MAY 29 1990

Department of Water Resources
Southern Region Office

Drilling permit No. 37-90-S-076

Water right No. 37-08655

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Ted Dalzell, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Landscaping, trees now being delivered to the property
are need of water.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date May 26, 1990

Signature

Applicant

T. P. Ted Dalzell

JAN 12 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 15, 1991

TED DALZELL
P.O. BOX 2354
SUN VALLEY, ID 83353

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08655

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

RECEIVED

JAN 20 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JAN 18 1991

APPLICATION FOR PERMIT REVIEW

Application #: 37-8655
Date: 1-3-91

Reviewer: Pam Skaggs *PS*

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - ~~046-P23~~(All GW, even existing wells)

Location:

Water Districts - WD No. 37
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - C (1 or Blank)
Trust - 051-052-053-P74(Cons.), 041(DCMI)
Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
17K, 17G-17M(Choose One), 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09(In W.D.), 18B-P09(Size)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 01-01-1995

Other Conditions Recommended _____

Dalzell, Ted 98

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY AD DATE 8/9/90 APPLICATION NUMBER 37-08655

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 5/31/90

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

SWAN FALLS HOLD? _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
NOV 14 1990

Date Requested _____

Department of Water Resources

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS

37-08655

DALZELL, TED
P.O. BOX 2354
SUN VALLEY, ID 83353

Source: GROUNDWATER

Diversion Pt: NENENE Sec 36 T 05N R 17E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)

Date Filed: 5/31/ 1990

In: T05N R17E S25 SESE
S36 NENE


3.0 ACRES TOTAL

MICROFILMED

JAN 28 1991

MICROFILMED
JAN 28 1991

OK
NA
8/27/90



The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before SEPTEMBER 24, 1990.

R. Keith Higginson, Director

Published 9/ 5/1990 & 9/12/1990

MICROFILMED

JAN 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

AUGUST 15, 1990

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 24, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

JAN 28 1991

15-Aug-1990

TED DALZELL
PO BOX 2354
SUN VALLEY ID 83353

Re: Application for Permit No. 37-08655

Dear Mr. Dalzell:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 9/5 & 9/12/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

JAN 28 1991

From The Desk of . . .

T. P. "Ted" DALZELL

May 30, 1990

Dilling Permit office:

Enclosed please find
my check for \$30.00 as
requested by your office.
Our phone call this date
regarding additional fee
for 10000 permit already
submitted.

T. P. Dalzell
RECEIVED

MAY 31 1990

Department of Water Resources
Southern Region Office

P.O. Box 2354 Sun Valley ID 83353 622-8436
745 San Ysidro Rd. • Santa Barbara, Calif. 93108 • (805) 969-3569

37-08655

9/89

Drilling Permit No. 37-90-5-076Water Right Permit No. App. 37-08655

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

MAY 29 1990

Department of Water Resources
Southern Region Office1. Applicant (Please Print) Ted Dalzell2. Mailing Address P.O. Box 2354Sun Valley, ID. 83353 Telephone (208) 622-8436

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location N 1/4 N E 1/4, or Gov't lot No. _____,Sec. 36, Twp. 5N, Rge. 17E, County Blaine,

Street Address of Well Site _____,

Lot, block and subdivision Lot 13 Lake Creek Meadows Sub. #2

4. Proposed use of well:

() Single family or stockwater use (less than 13,000 gallons per day)

(X) Irrigation (more than 1/2 acre)

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other (describe fully) _____

5. Well construction information:

A. (X) New well () Deepen () Replace - See Condition 9.

B. Proposed surface diameter 6" Maximum depth 300 ft.

C. Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)

() 85°F to 212°F (Low temp. geothermal well)

() 212°F or more (Geothermal well)

6. Construction Start Date May 31, 19907. Anticipated Well Driller Wood River Drilling & Pump; Box 1165; Hailey ID. 8333
NOTE: The actual well driller must be identified prior to drilling. 788-31638. Applicant's signature Ted Dalzell Date May 26, 1990Title Owner
(Owner, Firm Representative, Other)Please send copy to driller

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 5/11/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Loren O. Halum
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. 5012866 Received by JO Fee \$/00 Date 5-30-90

EXTENSION OF DRILLING PERMIT

RECEIVED

Extension approved by _____ Approval Date 10/11/90

This extension is good for 60 days beyond the above extension approval date.

RECEIVED

Drilling permit No. 37-90-S-076

Water right No. 37-08655

MAY 29 1990

Department of Water Resources
Southern Region Office

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Ted Dalzell, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Landscaping, trees now being delivered to the property
are need of water.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

RECEIVED

Date

May 26 1990

Signature

Applicant

T. P. Ted Dalzell