

ALL IN
S. 12, T. 1 N., R. 18 E., B. 4.

9E4NE4

2A.

1/4 LINE

8.6A.

NE4SE4

NE4SE4

7A.

12.5A.

NE4SE4

1/16 LINE
0.6A.

0.4A.

11.4A.
SE4SE4

10A.

SE4SE4

7.3A.

SE4SE4

S-12

S-7 SE COR, S. 12

MICROFILMED
SEP 26 1990

SEC 13 SEC 18

Silver Creek Farms
subdivision
Preliminary Plat


RUSCITTO/LATHAM/BLANTON

ARCHITECTURA P.A.

p.o. box 419 sun valley, idaho 83353
208 726 5608 copyright ©

Silver Creek Farms
Blaine County, Idaho


37-08616




MICROFILMED

SEP 26 1990

This topographic map was compiled by the U.S. Department of Agriculture Soil Conservation Service. The base map is prepared from 1:25,000 aerial photography. Contour lines are shown at 10-foot intervals. Elevations are approximate.





- WELL NO PUMP
- ⊙ WELL 5 HP PUMP

0.1 af = 20' (40') 5'
 0.3 af = 40' (65') 5'
 0.6 af = 60' (85') 5'
 1.3 af = 75' (150') 5'
 0.6 af = 40' (120') 5'
 1.0 af = 75' (125') 5'
 0.5 af = 60' (75') 5'
 0.5 af = 50' (85') 5'

4.9 af = TOTAL

FUTURE: WATER
CAN BE RECYCLED

WATER WILL BE
DRAINED TO "SKI PONDS"
PER DARLENE BRAMON
SEE T# 4920

EXAMINER: SATTERLEE, GL
ATTENDED SCHEMATIC 10 JULY 97

SILVER CRK FRMS. LOTS 1-6
26 JUNE 1997 NOON-1500 hr
37-08614 through 37-08619

A PLAT SHOWING

BEING A REPLAT OF LOT 3, BLOCK 1, MANN-FORSTMANN SUBDIVISION

LOCATED IN SECTION 12, T. 4N, R. 18E, B. M.

BLAINE COUNTY, IDAHO

JULY, 1990

SCALE 1-100

SCALE IN FEET

**BASIS OF BEARING IS
MANN-FORSTMANN SUBDIVISION**

VICINITY MAP

31

4

104

1

37-08616

LEGEND

- ROUND 3/8" REBAR
- SET 1/2" REBAR
- CASEMENT, WIDTH AS SHOWN
- BT --- BUILDING ENVELOPE
- BRASS CAP

- WELL
- ⊙ WELL
w/ PUMP

Case	Δ	T	γ	CR	CR bearing
C-1	79°31'44"	63.94	110.74	5.92	N 79°31'30" E
C-2	82°52'46"	81.76	115.51	12.65	N 81°52'30" E
C-3	91.00	97.41	118.88	20.58	N 91°52'11" E
C-4	97°58'01"	79.90	41.11	42.41	S 79°58'23" W

LOT 2, MANN FOSTMANN SUBDIVISION

ACT 1. MAIN-CHARACTER SUBVISORS

STATE HIGHWAY 72

STATE HIGHWAY 75

10

100

NOTES

ANS ETC. MAY BE BUILT OUTSIDE PLATTE

STRUCTURES AND UNBUILT FOR MOST
001 SETBACK BETWEEN ADJACENT LOTS

HOUSEHOLDS HAVE A FIFTEEN FOOT WATER

DEPARTMENT OF PARLIAMENTARY AFFAIRS

REQUIRED TO OBTAIN PERMITS FROM IDNR
BEFORE FISHING IN WATERS OF THE STATE

ONE AND FEED IN A MANNER THAT IS NOT

...

ALL HOMEOWNERS DOGS MUST BE KEPT ON LEAD OR UNDER DIRECT CONTROL OF HOMEOWNER AND WILL NOT BE ALLOWED TO RUN AT LARGE.

THE HOMEOWNER OR ASSOCIATION WILL BE RESPONSIBLE TO OBTAIN ALL NECESSARY WEBS PER THE SUBORDINATE DECISIONS AND GOVERNMENTS AND STATE WILDLIFE AGENCIES.

THE HOMEOWNERS ASSOCIATION WILL BE REQUIRED TO MAINTAIN AND SUBMIT TO THE SUPERVISOR AND LOCALS PER THE WOOD PRESERVATION PERCUSSION AND THE SUBORDINATE DECISIONS AND GOVERNMENTS.

ALL DOMESTIC WELLS AND SEPTIC SYSTEMS SHALL BE APPROVED BY THE SOUTH CENTRAL REALTORS DISTRICT. SEWER DISPOSAL FIELDS MUST BE MAINTAINED AND OPERATED TO PREVENT CONTAMINATION OF THE SURROUNDING ENVIRONMENT.

ALL SUBORDINATE DECISIONS WILL MEET WILDLIFE CONSERVATION STANDARDS.

GARLAND ENGINEERING, INC.
ATTENTION: HUNTER
SHELTON ROAD
MILFORD, N.H. 03055

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: AKA LOT 3 of SILVER CRK. FRMS. SUBD.

W. Satterlee WR Agent
Signature of Dept. Representative & Title

26 June 97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



LOOKING W'LY
GPS A0002902

MICROFILMED
FEB 23 1998

Photo 1/1





Photo looking W'ly

P/D Sec 12, T01N, R18E, NE $\frac{1}{4}$ SE $\frac{1}{4}$

MICROFILMED
FEB 23 1998

Silver Crk Frms Subd Lot 3
26 June97 noon +
Examiner: G.Satterlee 37-08616

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08616

Priority: March 23, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

2.5 AF

This is to certify, that SILVER CREEK FARMS HOMEOWNERS ASSN
C/O DARLENE BRAMON
1901 S SPRINGBROOK
BOISE ID 83706

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 23, 1990; and
has submitted Proof of Beneficial Use on August 12, 1993. An examination indicates
that the works have a diversion capacity of 0.150 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
FIRE PROTECTION STORAGE	09/01 to 04/01		1.3 AF
AESTHETIC STORAGE	09/01 to 04/01		1.3 AF
DIVERSION TO STORAGE	09/01 to 04/01	0.05 CFS	
	Totals	0.05 CFS	2.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 12, Township 01N, Range 18E
BLAINE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 18E 12

NESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
FEB 23 1998


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-08616

CONDITIONS OF APPROVAL AND REMARKS

5. Aesthetic storage is for a pond located on Lot 3, Silver Creek Farms Subdivision.
6. Rights 37-08614 and 37-08615 are also diverted through the point(s) of diversion described above.
7. Domestic use is for 1 home.
8. Right 37-00685B from the Big Wood River is also diverted to this pond.
9. Point of diversion is located on Lot 3, Silver Creek Farms Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of FEBRUARY, 1978.


Acting for KARL J. DREHER, DirectorMICROFILMED
FEB 23 1978

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Application~~	~~37-08616~~	~~Franklin Bramon~~ ~~Darlene Bramon~~ ~~Ronald Slocum~~ ~~Sallie Slocum~~	~~0.13~~
Full Assignment	37-08616	Silver Creek Farms Homeowners Assoc.	0.13

MICROFILMED

JUL 19 1995

RECEIVED

JUN 20 1995

Department of Water Resources

For Office Use Only

\$25.00 Filing Fee

Receipt # 0032925

Date 6-20-95

State of Idaho

DEPARTMENT OF WATER RESOURCES

ASSIGNMENT OF PERMIT

To change the ownership of a permit

FRANKLIN BRAMON
DARLENE BRAMON
RONALD SLOCUMI, SALLIE SLOCUM, hereby assign to SILVER CREEK FARMS HOMEOWNERS ASSOCIATION
(Permit Holder)of 30 SILVER LAKES DRIVE BELLEVUE ID. 83313 208-368-0970
(Full Address and Phone Number) 208-387-2500All my right, title, and interest in and to Permit No. 37-08616
to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
point of diversion location, and the amount of water in cubic feet per second.

Made this _____ day of _____, 19____.

State of Idaho)

County of Ada) ss

Permit Holder(s)

x Franklin Bramon
x Darlene Bramon
x Ronald Slocum
x Sallie SlocumOn this 15th day of June, 1995, personally appeared before me
the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.My commission expires: 7/20/2000Cynda S. Light

(Notary Public)

Cynda S. Light

Signature

MICROFILMED

JUL 19 1995

database updated 6/27/95 c.j.

RECEIVED

AUG 12 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 8-12-93

Receipt No. C928352

Receipt by ju

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P37-08616 Telephone No. 387-2009 or 368-0970
2. Name(s) of Permit Holder(s): Darlene Bramon, Franklin Bramon, Ronald Slocum, Sallie Slocum
3. Mailing Address: 1901 S. Springbrook Lane, Boise-83706
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Ken Smith Date Drilled: 10-10-91

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Fire Protection, Aesthetic Storage

6. Total rate and/or volume for which proof is submitted 0.13 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Darlene Bramon 387-2009 or 368-0970
Name Telephone No.

1901 S. Springbrook, Boise, Id 83706
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-9-93
Date

Darlene Bramon, Owner
Signature (and title, if on behalf of a company or organization)

AUG 26 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08616

Proposed Priority: March 23, 1990 Maximum Diversion Rate: 0.13 CFS

This is to certify, that **FRANKLIN BRAMON**
DARLENE BRAMON
RONALD SLOCUM
SALLIE SLOCUM
P.O. BOX 392
HAILEY, ID 83333

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	
FIRE PROTECTION STORAGE	09/01 to 04/01		3.0 AF
AESTHETIC STORAGE	09/01 to 04/01		3.0 AF
DIVERSION TO STORAGE	09/01 to 04/01	0.09 CFS	
	Totals	0.13 CFS	

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 12, Township 01N, Range 18E
BLAINE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 18E 12 NESE

PLACE OF USE: FIRE PROTECTION STORAGE, same as DOMESTIC use

PLACE OF USE: AESTHETIC STORAGE, same as DOMESTIC use

PLACE OF USE: DIVERSION TO STORAGE, same as DOMESTIC use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Place of use also known as Lot 3, Silver View Farms Subd.
6. Domestic use is for one home.

MICROFILMED

SEP 26 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08616

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of September, 1990

R. Keith Higginson
R. Keith Higginson, Director

for

MICROFILMED

SEP 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant FRANKLIN BRAMON AND RONALD SLOCUM
DARLENE BRAMON OR SALLIE SLOCUM Phone 788-4354
Post office address BOX 392 HAILEY IDAHO 83333

2. Source of water supply GROUND WATER which is a tributary of N/A

3. Location of point of diversion is _____ 1/4 of SE/ NE 1/4 of SE 1/4, Govt. Lot _____
Sec. 12 Township 1N Range 18E B.M. BLAINE County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount .09 for DIVERSION TO STORAGE purposes from 9/1 to 4/1 (both dates inclusive)
(cfs ~~acre-feet per annum~~)
Storage for

Amount 3.0 for AESTHETICS purposes from 9/1 to 4/1 (both dates inclusive)
(~~cfs~~ acre-feet per annum) Storage for

Amount 3.0 for FIRE PROTECTION purposes from 9/1 to 4/1 (both dates inclusive)
(~~cfs~~ acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.13 and/or (b) 3.0
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL AND PUMP FOR DOMESTIC USE
AND PIPING FOR MAINTENANCE OF LINED POND LEVELS DURING NONIRRIGATION
SEASON.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

SEP 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE
- e. Other; describe fully. WATER WILL BE DIVERTED TO A PRIVATE POND AND STORED FOR AESTHETICS AND FIRE PROTECTION WHEN IRRIGATION WATER IS NOT AVAILABLE FOR THIS THESE USES.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>1N</u>	<u>18E</u>	<u>12</u>													<u>X</u>				
<u>1N</u>	<u>18E</u>	<u>12</u>													<u>S</u>				

X is P/U for all uses

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

37-0685C (SEE REMARKS)

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: POINT OF DIVERSION AND PLACE OF USE LOCATED WITHIN LOT NO. 3 OF THE SILVER VIEW FARMS SUBDIVISION. WATER UNDER THIS APPLICATION WILL BE USED IN CONJUNCTION WITH A TRANSFER FILED FOR WATER RIGHT NO. 37-0685C.

RECORDED

SEP 26 1940

ALL IN

S. 12, T. 1 N., R. 18 E., B. H.

9E4NE4

2A. ✓

1/4 LINE

8.6A.

NE4SE4

NE4SE4

7A.

12.5A.

NE4SE4

1/16 LINE
0.6A.

0.4A

11.4A.
SE4SE4

10A.

SE4SE4

7.3A.

SE4SE4

3.6A.

S-12

S-7 SE COR, 12

MICROFILMED

SEP 26 1990

SEC 13 SEC 18

Silver Creek Farms
subdivision
Preliminary Plat

RUSCITTO/LATHAM/BLANTON

ARCHITECTURA P.A.

p.o. box 419 sun valley, idaho 83353
208 726 5608

Silver Creek Farms
Blaine County, Idaho

37-08616

[illegible]

SEP 26 1990

X Franklin L. Brown
(Applicant)

(Applicant)

Received by SG Date 3/23/90 Time 10:30 Preliminary check by J. E. Stanton
Fee \$ 30.00 Receipted by SG # 5011637 Date 3/23/90
Publication prepared by M. Baldwin Date 6/18/90 Published in Wood River Journal
Publication approved M. Baldwin Date 7/26/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

SEP 26 1990

SOIL NO.: 66

NAME: LITTLE WOOD V. GRAVELLY LOAM, 0-2%

SYMBOL: LdA

% EACH SOIL (1): 90

(2): 10 (CONT INCL)

(3):

PROFILE(1): 0-10 VERY GR LOAM (2):

(3):

10-25 V GR CL LOAM

25-35 EX GR SA L

35-61 EX GR CO SAND

WHC(1): 0-1' 1.2"

(2):

(3):

1-2 1.2

2-3 0.5

3-4 0.4

4-5 0.4

CLASS(1): 4s, 4s

(2):

(3):

%ROCK(1): 0-5

(2):

(3):

DEPTH TO WATER(1): >6.0'

(2):

(3):

DEPTH TO ROCK(1): >60"

(2):

(3):

PERMEABILITY(1): 2.0 - 6.0"

(2):

(3):

K & T(1): .17 & 2

(2):

(3):

RANGE(1): Ly 12-16"

(2):

(3):

PRIME AG LAND(1): YES

(2):

(3):

HIGHLY EROSION SOIL(1): NO

(2):

(3):

HYDRIC SOIL(1): NO

(2):

(3):


NOTES:

MICROFILMED

SEP 26 1990

37-08616

repared



CORPORATION
WARRANTY DEED

FOR VALUE RECEIVED,

Terra Management Corporation

a corporation duly organized and existing under the laws of the State of -----Washington---, grantor, does hereby
Grant, Bargain, Sell and Convey unto
Franklin Bramon and Darlene Bramon, husband and wife and Ronald A. Slocum and
Sallie R. Slocum, husband and wife, each as to an undivided 1/2 interest
whose address is: P. O. Box 392, Hailey, ID 83333
grantee, the following described real estate, situated in Blaine County, Idaho, to-wit:

Lot 3 in Block 1 of MANN-FORSTMANN SUBDIVISION, according to the official plat
thereof, recorded as Instrument No. 257561, records of Blaine County, Idaho

315468
BLAINE CO. REQUEST
FIRST AMERICAN TITLE CO.
OF: _____
90 JAN 19 PM 4 28
MARY GREEN CLERK S#
FEES \$ 3.00

Together with: 150" of water diverted from Big Wood River into District Canal #45
Idaho State # 37-0685

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the Grantee's
heirs and assigns forever. And the Grantor does hereby covenant to and with the said Grantee, that the Grantor is
the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that
Grantor will warrant and defend the same from all lawful claims whatsoever.

IN WITNESS WHEREOF, The Grantor, pursuant to a resolution of its Board of Directors has caused its corporate
name to be hereunto subscribed by its President and its Secretary.

Dated: January 17, 1990

Terra Management Corporation

By David A. Milne
PRESIDENT.

ATTEST:
Vice President

SECRETARY-

MICROFILMED

SEP 26 1990

STATE OF WASHINGTON

County of Snohomish } ss.

On this 18th day of January, 1990,
before me, a Notary public in and for said State, personally appeared David A. Milne and

, known to me to
be the Vice President and Secretary of the corporation that executed this instrument or the persons who
executed the instrument on behalf of said corporation, and
acknowledged to me that such corporation executed the
same.

IN WITNESS WHEREOF, I have hereunto set my hand
and affixed my official seal, the day and year in this certificate first above written.

Kelli M. Clark
Notary Public for the State of Idaho, WA.
Residing at Everett, Washington

STATE OF IDAHO,

County of _____ } ss.

I hereby certify that this instrument was filed for record at the request of
at _____ minutes past _____ o'clock m.,
this _____ day of _____,
19 _____, in my office, and duly recorded in Book
of Deeds at Page _____

Ex-Officio Recorder.

By _____ Deputy.

Fees \$ _____
Mail to: _____

INSTRUMENT NO.

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

JUL 26 1990
Department of Water Resources
Southern Region Office

DANIEL J. GOPHMAN, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 3 day of July, 1990, and

the date of the last publication was on the 11 day of July, 1990.

Daniel J. Gophman
Subscribed and sworn to before me this 12 day of July, 1990.
(SEAL)

Roberta D. Gopher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 135
Number of Insertions 2
Lines tabular at 6c / Pica
Lines straight at 74.25 5c / Pica
Subsequent lines at 59.40 4c / Pica
TOTAL COST 133.65

COPY OF NOTICE
(Pay Here)

Notice Application
TITLE OF NOTICE 37-08614

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

77 Dept. of Water

Six file
on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08614
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: NESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 NESE

37-08615
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: NESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 NESE

37-08616
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: NESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 NESE

37-08617
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: SESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 SESE

37-08618
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: SESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 SESE

37-08619
BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333
Source: GROUNDWATER
Diversión Pt: SESE Sec 12 T 01N R 18E
Use: DOMESTIC (.040 CFS); DI-
VERSION TO STORAGE (.090 CFS); AESTHETIC STORAGE (3.00 AF); FIRE PROTECTION STORAGE (3.00 AF); Total Diversión (1.130 CFS) (3.00 AF)
Date Filed: 3/23/1990
In: T01N R18E S12 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St.

7/13

RECORDED

SEP 26 1990

1901 S. Springbrook Lane
Boise, ID 83706
Phone: 208-368-0970
Fax: 208-364-1857

Darlene Bramon

Fax

To: Department of Water Resources **From:** Darlene Bramon

Attention: Karl Dreher, Shelly Keen,

Kari Townsend,

Fax: 208 327 -7866

Date: April 20, 1998

Phone: 208-327-7900

Pages: 1

Re: Change of Address- Silver Creek Farms CC: Dr. Charles Brockway
Homeowners Assoc.

☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Comments:

**PLEASE CHANGE THE ADDRESS FOR FRANKLIN & DARLENE
BRAMON TO: P.O. BOX 4029, HAILEY, IDAHO 83333.**

IN REFERENCE TO SILVER CREEK FARM HOMEOWNERS ASSOC.

**WATER RIGHTS #S 37-08614/37-08615/37-08616/37-08618/37-
08619.**

ALSO, A SEPARATE RIGHT TO FRANK BRAMON #37-00363F.

Thanks,

*also → 37-08617 - Per phone conv.
w/ Darlene
Bramon
4-21-98
Ket*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 3, 1998

SILVER CREEK FARMS HOMEOWNERS ASSN
C/O DARLENE BRAMON
1901 S SPRINGBROOK
BOISE ID 83706

RE: WATER RIGHTS 37-08614/37-08615/37-08616/37-08618/37-08619

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

2 MICROFILMED
FEB 23 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
3
FEB 23 1988

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Licenses) to the person(s) listed below:


WATER RIGHTS 37-08614/37-08615/37-08616/37-08618/37-08619

**SILVER CREEK FARMS HOMEOWNERS ASSN
C/O DARLENE BRAMON
1901 S SPRINGBROOK
BOISE ID 83706**


Kari Lynn Townsend
Secretary

MICROFILMED

FEB 23 1998



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

RECEIVED

DEC 22 1997

Department of Water Resources

December 19, 1997

Mr. Shelley Walter Keen
Idaho Department of Water Resources
1301 North Orchard
P.O. Box 83720
Boise, ID 83720-0098

VIA FACSIMILE (hard copy to follow)

Re: Silver Creek Farms licensing configuration
Water rights 37-08614 through 37-08619

Dear Shelley:

Please accept this letter as a proposal outlining a requested licensing structure for the above six permits. The permits are applicable to the Silver Creek Farms subdivision near Bellevue, which consists of six lots and ponds (or portions thereof) on each lot. The permitted uses are domestic, diversion to storage, and storage for fire/aesthetic/recreation.

Currently, a well on each lot is drilled, but only two wells (Lots 3 and Lot 4) have pumps installed and are delivering water to the pond system because the remaining lots have not been sold. The flow rates from these wells were measured by the field examiner at 0.15 cfs and 0.18 cfs, respectively. The examiner also determined that the total storage volume is 4.9 acre-feet. Because only two wells were diverting water, the licensing recommendation by IDWR was to utilize only four of the six permits to cover the field-determined flow rate and storage volume, and cancel the remaining two permits. However, as we discussed in our telephone conversation in October, it is desired to maintain individual water rights for each of the six lots in Silver Creek farms so that no encumbrance on Lots 3 and 4 by other lot owners will exist. Therefore, the following licensing structure is proposed:

- Each subdivision lot would be covered by one license.
- Each license would list a storage volume equal to the storage only on the corresponding lot.
- The P/D for the Lots 1 - 3 licenses would be the existing north well (Lot 3 well), and the diversion to storage flow rate on each of these licenses would be one-third of the measured flow from the north well, or 0.05 cfs.

MICROFILMED

FEB 23 1998

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D.

706 SUNRISE
BOULEVARD
NORTH

TWIN FALLS,
IDAHO 83301

208•733•0938
208•734•2580

FAX: 736•1746


- The P/D for the Lots 4 - 6 licenses would be the existing south well (Lot 4 well), and the diversion to storage flow rate on each of these licenses would be one-third of the measured flow from the north well, or 0.06 cfs.
- Lots 3 and 4 licenses would include a domestic use, based on the "stub-out" rule for subdivisions, under which beneficial use is assumed if a system is in place which is ready to receive a residential connection.

The proposed structure for each right is outlined on the attached sheet. No conditions relative to combined uses should be necessary since all licenses would be mutually exclusive in terms of flow rate and storage volume.

I believe this is a fairly simple structure that provides the maximum flexibility to the subdivision owners and future lot owners while maintaining the integrity of the permits. Whenever a lot purchase is made, the owner would simply need to effect a transfer to change the point of diversion from the existing well to the well on the purchased lot.

If this proposal is acceptable, please proceed with the licensing of the water rights. Otherwise, please contact me to decide on another course.

Sincerely,


Charles G. Brockway

enclosure

cc: Frank and Darlene Bramon

MICROFILMED

FEB 23 1998

PROPOSED LICENSING CONFIGURATION FOR SILVER CREEK FARMS

Brockway Engineering, PLLC 12/4/97

37-08614

P/D: NESE S12 (north well)

P/U: NESE S12 (Lot 1)

Use	Rate (cfs)	Vol (ac-ft)	
Div. to storage	0.05	--	(1/3 of north well measured Q)
Storage for rec/aes/fire	--	0.4	(storage on Lot 1 only)

37-08615

P/D: NESE S12 (north well)

P/U: NESE S12 (Lot 2)

Use	Rate (cfs)	Vol (ac-ft)	
Div. to storage	0.05	--	(1/3 of north well measured Q)
Storage for rec/aes/fire	--	0.6	(storage on Lot 2 only)

37-08616

P/D: NESE S12 (north well)

P/U: NESE S12 (Lot 3)

Use	Rate (cfs)	Vol (ac-ft)	
Domestic	0.04	--	
Div. to storage	0.05	--	(1/3 of north well measured Q)
Storage for rec/aes/fire	--	1.3	(storage on Lot 3 only)

37-08617

P/D: SESE S12 (south well)

P/U: NESE and SESE S12 (Lot 4)

Use	Rate (cfs)	Vol (ac-ft)	
Domestic	0.04	--	
Div. to storage	0.06	--	(1/3 of south well measured Q)
Storage for rec/aes/fire	--	1.3	(storage on Lot 4 only)

37-08618

P/D: SESE S12 (south well)

P/U: SESE S12 (Lot 5)

Use	Rate (cfs)	Vol (ac-ft)	
Div. to storage	0.06	--	(1/3 of south well measured Q)
Storage for rec/aes/fire	--	0.8	(storage on Lot 5 only)

MICROFILMED

FEB 23 1998

37-08619

P/D: SESE S12 (south well)

P/U: SESE S12 (Lot 6)

Use	Rate (cfs)	Vol (ac-ft)	
Div. to storage	0.06	--	(1/3 of south well measured Q)
Storage for rec/aes/fire	--	0.5	(storage on Lot 6 only)

MICROFILMED

FEB 23 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 1, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES BROCKWAY JR
706 SUNRISE BLVD NORTH
TWIN FALLS ID 83301

RE: Water Right Nos. 37-08614, 37-08615, 37-08616, 37-08617, 37-08618, and 37-08619

Dear Dr. Brockway:

I am writing to inquire about your progress reviewing the field reports for the Silver Creek Farms Homeowners Association permits listed above. I would appreciate receiving your comments and suggestions or an update on your progress as soon as possible. If I have not heard from you within fourteen days, I will revise the licensing recommendations based on our October conversation and renew my request for some of the permits to be amended prior to licensing.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

FEB 23 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 15, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES BROCKWAY JR
706 SUNRISE BLVD NORTH
TWIN FALLS ID 83301

RE: Water Right Nos. 37-08614, 37-08615, 37-08616, 37-08617, 37-08618, and 37-08619

Dear Dr. Brockway:

As you requested, I have enclosed copies of the field reports for the water rights listed above. After discussing the matter with you and Allen Merritt, I am in favor of recommending that domestic uses be licensed for the two lots with active wells at the time of the field inspection. I will look forward to any other suggestions you and/or your clients might have after you have reviewed the field reports.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

FEB 23 1998

M E M O R A N D U M

DATE: September 24, 1997

TO: File nos. 37-08614 through 37-08619

FROM: Kari Lynn Townsend

RE: Correction of mailing address

=====

I received a phone call on Tuesday, 9-23, from Darlene Bramon advising me that the addresses on the subject rights are the addresses for the place of use but because no housing has been established at those addresses at this time there is no mail delivery for them.

She asked that we send all mail for these files to her at:

Silver Creek Farms
Darlene Bramon
1901 South Springbrook
Boise ID 83706

I asked her to advise our office in writing of the correct mailing address and told her that we would update our database when that was received.

I re-sent the mail to the above address that had been returned to our office on September 18th.

MICROFILMED

K:\WRMEMOS\MEMOS 556 23 1997

M E M O R A N D U M

DATE: September 18, 1997

TO: File nos. 37-08614 thru 37-08619

FROM: Kari Lynn Townsend

RE: Return mail/address correction

=====

The letter of September 5, 1997 with amendments and relinquishments was returned today by the postoffice.

I called 208-387-2500 (phone number on file) and it has been changed to 208-383-7000. I called the new number but after a dozen rings got no answer or message machine. I checked further in the file and found the phone number for Franklin Bramon. I called that number and left a message requesting current mailing address for Silver Creek Farms Homeowners Assn.

MICROFILMED

K:\WRMEMOS\MEMO.DOC

FEB 23 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 5, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Silver Creek Farms Homeowners Assn.
10 Silver Lakes Dr.
Bellevue, ID 83313

RE: Permit Nos. 37-08614 through 37-08619

Dear Right Holders:

In June of 1997 an IDWR field examiner conducted an inspection to verify the diversion and use of water developed under water right permits 37-08614, 37-08615, 37-08616, 37-08617, 37-08618, and 37-08619, which were assigned to you in 1995. The next, and final, step in the water appropriation process is for IDWR to issue water right licenses based upon the field examiner's findings.

According to the reports filed by the examiner, you divert water from two wells into five ponds for aesthetic storage and fire protection storage purposes. In accordance with your permits, your diversions are limited to the period between September 1 and April 1 because your storage ponds are supplied under Big Wood River water right 37-00685B during the rest of the year. Only four of your six permits are needed to cover your water use. Before licenses can be issued, however, the four permits must be amended to depict the place of use in accordance with your actual development. The enclosed Application for Amendment forms for 37-08614, 37-08615, 37-08617, and 37-08618 contain information that will be included on the licenses when they are issued. Please review the amendment forms carefully. If you concur, sign the amendments and return them with the filing fee of \$200.00 (\$50.00 for each amendment) within 14 days.

The last pages of the Applications for Amendment contain a list of Conditions of Approval and Remarks proposed for the licenses when they are issued. These conditions of approval and remarks may be modified upon further administrative review.

Also, as I mentioned above, four rights are sufficient to cover the development made from the wells for the storage in the ponds. The two remaining permits, 37-08616 and 37-08619, are not needed to describe your beneficial use of water. To help us clear our records of these rights, relinquishment forms have been enclosed for your signature. They can be returned to our office with the amendment forms.

If you have any questions or concerns about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

Enclosures

MICROFILM

FEB 23 1998

MEMORANDUM

TO: Files 37-08614 thru 37-08619

FROM: Sharla Curtis

DATE: September 5, 1997

RE: Recommendation Adjustment(s)

These rights were all filed on the same day for aesthetic ponds, with each right being a separate pond on each of the lots of the subdivision (the only exception being Lots 1 and 2 which shared a pond) and each right using a separate well to the associated pond. The pond sizes developed are smaller than proposed and the combined volume of the ponds is 4.9 (5) acre feet. Further, only two wells have pumps in them and are used for filling all six ponds. The ponds also receive water from the Big Wood River under Right 37-00685B. The examiner recommended licensing only two of the six groundwater rights for diversion to storage use only.

The final license recommendations differ from the examiner's recommendations. The two wells are diverted to storage (the ponds); diversion to storage and fire/aesthetic storage uses should be licensed. The capacity of the storage facility is 5.0 af. None of the six rights were approved for more than 3.0 af. Therefore, two permits for each well is required to cover the entire 5.0 af and the measured diversion capacities of 0.15 cfs and 0.18 cfs. All six have the same date of priority, so the lowest numbered rights have been used for this purpose. The two remaining rights should be voided for lack of beneficial use. A condition is being placed on each of the four licenses limiting the combined storage to 5.0 af; remarks will also be used to distinguish the shared wells and the fact that they serve the entire series of 6 ponds.

H. RECOMMENDATIONS

37-08614:	.09 cfs	3.0 af	Fire Prot. Storage/Aesthetic Storage/Div. to Storage
37-08615	.06 cfs	2.0 af	"
TOTAL	.15 CFS	5.0 AF	
P/D = well in NESE, S12			
37-08617	.09 cfs	3.0 af	"
37-08618	.09 cfs	2.0 af	"
TOTAL	.18 CFS	5.0 AF	
P/D = well in SESE, S12			

Examiner: Georgia Satterlee

Exam Date: June 26, 1997

MICROFILMED

FEB 23 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 19 1997

A. GENERAL INFORMATION

Permit No. 37-08616 Department of Water Resources
Phone No. Q
1. Owner: SILVER CREEK FARMS HOMEOWNERS ASSOCIATION
Current Address: 30 SILVER LAKES DR. BELLEVUE, ID. 83313
2. Accompanied by: DARLENE & FRANKLIN BRAMON EXAM DATE 26 JUNE 1997
Address: 1901 S. SPRINGBROOK, BOISE, 83706 Phone No. 368-0970
Relationship to Permit Holder: 1/2 OWNERS OF PARTNERSHIP
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 37-00685B, (A) 37-00685C, 37-08617
2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#3			NE	SE	12	01N	18E	BLAINE	FIELD EXAM
									GPS # A0002902


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	18E	12																DIV 3	

MICROFILMED
FEB 23 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

SUBD. PLAT MAP ☒

☒

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐

Aerial Photo Attached (required for irrigation of 10+ acres)

☒

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. ~~Mod. #~~
GPS A000Z90Z		5		STA-RITE	E90M
WELL #3					CP4J0ZC-04

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PEEK FLOWMETER			DCT-7088	32862		6/97

2. Measurements: SEE ATTACHED SHEET

MICROFILMED

FEB 1998

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 08 July 1997
RE: 37-08616

At 0930 hrs. on 26 June 1997, I met with Darlene & Franklin Bramon and Charles Brockway Sr. at the Silver Creek Farms Subdivision located south of Bellevue. The groundwater permit is in addition to the decreed surface right.

The transfer #3691 created claim 37-00685B accompanied by the adjudication claim (A)37-00685C. The surface right is delivered from the ditch that runs parallel with the west boundary of the property. There are two points on the property where the surface water enters into "collection" ponds. The two wells operating at the time of the exam were dumping water into the ponds, co-mingling water with the surface right.

The first diversion point for the surface right is at the north-west corner of property. The water diverts into a ditch running south-east and, at a distance of 500 feet, the water dumps into the most northerly "collection" pond. This is the first pond of a series of ponds in the Silver Creek Farms Subdivision. For each lot there is an individual pond, with exception to Lot 1 and Lot 2, which share a pond.

The second diversion point for the surface right is approximately 2100 feet due south of the north west corner of subdivision. The water is diverted into a underground pipe to the second "collection" pond that straddles the most westerly portion of Lot 4 and Lot 5. This water then flows into the pond on Lot 4.

The permit is groundwater for domestic, diversion to storage, aesthetic storage, and fire protection storage in Silver Creek Farms. The field examination shows the development of Lot 3 is the pond and a well with 5 HP pump.

Charles Brockway Sr. said all the lined ponds are tied into each other, gravity fed (10 feet vertical distance between north to south). The width and length of the pond was measured in the field. According to Brockway, the maximum depth of the ponds are 10 feet. To calculate depth, I used an average of 5 feet. See schematic of ponds.

Recommendation:

Domestic not recommended because there is no development.
Aesthetic Storage and Fire Protection Storage not recommended because both are claimed for year round use in the decreed right: 37-00685B (A)37-00685C.

Diversion to Storage recommended from 09/01 to 04/01 with the rate of 0.09 cfs and 0.2 afa.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 23 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

PERMIT RATE 0.13 cfs
 MEASURED RATE 0.15 cfs
 MAXIMUM RATE 0.20 cfs
 RECOMMENDED RATE 0.09 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

$$0.09 \text{ cfs} = 40.5 \text{ gpm} (60 \text{ min/hr}) (24 \text{ hr/day}) = 58,320 \text{ gpd} = 0.18 \text{ af}$$

$$\frac{646,315 \text{ gpd}}{1.9835 \text{ af}} = \frac{58,320 \text{ gpd}}{1 \text{ af}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DIVERSION TO STORAGE	9/1	4/1	0.09 cfs	0.2 afa
Totals:			0.09 cfs	0.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Georgia Satterlee

Date

July 97

Reviewer

Date

SEAL

MICROFILMED

FEB 23 1978

A PLAT SHOWING

BEING A REPLAT OF LOT 3, BLOCK 1, MANN-FORSTMAN SUBDIVISION

LOCATED IN SECTION 12, T. 4N, R. 18E, B. M. 7

BLAINE COUNTY, IDAHO

JULY, 1990



SCALE IN FEET

LEGEND

- O FOUND 3/0" ALBA
 O SET 1/2" REBAR
 --- CASTMENT, WIDTH AS SHOWN
 RE --- BUILDING & MVL OPG
 O BRASS CAP

- WELL
- ⊙ WELL
W/ PUMP

C.M.C.	n	Δ	1	1	C ₂	C ₃	C ₄	C ₅	C ₆	C ₇	C ₈	C ₉	C ₁₀	C ₁₁	C ₁₂	C ₁₃	C ₁₄	C ₁₅	C ₁₆	C ₁₇	C ₁₈	C ₁₉	C ₂₀	C ₂₁	C ₂₂	C ₂₃	C ₂₄	C ₂₅	C ₂₆	C ₂₇	C ₂₈	C ₂₉	C ₃₀	C ₃₁	C ₃₂	C ₃₃	C ₃₄	C ₃₅	C ₃₆	C ₃₇	C ₃₈	C ₃₉	C ₄₀	C ₄₁	C ₄₂	C ₄₃	C ₄₄	C ₄₅	C ₄₆	C ₄₇	C ₄₈	C ₄₉	C ₅₀	C ₅₁	C ₅₂	C ₅₃	C ₅₄	C ₅₅	C ₅₆	C ₅₇	C ₅₈	C ₅₉	C ₆₀	C ₆₁	C ₆₂	C ₆₃	C ₆₄	C ₆₅	C ₆₆	C ₆₇	C ₆₈	C ₆₉	C ₇₀	C ₇₁	C ₇₂	C ₇₃	C ₇₄	C ₇₅	C ₇₆	C ₇₇	C ₇₈	C ₇₉	C ₈₀	C ₈₁	C ₈₂	C ₈₃	C ₈₄	C ₈₅	C ₈₆	C ₈₇	C ₈₈	C ₈₉	C ₉₀	C ₉₁	C ₉₂	C ₉₃	C ₉₄	C ₉₅	C ₉₆	C ₉₇	C ₉₈	C ₉₉	C ₁₀₀	C ₁₀₁	C ₁₀₂	C ₁₀₃	C ₁₀₄	C ₁₀₅	C ₁₀₆	C ₁₀₇	C ₁₀₈	C ₁₀₉	C ₁₁₀	C ₁₁₁	C ₁₁₂	C ₁₁₃	C ₁₁₄	C ₁₁₅	C ₁₁₆	C ₁₁₇	C ₁₁₈	C ₁₁₉	C ₁₂₀	C ₁₂₁	C ₁₂₂	C ₁₂₃	C ₁₂₄	C ₁₂₅	C ₁₂₆	C ₁₂₇	C ₁₂₈	C ₁₂₉	C ₁₃₀	C ₁₃₁	C ₁₃₂	C ₁₃₃	C ₁₃₄	C ₁₃₅	C ₁₃₆	C ₁₃₇	C ₁₃₈	C ₁₃₉	C ₁₄₀	C ₁₄₁	C ₁₄₂	C ₁₄₃	C ₁₄₄	C ₁₄₅	C ₁₄₆	C ₁₄₇	C ₁₄₈	C ₁₄₉	C ₁₅₀	C ₁₅₁	C ₁₅₂	C ₁₅₃	C ₁₅₄	C ₁₅₅	C ₁₅₆	C ₁₅₇	C ₁₅₈	C ₁₅₉	C ₁₆₀	C ₁₆₁	C ₁₆₂	C ₁₆₃	C ₁₆₄	C ₁₆₅	C ₁₆₆	C ₁₆₇	C ₁₆₈	C ₁₆₉	C ₁₇₀	C ₁₇₁	C ₁₇₂	C ₁₇₃	C ₁₇₄	C ₁₇₅	C ₁₇₆	C ₁₇₇	C ₁₇₈	C ₁₇₉	C ₁₈₀	C ₁₈₁	C ₁₈₂	C ₁₈₃	C ₁₈₄	C ₁₈₅	C ₁₈₆	C ₁₈₇	C ₁₈₈	C ₁₈₉	C ₁₉₀	C ₁₉₁	C ₁₉₂	C ₁₉₃	C ₁₉₄	C ₁₉₅	C ₁₉₆	C ₁₉₇	C ₁₉₈	C ₁₉₉	C ₂₀₀	C ₂₀₁	C ₂₀₂	C ₂₀₃	C ₂₀₄	C ₂₀₅	C ₂₀₆	C ₂₀₇	C ₂₀₈	C ₂₀₉	C ₂₁₀	C ₂₁₁	C ₂₁₂	C ₂₁₃	C ₂₁₄	C ₂₁₅	C ₂₁₆	C ₂₁₇	C ₂₁₈	C ₂₁₉	C ₂₂₀	C ₂₂₁	C ₂₂₂	C ₂₂₃	C ₂₂₄	C ₂₂₅	C ₂₂₆	C ₂₂₇	C ₂₂₈	C ₂₂₉	C ₂₃₀	C ₂₃₁	C ₂₃₂	C ₂₃₃	C ₂₃₄	C ₂₃₅	C ₂₃₆	C ₂₃₇	C ₂₃₈	C ₂₃₉	C ₂₄₀	C ₂₄₁	C ₂₄₂	C ₂₄₃	C ₂₄₄	C ₂₄₅	C ₂₄₆	C ₂₄₇	C ₂₄₈	C ₂₄₉	C ₂₅₀	C ₂₅₁	C ₂₅₂	C ₂₅₃	C ₂₅₄	C ₂₅₅	C ₂₅₆	C ₂₅₇	C ₂₅₈	C ₂₅₉	C ₂₆₀	C ₂₆₁	C ₂₆₂	C ₂₆₃	C ₂₆₄	C ₂₆₅	C ₂₆₆	C ₂₆₇	C ₂₆₈	C ₂₆₉	C ₂₇₀	C ₂₇₁	C ₂₇₂	C ₂₇₃	C ₂₇₄	C ₂₇₅	C ₂₇₆	C ₂₇₇	C ₂₇₈	C ₂₇₉	C ₂₈₀	C ₂₈₁	C ₂₈₂	C ₂₈₃	C ₂₈₄	C ₂₈₅	C ₂₈₆	C ₂₈₇	C ₂₈₈	C ₂₈₉	C ₂₉₀	C ₂₉₁	C ₂₉₂	C ₂₉₃	C ₂₉₄	C ₂₉₅	C ₂₉₆	C ₂₉₇	C ₂₉₈	C ₂₉₉	C ₃₀₀	C ₃₀₁	C ₃₀₂	C ₃₀₃	C ₃₀₄	C ₃₀₅	C ₃₀₆	C ₃₀₇	C ₃₀₈	C ₃₀₉	C ₃₁₀	C ₃₁₁	C ₃₁₂	C ₃₁₃	C ₃₁₄	C ₃₁₅	C ₃₁₆	C ₃₁₇	C ₃₁₈	C ₃₁₉	C ₃₂₀	C ₃₂₁	C ₃₂₂	C ₃₂₃	C ₃₂₄	C ₃₂₅	C ₃₂₆	C ₃₂₇	C ₃₂₈	C ₃₂₉	C ₃₃₀	C ₃₃₁	C ₃₃₂	C ₃₃₃	C ₃₃₄	C ₃₃₅	C ₃₃₆	C ₃₃₇	C ₃₃₈	C ₃₃₉	C ₃₄₀	C ₃₄₁	C ₃₄₂	C ₃₄₃	C ₃₄₄	C ₃₄₅	C ₃₄₆	C ₃₄₇	C ₃₄₈	C ₃₄₉	C ₃₅₀	C ₃₅₁	C ₃₅₂	C ₃₅₃	C ₃₅₄	C ₃₅₅	C ₃₅₆	C ₃₅₇	C ₃₅₈	C ₃₅₉	C ₃₆₀	C ₃₆₁	C ₃₆₂	C ₃₆₃	C ₃₆₄	C ₃₆₅	C ₃₆₆	C ₃₆₇	C ₃₆₈	C ₃₆₉	C ₃₇₀	C ₃₇₁	C ₃₇₂	C ₃₇₃	C ₃₇₄	C ₃₇₅	C ₃₇₆	C ₃₇₇	C ₃₇₈	C ₃₇₉	C ₃₈₀	C ₃₈₁	C ₃₈₂	C ₃₈₃	C ₃₈₄	C ₃₈₅	C ₃₈₆	C ₃₈₇	C ₃₈₈	C ₃₈₉	C ₃₉₀	C ₃₉₁	C ₃₉₂	C ₃₉₃	C ₃₉₄	C ₃₉₅	C ₃₉₆	C ₃₉₇	C ₃₉₈	C ₃₉₉	C ₄₀₀	C ₄₀₁	C ₄₀₂	C ₄₀₃	C ₄₀₄	C ₄₀₅	C ₄₀₆	C ₄₀₇	C ₄₀₈	C ₄₀₉	C ₄₁₀	C ₄₁₁	C ₄₁₂	C ₄₁₃	C ₄₁₄	C ₄₁₅	C ₄₁₆	C ₄₁₇	C ₄₁₈	C ₄₁₉	C ₄₂₀	C ₄₂₁	C ₄₂₂	C ₄₂₃	C ₄₂₄	C ₄₂₅	C ₄₂₆	C ₄₂₇	C ₄₂₈	C ₄₂₉	C ₄₃₀	C ₄₃₁	C ₄₃₂	C ₄₃₃	C ₄₃₄	C ₄₃₅	C ₄₃₆	C ₄₃₇	C ₄₃₈	C ₄₃₉	C ₄₄₀	C ₄₄₁	C ₄₄₂	C ₄₄₃	C ₄₄₄	C ₄₄₅	C ₄₄₆	C ₄₄₇	C ₄₄₈	C ₄₄₉	C ₄₅₀	C ₄₅₁	C ₄₅₂	C ₄₅₃	C ₄₅₄	C ₄₅₅	C ₄₅₆	C ₄₅₇	C ₄₅₈	C ₄₅₉	C ₄₆₀	C ₄₆₁	C ₄₆₂	C ₄₆₃	C ₄₆₄	C ₄₆₅	C ₄₆₆	C ₄₆₇	C ₄₆₈	C ₄₆₉	C ₄₇₀	C ₄₇₁	C ₄₇₂	C ₄₇₃	C ₄₇₄	C ₄₇₅	C ₄₇₆	C ₄₇₇	C ₄₇₈	C ₄₇₉	C ₄₈₀	C ₄₈₁	C ₄₈₂	C ₄₈₃	C ₄₈₄	C ₄₈₅	C ₄₈₆	C ₄₈₇	C ₄₈₈	C ₄₈₉	C ₄₉₀	C ₄₉₁	C ₄₉₂	C ₄₉₃	C ₄₉₄	C ₄₉₅	C ₄₉₆	C ₄₉₇	C ₄₉₈	C ₄₉₉	C ₅₀₀	C ₅₀₁	C ₅₀₂	C ₅₀₃	C ₅₀₄	C ₅₀₅	C ₅₀₆	C ₅₀₇	C ₅₀₈	C ₅₀₉	C ₅₁₀	C ₅₁₁	C ₅₁₂	C ₅₁₃	C ₅₁₄	C ₅₁₅	C ₅₁₆	C ₅₁₇	C ₅₁₈	C ₅₁₉	C ₅₂₀	C ₅₂₁	C ₅₂₂	C ₅₂₃	C ₅₂₄	C ₅₂₅	C ₅₂₆	C ₅₂₇	C ₅₂₈	C ₅₂₉	C ₅₃₀	C ₅₃₁	C ₅₃₂	C ₅₃₃	C ₅₃₄	C ₅₃₅	C ₅₃₆	C ₅₃₇	C ₅₃₈	C ₅₃₉	C ₅₄₀	C ₅₄₁	C ₅₄₂	C ₅₄₃	C ₅₄₄	C ₅₄₅	C ₅₄₆	C ₅₄₇	C ₅₄₈	C ₅₄₉	C ₅₅₀	C ₅₅₁	C ₅₅₂	C ₅₅₃	C ₅₅₄	C ₅₅₅	C ₅₅₆	C ₅₅₇	C ₅₅₈	C ₅₅₉	C ₅₆₀	C ₅₆₁	C ₅₆₂	C ₅₆₃	C ₅₆₄	C ₅₆₅	C ₅₆₆	C ₅₆₇	C ₅₆₈	C ₅₆₉	C ₅₇₀	C ₅₇₁	C ₅₇₂	C ₅₇₃	C ₅₇₄	C ₅₇₅	C ₅₇₆	C ₅₇₇	C ₅₇₈	C ₅₇₉	C ₅₈₀	C ₅₈₁	C ₅₈₂	C ₅₈₃	C ₅₈₄	C ₅₈₅	C ₅₈₆	C ₅₈₇	C ₅₈₈	C ₅₈₉	C ₅₉₀	C ₅₉₁	C ₅₉₂	C ₅₉₃	C ₅₉₄	C ₅₉₅	C ₅₉₆	C ₅₉₇	C ₅₉₈	C ₅₉₉	C ₆₀₀	C ₆₀₁	C ₆₀₂	C ₆₀₃	C ₆₀₄	C ₆₀₅	C ₆₀₆	C ₆₀₇	C ₆₀₈	C ₆₀₉	C ₆₁₀	C ₆₁₁	C ₆₁₂	C ₆₁₃	C ₆₁₄	C ₆₁₅	C ₆₁₆	C ₆₁₇	C ₆₁₈	C ₆₁₉	C ₆₂₀	C ₆₂₁	C ₆₂₂	C ₆₂₃	C ₆₂₄	C ₆₂₅	C ₆₂₆	C ₆₂₇	C ₆₂₈	C ₆₂₉	C ₆₃₀	C ₆₃₁	C ₆₃₂	C ₆₃₃	C ₆₃₄	C ₆₃₅	C ₆₃₆	C ₆₃₇	C ₆₃₈	C ₆₃₉	C ₆₄₀	C ₆₄₁	C ₆₄₂	C ₆₄₃	C ₆₄₄	C ₆₄₅	C ₆₄₆	C ₆₄₇	C ₆₄₈	C ₆₄₉	C ₆₅₀	C ₆₅₁	C ₆₅₂	C ₆₅₃	C ₆₅₄	C ₆₅₅	C ₆₅₆	C ₆₅₇	C ₆₅₈	C ₆₅₉	C ₆₆₀	C ₆₆₁	C ₆₆₂	C ₆₆₃	C ₆₆₄	C ₆₆₅	C ₆₆₆	C ₆₆₇	C ₆₆₈	C ₆₆₉	C ₆₇₀	C ₆₇₁	C ₆₇₂	C ₆₇₃	C ₆₇₄	C ₆₇₅	C ₆₇₆	C ₆₇₇	C ₆₇₈	C ₆₇₉	C ₆₈₀	C ₆₈₁	C ₆₈₂	C ₆₈₃	C ₆₈₄	C ₆₈₅	C ₆₈₆	C ₆₈₇	C ₆₈₈	C ₆₈₉	C ₆₉₀	C ₆₉₁	C ₆₉₂	C ₆₉₃	C ₆₉₄	C ₆₉₅	C ₆₉₆	C ₆₉₇	C ₆₉₈	C ₆₉₉	C ₇₀₀	C ₇₀₁	C ₇₀₂	C ₇₀₃	C ₇₀₄	C ₇₀₅	C ₇₀₆	C ₇₀₇	C ₇₀₈	C ₇₀₉	C ₇₁₀	C ₇₁₁	C ₇₁₂	C ₇₁₃	C ₇₁₄	C ₇₁₅	C ₇₁₆	C ₇₁₇	C ₇₁₈	C ₇₁₉	C ₇₂₀	C ₇₂₁	C ₇₂₂	C ₇₂₃	C ₇₂₄	C ₇₂₅	C ₇₂₆	C ₇₂₇	C ₇₂₈	C ₇₂₉	C ₇₃₀	C ₇₃₁	C ₇₃₂	C ₇₃₃	C ₇₃₄	C ₇₃₅	C ₇₃₆	C ₇₃₇	C ₇₃₈	C ₇₃₉	C ₇₄₀	C ₇₄₁	C ₇₄₂	C ₇₄₃	C ₇₄₄	C ₇₄₅	C ₇₄₆	C ₇₄₇	C ₇₄₈	C ₇₄₉	C ₇₅₀	C ₇₅₁	C ₇₅₂	C ₇₅₃	C ₇₅₄	C ₇₅₅	C ₇₅₆	C ₇₅₇	C ₇₅₈	C ₇₅₉	C ₇₆₀	C ₇₆₁	C ₇₆₂	C ₇₆₃	C ₇₆₄	C ₇₆₅	C ₇₆₆	C ₇₆₇	C ₇₆₈	C ₇₆₉	C ₇₇₀	C ₇₇₁	C ₇₇₂	C ₇₇₃	C ₇₇₄	C ₇₇₅	C ₇₇₆	C ₇₇₇	C ₇₇₈	C ₇₇₉	C ₇₈₀	C ₇₈₁	C ₇₈₂	C ₇₈₃	C ₇₈₄	C ₇₈₅	C ₇₈₆	C ₇₈₇	C ₇₈₈	C ₇₈₉	C ₇₉₀	C ₇₉₁	C ₇₉₂	C ₇₉₃	C ₇₉₄	C ₇₉₅	C ₇₉₆	C ₇₉₇	C ₇₉₈	C ₇₉₉	C ₈₀₀	C ₈₀₁	C ₈₀₂	C ₈₀₃	C ₈₀₄	C ₈₀₅	C ₈₀₆	C ₈₀₇	C ₈₀₈	C ₈₀₉	C ₈₁₀	C ₈₁₁	C ₈₁₂	C ₈₁₃	C ₈₁₄	C ₈₁₅	C ₈₁₆	C ₈₁₇	C ₈₁₈	C ₈₁₉	C ₈₂₀	C ₈₂₁	C ₈₂₂	C ₈₂₃	C ₈₂₄	C ₈₂₅	C ₈₂₆	C ₈₂₇	C ₈₂₈	C ₈₂₉	C ₈₃₀	C ₈₃₁	C ₈₃₂	C ₈₃₃	C ₈₃₄	C ₈₃₅	C ₈₃₆	C ₈₃₇	C ₈₃₈	C ₈₃₉	C ₈₄₀	C ₈₄₁	C ₈₄₂	C ₈₄₃	C ₈₄₄	C ₈₄₅	C ₈₄₆	C ₈₄₇	C ₈₄₈	C ₈₄₉	C ₈₅₀	C ₈₅₁	C ₈₅₂	C ₈₅₃	C ₈₅₄	C ₈₅₅	C ₈₅₆	C ₈₅₇	C ₈₅₈	C ₈₅₉	C ₈₆₀	C ₈₆₁	C ₈₆₂	C ₈₆₃	C ₈₆₄	C ₈₆₅	C ₈₆₆	C ₈₆₇	C ₈₆₈	C ₈₆₉	C ₈₇₀	C ₈₇₁	C ₈₇₂	C ₈₇₃	C ₈₇₄	C ₈₇₅	C ₈₇₆	C ₈₇₇	C ₈₇₈	C ₈₇₉	C ₈₈₀	C ₈₈₁	C ₈₈₂	C ₈₈₃	C ₈₈₄	C ₈₈₅	C ₈₈₆	C ₈₈₇	C ₈₈₈	C ₈₈₉	C ₈₉₀	C ₈₉₁	C ₈₉₂	C ₈₉₃	C ₈₉₄	C ₈₉₅	C ₈₉₆	C ₈₉₇	C ₈₉₈	C ₈₉₉	C ₉₀₀	C ₉₀₁	C ₉₀₂	C ₉₀₃	C ₉₀₄	C ₉₀₅	C ₉₀₆	C ₉₀₇	C ₉₀₈	C ₉₀₉	C ₉₁₀	C ₉₁₁	C ₉₁₂	C ₉₁₃	C ₉₁₄	C ₉₁₅	C ₉₁₆	C ₉₁₇	C ₉₁₈	C ₉₁₉	C ₉₂₀	C ₉₂₁	C ₉₂₂	C ₉₂₃	C ₉₂₄	C ₉₂₅	C ₉₂₆	C ₉₂₇	C ₉₂₈	C ₉₂₉	C ₉₃₀	C ₉₃₁	C ₉₃₂	C ₉₃₃	C ₉₃₄	C ₉₃₅	C ₉₃₆	C ₉₃₇	C ₉₃₈	C ₉₃₉	C ₉₄₀	C ₉₄₁	C ₉₄₂	C ₉₄₃	C ₉₄₄	C ₉₄₅	C ₉₄₆	C ₉₄₇	C ₉₄₈	C ₉₄₉	C ₉₅₀	C ₉₅₁	C ₉₅₂	C ₉₅₃	C ₉₅₄	C ₉₅₅	C ₉₅₆	C ₉₅₇	C ₉₅₈	C ₉₅₉ </
--------	---	----------	---	---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	---------------------

LOI 2, PARTS 1 AND 51 MAIN SURVIVORS

DELLIUS FARM

ACF 1. MATH-FOUND SURVIVAL

WAIL HIGHWAY 75

NOTES

THIS SUBDIVISION IS A FURTHER SUBDIVISION OF THE 1968 FORESTLAND SUBDIVISION, BLAINE COUNTY, MONTANA AND EXISTING TO BLAINE COUNTY SUBDIVISION, ORDINANCE 776

AND FURTHER \$5,000,000 OF NEW TILDS PLANT MAY OCCUR

ALL THE ABOVE HAVE A COMBINATION OF UTILITY BASED WITH AN

ALL MATERIALS ARE AVAILABLE NOW WITH THE BEST OF QUALITY

MEMBERSHIP BY THE LOCAL OWNERS ASSOCIATION PER THE SCHEDULED

ENVELOPE WITHIN THE HOMEOWNERS ASSOCIATION AND BUDGET COMMITTEE

THE UNIVERSITY OF CHICAGO

OTHER STRUCTURES, E.G., MAY BE INSTALLED PLATED ENVELOPES WITH HOMEOWNERS ASSOCIATION APPROVAL AND PROPER REQUIRED SETBACKS.

ALL ASSOCIATED RESIDENTIAL STRUCTURES AND OUTBUILDINGS MUST

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

ALL FILMING MUST BE A POSITIVE POINT

REQUIREMENT

ALL HOMEOWNERS WILL BE REIMBURSED FOR COSTS OF PERMITS FROM DATE OF PAYMENT OF CASH AND CASH TO OWNER FOR A PERMIT.

ALL MATHS QUESTIONS WILL BE OF THE SAME TYPE AND LENGTH AS THE QUESTIONS IN THE SAMPLE QUESTIONS.

AVAILABLE TO THE COME ANNUALS PER HONOR DEPARTMENT OF FISHERY

11. ALL HOMEOWNERS DOES MUST BE KEPT FILLED OR UNDER DIRECT CONTROL OF HOMEOWNER AND WILL NOT BE ALLOWED TO RUN AT LARGE

THE INFORMATION HAS BEEN OBTAINED FROM ALL AVAILABLE SOURCES AND IS BEING FURNISHED TO YOU FOR YOUR INFORMATION.

13. THE HOMEOWNERS ASSOCIATION WILL BE REQUIRED TO MAINTAIN AND

FOR CLIPPING AND THE BULGARIAN OF GABRIEL: AND CONTAINS ITS

14. ALL DOMESTIC WELLS AND SEPTIC SYSTEMS SHALL BE APPROVED BY THE BOARD

ONE HUNDRED FEET FROM ANY DOMESTIC WELLS AND ONE HUNDRED FEET FROM

NOTES

15. ALL SUBDIVISION PLANS WILL MEET BLAKE COUNTY ROAD STANDARDS

This map is a photographic reproduction of that on file in either the Recorder's or the Surveyor's Office. The company assumes no liability for variation, if any, with another or re-survey.

Company Of:
Sawtooth Title Co.
Box 144
Northwood, Idaho 83450
720-4593

**BASIS OF BEARING IS
MAIN - FORESTLAND SURVEY**

A vicinity map showing the project area (indicated by a red dot) located near the intersection of Highway 101 and Highway 1. The map also shows the location of the project area relative to the city of San Francisco and the San Francisco Bay Area.

MICROFILM
FEB 23 1966

[Handwritten signature]
6/20/84
MICHAEL U FOSBURY, S.S. 3021

6-01 804 (H)GMAIL & MING. INC
ALL INFORMATION CONTAINED

37-08616

WELL #3

LOT #3

Main Menu
~~Pipe Liner~~
~~300.00 gpm~~
 Date and Time
 6/26/97 11:06:41

~~Pipe O.D.~~
~~2.300 inches~~
~~Pipe Wall Thickness~~
~~0.200 inches~~
 Pipe I.D.
 1.900 inches
 Pipe Material
 *PVC
 Fluid Type
 *WATER
 Transducer Type
 *Standard Hi Temp
 Transducer Mount
 U Mt. Z Mt. *W Mt.
~~300.00 gpm~~
 Transducer Spacing
 2.50 inches
 Flow Units
 *Gallons
 Damping
 10 secs

$$\underline{\underline{X = 0.15 \text{ cfs}}}$$

$$\frac{0.02 \text{ cfs}}{9 \text{ gpm}} = \frac{X}{68 \text{ gpm}}$$

$$\frac{N}{11} = \sum$$

$$\sum = 68 \text{ gpm}$$

Pipe Wall Thickness 6000
 0.125 inches
 SigStr = 100.0%
 Margin = 143%
 Flow = 67.91 GPM
 Flow = 68.33 GPM
 Flow = 68.13 GPM
 Flow = 68.00 GPM
 Flow = 68.03 GPM
 Flow = 68.03 GPM
 Flow = 68.15 GPM
 Flow = 67.91 GPM
 Flow = 67.82 GPM
 Flow = 68.06 GPM
 Flow = 67.84 GPM
 Flow = 67.93 GPM
 SigStr = 100.0%
 Margin = 139%

MICROFILMED
 FEB 23 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 37-90-S-0085-000 OTHER APPLICABLE NO: 37-08615
2. OWNER: SILVER CRK FRMS HOMEDOWNERS ASSOC. Phone: (208)368-0970
Address: SILVER LKS. DR., BELLEVUE, ID 83313
3. WELL LOCATION: Twp 01N, Rge. 18E, Sec. 12, NE 1/4 SE 1/4
County BLAINE (Provide sketch map and photo on reverse.)
4. DRILLER: WOOD RVR. DRILLING Lic. No. _____
When Drilled? 8/90
5. WELL CONSTRUCTION:
Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 24" above o.g.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
FEB 7 3 1991

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: KA LOT 3 of SILVER CRK. FRMS. SUBD.

W. Satterlee WRAgent
Signature of Dept. Representative & Title

26 June 97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



LOOKING W'LY

GPS A0002902

MICROFILMED

FEB 2 3 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES
1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380
Phone: (208) 736-3033 FAX: (208) 736-3037

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 9, 1997

Darlene & Franklin Bramon
1901 S. Springbrook Lane
Boise, ID. 83706

RE: Permit 37-08614,-08615,-08616,-08617,-08618,-08619

Dear Mrs. Bramon,

This is a follow up letter per phone conversations on May 30, 1997, June 2, 1997, and the phone message I left on your answering machine this morning.

After several attempts by phone to schedule an appointment, I am writing to let you know I will perform a field examination on the above permits.

According to our records, you filed Proof of Beneficial Use on August 9, 1993. When a permit holder files proof, the permit holder is stating, "...all development has occurred under this permit and that water has been applied according to the provisions of the permit for the beneficial use."

On June 5, 1997, Charles Brockway called me in regards to your concern about the "lack of development" relative to several of the permits. He asked what would the field examination consist of. I repeated to Mr. Brockway what I shared with you, that an examination is verifying the development of the permit.

I would appreciate acknowledgement from you to schedule an appointment by June 13, 1997. If I do not hear from you, I will proceed with the examination.

Thank you for your attention in this matter. You can reach me at the office number or voice mail (208) 736-4753 #228.

Cordially,

A handwritten signature in cursive script that reads "Georgia Satterlee".

Georgia Satterlee
Water Resource Agent

MICROFILMED
FEB 23 1998

6/9/94

COMMUNICATION DOCUMENTATION

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.

IDWR Employee/Agent Georgia Satterlee

DATE

June 5, 1997 4:43pm

CUSTOMER

Brockway, Chas.

SUBJECT: Permits 37-08614,-08619

phone call (x) walk-in (.)

Charles Brockway called to let me know he helped Darlene Bramon "design" the system(s) in the subdivision. He said she was concerned about why I was calling her and what actually would I be "examining"? I told him what I told her, i.e. what an exam consists of. He said that some of the wells are there but houses are not built. I said I could not say how the exam would go from where I was sitting at the moment. I said Ms. Bramon cancelled on me and that she was suppose to get back to me beginning 09 June 1997 to set another appointment.

MICROFILMED
FEB 7 1998

Photo 1/1

Well

Pond 3 Lot 3 Photo looking SE'ly

Well GPS A0002902

Photo looking W'ly

P/D Sec 12, T01N, R18E, NE1/4 SE1/4

MICROFILMED

FEB 24 1998

Silver Crk Frms Subd Lot 3

26 June97 noon +

Examiner: G.Satterlee

37-08616



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

JULY 3, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SILVER CREEK FARMS HOMEOWNERS ASSOC
10 SILVER LAKES DR
BELLEVUE WA 83313


RE: Permit Nos. 37-08614/615/616/617/618/619

Dear Sirs,

This letter is to confirm that the assignments of ownership on the above referenced water rights are satisfactory. We have modified our computer records to reflect these changes in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

RECEIVED

JUL 19 1995

DATE: 06/28/95
PAGE: 1

Audit: 06/18/90 BALDWIN 06/25/90 CURTIS 07/09/90 CURTIS 08/30/90 CURTIS
09/04/90 CURTIS 08/16/93 GUSTAFSSON 08/20/93 GUSTAFSSON 06/28/95 CZIMMERMAN

MEMORANDUM

DATE: June 27, 1995
TO: File No. 37-08616
FROM: Cindy Zimmerman
SUBJECT: Board of Directors

=====

Per telecon with Darlene Bramon today, the members of the board of directors of Silver Creek Farms Homeowners Assn are Franklin Bramon, Darlene Bramon, Ronald Slocum, and Sallie Slocum.

MISSOURI MED

JUL 19 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 22, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SILVER CREEK FARMS HOMEOWNERS ASSN
10 SILVER LAKES DR
BELLEVUE ID 83313

RE: Assignment of Permit Nos. 37-08614 through 37-08619

Dear Sirs:

I recently received assignments on the above permits for final review. However, due to the requirement of Water Allocation Rule 035.03.b.i., I need a list of the names, titles, and addresses of all the officers and/or partners of Silver Creek Farms Homeowners Association.

I will hold further processing on your assignments for 14 days pending your response. Please submit this information as quickly as possible within the 14-day period to prevent any further undue delay in processing your assignments.

If you have any questions, please feel free to contact me at (208) 327-7944.

Sincerely,

Cindy Zimmerman
Water Resource Agent

RECEIVED

JUL 19 1995

August 20, 1993

FRANKLIN BRAMON
DARLENE BRAMON
RONALD SLOCUM
SALLIE SLOCUM
1901 S SPRINGBROOK LN
BOISE ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08616

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 26 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08616 Reviewed by klg Date 8/16/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 37-91-C-0014-000
200 ~~35~~ Amount paid for permit yes Correct? 15
data c Well log in the file? 16

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 8/16/93 klg

Proof Made 8/12/93 8/20/93
klg

Drilling Permit No. 37-91-Z-014
Water Right Permit 37-08614
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Franklin Brunen, Darlene Brunen, Ronald Stearn, Sallie Stearn

2. Mailing Address 1455 Teal Lane,
City & State Boise, Idaho Zip Code 83706 Telephone 268-0970 or 389-1450

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 SE 1/4, or Gov't Lot No. _____

Sec. 12, Twp. 1N, Rge. 18E, County Blaine

Street Address of Well Site Lot #1

Lot, block and subdivision Silver Creek Farms

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date approx 9/10/91 **AUG 26 1993**

7. Anticipated Well Driller Smith Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Franklin Brunen Date 9/3/91

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 9/3/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. BOTH THE OWNER AND THE WELL DRILLER ARE REQUIRED TO TAKE WHATEVER STEPS MIGHT BE NECESSARY IN THE CONSTRUCTION OF THE WELL TO MINIMIZE INTERFERENCE WITH SURFACE WATER AND SHALLOW GROUND WATER.

Frank J. Reuc
Signature of Authorized Department Representative

GP Manager
Title

Receipt No. 0021648 Received by lt Fee 200⁰⁰ Date 9-3-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date AUG 26 1993

This extension is good for 60 days beyond the above extension approval date.

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Franklin Broman, Darlene Broman, Ronald Sheum, Sallie Sheum

2. Mailing Address 1955 Ten! Lane

City & State Boise, Idaho Zip Code 83706 Telephone 368-0970 or 389-1450

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE SE 1/4 SE 1/4, or Gov't Lot No. _____

Sec. 13, Twp. 1N, Rge. 18E, County Bhine

Street Address of Well Site Lot #5

Lot, block and subdivision Silver Creek Farms

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

(X) Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. (X) New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Approx 9/10/91

7. Anticipated Well Driller Smith Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Darlene Broman Date 9/3/91

Title Owner
(Owner, Firm Representative, Other)

AUG 26 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 9/3/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. BOTH THE OWNER AND WELL DRILLER ARE REQUIRED TO TAKE WHATEVER STEPS MIGHT BE NECESSARY IN THE CONSTRUCTION OF THE WELL TO MINIMIZE INTERFERENCE WITH SURFACE WATER AND SHALLOW GROUND WATER.

Stump A Rev
Signature of Authorized Department Representative

GP Manager
Title

Receipt No. 62164 Received by LT Fee 200⁰⁰ Date 9-3-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date AUG 26 1993

This extension is good for 60 days beyond the above extension approval date.

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Franklin Bramer, Darlene Bramer, Ronald Sheum, Sallie Sloan

2. Mailing Address 1455 Teal Lane

City & State Boise, Idaho Zip Code 83706 Telephone 318-0770 - 389-1450

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location NESE 1/4 SE 1/4, or Gov't Lot No. _____

Sec. 12, Twp. 14, Rge. 18E, County Blaine

Street Address of Well Site Int #6

Lot, block and subdivision Silver Creek Farms

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

(X) Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. (X) New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 10" Proposed Maximum Depth 150'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date approx 9/10/91 SEP 26 1991

7. Anticipated Well Driller Smith Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Darlene Bramer Date 9/3/91

Title Owner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 9/3/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. BOTH THE OWNER AND THE WELL DRILLER ARE REQUIRED TO TAKE WHATEVER STEPS MIGHT BE NECESSARY IN THE CONSTRUCTION OF THE WELL TO MINIMIZE INTERFERENCE WITH SURFACE WATER AND SHALLOW GROUND WATER.

Signature of Authorized Department Representative Stuart A. Reese Title GP Manager

Receipt No. 6021648 Received by lt Fee 200⁰⁰ Date 9-3-91 AUG 26 1993

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

PERMIT NUMBER 37-91-C-0014-000
OWNER CODE 0
NAME & ADDRESS RON SLOCUM
TWP RGE SEC TRACT LOT COUNTY
01N 13E 12 NE SE BLAINE

Subdivision Location and Description:
Subdivision Name: SILVER CREEK FARMS
Well Site Address:
City, State:
Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Proposed Use of Well: Domestic
Proposed Casing Diameter: 6 In.
Proposed Depth: 150 Ft.

Well Use Comments:

Driller License No: 2265
Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Permit Status: Permit
Verbal Issue Date: 09/02/1991
Date Received: 09/02/1991
Date Approved: 09/02/1991
Proposed Start Date: 09/10/1991
Extension Date:
Extension Expiration:
Receipt No. C021643
Receipt Date 09/03/1991
Fee \$ 500.00

Specific Conditions: Both the owner and the well driller are required to take whatever steps might be necessary in the construction of the well to minimize interference with surface water and shallow ground water.

Permit Remarks: This well is interconnected with two other wells. Permit nos. 37-91-C-0015-000 and 37-91-C-0016-000. These three wells supply water for permit nos. 37-08614/15/16/17/18/19.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-91-C-0014-000
Water Right No: 37-08614
Injection Permit No:

Nature of Work: NEW WELL
Construction Method: ROTARY
Casing Diameter: 6 In.
Depth of Casing: 162 Ft.
Total Depth: 164 Ft.
Screen Installed?
Static Water Level: 60 Ft.
Temperature:
Production Rate: 70.00 GPM
Actual Start Date: 10/31/1991
Well Finish Date: 11/01/1991
Log Received Date: 11/06/1991
Certification Date:
Field Inspection Date:

Well Log Remarks:

AUG 26 1993

PERMIT
NUMBER

37-91-C-0015-000

OWNER
CODE

O

NAME & ADDRESS

O FRANKLIN BRAMON
O RON SLOCUM
1955 TEAL LN
BOISE, ID 83706
(208) 368-0970

TWP RGE SEC TRACT LOT
01N 18E 12 SE SE

COUNTY

BLAINE

Subdivision Location and Description:

Subdivision Name: SILVER CREEK FARMS
Well Site Address:
City, State:

Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Lot(s): 005
Block(s):

Proposed Use of Well: Irrigation

Proposed Casing Diameter: 6 In.

Proposed Depth: 150 Ft.

Well Use Comments:

Driller License No: 0255

Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Permit Status: Permit

Verbal Issue Date: 09/03/1991
Date Received: 09/03/1991
Date Approved: 09/03/1991
Proposed Start Date: 09/10/1991
Extension Date:
Extension Expiration:

Receipt No. C021548
Receipt Date 09/03/1991

Fee \$ 600.00

Specific Conditions: Both the owner and well driller are required to take whatever steps might be necessary in the construction of the well to minimize interference with surface water and shallow ground water.

Permit Remarks: This well is interconnected with two other wells, Permit nos. 37-91-C-0014-000 and 37-91-C-0016-000. These wells supply water for water right nos. 37-08614/15/16/17/18/19.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-91-C-0015-000

Water Right No: 37-08613
Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter: 6 In.
Depth of Casing: 162 Ft.
Total Depth: 163 Ft.
Screen Installed? No

Static Water Level: 60 Ft.
Temperature: F.
Production Rate: 100.00 GPM

Actual Start Date: 10/03/1991
Well Finish Date: 10/04/1991
Log Received Date: 10/15/1991
Certification Date: 10/10/1991
Field Inspection Date: 10/03/1991

Well Log Remarks: SURFACE SEAL 20 FT.

Inspector: GF

AUG 26 1993

PERMIT
NUMBER

OWNER
CODE

NAME & ADDRESS

TWP RGE SEC TRACT LOT

COUNTY

37-91-C-0016-000

0 FRANKLIN BRAMON
0 RON SLOCUM
1955 TEAL LN
BOISE, ID 83706
(208) 368-0970

Subdivision Location and Description:

Subdivision Name: SWEET CREEK FARMS
Well Site Address:
City, State:

Lot(s): 006
Block(s):

Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Proposed Use of Well: Irrigation

Proposed Casing Diameter: 6 in.

Proposed Depth: 150 ft.

Well Use Comments:

Driller License No: 0285

Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Permit Status: Permit

Verbal Issue Date: 09/03/1991
Date Received: 09/03/1991
Date Approved: 09/03/1991
Proposed Start Date: 09/10/1991
Extension Date:
Extension Expiration:

Receipt No. Receipt Date Fee
C021548 09/03/1991 \$ 600.00

Specific Conditions: Both the owner and the well driller are required to take whatever steps might be necessary in the construction of the well to minimize interference with surface water and shallow ground water.

Permit Remarks: This well is interconnected with two other wells. Permit nos 37-91-C-0014 and 37-91-C-0015-000. These wells supply water to permit nos. 37-08614/15/16/17/18/19.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-91-C-0016-000

Water Right No: 37-08619
Injection Permit No:

Nature of Work: NEW WELL

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter: 6 in.
Depth of Casing: 163 ft.
Total Depth: 163 ft.
Screen Installed? No

Static Water Level: 60 ft.
Temperature: F.
Production Rate: 100.00 GPM

Actual Start Date: 10/02/1991
Well Finish Date: 10/03/1991
Log Received Date: 10/07/1991
Certification Date: 10/03/1991
Field Inspection Date:

Inspector:

Well Log Remarks: ACCUAL DEPTH OF CASING 162.5 FT.
SURFACE SEAL 20 FT.

AUG 26 1993

North Orchard Street
Idaho 83706-2237

NO. 7909790

卷一

POSTAGE TO RETURN TO:

☐ MOVED, LEFT NO ADDRESS
☐ RETURNING ORDER
☐ NO SUCH STREET
☐ NO SUCH STATE

POSTAGE TO RETURN TO:

☐ MOVED, LEFT NO ADDRESS
☐ RETURNING ORDER
☐ NO SUCH STREET
☐ NO SUCH STATE

44-38861-10392

[illegible]

RECEIVED

AUG 03 1993

Department of Water Resources

BOISE
JUL 30 '93
PB METER
7002444
U.S. POSTAGE
\$1.52

Box ~~2342~~ 6 1993
Boise 83701

Remailed 8/3/93^{***}

July 31, 1993

FRANKLIN BRAMON
DARLENE BRAMON
RONALD SLOCUM
SALLIE SLOCUM
P.O. BOX 392
HAILEY ID 83333

PROOF DUE NOTICE

RE: PERMIT NO. 37-08616

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
AUG 26 1993



9/89

Drilling Permit No. 37-90-5-085Water Right Permit No. 37-8616

Injection Permit No. _____

RECEIVED

JUN 13 1990

State of Idaho
Department of Water ResourcesDepartment of Water Resources
Southern Region Office

DRILLING PERMIT

RECEIVED

JUN 20 1990

Department of Water Resources

1. Applicant (Please Print) FRANKLIN L. GRAMON
2. Mailing Address Box 392
HAILEY IDAHO 83333 Telephone 208-288-4354
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 12, Twp. 1 No, Rge. 18E, County BLAINE,
Street Address of Well Site LOT 3 SILVER CREEK FARMS SUB.,
Lot, block and subdivision ABOVE
4. Proposed use of well:
☒ Single family or stockwater use (less than 13,000 gallons per day)
☒ Irrigation (more than 1/2 acre)
☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
☐ Other (describe fully) _____
5. Well construction information:
 - A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.
 - B. Proposed surface diameter 6" Maximum depth 250'
 - C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Construction Start Date JUNE 15, 1990
7. Anticipated Well Driller WALKER WATER SYSTEMS TWIN FALLS ID.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Franklin L. Gramon Date 5-18-90
Title Owner
(Owner, Firm Representative, Other)

AUG 26 1993

ACT OF DEPARTMENT OF WATER RESOURCES

This Permit is Amended Date 6/18/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Loren O. Thaler
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. SO/2410 Received by [Signature] Fee \$10. Date 6-18-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____
This extension is good for 60 days beyond the above extension approval date. **AUG 26 1993**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 37-08616 RONALD & SALLIE SLOCUM
Name(s) of Permit Holder(s): FRANKLIN & DARLENE BRAMON
Post Office Address: Box 392 HALEY IDAHO 83333
Tel. No. 788-2359

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 9-17-90 (APPROX) I understand that I must
(date) continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

11-7-90
Date

Franklin & Darlene Bramon
Signature of Permit Holder

Frank Brown
Box 392
Hailey Idaho 83333



U.S. POSTAGE
25
FACE
STAMP
HERE

RECEIVED
NOV 8 1990



RECEIVED
AUG 26 1993

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 6, 1990

FRANKLIN BRAMON
DARLENE BRAMON
RONALD SLOCUM
SALLIE SLOCUM
P.O. BOX 392
HAILEY, ID 83333

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08616

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed

MICROFILMED

SEP 26 1990

diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 26 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

25
Bannon, Franklin, Darlene
or
Slocum, Ronald, Sallie

INITIAL REVIEW BY J. F. Stanton DATE 4-12-90 APPLICATION NUMBER 37-08616

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 3-23-90

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
SWAN FALLS HOLD? No
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper, recorded on application~~
☐ Yes ☒ No Protests received
Final date for protest 7/23/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 37
☒ Yes ☐ No Special conditions of approval or cover letter below. 26A

See below for additional information

Date of priority recommended 3/23/90
By Larry O. Hulme Date 8/10/90

STATE OFFICE REVIEW

P23, P05, P17

46 26

See below for additional information

By KW Date 8/27/90

ADDITIONAL INFORMATION

App. in TRUST area-DCMI
allow 3 yrs. to complete

RECEIVED
AUG 15 1990

Department of Water Resources

19-Jun-1990

FRANKLIN &/OR DARLENE BRAMON
RONALD &/OR SALLIE SLOCUM
PO BOX 392
HAILEY ID 83333

Re: Application for Permit Nos. 37-08614, 37-08615, 37-08616,
37-08617, 37-08618, 37-08619

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above referenced identification numbers. Please refer to these numbers in all further correspondence.

This office will be advertising the applications in the Wood River Journal on 7/3 & 7/11/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the applications are not protested, they will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the applications and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

MICROFILMED

SEP 26 1990

JS:MB

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

JUNE 18, 1990

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 23, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

SEP 28 1990

37-08616

BRAMON, FRANKLIN
BRAMON, DARLENE
SLOCUM, RONALD
SLOCUM, SALLIE
P.O. BOX 392
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: NESE Sec 12 T 01N R 18E

Use: DOMESTIC	(.040 CFS)	
DIVERSION TO STORAGE	(.090 CFS)	
AESTHETIC STORAGE		(3.00 AF)
FIRE PROTECTION STORAGE		(3.00 AF)
Total Diversion:	(.130 CFS)	(3.00 AF)

Date Filed: 3/23/ 1990

In: T01N R18E S12 NESE

MICROFILMED

SEP 26 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 4-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 23, 1990.

R. Keith Higginson, Director

Published 7/ 3/1990 & 7/11/1990

MICROFILMED

SEP 26 1990



CHARLES
BROCKWAY
ENGINEERING

March 6, 1990

Mr. Frank Bramon
P.O. Box 392
Hailey, Idaho 83333

Subject: Silver Creek Farms Subdivision Pond System

Dear Frank:

I am enclosing a draft report on the pond system analysis. The pond layout and distribution system is as Darlene and I discussed at her last visit to Kimberly and includes 6 ponds as shown on the enclosed marked-up concept sketch. I am recommending that you line all ponds and open ditches to conserve water. A membrane liner is best suited for this climate. I would also recommend that you divert the water from pond #6 into pond #4 as I have shown to allow additional flow through and decrease turnover times in ponds #4 and #5. It appears from the Galena Engineers survey that there is sufficient elevation difference to allow the ponds and the pipe and open channel system as shown.

I have included on the enclosed calculation sheets an analysis of the pre-project and project effect on recharge to the aquifer from the project lands. Assuming that there were 60 net acres irrigated pre-project by flood irrigation and 44 acres by sprinkler under the project, there is an estimated reduction of approximately 114 acre feet per year of water which would not be recharged to the aquifer on these lands. However, the majority of this water remains in the distribution system and is available to the next user who will undoubtedly use it for irrigation with resulting deep percolation and recharge. It is not possible to determine the exact impact on the ground-water without knowing exactly what use will be made of the additional surface return flow. Keep in mind that, under the proposed plan to irrigate 44 acres, the forgone consumptive use on 16 non-irrigated acres more than offsets the additional evaporation from 4 acres of ponds so there is a net decrease in total water evaporated or consumed.

Please review the report and let me know if there are additional areas to be addressed or other alternatives for analysis.

Sincerely,

C.E. Brockway P.E.

MICROFILMED

SEP 26 1990

CHARLES E.
BROCKWAY,
PHD., P.E.

706 SUNRISE
BOULEVARD
NORTH

TWIN FALLS,
IDAHO 83301

208-733-0938

REPORT ON
WATER REQUIREMENT AND POND DESIGN

SILVER CREEK FARMS SUBDIVISION
BLAINE COUNTY, IDAHO

BY

C.E. BROCKWAY P.E.

FEBRUARY 1990

MICROFILMED

SEP 26 1990

SILVER CREEK FARMS SUBDIVISION

INTRODUCTION

The proposed Silver Creek Farms Subdivision is located in Blaine County, Idaho approximately 4 miles south of the City of Bellevue adjacent to U.S. Highway 75. More specifically it is located in the SE1/4, NE 1/4 Sec 12 T1N R18E Boise Meridian. The proposed project consists of 66 gross acres currently flood irrigated from the Big Wood River through the District 45 canal and laterals. A water right for 150 miners inches of October 15, 1884 water is applicable to the property. The project will consist of 6 individual lots with residences and sprinkler irrigated pasture and cropland.

PROPOSED POND SYSTEM

It is proposed to establish 6 ponds within the property for irrigation and fire protection purposes with water distribution between ponds by a combination buried pipe and ditch system. Irrigation water for lands on each lot will be pumped from the individual ponds to solid set or movable lateral sprinkler systems.

A total of 4 acres of ponds are planned as shown on the accompanying plan sketch. The pond locations are as follows:

MICROFILMED

SEP 28 1990

Pond	Lot	Area
1	1,2	1.00 acres
2	3	.75 acres
3	4	.75 acres
4	5	.50 acres
5	6	.50 acres
6	4,5	.50 acres

Evaporation from pond surfaces will occur during the entire year; however, winter and spring precipitation will offset the loss from the ponds during the non-irrigation season. Evaporation was estimated from the pond surfaces using the Kolar-Nordenson Fox procedure with meteorological data from the Silver Creek area. The estimated April-October gross evaporation loss from the 4 acres of ponds is 33.2 inches compared to the annual estimated evaporation of 38.4 inches. The maximum monthly evaporation of 6.33 inches normally occurs in July. Maximum daily evaporation from the 4 acres of ponds and associated open ditches is .043 cfs 2.2 miners inches.

POND SEEPAGE

Soils underlying the area are quaternary gravels and sands with relatively high infiltration rates. Pond depths of 5 feet or more are planned and seepage rates for unlined ponds and ditches will be in excess of 1-2 cubic feet per square foot per day(ft/day). Lining of ponds and ditches with either membrane liners or bentonite-compacted earth lining can reduce seepage rates below 0.1 ft/day. It is recommended

REPRODUCTION

SEP 26 1990

that a membrane liner, 10 mil or thicker, be utilized since seasonal freezing and thawing of bentonite liners can destroy their effectiveness.

Based on the use of a membrane liner with effective seepage rate of .1 ft/day, the project seepage loss is .226 cfs or 11.3 miners inches.

DISTRIBUTION SYSTEM

Irrigation water will be supplied to the ponds from two diversions from the District 45 canal system. Diversion #1 will feed pond #1 from an existing ditch on the north boundary of the project. A second diversion from the main lateral on the west boundary of the project will feed pond #6. Water from diversion #1 will flow through pond 1 through 5 and water from diversion #2 will flow through ponds 6,4, and 5. All surface return flow will pass from the project lands through an existing culvert on the south boundary. To reduce seepage and evaporation losses, water will be conveyed between ponds 1 and 2, between ponds 4 and 5 and from pond 5 to the culvert in PVC pipe. The remainder of the distribution channels will be lined open ditch.

IRRIGATION

Portions of each lot will be irrigated from adjacent ponds using pumps and sprinkler systems. It is estimated approximately 44 acres will be irrigated from the pond system. Maximum diversion rates of 10 gpm per acre are planned with maximum estimated seasonal consumptive use of pasture and/or alfalfa of 33 inches. Based on irrigation of

MICROFILMED

SEP 26 1990

44 acres, the maximum daily project water requirement is .98 cfs or 49 miners inches.

WATER BUDGET

The water right currently on the records of the District 37 water master is for 150 inches of October 15, 1884 water. It is assumed that the dependable irrigation water supply available for the project will be 132 miners inches or 2 inches per acre for the entire project. This water right with a priority of October 15, 1884 has been cut by the watermaster 24 times in the last 42 years. The average number of days of flow in the last 42 years has been 150 days out of the 182 days in the normal irrigation season between April 1 and September 30. The earliest the right was ever cut was July 1 which occurred in the drouth year of 1977.

Utilizing the 132 inches (2.64 cfs) of inflow with 1.80 cfs through diversion #1 and .84 cfs through diversion #2, the minimum pond turnover time will vary from 19.7 hours to 37.5 hours. The turnover time is the time required for the inflow to completely replace to volume of the pond. These turnover times are somewhat higher than optimum to assure proper oxygen levels in each pond. A target turnover time is 16-24 hours depending on the incoming water temperature and oxygen concentration. However, with the incoming water of good quality with relatively low sediment concentrations and associated phosphate levels, the ponds should remain clear with minimum algae problems. There is sufficient elevation

RECORDED

SEP 26 1990

drop across the property to allow up to two 1 foot drops in the open channel systems to assist in aeration of the flow.

RECEIVED

SEP 26 1990

ESTIMATED POND EVAPORATION, SEEPAGE LOSSES
 SLOCUM/BRAMON SILVER CREEK FARMS SUBDIVISION, SO. OF BELLEVUE, ID
 DATA FROM J.L. WRIGHT AND MARVIN E. JENSEN 1975
 1975 EVAPOTRANSPIRATION AND CLIMATIC DATA FOR THE SILVER CREEK-
 CREEK TRIANGLE BLAINE COUNTY, IDAHO FEBRUARY 1976
 LAKE OR POND EVAPORATION CALCULATED USING THE
 KOHLER-NORDENSON-FOX PROCEDURE

C.E. BROCKWAY P.E. 3/6/90

NUMBER OF PONDS= 6
 AREA OF POND #1= 1 ACRES=
 AREA OF POND #2 0.75 ACRES=
 AREA OF POND #3 0.75 ACRES=
 AREA OF POND #4 0.5 ACRES=
 AREA OF POND #5 0.5 ACRES=
 AREA OF POND #6 0.5 ACRES=
 TOTAL POND AREA= 4 ACRES
 AREA OF PONDS 4.00 ACRES

SEEPAGE RATE MAX= 0.1 FT/DAY
 SEEPAGE RATE MIN= 0.02 FT/DAY

MONTH	AVG EVAP MM/DAY	AVG EVAP IN/DAY	TOTAL MONTHLY EVAP INCHES	PRECIP PICABO- HAILEY INCHES	AVG EVAP GPM	AVG SEEPAGE GPM	AVG SEEPAGE GPM	AVG EVAP+SEEP GPM	AVG EVAP+SEEP GPM	AVG PRECIP GPM	EVAP+SEEP -PRECIP MAX GPM	EVAP+SEEP -PRECIP MIN GPM
						MAX GPM	MIN GPM	MAX GPM	MIN GPM			
OCT	2.07	0.081	2.53	0.75	6.33	93.48	18.70	99.82	25.04	1.88	97.94	23.16
NOV	1.01	0.040	1.19	1.49	3.10	93.48	18.70	96.57	21.79	3.87	92.71	17.92
DEC	0.63	0.025	0.77	2.19	1.93	93.48	18.70	95.41	20.63	5.50	89.91	15.12
JAN	0.56	0.022	0.68	2.35	1.72	93.48	18.70	95.19	20.41	5.91	89.29	14.51
FEB	0.91	0.036	1.00	1.53	2.79	93.48	18.70	96.27	21.49	4.26	92.01	17.23
MAR	1.43	0.056	1.75	1.16	4.39	93.48	18.70	97.86	23.08	2.91	94.95	20.17
APR	2.29	0.090	2.70	1.01	7.02	93.48	18.70	100.50	25.72	2.62	97.88	23.10
MAY	4.32	0.170	5.27	1.31	13.25	93.48	18.70	106.73	31.94	3.29	103.43	28.65
JUN	5.19	0.204	6.13	1.30	15.92	93.48	18.70	109.39	34.61	3.38	106.02	31.24
JUL	5.19	0.204	6.33	0.38	15.92	93.48	18.70	109.39	34.61	0.95	108.44	33.66
AUG	4.55	0.179	5.55	0.62	13.95	93.48	18.70	107.43	32.65	1.56	105.87	31.09
SEP	3.96	0.156	4.68	0.71	12.14	93.48	18.70	105.62	30.84	1.84	103.78	29.00

SEEPAGE PLUS EVAPORATION MINUS PRECIPITATION
 AVERAGE MONTHLY GALLONS PER MINUTE

POND	1 MAX	1 MIN	2 MAX	2 MIN	3 MAX	3 MIN	4 MAX	4 MIN	5 MAX	5 MIN	6 MAX	6 MIN
OCT	24.49	5.79	18.36	4.34	18.36	4.34	12.24	2.89	12.24	2.89	12.24	2.89
NOV	23.18	4.48	17.38	3.36	17.38	3.36	11.59	2.24	11.59	2.24	11.59	2.24
DEC	22.48	3.78	16.86	2.84	16.86	2.84	11.24	1.89	11.24	1.89	11.24	1.89
JAN	22.32	3.63	16.74	2.72	16.74	2.72	11.16	1.81	11.16	1.81	11.16	1.81
FEB	23.00	4.31	17.25	3.23	17.25	3.23	11.50	2.15	11.50	2.15	11.50	2.15
MAR	23.74	5.04	17.80	3.78	17.80	3.78	11.87	2.52	11.87	2.52	11.87	2.52
APR	24.47	5.77	18.35	4.33	18.35	4.33	12.23	2.89	12.23	2.89	12.23	2.89
MAY	25.86	7.16	19.39	5.37	19.39	5.37	12.93	3.58	12.93	3.58	12.93	3.58

DURING THE NON-IRRIGATION SEASON, OCTOBER TO MAY, THE AVERAGE MONTHLY TOTAL SEEPAGE PLUS EVAPORATION LOSS
 NOT OFFSET BY PRECIPITATION ON THE POND SURFACES VARIES FROM A MAXIMUM POTENTIAL OF 25.86 GPM FOR POND
 NO 1 TO 12.93 GPM FOR PONDS 4,5, AND 6 FOR A SEEPAGE RATE OF .1 FT/DAY.

MEMBRANE LINERS ARE CAPABLE OF MAINTAINING SEEPAGE RATES AS LOW AS 1/4 INCH PER DAY (.02 FT/DAY) AS
 REQUIRED FOR SEWAGE LAGOON LININGS. BASED ON A SEEPAGE RATE OF .02 FT/DAY, THE MAXIMUM NET LOSS FOR POND
 NO 1 IS 7.16 GPM AND FOR PONDS 4,5, AND 6 THE ESTIMATED MAXIMUM NET LOSS IS 3.58 GPM.

FILED

1990

[illegible]