





EDWARD BULCHIS SITE LOCATION
LOT 51 JUNE DAY SUB. ELKHORN


RECORDED
JUL 13 1991



EDWARD BULCHIS SITE LOCATION

LOT 51 JUNE DAY SUB ELKHORN


37-08612



SEC. 16, T. 4 N., R. 18 E.

BULCHIS, EDWARD

37-08612



PONDS

$$\textcircled{1} \quad 25' \times 35' \times 2' = 0.04$$

$$\textcircled{2} \quad \left. \begin{array}{l} \text{WEST } 15' (30') \times 2' \\ \text{EAST } 15' (35') \times 2' \end{array} \right\} = 0.04$$

$$\text{SUB-TOTAL} \quad \underline{0.082 \text{ ac/ft}} = \underline{\underline{0.12 \text{ ac/ft}}}$$

EXAMINER: SATTERLEE, G.

BULCHIS, EDWARD
JULY 1998 1300 HRS


37-08612

1/2



photos looking NW'ly[†]

Standing at the place where gulch crosses road to Bulchis property



15 JULY 1998
1300 HRS
SATTERLEE, G.

2/2



POND #2


flower pot

FLOW

LOOKING
NW'LY

7.15.98

flower pot



FROM
POND
#1
via the
ditch...

BACK TO
GULCH

pond #2

PHOTO LOOKING
SE'LY


Bulchis, Edward

37-08612

SATTERLEE, GL

15 JULY 1998 1300 HRS

EDWARD BULCHIS SITE LOCATION
LOT 51-JUNE DAY SUB-ELKHORN



State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08612

Proposed Priority: April 11, 1990 Maximum Diversion Rate: 0.18 CFS

This is to certify, that **EDWARD BULCHIS**
C/O GREGG K. STURTEVANT
P.O. BOX 2924
KETCHUM, ID 83340

has applied for a permit to appropriate water from:

KEYSTONE GULCH CREEK tributary of **ELKHORN CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

AESTHETIC	03/15 to 11/15	0.18 CFS
-----------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NESWSE	Sec. 16, Township 04N, Range 18E BLAINE County
---	--------	---

PLACE OF USE: AESTHETIC

TWN RGE SEC

04N 18E 16 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 37.
4. Use of water under this permit shall be non-consumptive.
5. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If your proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, you must contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
6. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.

RECEIVED

JUL 11 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08612

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of May, 1991.

[Signature]
for R. Keith Higginson, Director

[Faint circular stamp]

JUL 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Edward Bulchis Phone (208) 726-3250

Post office address c/o Gregg K. Sturtevant, P. O. Box 2924, Ketchum, ID 83340

2. Source of water supply Keystone Gulch Creek which is a tributary of Elkhorn Creek

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot --

Sec. 16 Township 4N Range 18E B.M. Blaine County; additional

points of diversion if any: N/A

4. Water will be used for the following purposes:

Amount .18 for Aesthetic purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .18 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Vertical culvert diversion structure
with turn-out gates. New stream channel to two ponds; then new stream channel back
to existing stream. Natural rock spillways from both ponds.

b. Height of storage dam N/A feet; active reservoir capacity less than 1/10 acre-feet; total
reservoir capacity less than 1/10 acre-feet; period of year when water will be diverted to storage:
3-15 to 11-15 inclusive.

c. Proposed well diameter is N/A inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 90°F being sought? N/A

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 Yr. years (minimum 1 year).

RECORDED
JUL 11 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. Aesthetic use for natural ponds and stream channel diverted back into existing natural stream channel within the property boundaries.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	18E	16															J		

Total number of acres to be irrigated N/A

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Edward Bulchis
- b. Who owns the land to be irrigated or place of use? Edward Bulchis
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Aesthetic - Water diverted from existing stream channel to new stream channel and ponds with natural rock spillways. Water from new ponds diverted back into existing channel before leaving the property. Existing stream channel to remain undisturbed. Point of diversion vertical culvert with turn-out gates to new stream channel and existing stream channel.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RECEIVED
JUL 11 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward H. Gulchis
(Applicant)

Received by TP 4/11/90 11:00 AM noon check by DRJ
10 Date 4/11/90 Time 10:30 Preliminary
Fee \$ 30.00 Receipted by J.E. Stanton # 5012018 Date 4/12/90
Publication prepared by M. Baldwin Date 5/31/90 Published in Wood River Journal
Publication approved Ann Garner Date 7-9-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

REGISTERED

JUL 11 1991



AFFIDAVIT of PUBLICATION

RECEIVED

JUL - 6 1990

State of Idaho,

County of Blaine

ss. Department of Water Resources
Southern Region Office

COPY OF NOTICE

(Paste Here)

2 Applications

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Rec. TF

BILL TO

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 20th day of June 19 90, and

the date of the last publication was on the 27th day of June 19 90.

Daniel J. Gorham

Subscribed and sworn to before me this 27th day of June 1990.
(SEAL)

Robert McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	11
Number of Lines in Notice	52
Number of Insertions	2
Lines tabular at	6c / Pica
52 Lines straight at	28.60 5c / Pica
52 Subsequent lines at	22.88 4c / Pica
TOTAL COST	51.48

Two file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08611

RIVERS EDGE PARTNERS
C/O DICK FENTON
P.O. BOX 428
KETCHUM, ID 83340

Source: BIG WOOD RIVER
Tributary: MALAD RIVER
Diversion Pt: SESENE Sec 30 T
04N R 18E

Use: AESTHETIC (4.000 CFS)
Total Diversion: (4.000 CFS)

Date Filed: 5/10/1990
In: T04N R18E S30 SENE

37-08612

BULCHIS, EDWARD
C/O GREG K. STURTEVANT
P.O. BOX 2924
KETCHUM, ID 83340

Source: KEYSTONE GULCH
CREEK

Tributary: ELKHORN CREEK
Diversion Pt: NESWSE Sec 16 T
04N R 18E

Use: AESTHETIC (.180 CFS)
Total Diversion: (.180 CFS)

Date Filed: 4/12/1990
In: T04N R18E S16 SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before JULY 9, 1990.

R. Keith Higginson, Director
June 1 1990 River Journal-
June 20 & 27, 1990.

insertion: 4 pica

No 7084

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Stopwatch, Tapes						
Orange Peel						

2. Measurements:


Via Float Method



EDWARD BULCHIS SITE LOCATION

LOT 51-JUNE DAY SUB-ELKHORN


37-08612



SEC. 16, T. 4 N., R. 18 E.

BULCHIS, EDWARD

37-08612



PONDS

$$\textcircled{1} \ 25' \times 35' \times 2' = 0.04$$

$$\textcircled{2} \ \left. \begin{array}{l} \text{WEST } 15' (30') \times 2' \\ \text{EAST } 15' (35') \times 2' \end{array} \right\} = 0.04$$


$$\text{SUB-TOTAL} \quad \underline{0.082 \text{ ac/ft}} = \underline{\underline{0.1 \text{ ac/ft}}}$$

EXAMINER: SATTERLEE, G.

BULLIS, EDWARD
JULY 1998 1300 HRS

37-08612


1/2




photos looking NW'ly⁺



Standing at the place where gulch crosses road to Bulchis property



holding tank w/
two turn-out gates



flower pot


Pond #1

discharge from holding tank


photo looking NW'ly

15 JULY 1998
1300 HRS
SATTERLEE, G.

2/2



flower pot



Bulchis, Edward

37-08612

SATTERLEE, GL

15 JULY 1998 1300 HRS

6/9/94

COMMUNICATION DOCUMENTATION

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.

IDWR Employee/Agent Georgia Satterlee

DATE
April 27, 1998 1:46pm

CUSTOMER
Bulchis, Edward

SUBJECT: 37-08612

phone call (x) walk-in (.)

He said that he has the water diverted around the ponds because he doesn't want them silting up. I asked when does the water divert to the ponds, he said, "June 1 through April 1." I suggested I would call him after June 1 to set up an appointment for field examination and that the period of use will be appropriately called to in the field report. He said after July 4th would be better and I said alrighty then...

Also, Gregg Sturtevant is not associated with him any more!

Bulchis' Home:

702 Morning Star Rd.

NE of Harker Ctr. 7-8 homes on left

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 27 July 1998
RE: 37-08612

The field examination for the above permit was conducted on 15 July 1998. The permit for the ponds is used from June 01 to April 01 (see communication documentation dated April 27, 1998). The ponds are filled via off-stream diversion to storage for aesthetic use.

The water from Keystone Gulch dumps into a vertical cmp (holding tank) with two turn-out gates. One turn-out gate continues the gulch flow. The second turn-out gate diverts water to a small ditch which then dumps into the first of the two ponds.

From the first pond, the water travels via a ditch to the second pond. The distance between each pond is approximately 75 feet. The water discharges from the second pond back into the gulch.

Each pond has a capacity of 0.04 acre feet. Including the ditch, the total acre feet = 0.1 acre feet. The float method was used to measure a rate which is 0.50 cubic feet per second.

The recommended rate will be as permitted (**0.18 cfs**) with the annual volume:

0.18 cfs (1.9835 af/day) 300 days = 107.1 afa 107 afa

Have conditions of permit approval been met? ☒ yes ☐ no

Additional Computation Sheets Attached

Sheets Attached

2'

0.5'

AREA { CROSS SECTION

measured method:

FLDRAE METHOD $Q = VA$

$V = \frac{10 \text{ ft}}{20 \text{ sec}} = 0.50 \text{ ft/sec}$

$Q = 0.50(1.0)$

$Q = 0.50 \text{ cfs}$

$$A = 0.5(2)$$

$$A = 1.0$$

June 1 - April 1 = 304 days

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{10cm}}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = \underline{\hspace{10cm}}$

$$AFA = 0.18 \text{ cfs} \frac{1.9835 \text{ af/day}}{1 \text{ cfs}} \times 304 \text{ days}$$

0.18 PERMIT FATE

0.20 EXAM FEE LIMIT

0.50 MEASURED RATE

0.18 RECOMMENDED RATE

$$\underline{AFA = 108.5}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STORAGE AESTHETIC	JUNE 1	APRIL 1		108.5 afa
AESTHETIC	"	"	0.18 cfs	
Totals:			0.18 cfs	108.5 afa

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Harold S. Miller Date 27 July 98

Reviewer _____ Date _____

SEAL

July 26, 1991

EDWARD BULCHIS
2855 42ND AVE. W.
SEATTLE, WA 98199

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08612

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
AUG 01 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 37-8612

Date 7-23-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted? 150.00
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required? Lockable
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

address change *7-25-91*
requests waiver of lockable measuring device

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

RECEIVED
JUL 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08612 Telephone No. (206) 622-4800

2. Name(s) of Permit Holder(s): Edward W. Bulchis

3. Post Office Address: 2855 42nd Ave W. Seattle, WA 98199

4. Source of Water: Spring

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Non-Consumptive

6. Total rate and/or volume for which proof is submitted 0.18 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Edward W. Bulchis (206) 622-4800
 Name Telephone No.

2855 42nd Ave W. Seattle, WA 98199
 Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 7/10/91

Signature (and title if on behalf of a company or organization) Edward W. Bulchis

FILED
AUG 01 1991

RECEIVED
JUL 22 1991

Department of Water Resources

Edward W. Bulchis
2855 42nd Avenue, West
Seattle, Washington 98199

July 15, 1991

Mr. Gary Spackman
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mall
Boise, Idaho 83720

RE: Permit No. 37-08612

Dear Mr. Spackman:

Thank you for taking the time to talk with me last week about the condition of my permit that a measuring device and lockable controlling works be installed.

In accordance with your request, I am writing to explain in writing why I do not believe that installation of a measuring device and lockable controlling works is either feasible or necessary. As I explained during our telephone conversation, a creek having a flow rate estimated by a hydrologist to be about 0.18 CFS flows through my property at Elkhorn in Sun Valley. Thus, the entire flow rate of the creek is very small. The creek combines with several other small creeks in Elkhorn (which, like mine, apparently have no name) before flowing through the Lane Ranch development. Thereafter, it eventually flows into the Wood River.

The entire creek has been diverted slightly to flow through two ponds on my property in sequence before being returned to the original stream bed downstream from the diversion point. It seems pointless to require installation of a

RECEIVED

AUG 01 1991

Mr. Gary Spackman

July 15, 1991

Page 2


measuring device and lockable controlling works since the flow rate through the ponds is solely dependent on whatever the flow rate onto my property happens to be.

Not only does a measuring device and lockable controlling works seem unnecessary, but it is also impractical partly because of my compliance with other requirements as a condition of obtaining my permit. Specifically, I was required to install a liner for the ponds and creek to prevent any loss of water. The presence of a liner makes it difficult to install a weir since it would appear necessary to dig through the liner in order to provide a foundation for the weir. Also, the instructions for constructing a weir that I received for the Idaho Department of Water Resources specifies that a 2 x 2-inch flat-topped stake be driven into the ground upstream from the weir. However, doing so would cause the stake to puncture the liner, thereby potentially resulting in an unnecessary loss of water.

Finally, I understand that the Idaho Department of Water Resources may not be administering the water flow in Elkhorn. If a measuring device and lockable controlling works subsequently becomes necessary, I would be happy to install one at that time. However, until then I request deletion of the requirement that a measuring device and lockable controlling works be installed.

I am enclosing a completed Proof Of Beneficial Use Form along with an Examination Fee of \$50.00. Thank you for your assistance in this matter.

Very truly yours,



Edward W. Bulchis

AUG 01 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 10, 1991

EDWARD BULCHIS
C/O GREGG K. STURTEVANT
P.O. BOX 2924
KETCHUM, ID 83340

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08612

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JUL 11 1991

MEMORANDUM

TO: File No. 37-8612 in the Name of Edward Bulchis
FROM: Gary Spackman *Gary*
DATE: February 8, 1991

RE: Loss of Water for Aesthetic Use

I have reviewed information submitted by Chuck Brockway pertaining to the development proposed by Edward Bulchis in application for permit to appropriate water no. 37-8612. Based on his study, I find that the amount of loss in the proposed system will be negligible, and there is no need for obtaining surface water rights in the Big Wood River to compensate for the ponds. We can approve the permit as proposed.

MICROFILMED

JUL 11 1991

GREGG K. STURTEVANT

LANDPLANNING • LANDSCAPE ARCHITECTURE • ENVIRONMENTAL DESIGN

P.O. Box 2924 • Ketchum, Idaho 83340 • (208)726-3250

RECEIVED
NOV 21 1990

Department of Water Resources

November 18, 1990

Mr. Gary Spackman, Manager
Water Right Permits Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720

RE: Application for Permit No. 37-8612, Edward Bulchis

Dear Mr. Spackman:

This correspondence is in response to your letter of October 18, 1990 regarding the above referenced Permit. Enclosed is the information requested in your September 10, 1990 letter regarding the proposed project.

If you have any additional questions or concerns, please contact me.

Sincerely,



Gregg K. Sturtevant, ASLA

GKS/jfp

Enclosure: As Stated

File: 8920

MAIL ROOM
JUL 11 1991

BULCHIS PROJECT
KEYSTONE GULCH CREEK POND EVALUATION

by
C.E. Brockway P.E.
November 12, 1990

An evaluation of water requirements and supply was performed to determine hydraulic requirements and estimate seepage and evaporation rates from the two proposed ponds. The ponds were assumed to be 350 square feet and 950 square feet in water surface area and approximately two (2) feet deep. The diversion from the creek is through a one (1) foot bottom width lined ditch with 2:1 sides slopes. The ditch between ponds and the return ditch were assumed to have the same geometry. Both ponds are lined with 30 mil thick rubber liners as are all ditches.

The estimated seepage rate for the lined system is assumed to be 0.02 feet/day (<.25 in./day) which will account for possible holes and or leakage around lap joints or overtopping of the liner. This is approximately the seepage rate achievable and allowable in lined sewage lagoon systems. Evaporation is based on data obtained from a meteorological station located near Silver Creek during the 1975 irrigation season. This station obtained sufficient met data including solar radiation to utilize the Kolar-Nordenson-Fox procedure for estimating pond and lake evaporation. The 1975 year is believed to be representative of normal weather conditions. Application of this data to the Elkhorn area is conservative in that estimated evaporation rates will be less in the project area than calculated using the Silver Creek data.

The attached table shows that the maximum expected evaporation rate, calculated for the hottest month of the year, will be approximately 0.1 gpm and a conservative seepage rate for the entire pond system is 0.2 gpm. Total system loss is therefore less than 0.3 gpm.

Utilizing the 0.18 cfs (80.8 gpm) flow rate, the turnover time for total water replacement in the pond system is less than 4 hours which will assure good water quality within the ponds and an insignificant change in the water quality of the stream below the return flow site.

The required elevation drop through the pond system to assure gravity flow through the ditches is less than 0.1 feet utilizing one (1) foot wide ditches. Adequate fall exists across the project to effect this minimum head loss. This estimated head loss does not include elevation differences at the diversion and return flow points to accommodate water measuring devices if they should be required.

JUL 11 1991

Bulchis Project, Page 2

Water quality parameters at the diversion and return flow sites can be monitored during summer periods to assure that water quality criteria are not impacted and discharge at the diversion and return flow points can be measured to verify estimated loss rates if necessary..

UNRECORDED
JUL 11 1991

PONDSXLS

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
1				DESIGN ESTIMATES												
2				KEYSTONE GULCH CREEK PONDS												
3				ESTIMATED POND EVAPORATION AND SEEPAGE												
4				EDWARD BULCHIS												
5				DIVERSION FROM KEYSTONE GULCH CREEK FOR TWO AESTHETIC PONDS												
6				EVAPORATION DATA FROM J.L. WRIGHT AND MARVIN E. JENSEN 1975												
7				1975 EVAPOTRANSPIRATION AND CLIMATIC DATA FOR THE SILVER CREEK												
8				CREEK TRIANGLE BLAINE COUNTY IDAHO FEBRUARY 1976												
9				LAKE OR POND EVAPORATION CALCULATED USING THE												
10				KOHLER-NORDENSON-FOX PROCEDURE												
11				NUMBER OF LOTS=												
12				MAX. DIVERSION PER ACRE=												
13				AVAILABLE DIVERSION RATE=												
14				ALL DITCHES HAVE												
15				ALL DITCHES AND PONDS LINED WITH 30 M.L. RUBBER LINER												
16																
17				NUMBER OF PONDS=												
18				AVG												
19				EVAP												
20				MMH												
21				DAY												
22				MO												
23				JAN												
24				FEB												
25				MAR												
26				APR												
27				MAY												
28				JUN												
29				JUL												
30				AUG												
31				SEP												
32				OCT												
33				NOV												
34				DEC												
35				MAX MON												
36				ANNUAL TOT.												
37				SEP SEP TOT.												
38																

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
39																
40																
41	PAGE 2															
42	SYSTEM LOSS ESTIMATES (MAXIMUM)															
43	KEYSTONE GULCH PONDS															
44																
45	DITCH TO POND 1															
46	POND 1															
47	DITCH TO POND 2															
48	POND 2															
49	DITCH TO CREEK															
50																
51	TOTAL															
52	DITCH															
53	PONDS															
54																
55																
56	PROJECT SEEPAGE LOSS=															
57	PROJECT DESIGN EVAP LOSS=															
58	PROJECT IRRIG. REQ'T=															
59	TOTAL PROJECT WATER REQ'T=															
60	PROJECT DIVERSION AVAILABLE=															
61	RETURN FLOW															
62																
63	MAX POND TURNOVER TIME FOR ALL PONDS=															
64	MAX TURNOVER TIME WITHOUT IRRIGATION=															
65																
66	OPEN TRAPEZOIDAL CHANNELS-UNIFORM FLOW															
67	BOTTOM															
68	WIDTH															
69	DITCH															
70																
71	S-1															
72	1-2															
73	3-S															
74																

GREGG K. STURTEVANT

LANDPLANNING • LANDSCAPE ARCHITECTURE • ENVIRONMENTAL DESIGN

P.O. Box 2924 • Ketchum, Idaho 83340 • (208)726-3250

RECEIVED
NOV 1 1990

October 29, 1990

Department of Water Resources

Mr. Gary Spackman, Manager
Water Right Permits Section
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Plaza
Boise, ID 83720

RE: Application for Permit No. 37-8612, Edward Bulchis


Dear Mr. Spackman:

This correspondence is in response to your letter of October 18, 1990 regarding the above referenced Permit. I have contacted the Blaine County Planning Official, Ralph Cisco, regarding the permit, and he indicated that he would send a letter to you stating that the County had no problems with this Application.

I am presently working on the other information which you have requested and should be able to comply within the 30-day time period specified.

If you have any additional questions or concerns, please contact me.

Sincerely,



Gregg K. Sturtevant, ASLA

GKS/jfp

Enclosure: As Stated

File: 8920

RECEIVED

JUL 11 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

October 18, 1990

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Edward Bulchis
c/o Gregg K. Sturtevant
P.O. Box 2924
Ketchum, ID 83340

RE: Application for Permit No. 37-8612

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING PERMIT

On April 10, 1990, you filed with the Department of Water Resources an amended application to appropriate water number 36-8612, proposing the diversion of .18 cubic feet per second from Keystone Gulch Creek which is tributary to Elkhorn Creek for aesthetic purposes.

On September 10, 1990, the Department requested that you submit additional information regarding the proposed project. As of this date, the Department has not received the requested information. Pursuant to Section 42-204, Idaho Code, the Department may void the record of applications for which requested information is not submitted.

The purpose of this letter is to request that you withdraw your application or explain why the Department should not void your application. Enclosed is a withdrawal form that should be signed and returned to me, unless you have some explanation that would prevent the Department from voiding your application.

If you fail to respond to this inquiry within thirty (30) days of the date of this letter, the Department will act to void your application. The application will be voided on the grounds that requested information was not submitted.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

Enclosure


cc: Western Region

JUL 13 1991

CERTIFICATE OF MAILING

I hereby certify that on the 22nd day of October,
1990, I mailed a true and correct copy, postage prepaid, of:

Edward Bulchis
c/o Gregg K. Sturtevant
P.O. Box 2924
Ketchum, ID 83340


JENNIFER SEIFERT
Clerical Assistant

RECEIVED

JUL 11 1991

Blaine County Planning & Zoning Commission

Box 149, Hailey, Idaho 83333

(208) 788-4665

September 27, 1990

Gary Spackman
Water Right Permits Section
Department of Water Resources
1301 Orchard Street
Statehouse Mail
Boise, Idaho 83720

RECEIVED
SEP 28 1990

Department of Water Resources

Dear Gary:

Thank you for inquiring a position statement from the county on this application.

I have reviewed the project with Mr. Sturtevant and given the small size and location of the stream, plus the fact the City of Sun Valley has jurisdiction and has approved the project, the County will not oppose the issuance of said permit.

We do support other requirements as outlined in your letter of 9/10/90 to Mr. Sturtevant.

Sincerely,

Ralph C. Cisco

Ralph Cisco
Administrator

RECEIVED

JUL 11 1991

cc: Greg Sturtevant



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 10, 1990

Edward Bulchis
c/o Gregg K. Sturtevant
P.O. Box 2924
Ketchum, ID 83340

RE: Application for Permit to Appropriate Water No. 37-08612
Proposing Diversion of Water from Keystone Gulch Creek for
Aesthetic Purposes

I have reviewed the application for permit listed above. The Department of Water Resources has received communication from Blaine County that new uses of water for aesthetic purposes are deemed not to be in the public interest. Prior to approving this permit, the Department requests that you submit a statement from Blaine County, either the County Commission, or the Planning and Zoning Commission, stating their position with respect to this application.

The Department has also required strict non-consumption of water for aesthetic rights. Please estimate, by competent engineering methods, the amount of loss which will occur in your ponds and diversions which will not discharge back into the stream. These consumptive losses, either by evaporation, evapotranspiration, or by ground water seepage, must be replaced to Elkhorn Creek in order for this application to be approved.

Please submit the above requested information within thirty (30) days of the date of this letter. Failure to do so may result in rejection of your application.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

cc: Southern Region
Ralph Cisco

RECEIVED
SEP 11 1990

JUL 11 1991

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DRE DATE 5/4/90 APPLICATION NUMBER 37-08612REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 4/12/90

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required Seen by Terry Blau
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

SWAN FALLS HOLD? No

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☒ Idaho Dept. of Fish & Game *per TB* ☐ U.S. Forest Service
☐ Idaho Dept. of Lands *request* ☐ Water District
☐ Adjudication Bureau Unit *6/13/90* ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper~~, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7/9/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☒ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 37
☒ Yes ☐ No Special conditions of approval or cover letter below.

05-37-819 4-1 R-7, 01J, 45, 27

Date of priority recommended 4/11/90 See below for additional information
By Larry O'Hanlon Date 7/10/90

STATE OFFICE REVIEW

POB, P10 05(37) 27 30 01J
By kw See below for additional information
Date 8-2-90

ADDITIONAL INFORMATION

App. in Trust Area - non-consumptive use.

13-Jun-1990

IDAHO DEPT. OF FISH & GAME
PO BOX 428
JEROME ID 83338

Re: Application for Permit No. 37-08612

Gentlemen:

Please find enclosed a copy of an Application for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

Enclosure(s)

MAIL ROOM

JUL 11 1991

01-Jun-1990

EDWARD BULCHIS
C/O GREGG K STURTEVANT
PO BOX 2924
KETCHUM ID 83340

Re: Application for Permit No. 37-08612

Dear Mr. Sturtevant:

The Department of Water Resources acknowledges receipt of the water right application for permit on behalf of Edward Bulchis. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 6/20 & 6/27/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

JUN 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

MAY 31, 1990

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

PROCESSED
JUL 11 1991

37-08612

BULCHIS, EDWARD
C/O GREGG K. STURTEVANT
P.O. BOX 2924
KETCHUM, ID 83340

Source: KEYSTONE GULCH CREEK

Tributary: ELKHORN CREEK

Diversion Pt: NESWSE Sec 16 T 04N R 18E

Use: AESTHETIC (.180 CFS)

Total Diversion: (.180 CFS)

Date Filed: 4/12/ 1990

In: T04N R18E S16 SWSE

MICROFILMED

JUL 11 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08611

RIVERS EDGE PARTNERS
C/O DICK FENTON
P.O. BOX 428
KETCHUM, ID 83340

Source: BIG WOOD RIVER
Tributary: MALAD RIVER
Diversion Pt: SESENE Sec 30 T
04N R 18E
Use: AESTHETIC (4.000 CFS)
Total Diversion: (4.000 CFS)
Date Filed: 5/10/1990
In: T04N R18E S30 SENE

37-08612 ✓

BULCHIS, EDWARD
C/O GREG K. STURTEVANT
P.O. BOX 2924
KETCHUM, ID 83340

Source: KEYSTONE GULCH
CREEK
Tributary: ELKHORN CREEK
Diversion Pt: NESWSE Sec 16 T
04N R 18E
Use: AESTHETIC (.180 CFS)
Total Diversion: (.180 CFS)
Date Filed: 4/12/1990
In: T04N R18E S16 SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before JULY 9, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal—
June 20 & 27, 1990.

RECEIVED

JUN 28 1990

Department of Water Resources
Southern Region Office

MICROFILMED

JUL 11 1991

OK
WB
6/15/90

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before JULY 9, 1990.

R. Keith Higginson, Director

Published 6/20/1990 & 6/27/1990

MICROFILMED

JUL 11 1991

Im. operly signed
application. delays
at IDWR Southern
and prompt (next
day) response by
applicant justify
earlier submittal date
as priority date.

37-
RECEIVED
Ident. No.

**SOURCES
PERMIT**

APR 12 1990

Department of Water Resources
State of Idaho Southern Region Office

1. Name of applicant Edward Bulchis Phone (208) 726-3250

Post office address c/o Gregg K. Sturtevant, P. O. Box 2924, Ketchum, ID 83340

2. Source of water supply Keystone Gulch Creek which is a tributary of Elkhorn Creek

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot --

Sec. 16 Township 4N Range 18E B.M. Blaine County; additional

points of diversion if any: N/A

4. Water will be used for the following purposes:

Amount .18 for Aesthetic purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .13 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Vertical culvert diversion structure
with turn-out gates. New stream channel to two ponds; then new stream channel back
to existing stream. Natural rock spillways from both ponds.

b. Height of storage dam N/A feet; active reservoir capacity * under 1/10 acre-feet; total
reservoir capacity under 1/10* acre-feet; period of year when water will be diverted to storage:
 to inclusive. * Per telecon w/Gregg Sturtevant 4-16-90

c. Proposed well diameter is N/A inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 90°F being sought? N/A

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 Yr. years (minimum 1 year).

JUL 11 1991

67-08612

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. Aesthetic use for natural ponds and stream channel diverted back into existing natural stream channel within the property boundaries.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	18E	16															J		

Total number of acres to be irrigated N/A

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Edward Bulchis
- b. Who owns the land to be irrigated or place of use? Edward Bulchis
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A


12. Remarks: Aesthetic - Water diverted from existing stream channel to new stream channel and ponds with natural rock spillways. Water from new ponds diverted back into existing channel before leaving the property. Existing stream channel to remain undisturbed. Point of diversion vertical culvert with turn-out gates to new stream channel and existing stream channel.

RECORDED
JUL 11 1991

Call in to Gregg
regarding Power
of Attorney to
sign app per
RFR 33,214

Agent (Applicant)

LOT 51 JUNE DAY SUB. ECKHORN



Received by TP Date 11-90 Time 11:00 AM Prelim. / check by DRS
Fee \$ 30.00 Received by J. E. Stanton # 50/2018 Date 4-12-90
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED

JUL 11 1991

