


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

JUL 13 1990

Scale: 2 inches equal 1 mile



F

GLENDAL

POVERTY

SECTION 22

Well

5013T

5011T

SE

SW

4998T

4998T

Well

4999T

4991T

37- 08604

TWP R9E SEC
02N-18E-22

SE/SW/SE

AUG 07 1996

37-08604
2N-18E-S22
SE/SW/SE



showing P/D, and P/u

MISSOURI

AUG 07 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08604

Priority: April 6, 1990

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.1 AF

This is to certify, that ROBERTA KAY
PO BOX 1166

HAILEY ID 83333-1166 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 6, 1990; and has submitted Proof of Beneficial Use on August 30, 1990. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.02 CFS	1.1 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 22, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	22	SWSE	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.1 afa for the land described above.

AUG 07 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08604

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of July, 1996


Acting for KARL J. DREHER, Director



AUG 6 7 1996

RECEIVED

RECEIVED

For Office Use Only
Amt. of Fee \$
Date 8-30-90
Receipt No.
Received by J. F. Thornton

AUG 30 1990

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

2148-4th A - East (734-3578) 734-9919

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08604 Telephone No. 208-788-2355

Name(s) of Permit Holder(s): ROBERTA KAY

Post Office Address: P.O. BOX 1166 HAILEY ID. 83333

Source of Water: GROUND WATER

If ground water, well driller's name: Van Cise Drilling & Pump Date drilled: 5-5-90

Extent of Use:
Domestic (No. of households) Irrigation 0.3 (No. of acres)
Stockwater (No. and type of stock) Other

Total rate and/or volume for which proof is submitted 0.02 cfs 0.3 acre/feet

Show date water was first diverted and beneficially used under this permit: mid June '90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

ROBERTA KAY 208-788-2355
Name Telephone No.

224 BROADBARD ROAD HAILEY ID. 83333
Address

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

OCT 18 1990

8-30-90
Date

Roberta Kay
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08604

Proposed Priority: April 6, 1990 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **ROBERTA KAY**
P.O. BOX 1166
HAILEY, ID 83333

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.02 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SESWSE Sec. 22, Township 02N, Range 18E BLAINE County
---	---

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 18E 22	SWSE 0.3			0.3


Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991**.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.07 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of August, 1990.


for R. Keith Higginson, Director

MICROFILMED

AUG 15 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Roberta Kay Phone 788-2355
Post office address P.O. Box 1166, Healey, ID 83333
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 22 Township 2N Range 18E B.M. Blaine County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 50 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 15 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	22															1/3		1/3

Total number of acres to be irrigated 1/3

10. Describe any other water rights used for the same purposes as described above. _____

none

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Existing well serves 1 home & 1/2 acre of lawn. A separate well is desired for pasture irrigation.

MICROFILMED

AUG 15 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rachel Kary
(Applicant)

Received by J. F. Stanton Date 4-6-90 Time 9:00 am Preliminary check by [Signature]
Fee \$ 30.00 Receipted by [Signature] # 5011833 Date 4-6-90
Publication prepared by MB Date 5/11/90 Published in Wood River Journal
Publication approved M. Baldwin Date 7/9/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 15 1990

AFFIDAVIT c PUBLICATION

RECEIVED

State of Idaho, } ss.
County of Blaine

JUL - 6 1990

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 6th day of June 1990, and

the date of the last publication was on the 13th day of June 1990.

Subscribed and sworn to before me this 13th day of June 1990.
(SEAL)

Roberta Ingham
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	<u>11</u>
Number of Lines in Notice	<u>90</u>
Number of Insertions	<u>2</u>
Lines tabular at	<u>6c / Pica</u>
<u>90</u> Lines straight at	<u>49.50 5c / Pica</u>
<u>90</u> Subsequent lines at	<u>39.60 4c / Pica</u>
TOTAL COST	<u>89.10</u>

MicroFILMED
AUG 15 1990

CO. OF NOTICE
(State Here)

Applications
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Rec.
BILL TO

Five file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08699

SAWTOOTH
NATIONAL FOREST
U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
FEDERAL BLDG.
324 25TH ST.
OGDEN, UT 84401

Source: GROUNDWATER
Diversi on Pt: NWSESW Sec 34 T
06N R 17E
Use: DOMESTIC (.020 CFS)
Total Diversi on: (.020 CFS)
Date Filed: 3/12/1990
In: T06N R17E S34 SESW

37-08800

SUTTON, II, JAMES A.
P.O. BOX 3803
KETCHUM, ID 83340
Source: GROUNDWATER
Diversi on Pt: NESW Sec 9 T 03N
R 18E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversi on: (.070 CFS)
Date Filed: 3/16/1990
In: T03N R18E S09 NESW
1.0 ACRES TOTAL

37-08802

GAMBLE, DARRELL E.
P.O. BOX 2864
KETCHUM, ID 83340
Source: GROUNDWATER
Diversi on Pt: LOT 2 (SWSWNW)
Sec 31 T 02N R 19E
Use: IRRIGATION (.085 CFS)
DOMESTIC (.040 CFS)
Total Diversi on: (.125 CFS)
Date Filed: 4/2/1990
In: T02N R19E S31 SWNW
3.0 ACRES TOTAL

37-08803

KNUDSON, DAVID W.
105 HURST LANE
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversi on Pt: LOT 4 (NWNWNW)
Sec 1 T 01N R 18E
Use: IRRIGATION (.090 CFS)
Total Diversi on: (.090 CFS)
Date Filed: 4/6/1990
In: T01N R18E S01 Lot 4 (NWNW)
3.0 ACRES TOTAL

37-08804

KAY, ROBERTA
P.O. BOX 1166
HAILEY, ID 83333
Source: GROUNDWATER
Diversi on Pt: SESWSE Sec 22 T
02N R 18E
Use: IRRIGATION (.020 CFS)
Total Diversi on: (.020 CFS)
Date Filed: 4/6/1990
In: T02N R18E S22 SWSE
0.3 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before JUNE 25, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
June 6 & 13, 1990.

OK
ms
7/9/90



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 6, 2001 RECEIVED

DIRK KEMPTHORNE
GOVERNOR

JUL 11 2001

KARL J. DREHER
DIRECTOR

ROBERTA KAY
224 BROADFORD RD
HAILEY ID 83333-8443

Department of Water Resources

RE: Snake River Basin Adjudication (SRBA)

Water Rights #37-11988, 37-8604

901-501

License

cc: W.A.

Dear Water Right Holder:

Mail sent to you by the SRBA Court was returned to the SRBA Court by the Postal Service. We received the returned mail on July 2. The Postal Service advised us your address has changed to the above address. We have enclosed the returned mail.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by July 31, 2001. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally Sherman

Technical Records Specialist
Adjudication Bureau

SS:region

Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed.

Water Right Holder's Signature

208-788-2437
Telephone No.

STATE OF IDAHO
District Court
Snake River Basin Adjudication
P.O. Box 2707
Twin Falls, ID 83303-2707



*3-7-88
866A
Diverse*

Water Right 3.

NAME AND ADDRESS: ROBERTA KAY
PO BOX 1166
HAILEY, ID 83333

KAY-166 033332019 1100 00 01/08/01
FORWARD TIME EXP RTN TO SEND
KAY, ROBERTA L
224 BROADFORD RD
HAILEY ID 83333-6443

RETURN TO SENDER

83303-2707





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 15, 1996


ROBERTA KAY
PO BOX 1166
HAILEY ID 833331166

RE: WATER RIGHT NO. 37-08604

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED

AUG 07 1996

WR0749NP
No. L37-08604

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/09/96
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERTA KAY PO BOX 1166 HAILEY ID 83333-1166 (208) 788-2355	04/06/1990	IRRIGATION	04/15 10/15	0.020 CFS	1.10 AFA
TOTAL DIVERSION:					0.020 CFS	1.10 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.070 CFS

Point(s) of Diversion: T02N R18E S22

SWSE

BLAINE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE													
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac			
02N	18E	22	:					:					:					:							
																							.3	:	0.3
TOTAL ACRES																								:	0.3

Pou County: BLAINE

Other Water Rights with Same Point(s) of Diversion and Source:
37-07253

Other Water Rights Listing Overlapping Place(s) of use:
37-00882 37-07253 37-08383 37-08604

Conditions of Approval:

- 041 - Irrigation use under this right is authorized only in connection with a domestic use.

Remarks: This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.1 afa for the land described above.

Dates: App. Received: 04/06/1990 Priority Date: 04/06/1990
Proof Due Date: 09/01/1991 Proof Made Date: 08/30/1990
Exam Made Date: 05/30/1996 Exam Sent to S.O.: 06/12/1996
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/09/96 CZIMMERM

AJ5809NP
No. A37-11988

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 07/08/96
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERTA KAY PO BOX 1166 HAILEY ID 83333 (208) 788-2355	10/10/1975	DOMESTIC	01-01 12-31	0.04 CFS	
TOTAL DIVERSION:					0.04 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: BENEFICIAL USE

Point(s) of Diversion: T02N R18E S22

SESWSE

BLAINE County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE																				
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
02N	18E	22	:		:		:		:		:		:		:		:		:		:		:		:		:		:		:	

POU County: BLAINE

Non-Irrigation Uses: D/ 1 HOME INCLUDING IRRIG. OF 1/2 ACRE.

Other Rights: NONE

Other Water Rights Listing Overlapping Place(s) of Use:

A37-07253 A37-11649 R37-07253 R37-11649

Remarks: GEN TAX LOT 4089

Dates: Exam Made Date: 12/07/1989

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:

Presumption Flag:

Audit: 10/25/88 MOBILE3 10/03/89 REFUNDML 12/31/89 FRITSCHL 02/11/90 FRITSCHL
04/06/90 MERRITT 03/30/95 POST-STD

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
P	ROBERTA KAY PO BOX 1166 HAILEY ID 83333	10/10/1975	DOMESTIC	01-01 12-31	0.04 CFS	
					TOTAL DIVERSION:	0.04 CFS

P ROBERTA KAY
 7655 CURSON TERRACE
 LOS ANGELES CA 90046

C BONNIE L VINCENT
 PO BOX 4029
 KETCHUM ID 83340
 (208) 788-3866

Water Source: GROUNDWATER Tributary to: Stage: BENEFICIAL USE

Point(s) of Diversion: T02N R18E S22 SESWSE BLAINE County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
02N	18E	22	:														

POU County: BLAINE

Non-Irrigation Uses: DOMESTIC, 1 HOME

Other Rights: NONE

Other Water Rights Listing Overlapping Place(s) of Use:
 A37-07253 A37-11649 R37-07253 R37-11649

Remarks: GEN TAX LOT 4089

Dates: Exam Made Date: 12/13/1989 Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
 Presumption Flag:

Comments: Date: 06/27/1990 User-ID: FRITSCHL Subject: NEW OWNER
 NEW OWNER ENTERED WITH "P" CODE

Date: 06/27/1990 User-ID: FRITSCHL Subject: FIELD INSPECTION DATE

AJ5809NP
No. R37-11988

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 07/08/96
PAGE: 3

=====

Comments: Date: 06/27/1990 User-ID: FRITSCHL Subject: FIELD INSPECTION DATE
THE CORRECTED FIELD EXAM SHOWS AN EXAM. DATE OF 12-13-89.
THE ORIGINAL EXAM. DATE WAS 12-7-89.

Audit: 05/15/90 CLELLAND 06/27/90 FRITSCHL 03/30/95 POST-STD

[illegible]

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM			
		NE		NW		SW		SE		NE		NW		SW		SE		SUM			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L3708604	T02N R18E S22 GROUNDWATER																				
	:																	0.3	0.3		
A3700481D	BIG WOOD R :					14											10		24		
R3700481D	BIG WOOD R :					14											10		24		
A3700482J	BIG WOOD R :					14											10		24		
R3700482J	BIG WOOD R :					14											10		24		
A3700483D	BIG WOOD R :	21	29			34											10		94		
R3700483D	BIG WOOD R :	21	29			34											10		94		
3700562B	BIG WOOD R :						03	29											32		
A3700562D	BIG WOOD R :						0	29											29		
A3700562E	BIG WOOD R :						02												2		
T3700577A2	BIG WOOD R :						01												1		
3700577BA	BIG WOOD R :					1											1				
T3700577BJ	BIG WOOD R :						02												2		
3700577BN	BIG WOOD R :																				
A3700577BP	BIG WOOD R :	21	29			34											10		94		
R3700577BP	BIG WOOD R :	21	29			34											10		94		
3700577BQ	BIG WOOD R :						02												2		
T3700577BU	BIG WOOD R :																				
T3700577BX	BIG WOOD R :																				
T3700577Y1	BIG WOOD R :					1											1				
3700707	BIG WOOD R :					1			1	1	1	1									
A3700707	BIG WOOD R :					23			09				17						49		
R3700707	BIG WOOD R :					23			09				17						49		
3700882	BIG WOOD R :																				
A3700882	BIG WOOD R :																10	1	10		
R3700882	BIG WOOD R :																10	1	10		
3700917	BIG WOOD R :	1	1			1															
A3700917	BIG WOOD R :	21	29			34													84		
R3700917	BIG WOOD R :	21	29			34													84		
3702475	SPRINGS :	40	40			40											40		160		
3702659	GROUNDWATE :	01																	1		
3702713	GROUNDWATE :	33	40			40											37		150		
A3702713	GROUNDWATE :	33	40			40											37		150		
R3702713	GROUNDWATE :	33	40			40											37		150		
3704185	UNNAMED ST :					04				04									8		
A3704185	UNNAMED ST :					23			09				17						49		
R3704185	UNNAMED ST :					23			09				17						49		
A3704215F	SPRING :								06	07									13		
3707110	GROUNDWATE :								13										13		
3707152	GROUNDWATE :								10										10		
3707215A	SPRING :								06	07									13		
A3707215F	SPRING :								03	07									10		
A3707215G	SPRING :								02										2		
3707253	GROUNDWATE :																	02	2		
A3707253	GROUNDWATE :																	02	2		
R3707253	GROUNDWATE :																	02	2		
3707322	GROUNDWATE :																		08		

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

		NE								NW								SW								SE								
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		SUM
WR-NUMBER	SOURCE	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
A3707322	GROUNDWATE :							:								:															08 :	8		
R3707322	GROUNDWATE :							:								:															08 :	8		
3707356	GROUNDWATE :		33		40				40 :							:				37											:	150		
A3707356	GROUNDWATE :		33		40				40 :							:				37											:	150		
R3707356	GROUNDWATE :		33		40				40 :							:				37											:	150		
3708364	GROUNDWATE :							:							02		:														:	2		
3708383	GROUNDWATE → Yates, 0.04 cfs, 1.8 AE, 6.3 AF							:									:										0.8	0.4:		1.2				
~~3708604~~	~~GROUNDWATE :~~							~~:~~									~~:~~															~~:~~		
A3711379	GROUNDWATE :							:							12		:														:	12		
R3711379	GROUNDWATE :							:							12		:														:	12		
A3711382B	BIG WOOD R :							:							02		:														:	2		
R3711382B	BIG WOOD R :							:							02		:														:	2		
A3711649	GROUNDWATE :							:									:												04		:	4		
R3711649	GROUNDWATE →) Dismick, 0.08 cfs, diff P/D							:									:												04		:	4		

B/U FIELD EXAM REVIEW
Cindy Zimmerman

01/96

Permit #: 37-8604 Name: Kay Date: 7/8/96 ☒ Lots

NAME ☒ Or Address Change? 224 Bradford Rd.

SOURCE ☒ Clarify source
 Prelim. Order to Void - Source change.

P/D ☒ Amendment Needed? SSSWSE **P39**
 Overlap(s)

P/U ☒ Amendment Needed? **P41**
 Overlap(s)
 (Gov't special #'s) *P/D & P/U Amend? **P37**

RATE ☒ Permit/fee limits: 0.02 / 0.02
 ☒ Measured Q= cfs/Theoretical Q= 0.07 cfs
 $9 \frac{3}{4}'' @ 40 \text{ psi} = 0.07 \text{ cfs} / 0.3 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.01 \text{ cfs}$ allow permitted 0.02 cfs.
 (HP) $8.8 \times 0.70 \times 1.5 = 9.24$
 $*38 + (2.31 \times 40) = 130.4 = 0.07 \text{ cfs}$
 ☒ Recommended capacity 0.07 cfs
 ☒ Recommended rate 0.02 cfs * per well log.

VOLUME ☒ Season: (B / 35) 4/15-10/15 = 184 days
 Calculations:
 $2) \text{ irr} = 0.3 \times 3.5 = 1.1 \text{ AF}$

 ☒ Flow limit: 0.02 x 184 x 1.9835 = 7.3 AF
 Recommended volume 1.1 AF

USES ☒ Same Nature of Use? **P46**
 Amendment Needed?

REMARKS Multiple p/d's in $\frac{1}{4}$? W32
 ☒ OW31/0.02/1.1

CONDITIONS Measuring (R01)/Locking (R02) Devices
 Watermaster Control (R04) - WD #
 Irrigation rate/volume overlap
050 GW irrigation replaces surface water (050)
 GW irrigation supplements surface water (065)
 Water Quality/Other

PRIORITY App Rcd 4/6/90 Due 9/1/91 Rc'd 8/30/90
Receipt# NA Fee OK? (Yes/No)
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:
Priority 4/6/90 Examined 5/30/96

COMMENTS: license as permitted

USE	CFS	DIV VOL	SRBA Overlap
<u>irr.</u>	<u>0.02</u>	<u>1.1</u>	<u>Adj. 37-11988</u>
<u> </u>	<u> </u>	<u> </u>	<u>Adjustment Memo</u> ☒
<u> </u>	<u> </u>	<u> </u>	<u>LICENSE LTR: P49</u>
<u> </u>	<u> </u>	<u> </u>	<u>#1 AMEND LTR: /P38</u>
<u>TOTAL</u>	<u>0.02</u>	<u>1.1</u>	<u>#2 AMEND LTR: P42/P47</u>

MEMORANDUM

DATE: July 9, 1996
TO: File No. 37-08604
FROM: Cindy Zimmerman *CJ*
SUBJECT: Review of Beneficial Use Field Report

~~~~~

The following adjustments<sup>1</sup> were made on the field report to reflect information on the well log, the limitations of the permit, and to correct mathematical errors:

F. Flow Calculations.

1. Capacity =  $\frac{8.8 \times 0.7 \times 1.5}{*38 + (2.31 \times 40)} = \frac{9.24}{130.4} = \underline{\underline{0.07}}$  cfs  
\*=per well log.

G. Volume Calculations.

1. Irrigation = acres x AF/acre, acres = 0.3 as permitted.  
= 0.3 x 3.5  
= 1.1 AF.

H. Recommendations.

1. Recommended amounts:

|                |                   |                   |               |
|----------------|-------------------|-------------------|---------------|
| Beneficial Use | Period of Use     | Rate of diversion | Annual Volume |
| Irrigation     | <u>4/15-10/15</u> | 0.02 cfs          | <u>1.1</u> AF |

---

<sup>1</sup>Adjustments made are bolded and underlined.

7 1996

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**RECEIVED**  
JUN 12 1996

Department of Water Resources

**A. GENERAL INFORMATION**

Permit No. 37-08604

1. Owner: Kay, Roberta Phone No. (208) 788-2437

Current Address: 224 Broadford Road, Haily ID, 83333

2. Accompanied by: Roberta EXAM DATE: 05-30-1996

Address: Same Phone No. Same

Relationship to Permit Holder: \_\_\_\_\_

3. Source: Groundwater tributary to None

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

**C. DIVERSION AND DELIVERY SYSTEM**

**1. Point(s) of Diversion:**

| Ident No. | Gov't Lot | ¼  | ¼  | ¼  | Sec. | Twp. | Rge. | County | Method of Determination/Remarks          |
|-----------|-----------|----|----|----|------|------|------|--------|------------------------------------------|
| #1        |           | se | sw | se | 22   | 02n  | 18e  | Blaine | USGS QUADRANGLE MAP (req under 10 acres) |
|           |           |    |    |    |      |      |      |        |                                          |
|           |           |    |    |    |      |      |      |        |                                          |
|           |           |    |    |    |      |      |      |        |                                          |

**\* 2. Place(s) of Use:**

Indicate Method of Determination

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals   |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |          |
| 02n | 18e | 22  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | .4 |    | .4 acres |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |          |

AUG 07 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED ENLARGED ORTHOPHOTO.

Scale: 1" = Not to Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make       | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------------|----|------------------|-----------|-----------------------------------|
| Well 1                                | General Electric |    |                  | 1.5 hp    |                                   |
|                                       |                  |    |                  |           |                                   |
|                                       |                  |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| Pitot Tube            |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: 16065 sq ft of pasture for horses. Of 9 9/64 impact-type sprinkler head pressure readings were taken at three which indicated an average pressure of 40 PSI.

#### E. NARRATIVE/REMARKS/COMMENTS

This system consists of a 6" Well drilled 40 ft deep with a pumping level of 8 ft. water is regulated by a pressure sensitive switch in the submerged pump. Water is diverted to 12 impact type (Rc-7c) Rain-Bird Sprinkler heads with 9/64 dia nozzle size. This well is used only for the watering of this pasture.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 07 1996

**F. FLOW CALCULATIONS**

\_\_\_\_ Additional Computation Sheets Attached

Measured Method:

Theoretical:  $\frac{8.8 \times 1.5 \times .70}{(8) + 40 \times 2.31} = 0.09fs$

Measured:

**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .37 \times 3.5 = 1.3afa$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 336.2afa$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.30afa$$

**2. Volume Calculations for Other Uses:**

Permit for 1/3 acre rounded to .4 acres.

**H. RECOMMENDATIONS****1. Recommended Amounts**

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| Irrigation     | 01-01         | 10-31 | 0.02cfs                      | 1.3 afa *                |
| _____          | _____         | _____ | _____                        | _____                    |
| _____          | _____         | _____ | _____                        | _____                    |
| _____          | _____         | _____ | _____                        | _____                    |
| _____          | _____         | _____ | _____                        | _____                    |
| Totals:        |               |       | 0.02 cfs                     | 1.3 afa *                |

**2. Recommended Amendments**

☐ Change P.D. as reflected above    ☐ Add P.D. as reflected above    ☒ None  
☐ Change P.U. as reflected above    ☐ Add P.U. as reflected above    ☐ Other

**I. AUTHENTICATION**

Field Examiner's Name

*William R. Chynoweth*

Date

06-11-96

Reviewer


*John D. Martin*

Date

6/11/96

JUL 11 1996

\*Adjustments made during the review of this right for license approval.  
See memo for additional information. 7/9/96



F

GLENDALE

POVERTY

SECTION  
22

Well

5013T

5011T

5030T

SE

SW

4998T

4998T

Well

4999T

4991T

37- 08604

TWP R9E SEC  
08N-18E-22


SE/SW/SE

AUG 07 1996

37-08604

2N-18E-S 22

SE/SW/SE



Showing P/D, and P/u

AUG 07 1996

MD0731NP  
(00-0731)

IDAHO DEPARTMENT OF WATER RESOURCES  
WELL DRILLING PERMIT INDEX

DATE: 06/05/96  
PAGE: 1

| PERMIT<br>NUMBER | OWNER<br>CODE | NAME & ADDRESS                                                   | TWP | RGE | SEC | TRACT | LOT | COUNTY | ACC<br>FLAG |
|------------------|---------------|------------------------------------------------------------------|-----|-----|-----|-------|-----|--------|-------------|
| 37-90-S-0025-000 | 0             | ROBERTA KAY<br>PO BOX 1166<br>HAILEY, ID 83333<br>(208) 788-2355 | 02N | 18E | 22  | SW SE |     | BLAINE | L           |

Subdivision Well Site Location and Description:  
Subdivision Name:  
Well Site Address: 224 BRADFORD RD  
City, State:

Lot(s):  
Block(s):

Geographic Location:  
GPS Site ID:  
Lat: : : N  
Long: : : W  
Accuracy Code:

Proposed Use of Well: Irrigation  
Anticipated Bottom Hole Temperature: 85F or Less

Proposed Casing Diameter: 6 In.  
Proposed Depth: 50 Ft.

Well Use Comments: 1/3 ACRE

Driller License No: 0265

Firm Name: WOOD RIVER DRILLING & PUMP INC  
Official: KENNETH R SMITH

Permit Status: filed

| Verbal Issue Date:        | Receipt No. | Receipt Date | Fee      |
|---------------------------|-------------|--------------|----------|
| Date Received: 04/06/1990 | S01833      | 04/06/1990   | \$ 40.00 |
| Date Approved: 04/06/1990 |             | NOT ON FILE  |          |
| Proposed Start Date:      |             | NOT ON FILE  |          |
| Extension Date:           |             | NOT ON FILE  |          |
| Extension Expiration:     |             | NOT ON FILE  |          |

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-90-S-0025-000  
Log Status: Sent To/Microfilmed

Nature of Work: NEW WELL

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter: 6 In.  
Depth of Casing: 35 Ft.  
Total Depth: 40 Ft.  
Screen Installed? No  
Production Rate: 100.00 GPM

Static Water Level: 8 Ft.  
Temperature:  
Actual Start Date: 05/02/1990  
Well Finish Date: 05/05/1990  
Log Received Date: 05/16/1990  
Certification Date: 05/14/1990  
Field Inspection Date:

Violation Flag:

Inspector:

Well Log Remarks:

AUG 07 1996

## WELL DRILLER'S REPORT

**State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.**

[illegible]

October 3, 1990

ROBERTA KAY  
P.O. BOX 1166  
HAILEY, ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08604

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck  
Secretary/Records Manager

c: IDWR - Region

**MICROFILMED**

OCT 18 1990

S T A T E   O F   I D A H O  
D E P A R T M E N T   O F   W A T E R   R E S O U R C E S

-----

Statehouse  
Boise, Idaho 83720  
(208) 327-7900  
August 13, 1990

ROBERTA KAY  
P.O. BOX 1166  
HAILEY, ID 83333

P E R M I T   A P P R O V A L   N O T I C E

RE: PERMIT NO.        37-08604

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

**MICROFILMED**  
AUG 15 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

RECEIVED  
FILMED

AUG 13 1949

14-May-1990

ROBERTA KAY  
PO BOX 1166  
HAILEY ID 83333

Re: Application for Permit No. 37-08604

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 6/6 & 6/13/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg  
Sr. Water Resource Agent

GF:MB

**MICROFILMED**  
AUG 15 1990

( T A T E O F I D A H O )  
DEPARTMENT OF WATER RESOURCES  
Southern Region  
222 Shoshone Street East  
Twin Falls, ID 83301  
(208)734-3578

---

MAY 11, 1990

WOOD RIVER JOURNAL  
P.O. BOX 988  
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 25, 1990.

Yours truly,

Mary Baldwin  
Secretary/Office Coordinator

Enclosure

**MICROFILMED**

AUG 15 1990

37-08604

KAY, ROBERTA  
P.O. BOX 1166  
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt:                SESWSE    Sec 22 T 02N R 18E

Use: IRRIGATION                    ( .020 CFS)  
      Total Diversion: ( .020 CFS)

Date Filed: 4/ 6/ 1990

In: T02N R18E S22                SWSE

0.3 ACRES TOTAL

**MICROFILMED**

AUG 15 1990

**NOTICE OF APPLICATION  
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**37-08599**

SAWTOOTH NATIONAL  
FOREST  
U.S. DEPT. OF AGRICULTURE  
FOREST SERVICE  
FEDERAL BLDG.  
324 25TH ST.  
OGDEN, UT 84401

Source: GROUNDWATER  
Diversion Pt: NWSESW Sec 34 T  
06S R 17E  
Use: DOMESTIC ( .020 CFS)  
Total Diversion: ( .020 CFS)  
Date Filed: 3/12/1990  
In: T06S R17E S34 SESW

**37-08600**

SUTTON, II, JAMES A.  
P.O. BOX 3803  
KETCHUM, ID 83340  
Source: GROUNDWATER  
Diversion Pt: NESW Sec 9 T 03N  
R 18E

Use: IRRIGATION ( .030 CFS)  
DOMESTIC ( .040 CFS)  
Total Diversion: ( .070 CFS)  
Date Filed: 3/16/1990  
In: T03N R18E S09 NESW  
1.0 ACRES TOTAL

**37-08602**

GAMBLE, DARRELL E.  
P.O. BOX 2864  
KETCHUM, ID 83340

Source: GROUNDWATER  
Diversion Pt: LOT 2 (SWSWNW)  
Sec 31 T 02N R 19E  
Use: IRRIGATION ( .085 CFS)  
DOMESTIC ( .040 CFS)  
Total Diversion: ( .125 CFS)  
Date Filed: 4/2/1990  
In: T02N R19E S31 SWNW  
3.0 ACRES TOTAL

**37-08603**

KNUDSON, DAVID W.  
105 HURST LANE  
BELLEVUE, ID 83313

Source: GROUNDWATER  
Diversion Pt: LOT 4 (NWNWNW)  
Sec 1 T 01N R 18E  
Use: IRRIGATION ( .090 CFS)  
Total Diversion: ( .090 CFS)  
Date Filed: 4/6/1990  
In: T01N R18E S01 Lot 4 (NWNW)  
3.0 ACRES TOTAL

**37-08604** ✓

KAY, ROBERTA  
P.O. BOX 1166  
HAILEY, ID 83333

Source: GROUNDWATER  
Diversion Pt: SESWSE Sec 22 T  
02N R 18E  
Use: IRRIGATION ( .020 CFS)  
Total Diversion: ( .020 CFS)  
Date Filed: 4/6/1990  
In: T02N R18E S22 SWSE  
0.3 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before JUNE 25, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal--

**RECEIVED**

**MAY 23 1990**

Department of Water Resources  
Southern Region Office

**MICROFILMED**

**AUG 15 1990**

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JUNE 25, 1990.

R. Keith Higginson, Director

Published 6/ 6/1990 & 6/13/1990

**MICROFILMED**

AUG 15 1990

9/89

Drilling Permit No. 27-90-S-025Water Right Permit No. 37-08604

Injection Permit No. \_\_\_\_\_

State of Idaho  
Department of Water Resources

## DRILLING PERMIT

272 Shoshone St East  
Twin Falls, Idaho  
833011. Applicant (Please Print) ROBERTA KAY  
2. Mailing Address P.O. Box 1166  
HAILEY, IDA. 83333 Telephone 208-788-2355☒ Well Owner ( ) Well Operator ( ) Other, specify \_\_\_\_\_3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. \_\_\_\_\_,  
Sec. 22, Twp. 2N, Rge. 18E, County \_\_\_\_\_,  
Street Address of Well Site 224 Broadford Road,  
Lot, block and subdivision N/A

4. Proposed use of well:

- ( ) Single family or stockwater use (less than 13,000 gallons per day)  
( ) Irrigation (~~more than 1/3~~ <sup>1/3</sup> acre)  
( ) Monitoring - A well bore schematic and map is required for each well.  
No. of proposed wells: \_\_\_\_\_  
( ) Other (describe fully) \_\_\_\_\_

5. Well construction information:

A. ☒ New well ( ) Deepen ( ) Replace - See Condition 9.B. Proposed surface diameter 6" Maximum depth 50 ft

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)  
( ) 85°F to 212°F (Low temp. geothermal well)  
( ) 212°F or more (Geothermal well)

AUG 15 1990

6. Construction Start Date as soon as possible7. Anticipated Well Driller Woodruff Drilling Pump Box 1165 White 83333  
NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature Roberta Kay Date 4.6.90Title \_\_\_\_\_  
(Owner, Firm Representative, Other)Please send copy to Driller

## ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 4/6/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

[Signature] FOR LOREN HOLMES SOUTHERN REGION MANAGER  
Signature of Authorized Department Representative Title

Receipt No. SO11833 Received by [Signature] Fee \$101 Date 4-6-90

## EXTENSION OF DRILLING PERMIT

Extension approved by \_\_\_\_\_ Approval Date \_\_\_\_\_

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 37-90-S-0a5

Water right No. 37-08604

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Robert K. Koy, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

It is hard to get a driller, but one is available now for a short time.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

**MICROFILMED**

AUG 15 1990

Date 4.6.90

Signature

Applicant

Robert K. Koy