


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Catherine J. Dawson
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Catherine S. Dawson Permit No. 37-08574
Current Address: P.O. Box 987 Ketchum, ID 83340 Phone No. 726-4421
2. Accompanied by: Dionisio Jauregui EXAM. DATE: 7-25-91
Address: _____ Phone No. 726-9533
Relationship to Permit Holder: Caretaker
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: none

☐ Copies Attached
2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

(SEE PAGE 1501 FOR
HOUSE & LOT LOCATION)

OD RIVER ESTATES SUBDIVISION

STRAWBERRY FIELDS SUBDIVISION

EAGLE CREEK MEADOWS SUBDIVISION

NOTE:
See Enlarged Detail
Page 1503-A

FELDHUSEN SUBDIVISION



0 250 500 1000
SCALE IN FEET

1500	1501	1500
1500	Detail 1502 of Page 1500	1503
1500	1500	1504

Edwards, Howard & Martens, Inc.
ENGINEERS / PLANNERS / SURVEYORS

T. 5 N., R. 17 E.

75N R17E
S14
Dawson
37-8574



- SECTION LINE CLASSIFICATION
- Surveyed, location reliable
 - Surveyed, location approximate
 - Unsurveyed, Bureau of Land Management protraction



AMBER LAKES
SAWTOOTH NATIONAL FOREST
SAWTOOTH NRA
KETCHUM RANGER DISTRICT
(HAILEY 2 SW)

1974

214-3 I

APR 25 1995

W-73

(189-11) (SUN VALLEY)



PM - caretaker's house



PM - house & yard

APR 25 1995



Pin - yard area



P/D

APR 25 1995

AFFIDAVIT of PUBLICATION

RECEIVED

DEC 28 1989

State of Idaho,
County of Blaine

SS.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 20 day of Dec, 1989, and

the date of the last publication was on the 27 day of Dec, 1989.

Subscribed and sworn to before me this 27th day of Dec, 1989.
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 81
Number of Insertions 2

Lines tabular at _____ 5.5¢/Pica
81 Lines straight at 44.55 5.5¢/Pica
81 Subsequent lines at 35.1044 3.5¢/Pica
TOTAL COST \$80.19

COPY OF NOTICE
(Paste Here)

3 Applications on Water
TITLE OF NOTICE Rights

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Department of Water Res. (TF)

BILL TO

Three file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08574 ✓

DAWSON, CATHERINE S.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversions Pt.: NWSWN Sec 14
T 05N R 17E
Use: DOMESTIC (.060 CFS)
IRRIGATION (.120 CFS)
Total Diversion: (.180 CFS)
Date Filed: 3/13/1989
In: T05N R17E S14 SWNW
6.0 ACRES TOTAL

37-08575

SINCLAIR OIL CORP.
DBA SUN VALLEY COMPANY
C/O SCOTT CAMPBELL, ESQ.
P.O. BOX 1559
BOISE, ID 83701

Source: GROUNDWATER
Diversions Pt.: NENE Sec 24 T 04N
R 17E

Use: COMMERCIAL =
(Snowmaking) (4.460 CFS)
DOMESTIC (.800 CFS)
COMMERCIAL (.200 CFS)
Total Diversion: (4.460 CFS)

Date Filed: 10/05/1989
In: T04N R17E S13 SWNW; S14
NENW SWNW SENW NESW
NWSW SWSW SESW SWSE
SESE; S23 NENE NWNE SWNE
SENE NENW NWNW SWNW
SESW NESE NWSE SWSE SESE;
S24 NENE NWNE SWNE NENW
NWNW SWNW SENW NESW
NWSW NWSE; S25 NWNW; S26
NENE NWNE SWNE SENE SENW
NESW NWSW SWSW SESW
NWSE SWSE; R18E S18 SWSW;
S19 NWNW SWNW

37-08576

CLARK, GARY
P.O. BOX 210
SELLEVUE, ID 83313

Source: GROUNDWATER
Diversions Pt.: NENW Sec 35 T 02N
R 18E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 11/27/1989
In: T02N R18E S35 NENW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before JANUARY 8, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
December 20 & 27, 1989.

MICROFILMED
MAR 12 1990

6086

6864

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08574

Priority: March 13, 1989

Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 22.2 AF

This is to certify, that CATHERINE S DAWSON
C/O JAMES P SPECK ESQ
PO BOX 987
KETCHUM ID 83340

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1989; and has submitted Proof of Beneficial Use on March 28, 1990. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.11 CFS	21.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF
	Totals	0.11 CFS	22.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 14, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 17E 14	SWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
 2. This water right is appurtenant to the described place of use.
 3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
 4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
- APR 25 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 37-08574


CONDITIONS/REMARKS:

6. Irrigation use under this right is authorized only in connection with a domestic use and shall not exceed 3 acres per domestic use.
7. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of APRIL, 1995.

Acting for


R. Keith Higginson, Director



APR 13 5 1995

RECEIVED
MAR 28 1990

For Office Use Only

Amt. of Fee \$ 50.00Date 3/29/90Receipt No. 0015995Received by C. Wong

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08574Telephone No. (208) 726-4421Name(s) of Permit Holder(s): Catherine S. DawsonPost Office Address: c/o James P. Speck, P.O. Box 987, Ketchum, ID 83340 ✓Source of Water: GroundwaterIf ground water, well driller's name: Ray RoesslerDate drilled: 9/20/84 ✓

Extent of Use:

Domestic 2 / (No. of households)Irrigation 6 / (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.18 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 9/19/84 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Yes ☒ NoFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

DIONISIO (DANNY) JAUREGUI, Caretaker208-726-9533

Name

Telephone No.

13505 Highway 75 North, Ketchum, Blaine County, Idaho 83340

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAY 23 1990

Date

Signature (and title if on behalf of a company or organization)

Catherine S. Dawson

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08574

Proposed Priority: March 13, 1989 Maximum Diversion Rate: 0.18 CFS

This is to certify, that CATHERINE S. DAWSON
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.12 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWNW Sec. 14, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	17E	14	SWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of March, 1990.

MICROFILMED

MAR 12 1990

for *J. Glen Sauter*
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Catherine S. Dawson Phone (208) 726-4421
Post office address c/o James P. Speck, Hogue, Speck & Aanestad,
P.O. Box 987, Ketchum, ID 83340
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 14 Township 5N Range 17E B.M. Blaine County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount 0.06cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.12cfs for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.18 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 61 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAR 12 1990

8. Description of proposed use if irrigation only, go to item 9:

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. One (1) main residence and one (1) caretaker's residence
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	17E	14							D 6										6

Total number of acres to be irrigated 6


10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Well completed September 19, 1984. Provides domestic water for two (2) households (1 main residence and 1 caretaker's residence) and irrigation of 6 acres of residential landscaping. Diversion for each household is less than 13,000 gallons per day - this is a "DCMT" use under Rule 2,8 of the Appropriation Rules & Regulations.

MAR 12 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Catherine S. Dawson
(Applicant)

Received by AG Da 3/13/89 Time 10:00 Preliminary check by J. F. Feltner
Fee \$ 30.00 Receipted by M. Baldwin # 5006534 Date 3/13/89
Publication prepared by M. Baldwin Date 11-29-89 Published in Wood River Journal
Publication approved T. Jasper Date 1-8-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 12 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 14, 1995

CATHERINE S DAWSON
C/O JAMES P SPECK ESQ
PO BOX 987
KETCHUM ID 83340

RE: WATER RIGHT NO. 37-08574

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

APR 25 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08574 DATE 9-29-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? ☐
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Permit/fee limits: <u>.18 CFS</u> Meas Q = <u>2 domestics @ .06 CFS</u> Theo Q = <u>.11</u> Recommend: <u>.11</u> <u>6 acres x .02 = .12 or .11 CFS</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☐ ☒	Season of use: <u>8/3.5 (4-15 to 10-15)</u> ^{new} Calculations: <u>2 houses - internal use = 1.2 af</u> <u>6 x 3.5 = 21 af</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in 1/4 1/4? ☐ Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R30</u> ☐ Irrigation Overlap ☐ <u>041</u> ☒ Water Quality ☐ Other <u>IRR/DOM/COV</u> Heat/Cool/ Fish verified ☐
COMMENTS: <u>Reduce rate to capacity.</u>		

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO - NA</u>
<u>Irrigation</u>	<u>.11</u>	<u>21</u>	Adjustment Memo Needed	<u>NO</u>
<u>Domestic</u>	<u>.06</u>	<u>1.2</u>		
<u>Total</u>	<u>.11</u>	<u>22.2</u>	LICENSE	☒
			1ST AMENDMENT LETTER	☐
			FINAL AMENDMENT LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08574
1. Owner: Catherine S. Dawson Phone No. 726-4421
Current Address: P.O. Box 987 Ketchum, ID 83340
2. Accompanied by: Dionisio Jauregui EXAM. DATE: 7-25-91
Address: _____ Phone No. 726-9533
Relationship to Permit Holder: caretaker
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: none

☐ Copies Attached
2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

APR 25 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well provides water for domestic use, caretaker's residence, yard and pasture area and pool. automated sprinklers in use for yard and pasture area.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2.0		submersible	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	NW	14	5N	17E	Blaine	Quad map/inspection

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	17E	14							6.0										6.0
									D										

Do not use this space

APR 25 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

System capacity = 0.11 cfs Allow full amount for irrigation

F. PUMP EFFICIENCY DATA (Optional)

Allow 0.06 cfs for domestic

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6(3.5) = \cancel{21.0} 21.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11(245)(1.9835) = 53.5$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \cancel{21.0} 21.0$

2. Volume Calculations for Other Uses:

Domestic - 2 homes x 0.6 AFA per home For culinary use

APR 25 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Capacity does not allow simultaneous application of uses. domestic use is for two residences. Land is unsurveyed, legal descriptions are based on projected section corners on USGS quad map. Survey plat from EHM shows land to be in Sec. 15 & possibly 14. True legal description is unclear.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
domestic	1/01	12/31	0.06	1.2
irrigation	4/01/15	10/01/15	0.11	11.2
Totals:			0.11	12.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Brian Block
Signature Brian Block
Certification Date _____
Field Report Preparation Date 8-13-91

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 25 1995

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-8574
DATE: 8-13-91
BY: Brian Block

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (2.0) \times (0.70)}{[(15) + (40 \times 2.31)]} = 0.11$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate (X)	Pump Make, Serial or ID, rating
well logs (X)	owner gage ()	
Booster (Y) (N)		
REMARKS		

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	(246) x (1.98) x (0.11)
3/1 - 12/1	276	(6)

POTENTIAL = 8.9

REQUIRED Acre Feet/Acre/Annum = 3.0
(AF/Ann/Ac irrigation requirement from chart for area)


NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)


IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

Edwards, Howard & Martens, Inc.
ENGINEERS / PLANNERS / SURVEYORS

1500	1501	1500
1500	Detail 1502 of Page 1500	1500
1504	1503	1504




(SEE PAGE 1501 FOR
HOUSE & LOT LOCATION)



NOTE:
See Enlarged Detail
Page 1503-A

47°30"
 T5N R17E
 S14
 Dawson
 37-8574




4851
 4850
 4849
 4848000m N
 43°45'
 114°22'30"

AMBER LAKES
 SAWTOOTH NATIONAL FOREST
 SAWTOOTH NRA
 KETCHUM RANGER DISTRICT
 (HAILEY 2 SW)
 1974
 214-3 1

(189-11)
 SUN VALLEY

W-73




SECTION LINE CLASSIFICATION


- Surveyed, location reliable
- Surveyed, location approximate
- Unsurveyed, Bureau of Land Management protection



1895



PH - caretaker's house



PH - house & yard

APR 3 5 1995



P/n - yard area



P/D

APR 10 1965

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

May 30, 1990

RECEIVED

MAY 31 1990

Mr. Loren Holmes
Department of Water Resources
222 Shoshone Street E.
Twin Falls, ID 83301

Department of Water Resources
Southern Region Office

Re: Permit No. 37-08574

Dear Loren:

Proof of beneficial use has been submitted for the above-referenced permit. At the time of the field examination, please have your examiner contact Mr. Danny Jauregui at 1-726-9533 to arrange a time. Mr. Jauregui is the full-time resident caretaker on the premises.

Please call me if you have any questions.

Sincerely yours,

HOGUE, SPECK & AANESTAD, P.A.



James P. Speck

JPS:rmb

37-8574

MAY 25 1995

May 15, 1990

CATHERINE S. DAWSON
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08574

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region


MICROFILMED

MAY 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well

USE TYPEWRITER OR
CALLIGRAPHIC

1. WELL OWNER Name: <u>C/O DAVID L. HANLEY, 833.53</u> Address: <u>PO BOX 564, SUN VALLEY, IDAHO</u> Owner's Permit No.: _____	7. WATER LEVEL Static water level: <u>7</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow: _____ Artesian closed-in pressure: _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature: _____ of Quality: _____ (Describe artesian or temperature zones below)																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA Pump: ☐ Pump ☐ Bailor ☐ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;">UNIT STOPPED</td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	UNIT STOPPED																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
UNIT STOPPED																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection Other: _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>5"</td> <td>0</td> <td>1</td> <td>BROWN TOP SOIL & GRAVEL</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>1</td> <td>2</td> <td>LARGE BROWN & IRON</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>2</td> <td>3</td> <td>LARGE GRAVEL & SAND</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>3</td> <td>4</td> <td>COARSE SAND</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>4</td> <td>5</td> <td>COARSE SAND & GRAVEL</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>5</td> <td>6</td> <td>SOFT BROWN SANDSTONE</td> <td></td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	5"	0	1	BROWN TOP SOIL & GRAVEL			"	1	2	LARGE BROWN & IRON			"	2	3	LARGE GRAVEL & SAND			"	3	4	COARSE SAND			"	4	5	COARSE SAND & GRAVEL			"	5	6	SOFT BROWN SANDSTONE		
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
5"	0	1	BROWN TOP SOIL & GRAVEL																																												
"	1	2	LARGE BROWN & IRON																																												
"	2	3	LARGE GRAVEL & SAND																																												
"	3	4	COARSE SAND																																												
"	4	5	COARSE SAND & GRAVEL																																												
"	5	6	SOFT BROWN SANDSTONE																																												
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other	RECEIVED FEB 2 1985 Department of Water Resources																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>25" inches</td> <td>8 inches</td> <td>1 feet</td> <td>60 feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>inches</td> <td>inches</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation: <u>7/8</u> inches by <u>4</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>78 perforations</td> <td>40 feet</td> <td>53 feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name: _____ Model No.: _____ Type: _____ Diameter: _____ Slot size: _____ Set from: _____ feet to _____ feet Diameter: _____ Slot size: _____ Set from: _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel: _____ feet to _____ feet Placed from: _____ feet to _____ feet Surface seal depth: <u>1/8</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port: _____		Thickness	Diameter	From	To	25" inches	8 inches	1 feet	60 feet	inches	inches	feet	feet	inches	inches	feet	feet	inches	inches	feet	feet	Number	From	To	78 perforations	40 feet	53 feet	perforations	feet	feet	perforations	feet	feet														
Thickness	Diameter	From	To																																												
25" inches	8 inches	1 feet	60 feet																																												
inches	inches	feet	feet																																												
inches	inches	feet	feet																																												
inches	inches	feet	feet																																												
Number	From	To																																													
78 perforations	40 feet	53 feet																																													
perforations	feet	feet																																													
perforations	feet	feet																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name: _____ Lot No.: _____ Block No.: _____ County: <u>BLAINE</u> <u>RW & HW & Sec. 14, T. 5, N.B. R. 17 E</u>	10. Work started <u>16 SEP 84</u> finished <u>19 SEP 84</u>																																														
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>RAY ROESLER</u> Firm Name: <u>WELL DRILLERS</u> Firm No.: <u>262</u> <u>125 S. H. AVE.</u> Address: <u>CHANDLER, IDAHO 83800</u> Date: <u>20 SEP 84</u> Signed by (Firm Official): <u>Ray Roesler</u> and (Operator): <u>Ray Roesler</u>																																															

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

March 27, 1990

CERTIFIED MAIL; RETURN RECEIPT REQUESTED

Mr. Gary Spackman, Supervisor
Water Rights Permit Section
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Proof of Beneficial Use - Permit No. P37-08574
Catherine S. Dawson

Dear Gary:

Enclosed please find Proof of Beneficial Use form for
Idaho Water Permit No. P37-08574 together with our check in the
sum of \$50 for the license examination fee.

If any questions arise regarding this water right,
please do not hesitate to contact my office. Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/jal
Enclosure

RECEIVED
MAR 28 1990

Department of Water Resources

MICROFILMED

MAY 23 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 6, 1990

CATHERINE S. DAWSON
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08574

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MicroFILMED

MAR 12 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 12 1990

30-Nov-1989

Catherine S. Dawson
c/o James P. Speck, Esquire
P.O. Box 987
KETCHUM ID 83340

Re: Application for Permit No. 37-08574

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 12/20 & 12/27/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

RECEIVED

MAR 12 1990

(Paste Here)

3 Applications on Water Rights

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

PLAINTIFF
Department of Water Res. (TF)
BRI TO:

BILL TO

State of Idaho,
County of Blaine

} ss.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 8 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 20 day of Dec, 1984, and

the date of the last publication was on the 21 day of Dec, 1981

Subscribed and sworn to before me this 27th day of Dec., 1989.

(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11 0

Number of Lines in Notice ~~2~~ 8

Number of Insertions 2

Lines tabular at 5.5¢/Pica

Lines straight at 44.55 54.5¢/Pica

Subsequent lines at 35, 10 43.5¢/Pica

TOTAL COST	\$80.19
------------	---------

The following applications have been filed to appropriate the public waters of the State of Idaho:

DAWSON, CATHERINE S.
C/O JAMES P. SPOCK, MD.
P.O. BOX 267
KEITH, ILM. ID 83340

SOURCE: GROUNDWATER
DIVISION P-6; NISSENAH Sec 14
TOWN RITE

Use: DUMMIES	100 CPM
IRIGATION	120 CPM
Total DUMMIES	220 CPM

DATE FILED: 01-07-2000
BY: TERRY D. LEE, CLERK

GRAND TOTAL

SINGAPORE
 DEAN SCOTT COMPANY
 C/O SCOTT CANNIBEL, INC.
 P.O. BOX 100
 PHONE 103701

Source: GROUNDWATER
Diversion Pt: NENE Sec 24 T 20N
R 17E

Use: **COMMERCIAL** - **1000000000**
DOMESTIC - **1000000000**

Total _____
Date _____

100-443887-100



100

100-443887-100

...PE NETWORK SET C
...URATION (.080 CF

Total: 1.050 CF
 Di: 127-1999
 In: 5-1999

6864

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

NOVEMBER 29, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 8, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

MAR 12 1990

37-08574

DAWSON, CATHERINE S.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER

Diversion Pt: NWSWNW Sec 14 T 05N R 17E

Use: DOMESTIC (.060 CFS)
IRRIGATION (.120 CFS)
Total Diversion: (.180 CFS)

Date Filed: 3/13/1989

In: T05N R17E S14 SWNW

6.0 ACRES TOTAL

MICROFILMED

MAR 12 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.

R. Keith Higginson, Director

Published 12/20/1989 & 12/27/1989

MICROFILMED

MAR 12 1990

INTER-DEPARTMENT MEMO — 1

DATE 11-28-89

FROM Jim Stanton

TO File

SUBJECT Application 37-08574, Catherine Dawson

Although this application was received in March of this year, I held it for a long time for clarification from the applicant concerning the two domestic/6 acre question. Since it did not appear that this application would meet the DCMI criteria, I contacted Ms. Dawson's attorney Jim Speck to see about reducing the acreage to 3 acres. I contacted Mr. Speck twice to get this problem resolved. He never got back to me, so I finally decided to continue processing of the app. as filed. After talking to Gary Spackman, it seemed best to continue processing in the region so that Boise could ultimately decide if this application can be approved. This may be sort of a test case, as there are undoubtedly other applications in the Wood River Valley with the same situation.

RECORDED

MAR 12 1990


SIGNATURE

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF

ATTORNEYS

120 EAST AVENUE

POST OFFICE BOX 987

KETCHUM, IDAHO 83340

(208) 726-4421

TELECOPIER (208) 726-0752

HAILEY OFFICE:

16 WEST CROY STREET

SUITE K

POST OFFICE BOX 460

HAILEY, IDAHO 83333

(208) 788-3567

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

March 10, 1989

CERTIFIED MAIL/RETURN RECEIPT REQUESTED

Mr. Loren Holmes
Idaho Department of Water Resources
2148 4th Avenue East
Twin Falls, Idaho 83301

RE: Catherine S. Dawson - Application for Permit

Dear Loren:

Enclosed you will find an Application for Permit which we have prepared for our client, Catherine S. Dawson, together with our check payable to the Department in the sum of \$30.00 as the filing fee. Please let me know your anticipated schedule for publishing notice of this Application. If there are any questions concerning the Application, please do not hesitate to call me.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/rlk
encl.

cc: Mr. Hanley Dawson(w/o encl.)

MICROFILMED

MAR 12 1990

RECEIVED

MAR 13 1989

Department of Water Resources
Southern Region Office

37-08574