

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Twp. 1 N. R. 18 E.

36

36

36

36

PD
PU

MICROFILMED

Scale: 2 inches equal 1 mile.


FEB 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Emu Wood

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1 cm = 100'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	5	F89N		
	STA-RITE VPIII	1.5	Model # W4F02P-22		Model # 20P4F02P-40

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube + psi gauge						

2. Measurements: Using the pitot tube + psi gauge, the average nozzle pressure in $3/16$ " hds was 55 psi. There were 9 hds $3/16$ " hds running at the time of the measurement. The hds were Wilson F33s.

RECORDED & INDEXED


ADJOINING 7.5' QUADRANGLE NAMES

1	2	3	1 Mahoney Bluff
			2 Talley
4		5	3 Brough Creek SW
			4 Richardson Summit
			5 Seaman Creek
			6 Magic Reservoir West
6	7	8	7 Magic Reservoir East
			8 Canfield

43114-D3-TF-024

BELLEVUE, IDAHO
PROVISIONAL EDITION 1986

4-2-Y



PERMIT 37-8548 INIT B.R.B.
T. R. S. Q/O
P/D 10 18F 36 SESEWE
SCALE _____
PHOTO ID. _____

MICROFILMED
DEC 01 1993

P/O
↓
irrigation
field



P/O irrigation
field

↗ P/O Domestic
house

37-8548



P/O ↗ well house

MICROFILMED
DEC 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08548

Priority: August 22, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that SYLVIA WOOD
EMER WOOD

PO BOX 1540

HAILEY ID 83333

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 22, 1989; and has submitted Proof of Beneficial Use on September 11, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENE , Sec. 36, Township 01N, Range 18E
BLAINE County

PLACE OF USE: DOMESTIC

TWN RGE SEC


01N 18E 36

SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of NOVEMBER, 1993.

Acting for  R. Keith Higginson, Director

DEC 01 1993

RECEIVED

SEP 11 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08548 Telephone No. 788-3659

2. Name(s) of Permit Holder(s): Emer Wood & Sylvia Wood

3. Post Office Address: P.O. Box 1540

4. Source of Water: Well

a. If ground water, well driller's name: WOOD RIVER DRILLING
Ken Smith Date drilled: 8-21-89

b. Pump horsepower: 1 1/2 hp. Pressure (psi): 50 Dynamic pumping level (ft.): 120
5 hp.

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 3 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR
Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination: home

Emer Wood 788-3659 or 788-3292
Name Telephone No. office

P.O. Box 1540 Hailey, Idaho 83333
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-9-91
Date

Emer Wood
Signature (and title if on behalf of a company or organization)

RECEIVED
DEC 11 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08548

Proposed Priority: August 22, 1989

Maximum Diversion Rate:

0.13 CFS

This is to certify, that **EMER WOOD**
SYLVIA WOOD
P.O. BOX 1540
HAILEY, ID 83333

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESENE Sec. 36, Township 01N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	18E	36	SENE	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1992**.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. Domestic use is for 1 home.

MICROFILMED

FEB 21 1990

Permit To Appropriate Water

NO. 37-08548

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Emer ^{and} Sylvia Wood Phone 788-3659
Post office address P.O. Box. 1540, Hailey, ID 83333
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 36 Township 1 N. Range 18 E B.M. Blaine County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .09 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .13 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump to House + Sprinkler System
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 160 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

MICROFILMED

FEB 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>1N</u>	<u>18E</u>	<u>36</u>				<u>3</u>													<u>3</u>

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Twp. 1 N. R. 18 E.

36 36

PD
PU

36 36

MICROFILMED

Scale: 2 inches equal 1 mile.

FEB 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Emu Wood

(Applicant)

Received by TB Date 8/22/89 Time 10:20 Preliminary check by [Signature]
Fee \$ 30⁰⁰ Receipted by TB # 500 8915 Date 8/22/89
Publication prepared by M. Baldwin Date 8/29/89 Published in Wood River Journal
Publication approved M. Baldwin Date 10/5/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 30, 1993

SYLVIA WOOD
EMER WOOD
PO BOX 1540
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08548

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature of Jim Johnson, consisting of a large, stylized 'J' followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

DEC 01 1993

WR0749NP
No. L37-08548

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/17/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EMER WOOD	08/22/1989	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	SYLVIA WOOD					
	PO BOX 1540					
	HAILEY ID 83333					
	(208) 788-3659					
				TOTAL DIVERSION:	0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T01N R18E S36 SE SE NE

Place of use Legal Description for: DOMESTIC

	NE				NW				SW				SE			
	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
01N 18E 36	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: BLAINE

Other Water Rights Listing Overlapping Place(s) of use:

37-00577BH 37-02307 37-02611B 37-08168 37-08488 37-08548 37-08731 L37-08408

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	08/22/1989	Priority Date:	08/22/1989
	Proof Due Date:	01/01/1992	Proof Made Date:	09/11/1991
	Exam Made Date:	09/09/1992	Exam Sent to S.O.:	11/15/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/20/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 11/22/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 11/17/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 37-8548

Date 11-17-83

Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u> </u> Memo to Advance <u> </u> Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☒ ☒ ☐ ☒	Amendment Needed? Overlap(s) <u>37-2611B</u>
P/U	☒ ☒ ☐ ☒	Amendment Needed? Overlap(s) <u>37-2611B</u>
TOTAL CFS	<u>-NA-</u> ☐ ☒ ☐ ☒	Disagree/Measurement <u>(Theoretical Only on Domestic Pump)</u> Theoretical $(8.8 \times .70 \times 1.5 \text{ HP}) = .06$ $70 + 2.31 \times 40$ Capacity <u>.06</u> Allowable Amount: <u>Domestic = .04</u>
TOTAL VOLUME	☐ ☒ ☐ ☒	Disagree with Examiner's Calculations? <u>Domestic = 1.2</u> Flow limit: <u>.04</u> x 365 x 1.9835 = <u>28.9</u> Season <u> </u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? Amendment Needed?
REMARKS	☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? Special Overlap Other
CONDITIONS	☐ ☒ ☐ ☒ ☒ ☒	Measuring/Locking Devices W/Master Control <u>DELETE</u> Irrigation Overlap Water Quality
		<u>37</u> Water Dist <u>8-22-89</u> App Rec'd <u>9-9-92</u> Exam Made

COMMENTS: Delete irrigation - covered under 37-02611B;
Reduce rate

RECOMMENDED
Domestic

CFS
.04

DIV VOL
1.2

LICENSE ☒
AMEND ☐
2ND AMEND ☐

TRUST
DCMI

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 16 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-8548

1. Owner: Emer Wood

Phone No. 788-3659 / 788-3292

Current Address: P.O. Box 1540

Hailey

83333

2. Accompanied by: Emer Wood

EXAM DATE: 9-9-92

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: T3950 (37-2611B)

2. Other water rights with the same point of diversion: T3950 (37-2611B)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	36	01W	18E	Blaine	USGS Quad, Inspection


2. Place(s) of Use:

Indicate Method of Determination Inspection

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01W	18E	36				D. X													D. X
	</																		

RECORDED
DEC 01 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1 cm = 160'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	5	F89N		
	STA-RITE VPIII	1.5	Model # W4F02P-22		Model # 70P4 F02P-40

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube + psi gauge						

2. Measurements: Using the pitot tube + psi gauge, the average nozzle pressure in 3/16" hds was 55 psi. There were 9 hds 3/16" hds running at the time of the measurement. The hds were Nelson F33s.

RECEIVED

E. NARRATIVE/REMARKS/COMMENTS

This 8" by 240' well supplies water for domestic + irrigation use. This well has 2 submersible pumps in it. One 5 H.P. STA-RITE pump is used for irrigation while a 1.5 H.P. STA-RITE VIP III is used for domestic use. According to the well log, the water level was around 60' in 1989.

A 3" pvc mainline (buried) runs south from the P/D then west. Two wheelines run north-south from the west running mainline. One wheeline has 11 3/16" hds while the other has 9 3/16" hds. The owner runs each wheeline separately.

A 1" buried mainline runs southwest from the P/D to the house for domestic use.

The owner has a total of 6 acres of property. This permit is for 3 acres while the owner has another application for 3 acres. The application is currently being blocked by a groundwater moratorium in that area. This summer the owner transferred 6" of water into this system.

The T3450 was recommended for approval by the southern office 'sent to the state office in Boise. Approved as 37-2611B

~~Since 3 particular acres of the 6 weren't specified on the permit, I regulated the 3 acres on this permit to be the southeastern part of the property. (see diagram)~~

~~Due to T3450, I'm adding a condition.~~

~~Condition: The rate of diversion of water for irrigation under this permit + T3450 on the same land shall not exceed .03 cfs for each acre of land.~~

A diversion rate of .15 cfs was measured from the irrigation pump. A diversion rate (theoretically) of .15 cfs was calculated. Disallow irrigation component - covered for 1" per acre under 37-2611B

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 01 1993

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

55 psi in $\frac{3}{16}$ " nozzle ≈ 7.77 gpm
 $\frac{9 \frac{3}{16}" \text{ hds running during measurement} \approx 69.93 \text{ gpm} \approx .15 \text{ cfs}}{448.8 \text{ gpm}}$
 $\frac{8.8 \times 1.5 \times .7}{64 + (2.31 \times 35)} = .06 \text{ cfs} = \text{domestic}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \cancel{(3 \text{ acres}) (3.5)} = \cancel{10.5 \text{ cfs}}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \cancel{(.09 \times 184) (1.9835)} = \cancel{32.8 \text{ cfs}}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \cancel{10.5 \text{ cfs}}$

2. Volume Calculations for Other Uses:

Internal & external domestic = 1.2 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	10/15	.09 cfs	10.5 cfs
Domestic	1/1	12/31	.04 cfs	1.2 cfs
Totals:			.13 cfs .04 cfs	11.7 cfs 1.2 afa


2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other


I. AUTHENTICATION

Field Examiner's Name Brett Bussy Date 9.21.92

Reviewer M. S. Date 1/26/93



DEC 1 1992



ROAD LEGEND

Improved Road
 Unimproved Road
 Trail

○ Interstate Route □ U.S. Route ○ State Route

BELLEVUE, IDAHO
 PROVISIONAL EDITION 1986

43H4-D3-TT-024

Y-24

1	2	3	1 Mahoney Butte
4		5	2 Hulet
6	7	8	3 Rough Creek SW
			4 Richardson Summit
			5 Samsun Creek
			6 Magic Reservoir West
			7 Magic Reservoir East
			8 Canoe

ADJOINING 75' QUADRANGLE NAMES

STANDARDS
 QUADRADO 80225

MICROFILMED
 DEC 01 1983

PERMIT 37-8548 INIT B.P.B.
 I. R. S. 0/0
 P/D IN RE 36 SESEWE
 SCALE _____
 PHOTO ID. _____

P/D
 P/D

43° 22' 30"
 114° 15'

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT


P/O
↓
irrigation
field



P/O irrigation
field

↗ P/O Domestic
house

37-8548



P/O ↗ well house

MICROFILMED

DEC 01 1993

November 22, 1991

EMER WOOD
SYLVIA WOOD
P.O. BOX 1540
HAILEY ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08548

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 11 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 37-8548

Date 10-1-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source

☒ Drill permit req'd?

☒ Copy in file?

Drill permit no. 37-89-5-087

1989

10.00

Amt paid for drilling permit? No Correct?

☒ Well log in file?

OK

LICENSE EXAMINATION FEE

☒ Required?

50.00 Amount submitted?

☒ Correct amount?

received additional \$9000

MEASURING DEVICE

NO Measuring device or access port required?

☒ Installed?

☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs additional fee for Drilling Permit

PRIORITY CALCULATION

Date proof received

NA

Date proof due

-

No. of days late

=

Priority date

+

NEW PRIORITY DATE

=

KLG 11/22/91



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1991

Elmer and Sylvia Wood
P.O. Box 1540
Hailey, ID 83333

Re: Permit No. 37-08548

Dear Permit Holder:

Returned is a copy of the Proof of Beneficial Use and Drilling Report you submitted to this office on September 11, 1991. During my examination of your proof, an error has been detected that needs to be corrected before the final processing of the proof.

You indicate the total rate of diversion to be .13 cfs. If that is indeed the case, the drilling permit fee that should have been paid was \$100. The permit indicates you paid \$10 which leaves a balance due of \$90.

We apologize for the error made at that time. I will hold your proof due notice for 30 days without action. Please submit the additional \$90 before that time. As soon as I receive the additional fee, I will complete my examination and begin the licensing process.

If you have any questions or if I can be of further assistance, please feel free to contact me.

Sincerely,

Karen Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosures

UNRECORDED

DEC 11 1991

3/89

Drilling Permit No. 37-89-S-087

Water Permit No. _____

Injection Permit No. _____

RECEIVED

AUG 25 1989

Department of Water Resources

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

AUG 22 1989

Department of Water Resources
Southern Region Office

1. Applicant Emer ⁰⁵ Sylvia Wood
2. Address P.O. Box 1540, Hailey
Idaho 83333 Telephone 208-788-3659
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 36, Twp. 1N, Rge. 18E, County Blaine,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- ☒ Domestic () Stockwater () Monitoring
No. of households 1 No. of livestock _____
- () Irrigation () Industrial () Municipal
- () Injection () Other, Specify _____
5. Well construction information:
- ☒ New well () Deepen () Replace
- Proposed surface diameter 8" Maximum depth 160
- Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date ASAP
7. Well Driller (if known) Kenny Smith
Address Blaine Idaho
8. Applicant's signature Emer Wood
Title Owner
Date 8/22/89

37-89-S-087

DEC 11 1989

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 22 day of August, 1989.

Signed Larry O'Halloran

Title Southern Region Mgr

Receipt No. S008915 Received by TR Fee 10 Date 8/25/89

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

DEC 11 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

MICROFILMED

DEC 11 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. P37-08548

Name(s) of Permit Holder(s): Emer & Sylvia Wood

Post Office Address: P.O. Box 1540 Heile, Idaho 83337

Tel. No. 208-788-3659

☒ I hereby certify that construction of diversion works for the above referenced permit began on 8-22-89 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5-16-91
Date

Emer Wood
Signature of Permit Holder



EMER WOOD

AGENT

216 NORTH MAIN P.O. BOX 1547

HAILEY, IDAHO 83333

(208) 784-3656

**PLACE
STAMP
HERE**



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**



Family Insurance Checkup

1982
State Farm Mutual
Automobile Insurance Company

EMER WOOD

Auto-Life-Health-Home and Business

P.O. BOX 1540-216 NORTH MAIN, HAILEY, ID. 83333 & 400 SUN VALLEY ROAD,
KETCHUM, ID. (Ketchum part/time) PHONE (208) 788-3292 & 788-4612

RECEIVED

MAY 20 1991

May 17, 1991

Department of Water Resources

FAX GRAM

* Memo To: Department of Water Resources

* FROM: Emer Wood

RECEIVED

MAY 21 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

EMER WOOD
SYLVIA WOOD
P.O. BOX 1540
HAILEY, ID 83333

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08548

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

FEB 21 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 21 1990

30-Aug-1989

Emer &/or Sylvia Wood
P.O. Box 1540
Hailey, ID 83333

Re: Application for Permit No. 37-08548

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 9/20 & 9/27/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED
FEB 21 1990

AFFIDAVIT OF PUBLICATION

RECEIVED

State of Idaho, } ss.
County of Blaine

SEP 29 1989

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 20th day of Sept. 1989, and

the date of the last publication was on the 27th day of Sept. 1989.

Subscribed and sworn to before me this 27th day of Sept. 1989
(SEAL)

Roberta D. Fisher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	<u>11</u>
Number of Lines in Notice	<u>74</u>
Number of Insertions	<u>2</u>
Lines tabular at	5.5¢/Pica
<u>74</u> Lines straight at	<u>36¢/Pica</u>
<u>24</u> Subsequent lines at	<u>28.49</u> 3.5¢/Pica
TOTAL COST	<u>65.42</u>

COPY OF NOTICE
(Paste Here)

4 Applications
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Four file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08546
KOHLE, ROBERT W.
P.O. BOX 1036
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt.: SWSW Sec 17 T
03N R 18E
Use: DOMESTIC (.040 CFS)
Date Filed: 7/28/1989
In: T03N R18E S17 SWSW

37-08547
RINKER, HARRY
C/O GARY SLETTE, ESQ.
P.O. BOX 1906
TWIN FALLS, ID 83303
Source: GROUNDWATER
Diversion Pt.: SWSW Sec 32 T
04N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 8/18/1989
In: T04N R18E S32 SESW
3.0 ACRES TOTAL

37-08548 ✓
WOOD, EMER
WOOD, SYLVIA
P.O. BOX 1540
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt.: SESENE Sec 36 T
01N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 8/22/1989
In: T01N R18E S36 SENE
3.0 ACRES TOTAL

37-08549
BOYLSTON, MICHAEL
BOYLSTON, CORNELIA
P.O. BOX 1888
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt.: SENENE Sec 15 T
05N R 17E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Date Filed: 8/18/1989
In: T05N R17E S15 NENE
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before OCTOBER 9, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal
September 20 & 27, 1989.

RECORDED
FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 29, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

FEB 21 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

FEB 21 1990

37-08548

WOOD, EMER
WOOD, SYLVIA
P.O. BOX 1540
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: SESENE Sec 36 T 01N R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)

Date Filed: 8/22/1989

In: T01N R18E S36 SENE

3.0 ACRES TOTAL

RECORDED

FEB 21 1990

Disk: Legals/4NofAp

Four file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08548

WOOD, EMER
WOOD, SYLVIA
P.O. BOX 1540
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt.: SESENE Sec 36 T
01N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 8/22/1989
In: T01N R18E S36 SENE
3.0 ACRES TOTAL

OK
JRP
9-6-89

37-08549

BOYLSTON, MICHAEL
BOYLSTON, CORNELIA
P.O. BOX 1888
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt.: SENENE Sec 15 T
05N R 17E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Date Filed: 8/18/1989
In: T05N R17E S15 NENE
1.0 ACRES TOTAL

OK
JRP
9-6-89

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301, on
or before OCTOBER 9, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
September 20 & 27, 1989.

RECEIVED

FEB 21 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before OCTOBER 9, 1989.

R. Keith Higginson, Director

Published 9/20/1989 & 9/27/1989

RECEIVED
FEB 41 1990