

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 3N
 R. 18E
 9 PD 0 PM
 DEPT. OF AGRICULTURE
 BUREAU OF LAND MANAGEMENT

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MAY 23 1990

Application for permit to appropriate the public water

Richard J. Wooley
(Applicant)

RICHARD J. WOOLEY,
Managing Trustee



PIONEER SUBDIVISION No. 3

LOCATED IN
SECTION 9, T. 3 N., R. 18 E., B.M.
BLAINE COUNTY, IDAHO

Sun Valley Title Company
~~Box Building, P. O. Box 527~~
~~Ketchum, Idaho 83333~~

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

SUN VALLEY TITLE CO.
P. O. DRAWER 2365
KETCHUM, IDAHO 83340
(208) 726-9341



WOOLEY

37-08544

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard J. & Esther E. Woolley Trust Permit No. 27-08544
Current Address: P.O. Box 3313 Phone No. 788-5042
2. Accompanied by: Ketchum, Ida 83340 EXAM. DATE: 7/30/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: no ☐ Copies Attached
2. Other water rights with same point of diversion: no ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached





Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

NOV 07 1995

T3N R18E S9
Woolley Trust
37-8544





RESEARCH

NOV 07 1995



House with Lawn

PHOTOGRAPHED

NOV 07 1995



System for Lawn -



system for the House.

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 6th day of Sept., 19 89, and

the date of the last publication was on the 13th day of Sept., 19 89.

Daniel J. Gorham

Subscribed and sworn to before me this 13th day of Sept., 19 89.
(SEAL)

Raberta K. Kucher

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 38
Number of Insertions 2

Lines tabular at _____ 5.5¢/Pica
38 Lines straight at 18.81 4.5¢/Pica
38 Subsequent lines at 14.63 3.5¢/Pica
TOTAL COST 33.44

COPY OF NOTICE
(Paste Here)

Not. of Application #37-08544
TITLE OF NOTICE Wooley Trust

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Wooley Trust seeks water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08544

RICHARD J.
& ESTHER E. WOOLEY TRUST
P.O. BOX 3313
KETCHUM ID 83340

Source: GROUNDWATER
Diversion Pt: SESWNE Sec 9 T
03N R 18E; NENWSE Sec 9 T 03N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.110 CFS)

Date Filed: 8/10/1989

In: T03N R18E S09 SWNE NWSE
1.3 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal—
September 6 & 13, 1989.

PUBLICATION RATES

As of Oct. 1, 1988
(Idaho Code, Reb. Statutes 1984)

7-8 pt. per line straight....4.5/pica

7-8 pt. per line tabular....5.5/pica

7-8 pt. per line successive
insertion....3.5/pica

6709

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08544

Priority: August 10, 1989

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

5.2 AF

This is to certify, that RICHARD J & ESTHER E WOOLEY TRUST

209 CANYON RD

HAILEY ID 83333

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 10, 1989; and has submitted Proof of Beneficial Use on May 4, 1990. An examination indicates that the works have a diversion capacity of 0.250 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.11 CFS	4.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.13 CFS	5.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 9, Township 03N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

03N 18E 9

ACRES

SWNE

1

ACRES

SENE

0.3

ACRES

TOTAL

1.3

Total number of acres irrigated:

1.3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

MINOR CHANGES

NOV 07 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08544

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .11 cfs nor more than 4.6 afa for irrigation of the land described above.
7. Place of use is located within Lot 11, Pioneer Subdivision No. 3.
8. Domestic use is for 1 home.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of NOVEMBER, 1995.

Acting for


KARL J. DREHER, Director

WR

MICROFILMED
NOV 07 1995

State of Idaho
Department of Water Resources

RECEIVED

NOV 01 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08544

Department of Water Resources

Date of Priority: August 10, 1989

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

5.2 AF

Comes now

RICHARD J & ESTHER E WOOLEY TRUST

~~PO BOX 3313~~ 209 CANYON RD.

~~KETCHUM ID 83340~~ HAILEY ID 83333

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-08544, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.11 CFS	4.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.13 CFS	5.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 9, Township 03N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	18E	9	SWNE 1	SENE 0.3		1.3

Total number of acres irrigated: 1.3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

MICROFILMED

NOV 07 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at

Hailey, Idaho

this

30th

day of

October

1995

Richard J. Wooley
The Richard J. & Esther E. Wooley Trust
(signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08544

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by Jw # C03825 Date 11-2-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-08544 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .11 cfs nor more than 4.6 afa for irrigation of the land described above.
7. Place of use is located within Lot 11, Pioneer Subdivision No. 3.
8. Domestic use is for 1 home.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

RECEIVED

NOV 07 1995

Witness my hand this 4TH day of NOVEMBER, 1995.

Acting for Karl J. Dreher
KARL J. DREHER, Director

RECEIVED

MAR 07 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources **PROOF OF BENEFICIAL USE**

\$ 22.00
002217
5-4-90

For Office Use Only
Amt. of Fee \$ 28.00
Date 3/7/90
Receipt No. 691370
Received by Jenny

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P37-08544 Telephone No. 208-788-5042

Name(s) of Permit Holder(s): RICHARD J. & ESTHER E WOOLEY TRUST

Post Office Address: PO Box 3313 KETCHUM IDAHO 83340

Source of Water: GROUND WATER

If ground water, well driller's name: WOODRIVER DRILLING & PUMP Date drilled: 1983
KEN SMITH

Extent of Use:
Domestic 1 (No. of households) Irrigation 1.3 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.15 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1983 APPROX.

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ SEE COPY OF RECEIPT #5002217 ATTACHED
(See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

RICHARD J WOOLEY 208-788-5042
Name Telephone No.
209 CANYON RD "EAST FORK" HAILEY ID 83333
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/6/90 Richard J Wooley MANAGING TRUSTEE
Date Signature (and title if on behalf of a company or organization)

NO. 37-08544

0.15 CFS

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Richard J. Wooley and/or Esther E. Wooley
and/or Dr. Sterling G. Pollock, M.D., Trustees
1. Name of applicant of the Richard J. & Esther E. Wooley Trust Phone 208-788-5042
Dated 7/24/70
Post office address P.O. Box 3313, Ketchum, Idaho 83340

2. Source of water supply Groundwater which is a tributary of N/A

3. Location of point of diversion is SE $\frac{1}{4}$ of S W $\frac{1}{4}$ of N E $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 3N Range 18 E B.M. Blaine County; additional
points of diversion if any: None or NE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 9 T. 3N 18E (exact legal unknown)

4. Water will be used for the following purposes:

Amount 0.04 CFS for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) Irrigation -

Amount 0.11 CFS for Watering lawn purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.15 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Domestic use; house only 1 H.P. Pump
Delivers 17 gal./min. at 50 P.S.I. Lawn watering use 3 H.P. Pump
Delivers 50 gal./min. at 50 P.S.I. One well with 2 pumps (existing system)

b. Height of storage dam N/A feet; active reservoir capacity N.A. acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.

c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 62 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1/9/ one* years (minimum 1 year). * Per telecon w/applicant 8-16-89 MAY 23 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. 1 Household
- e. Other; describe fully. Lawn watering of 1.25 acres of lawn

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3 N	18 E	9			1.00 D											D 0.25			1.25

Total number of acres to be irrigated 1.25

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Pioneer Subdivision No. 3, located in Section 9, T3N, R18E, B.M., Blaine County Idaho, Lot 11. Irrigation system consists of many pop-up sprinkler heads that are set up to use 0.11 cfs efficiently. Soil is sandy & rocky, requiring a lot of water to maintain a decent lawn. We are withdrawing our previously-filed SRBA claim in favor of this application. Well was drilled in 1983. Second pump for irrigation was installed this year.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A grid with handwritten labels:

- R. 18E** at (5, 5)
- T. 3N** at (4, 3)
- 9 PD 000** at (6, 3)
- MICHIGAN** at (7, 0)

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MAY 23 1990

RICHARD J. WOOLEY,
Managing Trustee


Received by SC Date 8/10/89 Time 11:45 Preliminary check by JF Stanton
Fee \$ 30.00 Receipted by AM # 5002217 Date 9-16-88
Publication prepared by M. Baldwin Date 8/18/89 Published in Wood River Journal
Publication approved M. Baldwin Date 9/19/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:





PIONEER SUBDIVISION No. 3


LOCATED IN
SECTION 9, T. 3 N., R. 18 E., B.M.
BLAINE COUNTY, IDAHO

Sun Valley Title Company

~~For Building, P. O. Box 577~~
~~Hailey, Idaho 83333~~

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

SUN VALLEY TITLE CO.
P. O. DRAWER 2365
KETCHUM, IDAHO 83340
(208) 726-9341



MICROFILMED

MAY 23 1990

POINT OF DIVERSION

WOOLEY

37-08544



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 6, 1995

RICHARD J & ESTHER E WOOLEY TRUST
209 CANYON RD
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08544

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

NOV 07 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 23, 1995

RICHARD WOOLEY
209 CANYON RD
HAILEY ID 83333

RE: Water Right No. 37-08544

Dear Mr. Wooley:

Thank you for calling this morning to discuss your water right. As we discussed, I have enclosed a photocopy of Permit No. 37-08544, which was issued in 1990, and a photocopy of the field report based on the 1990 inspection by Gary Funderburg.

The examiner's recommendation that your point of diversion and place of use be amended seem to be best illustrated by his marks on a photocopy of your county addressing map. I have highlighted your lot in yellow. The "pd" indicating the location of your well is marked in the SENE of Section 9.

If you agree with the information presented on the application for amendment I already sent you, please sign it and submit it with the \$50.00 filing fee within fourteen (14) days. If you have questions or if you disagree with the examiner's findings, please contact me at 208-327-7946 in Boise.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK
Enclosures

MAILED
NOV 07 1995

MEMORANDUM

DATE: October 23, 1995

TO: File 37-08544

FROM: Shelley W. Keen *SWK*

RE: Phone call from Dick Wooley

=====

Today Dick Wooley called to discuss my request for a licensing amendment of permit 37-08544. He said that he never received a copy of the permit issued in 1990. He requested that I send him a copy of the permit and a copy of the field report so that he can evaluate the need for an amendment.

Mr. Wooley also gave me his new address and phone number.

Richard Wooley
209 Canyon Rd.
Hailey, ID 83333
(208) 788-5042

NOV 07 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 4, 1995

RICHARD J & ESTHER E WOOLEY TRUST
PO BOX 3313
KETCHUM ID 83340

RE: WATER RIGHT NO. 37-08544

Dear Water Right Holder(s):


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

NOV 07 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 37-08544 DATE 10-3-95

NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE ✓ Advance? ✓ Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed? CHANGE TO SENE OF SEC 9
✓ Overlaps?

PLACE OF USE ✓ Amendment needed? CHANGE NUUSE TO SENE
✓ Overlaps?

DIV RATE ✓ Permit/fee limits: .15 CFS
IRR Meas Q = .17 Theo Q/Dom .03 Recommend: (.15)
 Permit: IRR for .11 CFS
 Dom for .04 CFS
IRR OK @ .11 CFS 8.8 X .7 X 2 HP
Internal domestic @ .02 (.05 + (2.31 x 40) = .08 CFS
3 HP PUMP = .11 CFS

ANNUAL VOLUME ✓ Volume Limit: NEW Season: 3/3.5 (4-15 to 10-15)
 Calculations: 1.3 acres x 3.5 = 4.6 GF
Internal domestic @ .10
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO NO MENTION OF ANY SURFACE WATER RIGHTS USED.
 Supplemental Groundwater NO PPU Scenario
 Irr/Dom Combination YES Shared G/W System

NEW REMARKS WBS Multiple p/d(s) in 1/4 1/4?
WBS Other Place of use in lot 11, Pioneer Sub No. 3

NEW CONDITIONS WBS Watermaster control - District
 Measuring/Locking Devices
WBS Irrigation Overlap (SPECIAL CASE)
 Other (Keep 041)
 Water Quality Heat/Cool/Fish verified

COMMENTS: Reduce domestic rate
Amend P/D + P/L

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.11</u>	<u>4.6</u>	<u>NO</u>	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>		
<u>TOTALS</u>	<u>.13</u>	<u>5.2</u>		

LICENSE

1ST AMEND LETTER? P37 + P38
 2ND AMEND LETTER? P47

MEMORANDUM

TO: File 37-08544 / Richard Wooley Trust
FROM: Brenda Chapman
DATE: October 4, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 37-08544 are based on the information below:

F. FLOW CALCULATIONS

The domestic rate has been adjusted. With the current guidelines of including domestic lawns, gardens, etc. in the irrigated acre total, the domestic recommendation is, therefore, reduced to an internal use rate of .02 cfs.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-15 to 10-15	.11	4.6
Domestic	1-01 to 12-31	.02	.6

RECEIVED

NOV 07 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WOOLEY TRUST

37-8544
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☐ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index 6-11-90 A.S. (Initial and date)
Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
Check of P/U index 6-11-90 A.S. (Initial and date)
Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
Aerial Photo
Required? ☐ yes ☒ no If yes: ☐ copy attached?
Scheduling Letter sent? SD 7/1/90 (Initial and date)
☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 9/1/90 GPF (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent GA 10-25-93 (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Richard J. & Esther E. Woolley Trust

Permit No. 37-08544

Current Address: P.O. Box 3313

Phone No. 788-5042

2. Accompanied by: Ketchum, Ida 83340

EXAM. DATE: 7/30/90

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: ad

☐ Copies Attached


2. Other water rights with same point of diversion: 10 -

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



~~Scale: 1" = 100'~~

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOV 07 1995

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 well 8" dia w - 2 pumps in this well.
 1 pump is used for the House
 1 pump is used for lawn.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Lawn	Sta-Rite	3	40PH028-37		50 gal/min
House	Sta-Rite	2	1C8C		17 gal/min

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1 well		SW	SE	NE	9	3 N	18 E	Blaine	See Subdivision Map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3 N	18 E	9			1.0	0.38													1.38
3 N	18 E	4																	1.3

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Painbird Sprinkler - impact - 27 gal/min.
 30 WPSH 30 PSI @ 4 Hds = 30.32 gpm. Meas =
 7.58 gpm/Hd. @ 10 Hds = 75.8 gpm Meas = 0.169
 = 0.169 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow 0.11 cfs permitted for irrig.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (3.5) \times (1.3) = 4.575 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.575 \text{ AFA}$

2. Volume Calculations for Other Uses:

1 Home w/o lawn = 0.6 AFA (lawn covered by irrig. use) NOV 07 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Property address is 209 Canyon Rd, Hailey, ID. AKA Lot 11, Pioneer Subdiv. #3.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	10/15	.11	~~3.75~~ 4.6
Domestic	4/1	12/31	0.04	0.60
Totals:			0.15	5.2

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Gray L. Funderburg
 Signature Gray L. Funderburg
 Certification Date _____
 Field Report Preparation Date 10-25-93


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


* See adjustment explanation memo. BC

NOV 12 1993

T3N R18E S9
Wooley Trust
37-8544









House with Lawn

REPRODUCTION

NOV 07 1977



System for lawn -



system for the House.

May 15, 1990

STERLING G. POLLOCK, TRUSTEE
RICHARD J. & ESTHER E. WOOLEY TRUST
RICHARD J. WOOLEY, TRUSTEE
ESTHER E. WOOLEY, TRUSTEE
P.O. BOX 3313
KETCHUM, ID 83340

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08544

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 23 1990

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: 5002217

Date: 05/04/90
Time: 09:29:24

Received

From:

WOOLEY TRUST

Type of Payment

Program Acct Class

Amount

APPLICATION FOR PERMIT (3708544)
PROOF OF BENEFICIAL USE (3708544)

0640199 1238 6390
0640122 1238 6490

\$30.00
\$22.00

Total


\$52.00

CHECK 1211

Idaho Department of Water Resources

Region: SOUTHERN

Signature: _____



From the desk of
DICK WOOLEY

3/6/90

Receipt 5002217	\$52.00
Less Permit Application Fee	<u>30.00</u>
Balance	22.00

Amt required for
License Examination Fee 50.00

Check enclosed

RECEIVED

MAY 23 1990
MAR 7 1990

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
February 21, 1990

STERLING G. POLLOCK, TRUSTEE
RICHARD J. & ESTHER E. WOOLEY TRUST
RICHARD J. WOOLEY, TRUSTEE
ESTHER E. WOOLEY, TRUSTEE
P.O. BOX 3313
KETCHUM, ID 83340

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P37-08544

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MAILED

MAY 23 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAY 23 1990

MEMORANDUM

TO: FILE
FROM: JIM JOHNSON
RE: EVALUATION OF IRRIGATION REQUEST
DATE: November 17, 1989

=====

WATER REQUIREMENT FOR LAWNS*

1. Healthy lawns require about one inch of water per week or about 27,150 gallons/acre/week.
2. The maximum application rate that lawns can use without runoff is 0.25 inch/hour.
3. One irrigation sprinkler head covers about 0.03 acres.
4. The sprinkler system should supply full supply in about 12 hours/week of operation.

EVALUATION OF DELIVERY SYSTEM

Hours of system operation:	12 hours
Land to be irrigated is (in acres):	1.3 acres
Gallons per week required:	33938 gallons
Rate required to supply full supply in (X) hrs/week.	47.1 gpm
or	0.11 cfs
The rate per acre is:	0.08 cfs/acre
The application rate (inches per hour) is:	0.10 inch/hr

1. Absorption rates by soil types.
 - a. Light sandy soils - 1.5" to 0.75" per hr.
 - b. Medium textured soils - 0.75" to 0.50" per hr.
 - c. Heavy textured soils - 0.50" to 0.20" per hr.

*Source Hydraulic Handbook, Colt Industries 1979, p.97

INDEXED

MAY 23 1990

HIGHER RATE
CALCULATION
WORKSHEET

21-Aug-1989

Richard J. & Esther E. Wooley Trust
P.O. Box 3313
Ketchum, ID 83340

Re: Application for Permit No. 37-08544

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 9/6 & 9/13/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MAILING

MAY 23 1990

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 6th day of Sept. 1989, and

the date of the last publication was on the 13th day of Sept. 1989.

Daniel J. Gorham
Subscribed and sworn to before me this 13th day of Sept. 1989.
(SEAL)

Robert A. Kacher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 38
Number of Insertions 2
Lines tabular at 5.5¢/Pica
38 Lines straight at 1881 4.5¢/Pica
38 Subsequent lines at 14.63 3.5¢/Pica
TOTAL COST 33.44

COPY OF NOTICE
(Paste Here)

Not. of Application #37-08544
TITLE OF NOTICE *Wooley Trust*

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Wooley Trust seeks water right.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08544

RICHARD J.
& ESTHER E. WOOLEY TRUST
P.O. BOX 3313
KETCHUM ID 83340

Source: GROUNDWATER
Diversion Pt: SESWNE Sec 9 T
03N R 18E; NENWSE Sec 9 T 03N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.110 CFS)

Date Filed: 8/10/1989
In: T03N R18E S09 SWNE NWSE
1.3 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
September 6 & 13, 1989.

PUBLICATION RATES

As of Oct. 1, 1988
(Idaho Code, Re: Statutes 1984)

7-8 pt. per line straight...4.5/pica

7-8 pt. per line tabular...5.5/pica

7-8 pt. per line successive
insertion....3.5/pica

6709

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 18, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MAILED

MAY 23 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECORDED

MAY 23 1990

37-08544

RICHARD J. & ESTHER E. WOOLEY TRUST
P.O. BOX 3313
KETCHUM, ID 83340

Source: GROUNDWATER

Diversion Pt: SESWNE Sec 9 T 03N R 18E
 NENWSE Sec 9 T 03N R 18E

Use: DOMESTIC (.040 CFS)
 IRRIGATION (.110 CFS)

Date Filed: 8/10/1989

In: T03N R18E S09 SWNE NWSE

1.3 ACRES TOTAL

MICROFILMED

MAY 23 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08544

RICHARD J.
& ESTHER E. WOOLEY TRUST
P.O. BOX 3313
KETCHUM ID 83340

Source: GROUNDWATER
Diversion Pt: SESWNE Sec 9 T
03N R 18E; NENWSE Sec 9 T 03N
R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.110 CFS)

Date Filed: 8/10/1989

In: T03N R18E S09 SWNE NWSE
1.3 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
September 6 & 13, 1989.

OK
MB
8/28/89

RECEIVED

AUG 28 1989

Department of Water Resources
Twin Falls Region Office

MICROFILMED

MAY 23 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Published 9/06/1989 & 9/13/1989

MICROFILMED

MAY 23 1990

FROM Jim, Southern

DATE 8-16-89

TO Fiscal

SUBJECT Refund of Filing Fee, Receipt S002217

~~THIS~~ This receipt is for \$52. for an adjudication claim. The priority date was too late to be claimable in the SRBA, so an application for permit was filed instead. That fee is \$30., leaving \$22. to be refunded to Richard J. Wooley, P. O. Box 3313, Ketchum, ID, 83340. Please make the necessary refund.

5-4-90
\$22 applied to proof of beneficial use
(see corrected receipt)
S002217



SIGNATURE

MICROFILMED

MAY 23 1990

37-08544



State of Idaho

DEPARTMENT OF WATER RESOURCES

(208) 327-7900

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - [REDACTED]

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 29, 1989

Richard J. Wooley and Esther E. Wooley
and Dr. Sterling G. Pollock, Trustees
Richard J. and Esther E. Wooley Trust
P. O. Box 3313
Ketchum, Idaho 83340

RE: Snake River Basin Adjudication
Blaine County

Dear Claimants:

We are returning your Notice of Claim to a Water Right filed for your property in Blaine County and your receipt #S002217 in the amount of \$52.00. You are given the opportunity to withdraw or modify this claim.

Any water right developed from a groundwater source after 1963, for any use other than single family domestic use, is required to have an application for permit filed. We can find no record of a permit for this property. The claim you have presented conflicts with the Ground Water Statute at §42-230, Idaho Code, and Water Appropriation Rules and Regulations, paragraph 2,15.

I have enclosed an application for permit, with instructions for your use in this matter. If you will return the completed forms to the Department of Water Resources - Southern Region Office, 2148 Fourth Avenue East, Twin Falls, ID 83301, we will be happy to proceed. Should you wish to pursue before the court the exact water right you have presented on this claim, please return it to this office. If you choose to submit the application for permit, you may request that the fees already receipted be applied to the permit.

MICROFILMED

MAY 23 1990

37-08544

Richard J. and Esther E. Wooley Trust
Page 2
March 29, 1989

If you choose to resubmit this claim, please note that the names of Trustees listed in Item 1 have "and" between names; please either add "/or" between names to allow one signature to be sufficient, or have all trustees' signatures notarized.

Please do not hesitate to contact the Department if you have any questions or need assistance.

Sincerely,


for Donald V. Shaff
Adjudication Section Supervisor

DVS:HHT:mcc
Enclosures:
Notice of Claim
Receipt #S002217 (\$52.00)
Permit Application w/Instructions

MICROFILMED

MAY 23 1990