


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,



BE IT KNOWN that the State of Idaho as herein set forth.

(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

NOV 9 1989

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 1st day of Nov, 19 89, and

the date of the last publication was on the 8th day of Nov, 19 89.

Daniel J. Gorham
Subscribed and sworn to before me this 8th day of Nov, 19 89.
(SEAL)

Rabuta McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 5.5¢/Pica
36 Lines straight at 19.80 4.5¢/Pica
36 Subsequent lines at 15.84 3.5¢/Pica
TOTAL COST 35.64

COPY OF NOTICE
(Paste Here)

Amended Application #37-08536
TITLE OF NOTICE Farrington

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Farrington files on water right

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for water permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08536

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Date Amended: 10/19/89

Source: Groundwater

Diversion Pt: Three (3) points
within NE1/4NE1/4NE1/4, S27,
T1N, R18E; Blaine County.

Use: Irrigation (2.50 cfs)
Stockwater (0.03 cfs)

In: 125 acres within N1/2NE1/4,
SE1/4NE1/4, S27, T1N, R18E;
SW1/4SE1/4, S22, T1N, R18E.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East, Twin Falls, ID 83301, on or before November 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
November 1 & 8, 1989.

PUBLICATION RATES

As of Oct. 1, 1988

(Idaho Code, Reb. Statutes 1984)

7-8 pt. per line straight....4.5/pica

7-8 pt. per line tabular....5.5/pica

7-8 pt. per line successive
insertion....3.5/pica

6799

AFFIDAVIT of PUBLICATION

RECEIVED

SEP 5 1989

State of Idaho, }
County of Blaine } SS.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 16th day of Aug. 19 89, and

the date of the last publication was on the 23rd day of Aug. 19 89.

David J. Gorham
Subscribed and sworn to before me this 23rd day of Aug. 19 89.
(SEAL)

Roberta McKee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions _____
Lines tabular at _____ 5.5¢/Pica
Lines straight at 20.05 4.5¢/Pica
Subsequent lines at 15.59 3.5¢/Pica
TOTAL COST 35.64

COPY OF NOTICE
(Paste Here)

Not. of Application #37-08536
TITLE OF NOTICE Farrington

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Farrington files on water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08536
FARRINGTON, GARY
FARRINGTON, SUZANNE
P.O. BOX 542
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversion Pt.: NENENE Sec 27 T
01N R 18E
Use: IRRIGATION (2.500 CFS)
STOCKWATER (.030 CFS)
Date Filed: 7/27/1989
In: T01N R18E S22 SWSW; S27
NENE NWNE SENE
125.0 ACRES TOTAL

The application(s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit(s) will be subject to all prior water rights except subordinated hydropower rights. Protests must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 5, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal—
August 16 & 23, 1989.

PUBLICATION RATES

As of Oct. 1, 1988

(Idaho Code, Reb. Statutes 1984)


7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

MICROFILMED

DEC 15 1989

66 77

PERMIT 37-08536 INIT
T. R. S. Q/Q
P/D IN 185 22 NE/NE
SCALE
PHOTO ID.






PERMIT 37-08536 INIT

T.	R.	S.	Q/Q
----	----	----	-----

P/D 1N 18E 27 NENE

SCALE

PHOTO ID. System Diagram



37-08536




#1
P/D
48.5 Hp
Caterpillar
Diesel



#2
P/D
7.5 Hp
Sta-Rite

37-08536



#3
Phasor
Unit



#4
P/u
Looking
Southwest
← Gun

37-08536



#5
P/
4
Looking
South-west



#6
P/
4
Looking
South

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by 12
Date 11/16/90
Receipt # C018896

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08536
Name(s) of Permit Holder: GARY J FARRINGTON (GJ Angus Ranches)
Post Office Address: Box 542 Bellevue Idaho 83313
Telephone No. 788 2541 (726-5992)
Date Proof is Due: 1/1/91

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Wells are in & capped with new pump
on premises / Service pole in place
with meter waiting for IDAHO power
hook-up Costing \$ 4,300.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

IDAHO Power has failed to complete
power pole work necessary to hook-up
pumps

Permit holder(s) request an extension to 1/1, 19 92
(1 yr. minimum) [Signature] (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1992. FEB 06 1991

Signed this 25th day of January, 19 91

[Signature]
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08536

Proposed Priority: July 27, 1989

Maximum Diversion Rate:

2.53 CFS

This is to certify, that **GARY FARRINGTON**
SUZANNE FARRINGTON
P.O. BOX 542
BELLEVUE, ID 83313

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	2.50 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
	Totals	2.53 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENENE Sec. 27, Township 01N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	18E	22	SWSE 5			5
		27	NENE 40	NWNE 40	SENE 40	120
Total number of acres irrigated:						125

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

MICROFILMED

DEC 15 1989

Permit To Appropriate Water

NO. 37-08536

CONDITIONS/REMARKS:

7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
9. 3 points of diversion located in NENENE, S27, T1N, R18E.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of December, 1989.

for R. Keith Higginson, Director

MICROFILMED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Amended

To appropriate the public waters of the State of Idaho

1. Name of applicant Gary & Suzanne Farrington Phone 288-2541
Post office address P.O. Box 542, Bellevue, ID 83313
2. Source of water supply Ground water which is a tributary of N/A
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 27 Township 1N Range 18E B.M. Blaine County; additional
points of diversion if any: 3 points (16", 40")
4. Water will be used for the following purposes:
Amount 2.50 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs ~~acre-feet per annum~~)
Amount 0.03 for Stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs ~~acre-feet per annum~~)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.53 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 177', 16" well drilled in '72,
pivot, hand lines (big guns), gravity ditch, main line
to upper field; also 20", 200' well in '76, and 10", 101' well in '72
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16", 20", 10" inches; proposed depth of well is 177', 200', 101' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

DEC 15 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 12 Horse 88 cattle
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	18E	27	40	40		40													120
		22															5		5

Total number of acres to be irrigated 125

10. Describe any other water rights used for the same purposes as described above. 37-0617(A)

37-0562C

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: System was installed in 1977

and improvements in '81. With prior development processing using Lapsed permit 37-2501 as basis

MICROFILMED

DEC 15 1989

[illegible]

(Applicant)

(Applicant)

Received by DRS Date 7/27/89 Time 4:15 Preliminary check by A.F.
Fee \$ 85.00 Received by DRS # M003886 Date 7/28/89
Publication prepared by M. Baldwin Date 8/1/89 ^{10/19/89} Published in Wood River Journal
Publication approved M. Baldwin Date 9/19/89, 11/13/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

DEC 15 1989

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,

County of Blaine

SS.

NOV 9 1989

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 1st day of Nov. 19 89, and

the date of the last publication was on the 8th day of Nov. 19 89.

Subscribed and sworn to before me this 8th day of Nov. 19 89.
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 5.5¢/Pica
36 Lines straight at 19.80 4.5¢/Pica
36 Subsequent lines at 15.84 3.5¢/Pica
TOTAL COST 35.64

COPY OF NOTICE

(Paste Here)

Amended Application #37-08536
TITLE OF NOTICE Farrington

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Farrington files on water right

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for water permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08536

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Date Amended: 10/19/89

Source: Groundwater

Diversion Pt: Three (3) points within NE1/4NE1/4NE1/4, S27, T1N, R18E; Blaine County.

Use: Irrigation (2.50 cfs)
Stockwater (0.03 cfs)

In: 125 acres within N1/2NE1/4, SE1/4NE1/4, S27, T1N, R18E; SW1/4SE1/4, S22, T1N, R18E.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East, Twin Falls, ID 83301, on or before November 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
November 1 & 8, 1989.

PUBLICATION RATES

As of Oct. 1, 1988
(Idaho Code, Reb. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

6799

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

SEP 5 1989

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 16th day of Aug. 1989, and

the date of the last publication was on the 23rd day of Aug. 1989.

Subscribed and sworn to before me this 23rd day of Aug. 1989.
(SEAL)

Roberta McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	
Number of Lines in Notice	<u>46.5</u>
Number of Insertions	<u>2</u>
Lines tabular at	5.5¢/Pica
Lines straight at	4.5¢/Pica
Subsequent lines at	3.5¢/Pica
TOTAL COST	<u>35.04</u>

COPY OF NOTICE
(Paste Here)

Not. of Application #37-08536
TITLE OF NOTICE Farrington

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Farrington files on water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08536
FARRINGTON, GARY
FARRINGTON, SUZANNE
P.O. BOX 542
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversification Pt.: NENENE Sec 27 T
01N R 18E
Use: IRRIGATION (2,500 CFS)
STOCKWATER (.030 CFS)
Date Filed: 7/27/1989
In: T01N R18E S22 SWSW; S27
NENE NWNE SENE
125.0 ACRES TOTAL

The application(s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit(s) will be subject to all prior water rights except subordinated hydropower rights. Protests must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 5, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
August 16 & 23, 1989.

PUBLICATION RATES

As of Oct. 1, 1988

(Idaho Code, Reb. Statutes 1984)

12 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

MICROFILMED

DEC 5 1989

tele 77

M E M O R A N D U M

DATE: August 18, 1995

TO: File 37-08536

FROM: Shelley W. Keen (SWK)

RE: Request for Re-examination

=====

Gary Farrington called me today to request a re-examination for permit 37-08536. He said that when the initial exam was done last summer, the water table was abnormally low due to the drought. He said that the low water table adversely affected his system's ability to divert water.

I recommended to Mr. Farrington that he send a written request, which may or may not be granted. I also reminded him that there is a fee associated with an examination and that a re-examination would not be done if he has made any physical changes to his diversion system. Mr. Farrington mentioned that he may consider hiring a consultant to measure his diversion.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Permit No. 37-8536

STAFF ANALYSIS SHEET
For
BENEFICIAL USE FIELD REPORT

A. Prior to Conducting the Exam, the file contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval.
- ☒ Computer Data Proof Report
- ☒ Copy of USGS Quad Map
- ☒ Check for Government Lots. If so, make a copy of Gov. plat.
Check of P/D index _____ (Initial & Date)
- Overlap? ☐ Yes ☒ No If Yes: ☐ Copy of Exam(s) Attached?
Type of Overlap ☐ Add acres or uses to existing system.
☐ Increase rate of flow or volume.
☐ Other _____
- Check of PU Index _____ (Initial & Date)
- Overlap? ☒ Yes ☐ No If yes: ☐ Copy of Water Right(s)
Attached?
Type of Overlap ☐ Increase rate or flow volume.
☐ Add P/D's
☐ Increase No. of acres within tracts.
☐ Other _____
- Aerial Photo
☒ Required? ☒ Yes ☐ No If yes: ☐ copy attached?
Scheduling letter sent? _____ (Initial & Date)
☐ Appointment made and telephone conversation memo
attached.

B. After Conducting the Exam, the file contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license
information, and date and signature of examiner.

C. Review and Processing:

Exam completed Wm. Foster 7-21-94 (Signature of Examiner (date))
Exam reviewed by Sr. Water Res. Agent WTS 2-23-95 (Init & date)
Exam reviewed by Mgr of Reg. Office _____ (Init & date)
Exam date entered in computer _____ (Init & date)
Exam sent to S.O. _____ (Init & date)
Copy of Staff Analysis Sheet sent to Mgr. of Reg. Office and Orig.
re-filed in White File. _____ (Init & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 10 1995

Department of Water Resources

A. GENERAL INFORMATION

- Permit No. 37-08536
1. Owner: Gary and Suzanne Farrington Phone No. 788-2541
Current Address: 388 Glendale Rd. Bellevue, ID 83313
2. Accompanied by: Owner EXAM. DATE: 7-14-94
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

- 37-00307, 37-80316B
1. Other water rights with same place of use: A37-00562C, A37-00617A, 37-00617
A37-07501A (37-07501 = lapsed permit) ☐ Copies Attached
2. Other water rights with same point of diversion: A37-07501A (37-07501 = lapsed permit)
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See Narrative Attachment.

37-07501 is a lapped permit that overlaps this permit
Big Wood River water is used on some corners and
and the pivot and sprinklers can't reach.

- ☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pivot Pump	Caterpillar Diesel	48.5	5 stroke 1840 R.P.M MAX	Hollow shaft gear drive 1524p 1760 RPM SA: 76700	
Hand line pump	Sta-Rite	7.5	CR6702AL-04	Sta-Rite	

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination ASLS Map

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10	18E	22															2		2
1N	18E	27	38	38	2	25													103
			5	5															
																		Total Irrigated: acres	
																		105	

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						

2. Measurements:

Pitot tube pressure measurements were taken to determine the system pressure. Flow control nozzles (4.39mm) are used on the 3" handlines. 9 sprinklers were operating and one big gun with a nozzle diameter of .7" was also running. The Polysonic was used to determine the flow for the pivots.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See Computation Sheet

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 105(3.5) = 367.5 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.84(184)/1.9835 = 671.53 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 367.5 \text{ afa}$

2. Volume Calculations for Other Uses:

Stock: 100 Head → .03 cfs, 1.4 afa

H. REMARKS AND OVERLAP REVIEW ANALYSIS

See narrative C.3 for overlap information.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>4-15</i>	<i>10-15</i>	<i>1.85 cfs</i>	<i>367.5 afa</i>
<i>Stock</i>	<i>1-15</i>	<i>12-31</i>	<i>.03 cfs</i>	<i>1.4 afa</i>
Totals:			<i>1.85 cfs</i>	<i>368.9 afa</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Alan Hansten

Signature

Alan Hansten 7-21-94

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

37-08536
Narrative Attachment

Water right A37-07501A overlaps this water right at the point of diversion. Water rights A37-00562C, A37-00617A, and A37-07501A overlap this water right at the place of use.

The irrigation system for this property is composed of 1 center-pivot, some 3" handlines, and a big gun. Two pumps in two wells are used to supply water to the system. The 7.5 Hp Sta-Rite pump is used to pump water for the handlines, stock tanks, and big gun via a buried pipe mainline. 4.3 gpm flow control nozzles operating at 48 psi are used in the sprinkler heads. A .7" nozzle is used on the big gun. The 48.5 Hp Caterpillar diesel engine and pump supply water for the pivot through a buried mainline. The polysonic flow measurement instrument was used to determine the flow rate for this system. 100 head of range livestock are kept on the property. 1 Stock tank for the livestock is located at the pivot point and 1 stock tank is near the points of diversion for the irrigation system.

MODE SELECT
 INPUT

 OUTER DIAMETER
 25.536 IN

 PIPE MATERIAL
 ? CS,SS

 WALL THICKNESS
 .18700 IN

 INNER LINING
 ? NO LING.

 KIND OF FLUID
 ? WATER

 SENSOR MOUNTING
 ? U

 TYPE OF SENSOR
 ? SMALL

 DATA CHANGE
 ? YES

 CHANGE DATA
 ? PIPE

 OUTER DIAMETERER
 .5.5358 IN

 QUTER DIAMETER
 8.1280 IN

 CHANGE DATA
 ? END

 SPACING
 6.035 IN U

 ZERO MODE
 CLEAR

 ZERO MODE
 AUT ZERO

 ZERO MODE
 ZERO OPR

07-14 13:3200 *R
 +002.90 % AI2

MODE SELECT
 T0 CHECK

0298.9 MMSEC
 103.18 % T0

DAMPING SET
 10 SEC

MODE SELECT
 T0 CHECK

DAMPING SET
 30 SEC

MODE SELECT
 T0 CHECK

DAMPING SET
 20 SEC

MODE SELECT
 T0 CHECK

07-14 13:3700 *R
 +688.432E 0GPM

07-14 13:3700 *R
 +689.489E 0GPM

07-14 13:3700 *R
 +690.810E 0GPM

07-14 13:3800 *R
 +693.715E 0GPM

07-14 13:3800 *R
 +693.715E 0GPM

Computation Sheet:

37-08536

Flow for 48.5 Hp Diesel Pump:

$$Q = \frac{688.432 + 689.489 + 690.810 + 693.715 + 693.715}{5}$$

$$Q = 691.23 \text{ gpm} \\ = 1.54 \text{ cfs}$$

Flow for 7.5 Hp submersible pump:

$$Q = 9 \times (4.3) + 29.82 (48)^{.5} (.7)^2 = 140 \text{ gpm} \\ = .31 \text{ cfs}$$

$$Q_{\text{total}} = 1.54 + .31 = \underline{1.85 \text{ cfs}}$$

Theoretical Flow:

$$Q = \frac{8.8(7.5)(.70)}{40 + 50(2.31)} + \frac{8.8(48.5)(.70)}{55 + 60(2.31)} = \underline{1.84 \text{ cfs}}$$

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08536

DATE: 7-21-9

BY: Alan Hausten

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (7.5) \times (0.70)}{[(40) + (50 \times 2.31)]} = 0.30 \text{ cfs}$$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs (X)

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate ()

owner gage (X)

NOTES ON PUMP:

Motor Make, Serial or ID

Sta-Kite, CR 6702 HC-04

Pump Make, Serial or ID, rating

Sta-Rite

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =

(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08536
DATE: 7-21-94
BY: Alan Hansten

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (48.5) \times (0.70)}{[(55) + (60 \times 2.31)]} = 1.54 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	<u>Caterpillar Diesel, 5stroke, 1840 RPM 440K</u>
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage ()	<u>P.T.O. → Hollowshaft Gear Drive</u>
	Booster (Y) (N)	<u>152 Hp - 1760 RPM</u>
REMARKS		<u>SN: 761010</u>

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

$$POTENTIAL = \frac{((184) \times (1.98) \times (1.84))}{(105)} = 6.4$$

REQUIRED Acre Feet/Acre/Annum = 3.5
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

1.54 + 1.30
49.5 Hp pump

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()


PERMIT 32-08576 INIT
T. R. S. O/O
P/D 12/18/52 NENE
SCALE
PHOTO ID.

38

38

1/2

23/24/52




PERMIT 37-08536 INIT
T. R. S. Q/Q
P/D N 18E 27 NENE
SCALE
PHOTO ID. System Diagram

out-house + canal




P/D
S
-- Buried
Mainline
x x Lateral

37-08536



#1
P/O
48.5 Hp
Caterpillar
Diesel



#2
P/O
7.5 Hp
Star-Rite

37-08536




#3
Phasor
Unit



#4
P/U
Looking
Southwest
Gun

37-08536



#5
P/4
Looking
South-west



#6
P/4
Looking
South

December 20, 1991

GARY FARRINGTON
SUZANNE FARRINGTON
P.O. BOX 542
BELLEVUE ID 83313

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08536

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 23 1991

RECEIVED
DEC 16 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 150.00
Date 12/16/91
Receipt No. 202468
Received by WB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08536 Telephone No. 788-2541/726-5592
2. Name(s) of Permit Holder(s): GARY FARRINGTON / SUZANNE FARRINGTON
3. Post Office Address: 388 Glenoale Rd Bellevue ID 83313
4. Source of Water: Wells
- a. If ground water, well driller's name: Ken Smith Drilling Date drilled: 2/15/77
Belay-Henry-Wach June 10/1970
- b. Pump horsepower: 7 1/2 / 47 Pressure (psi): 65 / 32 Dynamic pumping level (ft.): 30 ft
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 125 (No. of acres)Stockwater 100 (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 2.53 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐OR
Flow Measurement Port: Required? ☒ Yes ☐ No ☐ Installed? ☒ Yes ☐ No8. Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

GJ FARRINGTON
Name788-2541 726-5592
Telephone No.388 Glenoale Rd Bellevue ID 83313
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

12/12/91

Signature (and title if on behalf of a company or organization)

[Signature]

DEC 23 1991
RECEIVED

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08536 Reviewed by Klg Date 12/18/91

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NA Drilling permit required?
1977 / Copy in the file? Drilling Permit No.
/ Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
150 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u>/</u>	- <u> </u>
No. of days late	<u>/</u>	= <u> </u>
Priority Date	<u>/</u>	+ <u> </u>
New Priority Date	<u>/</u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 388 Glendale Rd. 12/20/91 Proof Made 10/31/91 - Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1991

Gary J. Farrington
Box 542
Bellevue, ID 83313

RE: Permit No. 37-08536

Dear Permit Holder:

Enclosed is a copy of the denied request for extension of time which you submitted to the department in connection with the above referenced permit. Section 42-204, Idaho Code, provides that the department can only grant one extension of time. Please note that the department has previously granted an extension of time in connection with this permit.

Within one year of the time you actually intend to develop a well and beneficially use the water, I suggest that you file a new application. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

Please feel free to contact any of our regional offices if you wish assistance in completion of the new application.

Sincerely,


L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosure

MICROFILMED

DEC 23 1991

RECEIVED
OCT 31 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by [Signature]
Date 10-31-91
Receipt # 0022191

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08536

Name(s) of Permit Holder: G.J. Farrington (G.J. Angus Ranches)

Post Office Address: 388 Glenalee Rd Bellevue Idaho 83313

Telephone No. 788-2541 (726-5992)

Date Proof is Due: 1/1/92

Describe what work has been completed toward the development of this water right: _____

(This must be filled out! If no work has been completed, show "none".)

Wells are in & capped, Service ~~is~~ is available from 10A Pwr At this time / Personal medical problems (from farm Accident 6/23/91) have prevented pump hook-up in '91 (will complete summer of 1992) Costing \$ 4300.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Farm Accident resulting in loss of use of left hand (recovering & will be of reasonable use)

Permit holder(s) request an extension to 1/1, 19 93.
(1 yr. minimum)

(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be **DENIED** based on the fact that the department is only authorized to grant one (1) EXTENSION OF TIME BASED ON DUE DILIGENCE.

DEC 23 1991

Signed this 12th day of November, 19 91.

Director [Signature]

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 37-08536

Reviewed by LCG

Date 11/5/91

BASIC INFORMATION

10/31 Date stamp received
10/31 Extension received timely (not too early not too late)
W.S. Fee received and receipted
W.S. Name and signature same as permit
W.S. Address change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
 _____ Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay
 Date litigation completed _____
 Date litigation began _____
 Total period of delay = _____
 Present proof due date + _____
 NEW PROOF DUE DATE = _____
 _____ Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN DENIED - only 1 extension Based on due diligence

_____ Reinstate Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

_____ Change proof due date _____ Address change
 _____ Priority date change

138160
October 31, 1991

GARY FARRINGTON
SUZANNE FARRINGTON
P.O. BOX 542
BELLEVUE ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-08536

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

1
MISTAKENLY
1

DEC 23 1991

January 28, 1991

GARY J FARRINGTON
BOX 542
BELLEVUE ID 83313

Dear Mr. Farrington:

Re: Permit No. 37-8536

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 06 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 37-85.36

Reviewed by [Signature]

Date 1-24-91

BASIC INFORMATION

Y Date stamp received
Y Extension received timely (not too early not too late)
Y Fee received and receipted
Y Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

_____ Is delay by a government agency?
 _____ Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for one year

_____ Reinstate Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

[Signature] Change proof due date _____ Address change
 Priority date change _____

138607

October 31, 1990

GARY FARRINGTON
SUZANNE FARRINGTON
P.O. BOX 542
BELLEVUE, ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-08536

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 06 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 8, 1989

GARY FARRINGTON
SUZANNE FARRINGTON
P.O. BOX 542
BELLEVUE, ID 83313

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08536

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.


You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.



DEC 15 1989



We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

DEC 15 1989

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY AS DATE 8-1-89 APPLICATION NUMBER 37-08536

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.) 37-0562C - 37-0617
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trustwater supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

SEP 25 1989

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper, recorded on application~~
☐ Yes ☒ No ~~Protests received~~
Final date for protest 9/5/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 37
☒ Yes ☐ No Special conditions of approval or cover letter below.

OIG, 284

See below for additional information

Date of priority recommended 7/27/89

By Loren O. Hansen

Date 9/20/89

STATE OFFICE REVIEW

P05, P23, P03, P16

51 52 53 46 OIG

See below for additional information

By kw

Date 12/6/89

ADDITIONAL INFORMATION

App. in TRUST area - see Tim's memo of 10-58
Allow 1 yr. for BLD development -
per review of file.

Kuy;

10-6

App CAN Be Approved
Applicant would like
expedited if possible.

Tim

App was Processed out-of-Sequence
for development based on
its request & Lapsed Permit 37-7501.
We should require Proof on issuance
Permit.
additional evidence of prior development
needed, advise

L.H.

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 608, HAILEY, ID 83333

SEPT 29, 1989

RECEIVED

OCT 23 1989

Department of Water Resources
Southern Region Office

Dept of Water Resources
% Mr. Doug Jones
2148 4th Ave E
Twin Falls, ID 83301

RE: Acct #1851-010511-1

Mr. Jones;

Mr. Gary Farrington has requested we send you connect information on the above referenced account.

On May 28, 1981, Idaho Power Company connected a 480 volt meter to serve a 7½ H.P. load. This account was connected under the name of Cal Pacifico.

If you have further questions, please call me at 788-2262.

Sincerely,

D.H. Olmstead

District Manager

cc: Gary Farrington

DHO/dp

RECEIVED

DEC 15 1989

19-Oct-1989

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Re: Amended Application for Permit No. 37-08536

Dear Mr. & Mrs. Farrington:

The Department of Water Resources acknowledges receipt of your Amended application for permit as referenced above.

This office will be advertising the application in the Wood River Journal on 11/1 & 11/8/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review.

Please feel free to contact this office if you have any questions regarding this procedure. Enclosed please find a copy of the amended application for your reference.

Initial staffing failed to catch the error when coordinating the place of use according to the map with page 2 of the application. I apologize for the inconvenience this delay has caused.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB
Enclosure

RECEIVED

DEC 15 1989

19-Oct-1989

Wood River Journal
P.O. Box 988
Hailey, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
DEC 15 1989

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08536

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Date Amended: 10/19/89

Source: Groundwater

Diversion Pt: Three (3) points within NE1/4NE1/4NE1/4, S27, T1N, R18E; Blaine County.

Use: Irrigation (2.50 cfs)
Stockwater (0.03 cfs)

In: 125 acres within N1/2NE1/4, SE1/4NE1/4, S27, T1N, R18E; SW1/4SE1/4, S22, T1N, R18E.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East., Twin Falls, ID 83301 on or before November 20, 1989.

R. Keith Higginson, Director

Published in Wood River Journal on 11/1 & 11/8/89.

RECEIVED

DEC 15 1989

RECEIVED

OCT 30 1989

Department of Water Resources
Southern Region Office

**NOTICE OF AMENDED
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that the following application for water permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08536

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Date Amended: 10/19/89

Source: Groundwater

Diversion Pt: Three (3) points
within NE1/4NE1/4NE1/4, S27,
T1N, R18E; Blaine County.

Use: Irrigation (2.50 cfs)
Stockwater (0.03 cfs)

In: 125 acres within N1/2NE1/4,
SE1/4NE1/4, S27, T1N, R18E;
SW1/4SE1/4, S22, T1N, R18E.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East, Twin Falls, ID 83301, on or before November 20, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal--
November 1 & 8, 1989.

OK
NB
10/30/89

RECEIVED

DEC 15 1989

CONVERSATION MEMORANDUM

NAME OF PARTY Farrington
EMPLOYEE DOUGLAS JONES

DATE 10/19
FILE 37-8536

RE: Amended P/U

File was received, stopped & advertised
w/ incorrect P/U description. P/U should
read 5 acres in SWSE Sec 22, not in SWSE
E. File was amended and put in for
re-advertising 10/19

Post Script: File was received 10/13
in Southern Region. Routed to Loren,
then to staffing agent. Agent attempted
contact on 13th - no answer.

RECEIVED

DEC 15 1989

MEMORANDUM

TO: SOUTHERN REGION *gm*
FROM: KAY WALKER
RE: APPLICATION FOR PERMIT 37-8536
DATE: 10-OCT-1989

RECEIVED

OCT 13 1989

Department of Water Resources
Southern Region Office

=====

In reviewing this application for approval, I noticed that there is a discrepancy in the legal description of the place of use and the map. According to my check, there is no land being irrigated in the SWSW of Section 22... there is some land in the SWSE of that section that appears to be included in this system. We need to correct this error and re-advertise this application.

P.S. Mr. Farrington has been in contact with Tim Luke and wants this application expedited (loan pending). We may want to warn him that this has to be re-advertised.

LH → Gary - DRJ

RECEIVED

DEC 15 1989

MEMORANDUM

TO: FILE/PERMIT NO. 37-08536

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 10-5-89

This application appears to have been filed in order to acquire a valid water right for lands which have been irrigated with a groundwater source prior to October 1, 1984. The 120 of the 125 acres under this application were covered by permit no. 37-7501, which included other lands and lapsed in 1987 for failure to submit a license exam fee. That same permit had lapsed once earlier for failure to submit proof. Proof was then submitted and the priority advanced to April, 1984. A reinstatement of permit 37-7501 may be possible, but the priority would be advanced to some date past July 1, 1985 and thereby subject the permit to trust water considerations. The permit holder apparently felt it was easier to just submit a new application.

The permit holder has submitted evidence documenting beneficial use of water under this application prior to October, 1984. This information includes a 1983 aerial photo (on 35mm slide sent by Blaine County ASCS office) showing the full 125 acres irrigated. The photo indicates portions of that land irrigated with a center pivot and mainlines as described in the application. Also submitted were two affidavits by persons familiar with the history of this land which confirm the use of the groundwater source prior to October of 1984; and a statement by Idaho Power Co. confirming service connections made prior to 1984.

As established by the department's Swan Falls Implementation Plan and Policy of November 3, 1988, applications made after July 1, 1985 to validate water use prior to October 1, 1984 may be processed out of sequence. However, all other public interest criteria are applicable.

Based on the above information, I recommend that this permit be approved out of sequence and that the permit include trust water conditions. The application was advertised in August of this year. Although the language of the application concerning subordinated hydropower rights is not entirely accurate, I feel that the ad is acceptable.

MICROFILMED

DEC 15 1989

RECEIVED

INTER-DEPARTMENT MEMO — 1

FROM

Douglas Jones

OCT 04 1989

DATE

10-3-89

MICROFILMED

DEC 15 1989

TO

Kay Walker, Gary Spack

Department of Water Resources

SUBJECT

37-8536, Application For Permit

Attached are documents substantiating the prior development of this property. There is also a note requesting rapid review of the file toward approval. He is willing and able to prove beneficial use of the water this year (within 1 year), rather than the 5 yrs indicated on the application. A power hook up statement from Idaho Power is forthcoming as well. If you have any questions please contact me or the applicant.

10/3/89

RECEIVED


OCT 04 1989

Department of Water Resources

Dear Sir:

This is to request your attention to my water right application 37-8536 which should be substantiated by these documents.

Any time saving moves your office can use will be greatly appreciated.



GJ Farrington
Glenoale Rd
Bellevue Idaho 83313

MICROFILMED

DEC 15 1989



United States
Department of
Agriculture

Agricultural
Stabilization and
Conservation Service

Blaine County
P.O. Box 417
Hailey, ID 83333

RECEIVED

OCT 04 1989

October 2, 1989

Department of Water Resources

TO WHOM IT MAY CONCERN:

This is to verify that the attached photo is a reproduction of a 35MM slide photograph taken by the Blaine County ASCS Office in July of 1983.

Wm S. Kawamura
William S. Kawamura
County Executive Director

*Slide sent back
to Blaine Co. ASCS*

RECEIVED

DEC 15 1989



RECEIVED

OCT 04 1989

AFFIDAVIT

Department of Water Resources

THIS AFFIDAVIT is in support of the Application by Gary and Suzanne Farrington for Water Permit #37-7501 to show beneficial use in connection with property described as:

T.1N., R.18E, B.M. Blaine County, Idaho:
Section 22: Part of SW $\frac{1}{4}$ SE $\frac{1}{4}$;
Section 27: E $\frac{1}{2}$ NE $\frac{1}{4}$; NW $\frac{1}{4}$ NE $\frac{1}{4}$;
Section 29: W $\frac{1}{2}$ NE $\frac{1}{4}$; SE $\frac{1}{4}$

STATE OF IDAHO)
County of Blaine) ss.

THE UNDERSIGNED, being first duly sworn on oath deposes and states:

That I Ted Whig had the Pivot installed the year of 1980, and that the well had been operating years before that.

I was ranch foreman for Cal-Pacific Ranch Newport Beach Calif.

Sept 29 1989
Ted Whig

SUBSCRIBED AND SWORN to before me this 29th day of September, 1989.

MICROFILMED

Anneth L. Coy
Notary Public for Idaho
Residing at *Arley, Idaho*
Commission expires 12-30-93

RKP3/km

DEC 15 1989

RECEIVED

OCT 04 1989

AFFIDAVIT

Department of Water Resources

THIS AFFIDAVIT is in support of the Application by Gary and Suzanne Farrington for Water Permit #37-7501 to show beneficial use in connection with property described as:

T.1N., R.18E, B.M. Blaine County, Idaho:
Section 22: Part of SW $\frac{1}{4}$ SE $\frac{1}{4}$;
Section 27: E $\frac{1}{2}$ NE $\frac{1}{4}$; NW $\frac{1}{4}$ NE $\frac{1}{4}$;
Section 29: W $\frac{1}{2}$ NE $\frac{1}{4}$; SE $\frac{1}{4}$

STATE OF IDAHO)
County of Blaine) ss.

THE UNDERSIGNED, being first duly sworn on oath deposes and states:

I HAVE WATCHED THE PIVOT SYSTEM ON THE ABOVE DESCRIBED PROPERTY USED CONSTANTLY DURING THE IRRIGATION SEASON EVERY YEAR SINCE 1982 WHEN I MOVED TO THAT AREA.

SUBSCRIBED AND SWORN to before me this 29th day of September, 1989.

MICROFILMED

DEC 15 1989

RKP3/km

Frederick W. Brown

Annette's Co
Notary Public for Idaho
Residing at Hailey, Idaho
Commission expires 12-30-93

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 608, HAILEY, ID 83333

SEPT 29, 1989

RECEIVED
RECEIVED

OCT 05 1989

OCT 4 1989

Dept of Water Resources
% Mr. Doug Jones
2148 4th Ave E
Twin Falls, ID 83301

Department of Water Resources
Department of Water Resources
Southern Region Office

RE: Acct #1851-010511-1

Mr. Jones;

Mr. Gary Farrington has requested we send you connect information on the above referenced account.

On May 28, 1981, Idaho Power Company connected a 480 volt meter to serve a 7½ H.P. load. This account was connected under the name of Cal Pacifico.

If you have further questions, please call me at 788-2262.

Sincerely,

D.H. Olmstead

District Manager

cc: Gary Farrington

DHO/dp

RECEIVED

DEC 15 1989

01-Aug-1989

Gary &/or Suzanne Farrington
P.O. Box 542
Bellevue, ID 83313

Re: Application for Permit No. 37-08536

Dear Mr. & Mrs. Farrington:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 8/16 & 8/23/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

DEC 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 1, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 5, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

DEC 15 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

DEC 15 1989

37-08536

FARRINGTON, GARY
FARRINGTON, SUZANNE
P.O. BOX 542
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt: NENENE Sec 27 T 01N R 18E

Use: IRRIGATION (2.500 CFS)
STOCKWATER (.030 CFS)

Date Filed: 7/27/1989

In: T01N R18E S22	SWSW		
S27	NENE	NWNE	SENE

125.0 ACRES TOTAL

MICROFILMED

DEC 15 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08533
GRAYSTONE INC.
C/O JAMES P. SPECK ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt.: NESESE Sec 30 T
04N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.060 CFS)
Date Filed: 7/11/1989
In: T04N R18E S29 SWSW
S30 SESE
2.0 ACRES TOTAL

37-08534
GRAYSTONE INC.
C/O JAMES P. SPECK ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt.: SESESE Sec 30 T
04N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.060 CFS)
Date Filed: 7/11/1989
In: T04N R18E S30 SESE
2.0 ACRES TOTAL

37-08535
GRAYSTONE INC.
C/O JAMES P. SPECK ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: BIG WOOD RIVER
Tributary: MALAD RIVER
Diversion Pt.: SESENE Sec 30 T
04N R 18E
Use: AESTHETIC (10.000 CFS)
Date Filed: 7/11/1989
In: T04N R18E S29 SWSW
S30 SESE

37-08536 ✓
FARRINGTON, GARY
FARRINGTON, SUZANNE
P.O. BOX 542
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversion Pt.: NENENE Sec 27 T
01N R 18E
Use: IRRIGATION (2.500 CFS)
STOCKWATER (.030 CFS)
Date Filed: 7/27/1989
In: T01N R18E S22 SWSW; S27
NENE NWNE SENE
125.0 ACRES TOTAL

37-08537
BLACKBURN, LAWRENCE J.
P.O. BOX 2802
KETCHUM, ID 83340
Source: PARKER GULCH
Tributary: ELKHORN GULCH
Diversion Pt.: NWSWSE Sec 16 T
04N R 18E
Use: AESTHETIC (.200 CFS)
Date Filed: 7/25/1989
In: T04N R18E S16 SWSE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 5, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
August 16 & 23, 1989.

RECEIVED

AUG - 9 1989

Department of Water Resources
Southern Region Office

**Farrington files
on water right**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08536
FARRINGTON, GARY
FARRINGTON, SUZANNE
P.O. BOX 542
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversion Pt.: NENENE Sec 27 T
01N R 18E
Use: IRRIGATION (2.500 CFS)
STOCKWATER (.030 CFS)
Date Filed: 7/27/1989
In: T01N R18E S22 SWSW; S27
NENE NWNE SENE
125.0 ACRES TOTAL

The application(s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit(s) will be subject to all prior water rights except subordinated hydropower rights. Protests must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before SEPTEMBER 5, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
August 16 & 23, 1989.

*Incorr
Sent
Called
Spec
m*

*OK
JHP
8-14-89*

RECEIVED

DEC 15 1989

The application (s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit (s) will be subject to all prior water rights except subordinated hydropower rights. Protest must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, ID 83301 on or before September 5, 1989.

R. Keith Higginson, Director

Published 8/16 & 8/23/89.

MICROFILMED

DEC 15 1989

IDENT. NO. 37-08536

WATER RIGHT
DATA ENTRY LOG

[illegible]