


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

STREAM
VIEWS"



WELL

APING

WATERFALL

CANAL/STREAM

RETURN
WATERCOURSE

APPROX. SCALE: 1" = 2'

MACROFILMED

NOV 09 1989

AFFIDAVIT of PUBLICATION

RECEIVED

SEP 5 1989

State of Idaho, }
County of Blaine } SS.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of Aug, 1989, and

the date of the last publication was on the 9th day of Aug, 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 31 day of Aug, 1989.
(SEAL)

Roberta Proff

NOTARY PUBLIC

WOOD RIVER JOURNAL NOV 09 1989
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 54
Number of Insertions 2
Lines tabular at _____ 5.5¢/Pica
Lines straight at 26.73 4.5¢/Pica
Subsequent lines at 20.79 3.5¢/Pica
TOTAL COST 47.52

COPY OF NOTICE
(Paste Here)

2 Applications

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Two file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08531 ✓

PECK, MARGO
PECK JR., CLAIR L.
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversification Pt: NENENE Sec 7 T
03N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.060 CFS)
AESTHETIC (.170 CFS)
AESTHETIC
STORAGE (.50 AF)

Date Filed: 7/12/1989
In: T03N R18E S07 NENE
2.0 ACRES TOTAL

37-08532

DBA WALKER SAND & GRAVEL
WALKER, JIM J.
P.O. BOX 400
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversification Pt: SWNESW Sec 24 T
01N R 18E: SENWSW Sec 24 T
01N R 18E
Use: INDUSTRIAL (1.430 CFS)
Date Filed: 7/20/1989
In: T01N R18E S24 NESW NWSW
SWSW SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before AUGUST 21, 1989.


R. Keith Higginson, Director
Publish: Wood River Journal-
August 2 & 9, 1989.

66659

IDAHO DEPARTMENT OF WATER RESOURCES

37-08531


Section 07, T03N, R18E



-  P/D's are SW of GPS Location
-  Section Lines
-  Quarter-Quarter Lines



GIS PLACE OF USE AND
POINT OF DIVERSION PRESENTATION
1987-1988 NAPP PHOTOGRAPHY
GLS NOVEMBER 1999




NTS

See Detail "A"


7, T. 3 N., R. 18 E.


DETAIL "A"



Peck, Margo et.al.

37-08531






- ①. ^{A.S.} Well inside sm. pumphouse; Tag A0004835 on E. side of pumphouse; gas powered pump for fire protection inside pumphouse, see photo 1/2.
- ②. Domestic Well

Pond Size. $60' \times 90' = 0.12$ acre. surface
 (2 foot depth average)


Peck.

37-08531

1/2



gas operated pump for fire protection



pipe supplies water for the gas operated pump used for fire protection

3/4 hp "trash" pump (i.e. submersible) for the pond and irrigation, fire protection

pipe supplies water to the pond and sprinklers



well pump house, etc.

60 ft.

domestic well (15" above ground/6" dia)

photo looking n'ly

Rainbird Maxi Paw Mod 2045A

8 sprinklers/zone 21 zones




photo looking east

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08531

Proposed Priority: July 12, 1989

Maximum Diversion Rate:

0.17 CFS

This is to certify, that **CLAIR L. PECK, JR.**
MARGO PECK
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.06 CFS	
DOMESTIC	01/01 to 12/31	0.04 CFS	
AESTHETIC	01/01 to 12/31	0.17 CFS	
AESTHETIC STORAGE	01/01 to 12/31		0.5 AF
	Totals	0.17 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENENE Sec. 7, Township 03N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	18E	7	NENE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use
PLACE OF USE: AESTHETIC, same as IRRIGATION use
PLACE OF USE: AESTHETIC STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.

MICROFILMED

NOV 09 1989

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 37-08531

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of November, 19 89.

R. Keith Higginson
R. Keith Higginson, Director

for

MICROFILMED

NOV 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-0853

RECEIVED

JUL 12 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern Region Office

1. Name of applicant Clair L. Peck, Jr. &/or Margo Peck Phone (208) 726-4421
Post office address c/o James P. Speck, Hoque, Speck & Aanestad, P.O. Box 987
Ketchum, ID 83340

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 7 Township 3N Range 18E B.M. Blaine County; additional

points of diversion if any: none

4. Water will be used for the following purposes:

Amount 0.04 cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs means cubic feet per second)

Amount 0.06 cfs for irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs means cubic feet per second)

Amount 0.17 cfs for aesthetics purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs means cubic feet per second)

Amount 0.5 a/f for storage for aesthetics purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(a/f means acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.17 and/or (b) 0.5
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump to underground
sprinkler system for residential landscaping irrigation; well and pump
to waterfall, two (2) ponds & connecting watercourses for aesthetic uses
(see attached drawing). and Addendum

b. Height of storage dam _____ feet; active reservoir capacity 0.5 acre-feet; total
reservoir capacity 0.5 acre-feet; period of year when water will be diverted to storage:
Jan. 1 to Dec. 31 inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 90 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

NOV 03 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one (1) household
- e. Other; describe fully. aesthetic use of pond and connecting water sources by other single family residential lot.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	18E	7	D																
3N	18E	7	J																
3N	18E	7	2																2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: See attached Addendum

MICROFILMED

NOV 09 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Max E. Peck
(Applicant)

Received by 46 Date 7/12/89 Time 10:00 AM Preliminary check by MA DES
Fee \$ 30.00 Receipted by ZRP # 5008535 Date 7-12-89
Publication prepared by M. Baldwin Date 7/14/89 Published in Wood River Journal
Publication approved M. Baldwin Date 9/18/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

NOV 09 1989

**ADDENDUM TO
APPLICATION FOR PERMIT
BY
CLAIR L. PECK, JR. &/OR MARGO PECK**


A single well will be drilled to provide the water for all of the uses described in Section 4 of the Application. A smaller pump will be located below bedrock in the bedrock aquifer to supply the domestic water for the one (1) household. A larger pump (approximately 5 HP) will be located above bedrock in the alluvial aquifer to pump water for the irrigation and aesthetic uses.

The aesthetic use consists of a system of a waterfall, two (2) ponds and connecting watercourses as depicted on the attached rendering of the proposed landscaping plan. The total surface area of the two (2) ponds will be approximately 3000 square feet, so loss due to evaporation should be minimal. The ponds and watercourses will be lined to prevent seepage losses. The water will be returned to a canal or ditch which carries water diverted from the Big Wood River and returns the water to the Big Wood River. The distance from the location of the return flow from Applicant's system into the canal and the River is approximately 3100 feet. Any seepage in this return flow system will go right back into the alluvial aquifer and, therefore, not constitute a "consumptive use" of the groundwater source. Thus, the aesthetic uses sought by this Application are "non-consumptive" uses.

j:\peckper.add
6/28/89

MICROFILMED

NOV 09 1989



APPROX. SCALE: 1" = 25' MICROFILMED

NOV 09 1989

AFFIDAVIT of PUBLICATION

RECEIVED

SEP 5 1989

State of Idaho, }
County of Blaine } SS.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of Aug, 1989, and

the date of the last publication was on the 9th day of Aug, 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 31 day of August, 1989.
(SEAL)

Roberta Proffner

NOTARY PUBLIC

MICROFILMED

WOOD RIVER JOURNAL NOV 09 1989
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	<u>11</u>
Number of Lines in Notice	<u>54</u>
Number of Insertions	<u>2</u>
Lines tabular at	5.5¢/Pica
Lines straight at	<u>26.73</u> 4.5¢/Pica
Subsequent lines at	<u>20.79</u> 3.5¢/Pica
TOTAL COST	<u>47.52</u>

COPY OF NOTICE
(Paste Here)

2 Applications

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
BILL TO

Two file on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08531 ✓

PECK, MARGO
PECK JR., CLAIR L.
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: NENENE Sec 7 T
03N R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.060 CFS)
AESTHETIC (.170 CFS)
AESTHETIC
STORAGE (.50 AF)

Date Filed: 7/12/1989
In: T03N R18E S07 NENE
2.0 ACRES TOTAL

37-08532

DBA WALKER SAND & GRAVEL
WALKER, JIM J.
P.O. BOX 400
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: SWNESW Sec 24 T
01N R 18E: SENWSW Sec 24 T
01N R 18E

Use: INDUSTRIAL (1.430 CFS)
Date Filed: 7/20/1989
In: T01N R18E S24 NESW NWSW
SWSW SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before AUGUST 21, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
August 2 & 9, 1989.

6659

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37-8531
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 12 Nov 1999 GHS (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office ADN 12/22/99 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

MEMORANDUM

TO: 37-08531 Field Exam File

FROM: Corey Skinner */S*

DATE: December 20, 1999

SUBJECT: Well Use Clarification

This day I spoke with Dennis Russet, of Webb Landscaping regarding the well use under permit 37-08531. Mr. Russett was the individual that accompanied the Department's field examiner during the examination. Mr. Webb clarified the use of the water from the wells described in the field exam for 37-08531. Mr. Webb said that the irrigation water is diverted from the "domestic well" which is the cased, and capped well visible in the lower right photo on page 1 of 2 of the photos with the field exam. Mr. Webb said that the other well (the one in the small pumphouse) serves the pond, and no irrigation. Note that these statements correlate to Jim Speck's statements (see 12/15/1999 memo). This day I changed the field exam report to correspond to this information.

green ink */S.*

12/13/99

Corey

Could you contact the guy at
Webb Landscape that helped George
(Dennis Russet) and see if
you could figure out the problem
with what well does what. SpecC
may be right but I think we need
some sort of check.

Thanks

Allen

PS If exam needs corrected then just
add your comments or corrections to
exam and we'll send it out ok
Lee,

Allen,
I talked with Dennis Russet, and he confirmed SpecC's
statements. I changed the application and put another memo
in the file. P.S.

MEMORANDUM

TO: 37-08531 Field Exam File

FROM: Corey Skinner */K*

DATE: December 15, 1999

SUBJECT: Well Use Clarification

This day I received a call from Jim Speck regarding the use of the two wells described in the 37-08531 field exam report. Mr. Speck represents the permit holder, and apparently Georgia Satterlee, 37-08531 field examiner, sent Mr. Speck a copy of the Beneficial Use Field Report for his review. Mr. Speck wanted to correct the report so that the irrigation use is authorized out of the well that is identified as well #2 on the field exam report. Note that the field exam, apparently incorrectly, identifies well #1 as the source for irrigation. Mr. Speck said that no diversion for irrigation occurs out of well #1, or the pond that it services. Mr. Speck also said that the fire protection system for the home (sprinklers on top of home) is provided water by well #1.

NOTE JIM SPECK
REQUESTED
CORRECTION TO
FIELD EXAM
ON 12/15/1999

SEE
12/15/1999
MEMO IN FILE *P.S.*

SPECK & AANESTAD

A PROFESSIONAL CORPORATION

ATTORNEYS

JAMES P. SPECK
DOUGLAS J. AANESTAD
BENJAMIN W. WORST

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340

TELEPHONE
(208) 726-4421
FACSIMILE
(208) 726-0752

September 20, 1999

RECEIVED

SEP 21 1999

Department of Water Resources
Southern Region

Ms. Georgia Satterlee
Idaho Department of Water Resources
1341 Fillmore Street
Suite 200
Twin Falls ID 83301-3380

Re: Margo Peck - Permit No. 37-08531

Dear Georgia:

I understand you have completed your field exam for the above-referenced permit. Please send me a copy of your report as soon as it is prepared.

Thank you for your continuing cooperation and assistance in these matters.

Sincerely yours,

SPECK & AANESTAD
A Professional Corporation

By: _____

James P. Speck
James P. Speck

JPS:rsd
cc: client

sent Jim exam 12 Nov 99

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
15 ~~Well~~	"Trash Pump"				
Dom Well		3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube						
Sprinkler Info, PSI gage						


2. Measurements:

nozzle size, sprinkler head, data from landscape employee

IDAHO DEPARTMENT OF WATER RESOURCES

37-08531


Section 07, T03N, R18E



- P/D's are SW of GPS Location
-  Section Lines
-  Quarter-Quarter Lines



GIS PLACE OF USE AND
POINT OF DIVERSION PRESENTATION
1987-1988 NAPP PHOTOGRAPHY
GLS NOVEMBER 1999



- ①. ^{15.} Well inside sm. pumphouse; Tag A0004835 on E. side of pumphouse; gas powered pump for fire protection inside pumphouse, see photo 1/2.
- ②. Domestic Well

Pond Size. $60' \times 90' = 0.12$ acre surface
(2 foot depth average)


Peck

37-08531

1/2



gas operated pump for fire protection



pipe supplies water for the gas operated pump used for fire protection

3/4 hp "trash" pump (i.e. submersible for the pond and fire protection)

pipe supplies water to the pond and sprinklers?



well pump house, etc.

domestic well (15" above ground/6" dia)

photo looking n'ly

Rainbird Maxi Paw Mod 2045A

8 sprinklers/zone 21 zones



9 15 93



pond diverts out here to a small creek

photo looking east

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

Date: 12 November 1999
From: Georgia Satterlee
RE: 37-08531

A field examination was conducted on 15 September 1999 to verify the beneficial uses of the above permit. Jim Speck represents applicant and he requested this exam to be completed.

I found two wells at the sight. The domestic well is for the home. Mr. Russett works for Webb Nursery and is familiar w/ the system, including the fire protection. Mr. Russett says when there is a house fire, the gas operated pump kicks on to supply water to the sprinklers that are on the roof of the house.

The photo page 1/2 shows two pipes diverting from the submersible pump. The pipe diverting to the west serves strictly the gas powered pump. The pipe running to the east serves the pond and the ~~irrigation system~~.

The irrigation system includes:

21 zones 8 sprinkler/zone

1 zone = 8 sprinklers x 5 gpm/sprinkler = 40 gpm or 0.09 cfs

The annual volume is based on the 1.4 acres irrigated multiplied by the irrigation requirement of 3.5= 4.9 afs.

The theoretical shows the domestic well has a diversion capacity of 0.04 cfs The fire protection will need to be added as a beneficial use.

The recommendations are on the Beneficial Use Field Report.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Maxi Pac 2045A Sprinklers
8 sprinklers/zone
21 zones
10 min/zone (every other day)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1.4(3.5)}{4.9} = 4.9$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{0.09 \text{ cfs}(215)}{4.9} = 38.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.9$$

2. Volume Calculations for Other Uses:

37 psi 4.8 gpm per sprinkler head
(5 gpm) 8 heads $\frac{40 \text{ gpm}}{450} = 0.09 \text{ cfs}$

Exam Fee 0.20 cfs
Limit
Permit Rate 0.17 cfs
Measured } 0.09 cfs
Recommended }

H. RECOMMENDATIONS

1. Recommended Amounts

WELL #	Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
		From	To		
WELL #1	Irrigation	4/1	11/01	0.09 cfs	4.9
	Aesthetic	1/1	12/31	0.09 "	0.1
	Aesthetic Storage	"	"		
	FIRE PROTECTION	1/1	12/31	0.09 cfs	
WELL #2	Domestic In House Only	1/1	12/31	0.04 cfs	0.6 afa
	Totals:			0.09 cfs	5.0 afa

2. Recommended Amendments

Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

Add Beneficial Use "Fire Protection"

I. AUTHENTICATION

Field Examiner's Name Georgia Satterlee Date 12/1/99

Reviewer _____ Date _____

SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>C.L. Pack/c/o Sawtooth Const.</u> Address <u>Box 41 Ketchum, Id. 83340</u> Owner's Permit No. <u>37-89-S-079</u>		7. WATER LEVEL Static water level <u>5</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality <u>good</u> Describe artesian or temperature zones below																																			
2. NATURE OF WORK <u>WR. 37-8531</u> ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>12</u></td><td><u>35</u></td><td><u>1</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>12</u>	<u>35</u>	<u>1</u>																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																			
<u>12</u>	<u>35</u>	<u>1</u>																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>10</td><td>River Rock</td><td></td><td>x</td></tr><tr><td>6</td><td>10</td><td>20</td><td>Gravel set in clay</td><td></td><td>x</td></tr><tr><td>6</td><td>20</td><td>30</td><td>Gravel set in clay</td><td></td><td>x</td></tr><tr><td>6</td><td>30</td><td>40</td><td>Water Gravel</td><td></td><td>x</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	10	River Rock		x	6	10	20	Gravel set in clay		x	6	20	30	Gravel set in clay		x	6	30	40	Water Gravel		x
Bore Diam.	Depth		Material		Water																																
	From	To		Yes	No																																
8	0	10	River Rock		x																																
6	10	20	Gravel set in clay		x																																
6	20	30	Gravel set in clay		x																																
6	30	40	Water Gravel		x																																
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. RECEIVED OCT 3 1989 Department of Water Resources Southern Region Office																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>40</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>40</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>WOOD RIVER DRILLING</u> Firm No. <u>265</u> Address <u>HAILEY, ID 83333</u> Date <u>9-28-89</u> Signed by (Firm Official) <u>Ken Smith</u> and (Operator) <u>Mary Jones</u>			
Thickness	Diameter	From	To																																		
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>40</u> feet																																		
_____ inches	_____ inches	_____ feet	_____ feet																																		
_____ inches	_____ inches	_____ feet	_____ feet																																		
_____ inches	_____ inches	_____ feet	_____ feet																																		
Number	From	To																																			
_____ perforations	_____ feet	_____ feet																																			
_____ perforations	_____ feet	_____ feet																																			
_____ perforations	_____ feet	_____ feet																																			
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td>E</td></tr><tr><td>W</td><td></td><td>E</td></tr></table> Subdivision Name <u>GIMMILT</u> Lot No. <u>18</u> Block No. _____ <u>BLAINE</u> NE NE 7 3 N R. 18 W		N		E	W		E																														
N		E																																			
W		E																																			

January 9, 1991

CLAIR L PECK, JR
MARGO PECK
c/o C E BROCKWAY PE
706 SUNRISE BLVD N
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08531

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 28 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 737-8531

Date 12-19-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address change? If yes, prepare data entry form.
Y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
Y Drill permit req'd? Y Copy in file?
 Well log in file?
100 Amt paid for drilling permit? Y Correct?

37-89-S-079

LICENSE EXAMINATION FEE

Y Required?
50 Amount submitted?
Y Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- address change
- proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority date
NEW PRIORITY DATE

RECEIVED

STATE OF IDAHO

NOV 26 1990

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08531 Telephone No. _____

Name(s) of Permit Holder(s): CLAIR L. PECK JR. & MARGO PECK

Post Office Address: 10375 WILSHIRE BLVD. PENTHOUSE E LOS ANGELES CA

Source of Water: GROUNDWATER c/o C.E. BROCKWAY P.E. 90024
706 SUNRISE BLVD N.
TWIN FALLS, ID. 83301 ~~423-6601~~

If ground water, well driller's name: _____ Date drilled: AUG 1989

Extent of Use:
Domestic 1 (No. of households) Irrigation 2 (No. of acres)
Stockwater _____ (No. and type of stock) Other AESTHETICS (FONDS)

Total rate and/or volume for which proof is submitted 0.17 cfs 0.5 acre/feet

Show date water was first diverted and beneficially used under this permit: AUG. 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

C.E. BROCKWAY
Name

423-6601
Telephone No.

706 SUNRISE BLVD. N. TWIN FALLS ID 83301
Address

NOT RECORDED

The above information is my true statement of the extent to which the above numbered permit has been developed and relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 28 1991

11/26/90
Date

Chris E. Brockway - Agent
Signature (and title if on behalf of a company or organization)
Power of attorney

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 1, 1989

MARGO PECK
CLAIR L. PECK, JR.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08531

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

NOV 03 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

NOV 09 1985

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DRS DATE 7/14/89 APPLICATION NUMBER 37-08531

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
SEP 25 1989
Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper~~, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 8/21/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 37
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 7/12/89
By Loren O. Halmer Date 9/20/89

STATE OFFICE REVIEW P05, P23 P16 46.57

See below for additional information
By kw Date 10-23-1987

ADDITIONAL INFORMATION

App. in TRUST area - DCM I
Held for additional \$90. drill permit
fee... rec'd 10/20/89

TERRY, G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF
ATTORNEYS
120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
TELECOPIER (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

REC
OCT 19 1989

October 18, 1989

Department of Water Resources

Ms. Kay Walker
Technical Records Specialist
State of Idaho
Department of Water Resources
1301 North Orchard Street, Statehouse Mail
Boise, Idaho 83720

Re: Application for Permit No. 37-8531
Clair L. Peck, Jr.

Dear Ms. Walker:

Thank you for your letter of October 11, 1989. Enclosed you will find a check payable to the Department in the sum of \$90.00 as the additional drilling fee for the existing well. Please note it is possible Mr. Peck may elect to drill a second well to serve those purposes covered by the above-referenced Application for Permit. If so, we would hope that this \$90.00 fee can be a credit towards the drilling permit fee for that well. In that case, the existing well would be used solely for domestic purposes and limited to 0.04 cfs.

Please call me if you have any questions about this. Kindly let me know how soon you think the above-referenced Application for Permit might be approved.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD

James P. Speck
James P. Speck

JPS:b
enclosures

cc w/encl: Clair L. Peck, Jr.
Richard Emik
Nick Latham

MICROFILMED

NOV 09 1989

3/89

Drilling Permit No. 37-89-S-079

8/9

Applic

Water Permit No. 37-8531last protest
date 8/21

Injection Permit No. _____

RECEIVED

State of Idaho
Department of Water Resources

AUG - 9 1989

DRILLING PERMIT

Department of Water Resources
Southern Region Office

1. Applicant C. L. Peck
 2. Address Box 41 Ketchum Idaho
 Telephone 226-9070

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,
 Sec. 7, Twp. 3N, Rge. 18E, County Blaine,
 Lot, block and subdivision lot 18 Merlot Sub

4. Proposed use of well: (Check all that apply)

(☒ Domestic No. of households 1) () Stockwater No. of livestock _____ () Monitoring
 () Irrigation () Industrial () Municipal
 () Injection () Other, Specify _____

5. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 6" Maximum depth 80ft.

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☒ 85°F to 212°F (Low temp. geothermal well)
 () 212°F or more (Geothermal well)

6. Anticipated construction start date 8-15-89

7. Well Driller (if known)

WOOD RIVER DRILLING AND PUMPING
 BOX 1160 788-3163
 HAILEY IDAHO 83422

Address

8. Applicant's signature

NOV 09 1989

Title CONTRACTOR

Date 8-4-89

Please send copy to Driller

37-8531

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Amended.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 9 day of August, 1989.

Signed Loren O. Halverson

Title Southern Region MGR

Receipt No. C012431 Received by DK Fee \$90. Date 10/20/89
5008803 DR 8/9/89

MICROFILMED

EXTENSION OF DRILLING PERMIT

NOV 09 1989

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 11, 1989

RE: Application for Permit No. 37-8531

Clair L. Peck, Jr.
c/o James P. Speck
Box 987
Ketchum, ID 83340

Dear Mr. Peck:

We have received the above referenced application from our Southern Regional Office for final action. However, in reviewing the file, we found that you have not submitted the appropriate drilling permit fee for the uses applied for on your water right application.

A \$100.00 fee is required for drilling a well for uses which exceed 0.04 cfs and in our file it is noted that you only paid a \$10.00 fee so that you could get the drilling permit issued for your domestic use. Please submit the additional \$90.00 at your earliest convenience.

We will withhold any further action on your water right application until we either receive the additional \$90.00 drilling permit fee or a letter from you which disclaims the amount of water over 0.04 cfs on your application for water right.

If you have any questions in regard to this matter, please feel free to contact our office.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

cc: Southern Region

MICROFILMED

NOV 09 1989

INTER-DEPARTMENT MEMO — 1

FROM DRJ

DATE 8/9

TO File 37-8531

SUBJECT Drilling permit

Today we received & approved a drilling permit for Domestic use only. If this well is to be used for irrig & aesthetics the \$90 diff must be paid and D.A. amended to reflect ~~other~~ uses

NOV 09 1989

D Jones
SIGNATURE

14-Jul-1989

Clair L. &/or Margo Peck
c/o James P. Speck, Esquire
P.O. Box 987
Ketchum, ID 83340

Re: Application for Permit No. 37-08531

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 8/2 & 8/9/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

NOV 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JULY 14, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

NOV 05 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

NOV 09 1989

37-08531

PECK, MARGO
PECK JR., CLAIR L.
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER

Diversion Pt: NENENE Sec 7 T 03N R 18E

Use: DOMESTIC	(.040 CFS)	
IRRIGATION	(.060 CFS)	
AESTHETIC	(.170 CFS)	
AESTHETIC STORAGE		(.50 AF)

Date Filed: 7/12/1989

In: T03N R18E S07 NENE

2.0 ACRES TOTAL

MICROFILMED

NOV 09 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08531

PECK, MARGO
PECK JR., CLAIR L.
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: NENENE Sec 7-T
03N R 18E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.060 CFS)
AESTHETIC (.170 CFS)
AESTHETIC
STORAGE (.50 CFS)

Date Filed: 7/12/1989
In: T03N R18E S07 NENE
2.0 ACRES TOTAL

37-08532

DBA WALKER SAND & GRAVEL
WALKER, JIM J.
P.O. BOX 400
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: SWNESW Sec 24 T
01N R 18E: SENWSW Sec 24 T
01N R 18E

Use: INDUSTRIAL (1.430 CFS)
Date Filed: 7/20/1989
In: T01N R18E S24 NESW NWSW
SWSW SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before AUGUST 21, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
August 2 & 9, 1989.

RECEIVED

JUL 27 1989

Department of Water Resources
Southern Region Office

*WRS contacted
by tele. 7/27/89
3:00 pm.
with correction info.
NB
7/27/89*

MICROFILMED

NOV 09 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before AUGUST 21, 1989.

R. Keith Higginson, Director

Published 8/02/1989 & 8/09/1989

MICROFILMED

NOV 09 1989

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF

ATTORNEYS

120 EAST AVENUE

POST OFFICE BOX 987

KETCHUM, IDAHO 83340

(208) 726-4421

TELECOPIER (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

July 11, 1989

RECEIVED

JUL 12 1989

Department of Water Resources
Southern Region Office

Mr. Loren Holmes
Idaho Department of Water Resources
2148 4th Avenue East
Twin Falls, ID 83301

RE: Application for Permit
Clair L. Peck, Jr. &/or Margo Peck

Dear Loren:

I represent Mr. and Mrs. Clair L. Peck, Jr. Enclosed you will find an Application for Permit which I have prepared for Mr. and Mrs. Peck together with our check payable to the Department in the sum of \$30.00 for the filing fee. The Application seeks the right to divert a total of 0.17cfs, which includes the standard amounts for domestic use and irrigation of 2 acres during the irrigation season. The main flow from the well will be pumped into the ponds and then allowed to flow back into an existing canal which eventually flows into the Big Wood River. With those exceptions, the total flow will be used for non-consumptive, aesthetic purposes in the ponds and water courses. The appropriate measuring devices to ensure there is no measurable loss in the system will be installed.

Please do not hesitate to call me if you have any questions concerning this Application. Thank you again for your continuing cooperation and assistance in these matters.

Sincerely yours,

HOGUE, SPECK & AANESTAD

Jim
James P. Speck

JPS:cmn

cc: Mr. and Mrs. Clair L. Peck, Jr.
Mr. Richard Emik
Mr. Nick Latham

MICROFILMED

NOV 09 1989

37-08531

DEPARTMENT OF WATER RESOURCES - SOUTHERN REGION
APPLICATION PRELIMINARY REVIEW REPORT

Applicant

Margo Peck

Correction or completion of the following items is required before the application can be accepted for processing by the department:

- (☒) Name ✓
- (☒) Address _____
- (☒) Source of water _____
- (☒) Point of Diversion _____
- (☒) County _____
- (☒) Quantity (Flow and/or Volume) _____
- (☒) Period of use _____
- (☒) Nature of proposed use _____
- (☒) Description of diverting works _____
- (☒) Time required for beneficial use _____
- (☒) Place of use _____
- (☒) Map _____
- (☒) Signature (If applicant is a corporation, partnership, or municipality, title of signator is required) _____
- (☒) Fee _____

ENCLOSURES

The following are enclosed for your use in making a complete application

- () Application form
() Instructions
() Map (For use as the required application map)

Reviewed by

JD

MICROFILMED

NOV 09 1989

37-08531

IDENT. NO. 37-08531

WATER RIGHT
DATA ENTRY LOG

[illegible]