


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reed

(Applicant)

KREIGER, PETERSON
SUBDIVISION
LOCATED IN NE 1/4 OF SE 1/4
OF SEC. 35, T2N, R1E, BM
BLAINE COUNTY, IDAHO

JIM McELVEEN ET AL
LAND

Beers Car
6' Cor Sec 35
Tree House

Tom or Barbara
Kreiger's

Wheat Brothers Land

Williams Land

Ed Peck Land

BROADFORD
SLOUGH
Culvert on
the Dammed

LOT #1
5AL

CULTIVATED
LAND

LOT #2
10.50 AL

CULTIVATED
LAND

LOT #3
10.50 AL

CULTIVATED
LAND

GERALD SHERMAN LAND

Sun Valley Title Company
Fox Building, P. O. Box 577
Hailey, Idaho 83333

While this map is a photographic reproduction of
that on file in either the recorder's or surveyor's
office, the Company assumes no liability for
variation, if any, with another or re-survey.

MICROFILMED

SEP 19 1989

Department of Water Resources


Permit No. 37-8521

- Phone No. 788-2767

1. Other water rights with same place of use: None


- _____ ☐ Copies Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



1954年10月10日

- MAR 18 1951





P/O # 1



MICROFILMED

MAR 18 1991



P/D #2
Backup well



MICROFILMED

MAR 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08521

Priority: June 2, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.12 CFS
8.1 AF

This is to certify, that RALPH GIRTON

RT. 1 BOX 40

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1989; and has submitted Proof of Beneficial Use on November 13, 1989. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.08 CFS	7.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.12 CFS	8.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 35, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	35	NESE	2.5		2.5

Total number of acres irrigated: 2.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

MAR 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 37-08521

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7TH
day of MARCH, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 18 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08521

Proposed Priority: June 2, 1989

Maximum Diversion Rate:

0.13 CFS

This is to certify, that **RALPH GIRTON**
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.13 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENESE Sec. 35, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	35	NESE	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of


October

, 19 89

MICROFILMED

OCT 19 1989

for


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08521

To appropriate the public waters of the State of Idaho

1. Name of applicant Ralph Girton Phone 208-726-4421
Post office address c/o James P. Speck, Esq. Hogue, Speck & Aanestad
P.O. Box 987, Ketchum, Idaho 83340
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 2N Range 18E B.M. Blaine County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount 0.04cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.09cfs for irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.13cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____

 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ well diameter is 8 inches inches; ~~proposed~~ depth of well is 50 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years year (minimum 1 year).

MICROFILMED

OCT 15 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. One (1) household
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	35													3				3
2N	18E	35													D				

Total number of acres to be irrigated 3


10. Describe any other water rights used for the same purposes as described above. None

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

OCT 19 1989

12. Remarks Well completed in February 1977. It provides domestic water for one (1) household located on Lot 3, Kreiger - Peterson Subdivision, (see attached plat) and irrigation of approximately 3 acres of residential landscaping for the lot. Diversion for the household is less than 13,000 gallons per day - this is a "DCMI" use under Rule 2,8 of the Idaho Water Appropriation Rules and Regulations.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by IC Date 6/2/89 Time 4:00 pm Preliminary check by chaffinch
Fee \$ 30⁰⁰ Receipted by JAP # 500 7582 Date 6-6-89
Publication prepared by M. Baldwin Date 6/19/89 Published in Wood River Journal
Publication approved M. Baldwin Date 7/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

MICROFILMED

OCT 19 1989

KREIGER, PETERSON
SUBDIVISION
LOCATED IN NE 1/4 OF SE 1/4
ON SEC. 35 TEN RISE, BM
BLAINE COUNTY, IDAHO


JIM McELVEEN ET AL
LAND

Bees Camp
Co. Sec. 35
T10N R10E
T10N R10E

Two or Blaine
T10N R10E

West Butte Land

Williams Land



Sun Valley Title Company
Fox Building, P. O. Box 577
Hailey, Idaho 83333

While this map is a photographic reproduction of
that on file in either the recorder's or surveyor's
office, the Company assumes no liability for
variation, if any, with another or re-survey

MICROFILMED

OCT 19 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of July, 1989, and the date of the last publication was on the 12th day of July, 1989.

Daniel J. Gorham
Subscribed and sworn to before me this 12th day of July, 1989
(SEAL)

Rolanta Dreyer
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 115
Number of Insertions 2
Lines tabular at 5¢/Pica
Lines straight at 56.93 4¢/Pica
Subsequent lines at 44.28 3¢/Pica
TOTAL COST 106.81

#6612

RECEIVED

JUL 13 1989

Department of Water Resources
Southern Region Office

COPY OF NOTICE
(Paste Here)

6 Applications
TITLE OF

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Six water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08429

FLYING HEART
RANCH II SUBD.
P.O. BOX 2163
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 6 T
02N R 18E
Use: DOMESTIC (1.190 CFS)
IRRIGATION (1.400 CFS)
FIRE PROTECTION (1.190 CFS)
Date Filed: 10/20/1988
In: T02N R18E S04 SWNW; S05 NENE NWNE SENE
20.0 ACRES TOTAL

37-08439

STARWEATHER SUBD.
PROP. OWNERS ASSN. INC.
C/O BRIAN BALLARD, ATTY.
P.O. BOX 237
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 20 T
03N R 18E
Use: DOMESTIC (1.360 CFS)
IRRIGATION (600 CFS)
FIRE PROTECTION (1.370 CFS)
Date Filed: 10/25/1988
In: T03N, R18E S17 NWSW;
SWSW; S18 NESE SESE; S19 NENE; S20 NENW NWNW
SWNW SENW
30.0 ACRES TOTAL

37-08508

BUTTRAM, KENNETH
THORNTON, ROD
P.O. BOX 487
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SESESW Sec 33 T
03N R 18E
Use: DOMESTIC (1.080 CFS)
IRRIGATION (1.150 CFS)
Date Filed: 5/22/1989
In: T02N R18E S04 NWNE NENW
T03N R18E S33 SESE SWSE
5.01 ACRES TOTAL

37-08509

HANWRIGHT, JOSEPH C.
HANWRIGHT, PATRICIA L.
P.O. BOX 478
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NWNW Sec 9 T 02N
R 18E
Use: DOMESTIC (1.10 CFS)
IRRIGATION (1.12 CFS)
Date Filed: 5/02/1989
In: T02N R18E S09 NWNW
4.0 ACRES TOTAL

37-08521

GIRTON, RALPH
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NENESE Sec 35 T
02N R 18E
Use: DOMESTIC (1.040 CFS)
IRRIGATION (1.090 CFS)
Date Filed: 6/02/1989
In: T02N R18E S35 NESE
3.0 ACRES TOTAL

37-08522

HANSON, RONDELL B.
HANSON, JOYCE P.
C/O JAMES P. SPECK
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 35 T
02N R 18E
Use: DOMESTIC (1.080 CFS)
IRRIGATION (1.090 CFS)
Date Filed: 6/02/1989
In: T02N R18E S35 SWNE
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before JULY 24, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-July 3 & 12, 1989.

OK
MB
7/14/89

MICROFILMED

OCT 19 1989

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

March 26, 1991

Mr. Gary Spackman
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720

RECEIVED
MAR 27 1991

Department of Water Resources

Re: Mr. Ralph Girton
Permit No. 37-08521

Dear Gary:

This letter is merely a reminder the license proposed to be issued in the above-referenced Permit appears to be in order and Mr. Girton would like to have the license issued at the earliest possible date. Thank you again for your anticipated courteous attention to this request.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS:jal
cc: Mr. Ralph Girton

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

March 8, 1991

Mr. Gary Spackman
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720

RECEIVED
MAR 11 1991

Department of Water Resources

Re: Mr. Ralph Girton
Permit No. 37-08521

Dear Gary:

I represent Mr. Ralph Girton. I have received and reviewed the license proposed to be issued for the above-referenced permit. It appears to be in order and I ask that you make arrangements to have the license issued at the earliest possible date by the Department.

Thank you once again for your continuing cooperation and assistance in these matters.

Sincerely yours,

HOGUE, SPECK & AANESTAD

Jim

James P. Speck

JPS:dmk

cc: Ralph Girton

March 11, 1991

RALPH GIRTON
RT. 1 BOX 40
BELLEVUE, ID 83313

RE: WATER RIGHT NO. 37-08521

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
MAR 18 1991

February 20, 1991

RALPH GIRTON
RT. 1 BOX 40
BELLEVUE, ID 83313

RE: WATER RIGHT NO. 37-08521

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
MAR 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 37-8521

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance no ☒
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A
Limited by capacity ✓

Total volume Limited by flow ✓
Chart checked for AF rate/ac ✓ 3.0

Capacity Actual measurement checked ✓
Theoretical checked ✓
If greater than permit, check for other rts ✓

Source Changed? yes no ☒
If so, is memo needed to clarify? no

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark no
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 no
Description of non-irrig uses ✓
Special overlap condition no

Conditions -

Measuring device no
W.Master control R49
Overlap no
Water quality no
Other no

Dates/Misc. -

Water Dist no
App Rec'd ✓
Proof Rec'd 11/12/89 ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed - no
Not needed ✓

RECEIVED

Comments/Changes to Examiner's Recommendations:

MAR 18 1991

License no 10-day ✓ 30-day no

Back of field report signed? ✓
Reviewer S. Curran Date 2/13/91 Review time 8 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

37-8521
Permit No.

RECEIVED
SEP 21 1990

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 1-31-90 TG (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 1-31-90 TG (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed OK 4/12/90 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent DR 8/17/90 (Initial and date)
Exam Reviewed by Manager of Regional Office JH 8/21/90 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE EXAMINATION
CHECKLIST

WATER RIGHT 37-8521

REVIEWER DRJ

DATE 8/17/90

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>/</u>	1,3. <u>/</u>	1,4. <u>/</u>	1,5. <u>N/A</u>
1,6. <u>/</u>	1,7. <u>/</u>	1,8. <u>/</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>/</u>	1,13. <u>/</u>
1,14. <u>/</u>	1,15. <u>/</u>	1,16. <u>*/</u>	1,17. <u>N/A</u>

RULE 6 MEASUREMENT TERMINOLOGY;

1,1. <u>/</u>	1,2. <u>/</u>	2. <u>/</u>	3. <u>/</u>
4. <u>N/A</u>	5. <u>/</u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>/</u>	1,2. <u>/</u>	1,3. <u>/</u>	1,4. <u>/</u>
1,5. <u>/</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u>/</u>	2,2. <u>/</u>	2,3. <u>/</u>	2,4. <u>/</u>
---------------	---------------	---------------	---------------

Reviewer _____

Date _____

N/A = NOT APPLICABLE
** = SEE ATTACHMENT NO. _____

* = SEE ITEM _____ IN BENEFICIAL USE RPT
*** = SEE REMARKS ATTACHED

Department of Water Resources

Permit No. 37-8521

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MAR 18 1955

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible well with two pumps - one pump supplies one household; one irrigates 2.5 acres.
Second well shown does not irrigate land under this permit. However, see remarks section...

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation	Sta-Rite	3	A89B	Sta-Rite	
Domestic	Sta-Rite	1.5	1C84K	Sta-Rite	
*one well, 2 pumps.					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	35	2N	18E	Blaine	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	18E	35													2.5				2.5

RECEIVED

SEP 1 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

max. discharge station has 18 heads at 38 psi Toro 5600 PC 2.5
38 psi $\Rightarrow$ 2.87 gpm/head

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 18 \text{ heads} (2.87 \text{ gpm}) = 51.7 \text{ gpm} = .12 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.5(3.0) = 7.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .08(215)(1.9835) = 34.1$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.5 \text{ af/ann}$$

2. Volume Calculations for Other Uses:

dom w/o lawn
 $V = 16 \text{ af/ann}$

MAR 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Second well shown in part C is under separate permit. (37-8535)
 The two wells are connected with a valve between them.
 The valve is never normally opened, but the second well
 could be used for domestic use in an emergency by opening
 the valve. ~~It could also be used for irrigation~~ It could also
 irrigate the land under this permit in an emergency.
 Amendment recommended to add second well as ~~extra~~
 NESE SEC 35 TRN RISE backup well -

Acresage is 3.8 ac. total minus house minus 880 ft of 10' drive
 minus lake = 2.5 ac. Lake is filled with slough under
 separate permit. No irrigation out of lake.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	.6
Irrigation	4/1	11/1	.08	7.5
Totals:			.12	8.1


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Chuck Brockway
 Signature [Signature]
 Certification Date 4/14/90
 Field Report Preparation Date 8/15/90




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

50
2/13/91

RECEIVED

MAR 18 1991






P/O #1



MICROFILMED

MAR 18 1991



P/D #2
Backup well



MICROFILMED

MAR 18 1991

January 24, 1990

RALPH GIRTON
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08521

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 21 1990

For 11/13/89
03/89
RECEIVED

NOV 13 1989

Department of Water Resources
Southern Region Office

RECEIVED

NOV 14 1989

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50
Date 11-13-89
Receipt # 5010430
Receipt by MB
Reviewed by 11-1-21-90
Sent to region 11-13-89
S.O.

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P37-08521

Name(s) of Permit Holder: RALPH GIRTON

Post Office Address: RT. 1, BOX 40

BELLEVUE, IDAHO 83313

Telephone No. 788-2767

Source of Water: GROUNDWATER

Extent of Use:

Domestic 1 (number of households)

Stockwater _____ (number and type of stock)

Irrigation 3 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: February 1977

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination: _____

RALPH OR BRIAN GIRTON

(Name)

788-2767

(Telephone Number)

SAME AS ABOVE

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

FEB 21 1990

Nov. 1st 1989

Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF

ATTORNEYS

120 EAST AVENUE

POST OFFICE BOX 987

KETCHUM, IDAHO 83340

(208) 726-4421

TELECOPIER (208) 726-0752

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

November 9, 1989

Mr. Loren Holmes
Idaho Department of Water Resources
2148 Fourth Avenue East
Twin Falls, Idaho 83301

RE: Water Permit No. P37-08521 -- Ralph Girton

Dear Loren:

Enclosed you will find the proof of beneficial use for the above-referenced water permit and check payable to the Department in the sum of \$50.00 for the license examination fee. Please contact Mr. Ralph Girton or his son, Mr. Bryan Girton, at the phone number specified when your agent proposes to do the field examination.

Thank you for your continuing cooperation and assistance in these matters.

Sincerely yours,

HOGUE, SPECK & AANESTAD



James P. Speck

JPS:b
Enclosures

cc: Ralph Girton

RECEIVED
NOV 14 1989

Department of Water Resources

RECEIVED
NOV 13 1989

Department of Water Resources
Southern Region Office

MICROFILMED

FEB 21 1990

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 6, 1989

RE: PERMIT NO. P37-08521

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

Winnipeg, MB

OCT 19 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

OCT 19 1989

DATE 6/28/89

FROM Mary Baldwin, Sec/Office Coordinator

TO File

SUBJECT Change of publication date

Verified by telephone this date that the Wood River Journal will be publishing on 7/3/89 as the first publishing date of July due to the holiday, instead of the 5th as their normal schedules requires.

Mary Baldwin
SIGNATURE

RECEIVED
OCT 19 1989

19-Jun-1989

Ralph Girton
c/o James P. Speck, Esq.
P.O. Box 987
Ketchum, ID 83340

Re: Application for Permit No. 37-08521

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 7/5 & 7/12/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

RECEIVED

OCT 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JUNE 19, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 24, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

OCT 19 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECEIVED

OCT 19 1989

37-08521

GIRTON, RALPH
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

OCT 19 1989

Source: GROUNDWATER

Diversion Pt:

NENESE Sec 35 T 02N R 18E

Use: DOMESTIC
IRRIGATION

(.040 CFS)
(.090 CFS)

Date Filed: 6/02/1989

In: T02N R18E S35

NESE

3.0 ACRES TOTAL

MICROFILMED

OCT 19 1989

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08429

FLYING HEART
RANCH II SUBD.
P.O. BOX 2163
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 5 T
02N R 18E
Use: DOMESTIC (.190 CFS)
IRRIGATION (.400 CFS)
FIRE PROTECTION (1.180
CFS)
Date Filed: 10/20/1988
In: T02N R18E S04 SWNW; S05
NENE NWNE SENE
20.0 ACRES TOTAL

37-08439

STARWEATHER SUBD.
PROP. OWNERS ASSN. INC.
C/O BRIAN BALLARD, ATTY.
P.O. BOX 297
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 20 T
03N R 18E
Use: DOMESTIC (.360 CFS)
IRRIGATION (.600 CFS)
FIRE PROTECTION (3.570 CFS)
Date Filed: 10/25/1988
In: T03N, R18E S17 NWSW
SWSW; S18 NESE SESE; S19
NENE; S20 NENW NWNW
SWNW SENW
30.0 ACRES TOTAL

37-08508

BUTTRAM, KENNETH
THORNTON, ROD
P.O. BOX 487
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SESESW Sec 33 T
03N R 18E
Use: DOMESTIC (.080 CFS)
IRRIGATION (.150 CFS)
Date Filed: 5/22/1989
In: T02N R18E S04 NWNE NENW
T03N R18E S33 SESW SWSE
5.01 ACRES TOTAL

37-08509

HANWRIGHT, JOSEPH C.
HANWRIGHT, PATRICIA L.
P.O. BOX 478
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NWNW Sec 9 T 02N
R 18E
Use: DOMESTIC (.10 CFS)
IRRIGATION (.12 CFS)
Date Filed: 5/02/1989
In: T02N R18E S09 NWNW
4.0 ACRES TOTAL

37-08521

GIRTON, RALPH
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NENESE Sec 35 T
02N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 6/02/1989
In: T02N R18E S35 NESE
3.0 ACRES TOTAL

37-08522

HANSON, RONDELL B.
HANSON, JOYCE P.
C/O JAMES P. SPECK
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 35 T
02N R 18E
Use: DOMESTIC (.060 CFS)
IRRIGATION (.090 CFS)
Date Filed: 6/02/1989
In: T02N R18E S35 SWNE
3.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301, on
or before JULY 24, 1989.

R. Keith Higginson, Director

Published: Wood River Journal-July
3 & 12, 1989.

OK
MB
6/28/89

FILED
JUL 1 1989
IDAHO DEPT. OF WATER RESOURCES
TWIN FALLS, IDAHO

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JULY 24, 1989.

R. Keith Higginson, Director

Published 7/05/1989 & 7/12/1989

MICROFILMED

OCT 19 1989

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF

ATTORNEYS

120 EAST AVENUE

POST OFFICE BOX 987

KETCHUM, IDAHO 83340

(208) 726-4421

TELECOPIER (208) 726-0752

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

May 30, 1989

CERTIFIED MAIL/RETURN RECEIPT REQUESTED

Mr. Loren Holmes
Idaho Department of Water Resources
2148 4th Ave. East
Twin Falls, Idaho 83301

RE: Application for Permit
Ralph Girton

Dear Loren:

Enclosed you will find an Application for Permit which we have prepared for Mr. Ralph Girton together with our check payable to the Department in the sum of \$30.00 as the application fee. Please call me if you have any questions about this Application. Kindly notify me when the publication schedule has been established.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD



James P. Speck

RECEIVED

JUN 2 1989

Department of Water Resources
Southern Region Office

JPS:rlk
enc.

MICROFILMED

OCT 19 1989

37-08521