


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas B. Cijin
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: ~~1" = 100'~~ Not to Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	2	Model # 282 3018 103	Berkely	Model # 4CLM-10
	Franklin Electric	7.5	Model # 226111 9010	Berkely	Model # 652BL-4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: NONE

DEC 14 1994

19|20
30|29

20|21
29|28

PERMIT 37-08485 INIT B.R.B.

T. R. S. Q/Q
P/D 03W 18E 29 SE 55SW

SCALE 1"=1000'

PHOTO ID. 1984 Flight Blaine Early ASES

This domestic use is associated with P37-08486

25
3.7

21
45.3

25
54.7

3 acres recommended for licensing

30|29
31|32

Well
Domestic House

Well House
P/D

Domestic Use (associated with this Permit)

Permit Holder has approximately 43 acres, this groundwater well supplies for water for significant domestic use

T15
5.7 8.4

3
33.2

39|28
32|33
0.0


5
18.8

3
34.0

5
24.3

61
15.1

32|33



T3N R18E
Sec 29

PERMIT 37-08485 INIT B.R.B.
T. R. S. Q/Q
P/D 80 RE 24 SESSES
SCALE
PHOTO ID. _____

P37-08485 This photo taken on
July 23, 1993.



P/O
Well Houses

DEC 14 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08485

Priority: January 23, 1989

Maximum Diversion Rate: 0.11 CFS

Maximum Diversion Volume: 11.1 AF

This is to certify, that THOMAS B CAMPION
LYNN H CAMPION

C/O JAMES P SPECK ESQ
PO BOX 987
KETCHUM ID 83340

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 23, 1989; and has submitted Proof of Beneficial Use on September 7, 1989. An examination indicates that the works have a diversion capacity of .410 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.09 CFS	10.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.11 CFS	11.1 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 29, Township 03N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	18E	29	SESW	3		3

Total number of acres irrigated: 3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

DEC 14 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08485

CONDITIONS/REMARKS:

6. Irrigation use under this right is authorized only in connection with a domestic use.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8th day of DECEMBER, 1994.

Acting for R. Keith Higginson, Director

DEC 14 1994

RECEIVED

SEP 07 1989

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 50.00
Date 9/7/89
Receipt # C011258
Receipt by CP
Reviewed by MS-11/2/89
Sent to region

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08485

Name(s) of Permit Holder: Thomsa B. Campion and Lynn H. Campion

Post Office Address: c/o James P. Speck, P.O. Box 987, Ketchum, Idaho 83340

Telephone No. 208-726-4421

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater (number and type of stock)

Irrigation 3 acres (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.13 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: August 15, 1989

Measuring Device: Required? Yes X No
Installed? Yes X No
Fee enclosed \$50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Thomas B. Campion 208-726-3289
(Name) (Telephone Number)

P.O. Box 538, Ketchum, Idaho 83340
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8.31.89
Date

Thomsa B. Campion
Signature of Permit Holder (and title, if appropriate)

RECEIVED
DEC 15 1989

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08485

Proposed Priority: January 23, 1989 Maximum Diversion Rate: 0.13 CFS

This is to certify, that **THOMAS B. CAMPION**
LYNN H. CAMPION
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESW Sec. 29, Township 03N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	18E	29	SESW	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of August, 1989

RECEIVED

AUG 22 1989

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Thomas B. Campion &/or Lynn H. Campion Phone 208-726-4421
Post office address c/o James P. Speck, P.O. Box 987, Ketchum, ID 83340

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 3N Range 18E B.M. Blaine County; additional
points of diversion if any: None

4. Water will be used for the following purposes:

Amount 0.04cfs for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09cfs for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.13cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 10 inches; ~~proposed~~ depth of well is 50 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 26 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one (1) household
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	18E	29											3						3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Applicant filed a Notice of Claim for domestic purposes for this well in the Snake River Basin Adjudication. Applicant desires to obtain a license to irrigate 3 acres in connection with the domestic use of this well

AUG 22 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas B. Cj...
(Applicant)

Received by TJ 16 1/23/89 10:30 am NO Y Time 11:05 Primary check by GF
Fee \$ 30⁰⁰ Receipted by M. Baldwin # 5006345 Date 2/22/89
Publication prepared by M. Baldwin Date 4/5/89 Published in Wood River Journal
Publication approved M. Baldwin Date 5/12/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 22 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 9, 1994

THOMAS B CAMPION
LYNN H CAMPION
C/O JAMES P SPECK ESQ
PO BOX 987
KETCHUM ID 83340

RE: WATER RIGHT NO. 37-08485

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.


Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure



DEC 14 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 4, 1994

James P. Speck
Hogue, Speck and Aanestad
120 East Avenue
P.O. Box 987
Ketchum, ID 83340

RE: Tom & Lynn Campion - Water Right Nos. 37-08485 and 37-08486

Dear Jim:

As we discussed earlier, I have enclosed copies of the Beneficial Use Field Reports for water rights 37-08485 and 37-08486. Both examinations were conducted on July 23, 1993.

Please contact me at 327-7946 in Boise if you have any questions or concerns about the information presented in the reports.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK

Enclosures:

Copies of Field Reports for 37-08486 and 37-08485

DEC 14 1994

HOGUE, SPECK & AANESTAD
A PROFESSIONAL ASSOCIATION OF
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
TRACY DUNLAP
JOHN A. SEILLER

120 EAST AVENUE
P. O. BOX 987
KETCHUM, IDAHO 83340
(208)726-4421
FAX (208)726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567
FAX (208) 788-4230

October 29, 1994

VIA FACSIMILE - 1-208-327-7866

Mr. Shelley W. Keen
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Tom & Lynn Campion - Water Rights Nos. 37-08485 and 37-08486

Dear Shelley:

This will confirm our telephone conversation of October 26, 1994. I received from you the License for 37-08486 issued only for domestic use. The Permit included the irrigation of three (3) acres. You explained the field examination performed by Brett Berry of IDWR found that the well for this right (which is the well for the main house) was NOT being used for irrigation. The License for 37-08485 has not yet been issued. You will send me copies of the field examinations for both of these permits. I understand they were both completed at the same time in the summer of 1993. I will then review the field examinations with my clients and determine if any corrections need to be made.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD



James P. Speck

JPS/j
cc: client

4 1994

LICENS REVIEW CHECKLIST

PERMIT NO. 37-08485 DATE 9-29-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Permit/fee limits: <u>.13 CFS</u> Meas Q = ☐ Theo Q = <u>.41</u> Recommend: <u>.13 CFS</u> <u>HOUSE PUMP = .12</u> <u>3 acres x .03 = .09</u> <u>IRR Pump = .29</u> <u>Dom @ .04</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☐ ☒	Season of use: <u>B/3.5</u> <u>[4-15 to 10-15]</u> <u>NEW</u> Calculations: <u>3 acres x 3.5 = 10.5</u> <u>Dom @ 1.2</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>WBS</u> ☒	Multiple p/d(s) in 1/4 1/4? ☐ Other <u>Limited domestic conditions</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R50</u> ☒ Irrigation Overlap ☐ <u>D41</u> ☒ Water Quality ☐ Other <u>Dom/Irr</u> Heat/Cool/ Fish verified ☐

COMMENTS: _____

RECOMMENDED	CFS	VOL	(Domestic only) SRBA Claim Filed Adjustment Memo Needed	<u>YES</u> <u>NO</u>
<u>Irrigation</u>	<u>.09</u>	<u>10.5</u>		
<u>Domestic</u>	<u>.04</u>	<u>12.6</u>		
<u>Total</u>	<u>.13</u>	<u>23.1</u>		
	<u>.11</u>	<u>11.1</u>		
			LICENSE	☒
			1ST AMENDMENT LETTER	☐
			FINAL AMENDMENT LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08485

1. Owner: Thomas B. Campion / Lynn H. Campion Phone No. 726-3289

Current Address: C/O James P. Speck, Esq P.O. Box 987 Ketchum 83340

2. Accompanied by: Larry Carlson EXAM DATE: 7-23-1993

Address: _____ Phone No. _____

Relationship to Permit Holder: Caretaker for Permit Holders

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	29	03W	18E	Blaine	USGS Topo, Aerial Photo


2. Place(s) of Use:

Indicate Method of Determination Aerial Photo Inspection

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03W	18E	29												D					D
													3						3

DEC 14 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = 100' Not to Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	2	Model # 282 3018 103	Berkely	Model # 46LM-10
	Franklin Electric	7.5	Model # 226111 9010	Berkely	Model # 652BL-4

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: NONE

DEC 14 1994

E. NARRATIVE/REMARKS/COMMENTS

see attached sheet

The permit grants .03 cfs ($1\frac{1}{2}$ ") per acre. The condition limiting irrigation to .02 cfs per acre must be an error. Recommendation of .03/acre meets department standards.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

DEC 14 1994

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Domestic theoretical:

$$\frac{2 \times 8.8 \times 7}{20 + (2.31 \times 35)} = .12 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (3.0 \text{ acres}) \times (3.5 \text{ cfs/acre}) = 10.5 \text{ cfs}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.10 \text{ cfs}) (184 \text{ days}) (1.9835) = 36.5 \text{ cfs}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.5 \text{ cfs}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04 cfs	1.2 cfs
Irrigation	4/15	10/15	0.06 cfs	10.5 cfs
			.09	
			.13 cfs	
			Totals: 0.70 cfs	11.7 cfs

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Brett Bunn Date 9-21-93

Reviewer _____ Date _____

SEAL

DEC 14 1994

DATE: September 21, 1993

FROM: Brett Barry

TO: FILE 37-08485

SUBJECT: Field Exam 37-08485 Narrative/Comments

On July 23, 1993, the field exam for the above permit was conducted. Gary Carlson, the caretaker for the permit holder, accompanied myself during this examination. This permit was to appropriate groundwater for irrigation and domestic use.

Two submersible pumps are installed in a 50 ft well. A 2 ~~5~~ H.P. pump is set at 25 ft. A 7.5 H.P. pump is set at 33 ft. The 2 ~~5~~ H.P. pump supplies water for domestic use. A house occupied by the caretaker is associated with this domestic use. The 7.5 H.P. pump supplies water for irrigation use. I estimated the pumping lift to be around 20 ft for the theoretical irrigation diversion rate. A theoretical diversion rate of 0.29 cfs was calculated. A well log is attached.

The Campions' have approximately 43 acre parcel which contains two wells and two houses. Of these 43 acres, approximately 15 acres are irrigated. They also have another permit to appropriate groundwater(P37-08486) from a separate well for separate domestic use.

During the exam, I paced the outside of one pasture located west of the house occupied by the caretaker. A sketch is on part C3 of this report. There are other acres irrigated from this well north of the barn and east of the well house. Because this permit appropriates 3 acres of use, I recommended a square 3 acres within the main pasture I paced.

DEC 14 1994

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-8485
DATE: 9.21.93
BY: Bud Bunn

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (7.5 \text{ H.P.}) \times (0.70)}{[(.20) + (.60 \text{ PSI} \times 2.31)]} = 0.29 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial, or ID
owner ()	owner ()	Franklin Electric 7.5 H.P. Model # 226111 9010
area estimate ()	estimate (✓)	Pump Make, Serial or ID, rating
well logs (✓)	owner gage ()	
Booster (Y) (N)		

REMARKS: The pressure was an estimate based on that the Reimbold bus need 55 psi to run. The lift was an estimate based on the well log & pump settings.

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

$$\text{POTENTIAL} = \frac{(.184 \text{ days}) \times (1.98) \times (.029 \text{ cfs})}{(.3 \text{ acres})}$$

POTENTIAL = 35.2 acft/acre

REQUIRED Acre Feet/Acre/Annum = 3.5 acft/acre
(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

DEC 14 1994

19/20
30/29

20/21
27/28

PERMIT 37-08485 INIT B.P.B.

T. R. S. Q/Q

P/D 3W 18E 29 SE 6ESW

SCALE 1" = 1000'

PHOTO ID. 1984 Flight Blaine County ASGS

This domestic use is associated with P37-08486

25
3.7

21
45.3

3 acres recommended for livestock use

Well
Domestic House

Well House
P/D

Domestic Use, Connected with This Permit

Permit Holder Has Approximately 43 acres, this groundwater well supplies for water for irrigation domestic use

21
15
0.7 2.4

3
33.2

30/29
31/32

27/28
32/33

0.0

5

18.7


34.0

5
24.3

15.1

32/33

DEC 14 1994




PERMIT 37-08485 INIT B.R.B.
T. R. S. 9/9
P/D 080 RE 24 SESESU
SCALE
PHOTO ID.

DEC 14 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JUN 10 1985

1. WELL OWNER Name <u>Thomas B. Cumpion</u> Address <u>P. O. Box 538 Ketchum, ID 83340</u> Owner's Permit No. _____	7. WATER LEVEL Department of Water Resources Southern Region Office Static water level <u>4' 8"</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>46</u> °F. Quality _____																																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>Plenty</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	Plenty																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																								
Plenty																																																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☒ Other <u>Fire Protection</u> (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>0</td> <td>2</td> <td>Surface</td> <td></td> </tr> <tr> <td></td> <td>2</td> <td>5</td> <td>Gravel & sand</td> <td></td> </tr> <tr> <td></td> <td>5</td> <td>8</td> <td>Gravel & sand, Surface water</td> <td>X</td> </tr> <tr> <td></td> <td>8</td> <td>16</td> <td>Boulders & gravel</td> <td></td> </tr> <tr> <td></td> <td>16</td> <td>19</td> <td>Gravel & sand</td> <td>X</td> </tr> <tr> <td>10</td> <td>19</td> <td>22</td> <td>Gravel & sand</td> <td>X</td> </tr> <tr> <td></td> <td>22</td> <td>24</td> <td>Clay & gravel</td> <td>X</td> </tr> <tr> <td></td> <td>24</td> <td>31</td> <td>Gravel & sand</td> <td>X</td> </tr> <tr> <td></td> <td>31</td> <td>34</td> <td>Clay & gravel</td> <td>X</td> </tr> <tr> <td></td> <td>34</td> <td>50</td> <td>Big gravel & sand</td> <td>X</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes No	From	To	12	0	2	Surface			2	5	Gravel & sand			5	8	Gravel & sand, Surface water	X		8	16	Boulders & gravel			16	19	Gravel & sand	X	10	19	22	Gravel & sand	X		22	24	Clay & gravel	X		24	31	Gravel & sand	X		31	34	Clay & gravel	X		34	50	Big gravel & sand	X
Hole Diam.	Depth		Material	Water Yes No																																																						
	From	To																																																								
12	0	2	Surface																																																							
	2	5	Gravel & sand																																																							
	5	8	Gravel & sand, Surface water	X																																																						
	8	16	Boulders & gravel																																																							
	16	19	Gravel & sand	X																																																						
10	19	22	Gravel & sand	X																																																						
	22	24	Clay & gravel	X																																																						
	24	31	Gravel & sand	X																																																						
	31	34	Clay & gravel	X																																																						
	34	50	Big gravel & sand	X																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5/29/85</u> finished <u>5/31/85</u>																																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>10 3/4</u> inches</td> <td><u>1</u> feet</td> <td><u>50</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1 1/4</u> inches by <u>1/2</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>838</u> perforations</td> <td><u>25</u> feet</td> <td><u>47</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port <u>well seal</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>10 3/4</u> inches	<u>1</u> feet	<u>50</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>838</u> perforations	<u>25</u> feet	<u>47</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Water Systems, Inc.</u> Firm No. <u>15</u> <u>624 Pierce Street</u> Address <u>Irwin Falls, Idaho 83301</u> Date <u>6/7/85</u> Signed by (Firm Official) <u>Paul Walk</u> and <u>Paul Walk</u> (Operator)																									
Thickness	Diameter	From	To																																																							
<u>250</u> inches	<u>10 3/4</u> inches	<u>1</u> feet	<u>50</u> feet																																																							
_____ inches	_____ inches	_____ feet	_____ feet																																																							
_____ inches	_____ inches	_____ feet	_____ feet																																																							
_____ inches	_____ inches	_____ feet	_____ feet																																																							
Number	From	To																																																								
<u>838</u> perforations	<u>25</u> feet	<u>47</u> feet																																																								
_____ perforations	_____ feet	_____ feet																																																								
_____ perforations	_____ feet	_____ feet																																																								
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Blaine</u> <u>SE 1/4 SW 1/4 Sec. 29 T. 3 N. R. 18 E.</u>																																																										

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

DEC 14 1994

P37-08485 This photo taken on
July 23, 1993.



P/D
Well Houses

DEC 14 1994

December 1, 1989

THOMAS B. CAMPION
LYNN H. CAMPION
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08485

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FILMED

DEC 15 1989

100-443887-1

JUN 10 1985

DEC 15 1989

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF

ATTORNEYS

120 EAST AVENUE

POST OFFICE BOX 987

KETCHUM, IDAHO 83340

(208) 726-4421

TELECOPIER (208) 726-0752

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

September 6, 1989

RECEIVED
SEP 07 1989

CERTIFIED MAIL/RETURN RECEIPT REQUESTED

Mr. Gary Spackman
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

RE: Water Permits No. 37-08485 and 37-08486
Proofs of Beneficial Use

Dear Gary:

Enclosed you will find completed and signed Proofs of Beneficial Use for the above-referenced Permits together with a check payable to the Department in the sum of \$100.00 to cover the license examination fees for both Permits. Please call me if there are any questions.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


Jim

James P. Speck

JPS/rlk
enc.
cc: Mr. Thomas Campion

RECEIVED
DEC 15 1989

HOGUE, SPECK & AANESTAD
A PROFESSIONAL ASSOCIATION
OF
ATTORNEYS
120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340



Mr. Gary Spackman
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RECEIVED

DEC 15 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 15, 1989

THOMAS B. CAMPION
LYNN H. CAMPION
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08485

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.


You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 24 1989



Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 22 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 19th day of Apr. 1989, and

the date of the last publication was on the 26th day of Apr. 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 26th day of April, 1989.
(SEAL)

Rahula McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 99
Number of Insertions 2
Lines tabular at 5¢/Pica
99 Lines straight at 49.01 ¢/Pica
99 Subsequent lines at 38.12 ¢/Pica
TOTAL COST 87.13

MICROFILMED

AUG 22 1989

OF NOTICE
(Paste Here)

5 Applications
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

5 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

✓ 37-08479 OK
FELTMAN, F.L.
FELTMAN, JUDY
P.O. BOX 1809
SUN VALLEY, ID 83353
Source: UNNAMED STREAMS
Tributary: ELKHORN GULCH
Diversion Pt: SESW Sec 16 T 04N R 18E
Use: RECREATION (250 CFS)
Date Filed: 12/05/1988
In: T04N R18E S16 SESW

37-08485 OK
CAMPION, THOMAS B.
CAMPION, LYNN H.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: SESESW Sec 29 T 03N R 18E
Use: DOMESTIC (0.040 CFS)
IRRIGATION (0.090 CFS)
Date Filed: 1/23/1989
In: T03N R18E S29 SESW
3.0 ACRES TOTAL

PU 37-08488
CAMPION, THOMAS B.
CAMPION, LYNN H.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: SENESW Sec 29 T 03N R 18E
Use: DOMESTIC (0.040 CFS)
IRRIGATION (0.090 CFS)
Date Filed: 1/23/1989
In: T03N R18E S29 NESW
3.0 ACRES TOTAL

37-08488
MILLER, JOHN W.
MILLER, CAROLYN R.
P.O. BOX 953
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SENE Sec 36 T 01N R 18E
Use: IRRIGATION (0.080 CFS)
Date Filed: 1/30/1989
In: T01N R18E S36 SENE
2.0 ACRES TOTAL

71-07122
U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
2647 KIMBERLY RD. E.
TWIN FALLS, ID 83301
Source: UNNAMED STREAM
Tributary: VAT CREEK
Diversion Pt: SWNWNW Sec 5 T 07N R 14E; NESWNW Sec 5 T 07N R 14E; NWSWNW Sec 5 T 07N R 14E; NWSNW Sec 5 T 07N R 14E; SWSNW Sec 5 T 07N R 14E; SESWSW Sec 32 T 08N R 14E; SWSWSW Sec 32 T 08N R 14E
Use: WILDLIFE STORAGE (2.20 AF); WILDLIFE FROM STORAGE (2.20 AF)
Date Filed: 1/24/1989
In: T07N R14E S05 NENW NWNW SWNW SENW NESW NWSE; T08N R14E S32 SWSW SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MAY 8, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
April 19 89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

APRIL 7, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECEIVED

AUG 22 1989

37-08485

CAMPION, THOMAS B.
CAMPION, LYNN H.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER

Diversion Pt:

SESESW Sec 29 T 03N R 18E

Use: DOMESTIC
IRRIGATION

(.040 CFS)
(.090 CFS)

Date Filed: 1/23/1989

In: T03N R18E S29

SESW

3.0 ACRES TOTAL

WATER-CONTROLLED

AUG 22 1989

Disk: "19"/5NofAp

5 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08479

FELTMAN, F.L.
FELTMAN, JUDY
P.O. BOX 1809
SUN VALLEY, ID 83353
Source: UNNAMED STREAMS
Tributary: ELKHORN GULCH
Diversion Pt: SESW Sec 16 T 04N
R 18E
Use: RECREATION (.250 CFS)
Date Filed: 12/05/1988
In: T04N R18E S16 SESW

37-08485

CAMPION, THOMAS B.
CAMPION, LYNN H.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SESESW Sec 29 T
03N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 1/23/1989
In: T03N R18E S29 SESW
3.0 ACRES TOTAL

37-08488

CAMPION, THOMAS B.
CAMPION, LYNN H.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SESESW Sec 29 T
03N R 18E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Date Filed: 1/23/1989
In: T03N R18E S29 NESW
3.0 ACRES TOTAL

37-08488

MILLER, JOHN W.
MILLER, CAROLYN R.
P.O. BOX 953
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: SENE Sec 38 T 01N
R 18E
Use: IRRIGATION (.060 CFS)
Date Filed: 1/30/1989
In: T01N R18E S38 SENE
2.0 ACRES TOTAL

71-07122

U.S. DEPT. OF AGRICULTURE
FOREST SERVICE
2847 KIMBERLY RD. E.
TWIN FALLS, ID 83301

Source: UNNAMED STREAM
Tributary: VAT CREEK
Diversion Pt: SWNWNW Sec 5 T
07N R 14E; NESWNW Sec 5 T
07N R 14E; NWSWNW Sec 5 T
07N R 14E; NWSESW Sec 5 T
07N R 14E; SWSW Sec 5 T
07N R 14E; SESWSW Sec 32 T
08N R 14E; SWSESW Sec 32 T
08N R 14E
Use: WILDLIFE STORAGE (2.20
AF); WILDLIFE FROM STORAGE
(2.20 AF)
Date Filed: 1/24/1989
In: T07N R14E S05 NENW
NWNW SWNW SENW NESW
NWSE; T08N R14E S32 SWSW
SESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MAY 8, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
April 19 & 26, 1989.

OK
HB
#118/89

MICROFILMED

AUG 22 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MAY 8, 1989.

R. KEITH HIGGINSON, Director

Published 4/19/1989 & 4/26/1989

MICROFILMED

AUG 22 1989

06-Apr-1989

Thomas B. Campion
c/o James P. Speck, Esq.
P.O. Box 987
Ketchum, ID 83340

Re: Application for Permit No. 37-08485 & 37-08486

Dear Mr. Speck:

The Department of Water Resources acknowledges receipt of the water right applications for permit on behalf of Thomas Campion. The applications have been assigned the above referenced identification numbers. Please refer to these numbers in all further correspondence.

This office will be advertising the applications in the Wood River Journal on 4/19 & 4/26/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

AUG 22 1989

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF
ATTORNEYS
120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
TELECOPIER (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

March 1, 1989

CERTIFIED MAIL

Mr. Loren Holmes
Idaho Department of Water Resources
2148 - 4th Avenue East
Twin Falls, Idaho 83301

Re: Thomas B. and/or Lynn H. Campion
Application for Permit

Dear Loren:

On January 20, 1989, I forwarded to you two Applications for Permit for Mr. and Mrs. Thomas B. Campion. I have just discovered in my file the original of one of those applications! Apparently, only a copy was forwarded with the earlier letter and filing fee. Enclosed is that original, signed Application for Permit. Will you please substitute the original for the copy I previously sent to you. I apologize for any confusion this may have generated.

Please call me if you have any questions. Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/jal
Enclosure

RECEIVED

MAR 03 1989

Department of Water Resources
Southern Region Office

MICROFILMED

AUG 22 1989

37-08485

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

OF
ATTORNEYS

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340

(208) 726-4421
TELECOPIER (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

January 20, 1989

RECEIVED

JAN 23 1989

Department of Water Resources
Southern Region Office

CERTIFIED MAIL

Mr. Loren Holmes
Idaho Department of Water Resources
2148 4th Ave. East
Twin Falls, Idaho 83301

RE: Thomas B. and/or Lynne H. Campion
Applications for Permits

Dear Loren:

Enclosed you will find two Applications for Permits and our check payable to the Department of Water Resources in the sum of \$60.00 as the combined filing fee. These Applications seek to add the right to irrigate 3 acres to existing domestic wells. Claims for the domestic wells have been filed in the Snake River Basin Adjudication. Please keep me advised as to the status of these Applications.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/rlk
encl.
cc: Thomas B. Campion(w/encl.)

MICROFILMED

AUG 22 1989

37-08485