


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TOWNSHIP 1 SOUTH, RANGE 20 EAST, SECTION 35



Scale: 2 inches equal 1 mile.

SEP 19 1989

MICROFILMED


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald W. Buhl

MANAGER (Applicant)
LAND & RIGHT OF WAY DEPT.

FEB 21 1990

Retake



Picabo 7.5' Quad 1979 Y76

Idaho Pwr. Co.
37-08484

JAN 04 1999

1/1



INSIDE SUBSTATION (PSI = 55')



restroom/faucet
inside electrical
substation

photo looking NW'ly



conc. blk.

A0007842 R102622a

photo looking SW'ly

BLAINE O. JOHNSTON, A.I.A.
Architect
Substation Engineering

(208) 388-2781
FAX (208) 388-6906
RES. (208) 345-4808



Cell # 861-5264

IDAHO POWER COMPANY
1221 WEST IDAHO STREET
P.O. BOX 70
BOISE, IDAHO 83707

PHOTO FILMED

10 4 1999

Examiner: Satterlee
21 Oct 98 1100 hrs.

Idaho Power Co.

37-08484

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08484

Priority: January 17, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that IDAHO POWER CO
PO BOX 70

BOISE ID 83707-0070 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1989; and has submitted Proof of Beneficial Use on September 28, 1989. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 35, Township 01S, Range 20E
BLAINE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

01S 20E 35

NESE

CONDITIONS OF APPROVAL AND REMARKS

1. Commercial use is for restroom & faucets at electrical substation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 30TH day of NOVEMBER, 1998.

Acting for

KARL J. DREHER, Director

MICROFILMED

JAN 04 1999

RECEIVED
217
SEP 28 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by 22-10/13/89

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08484

Name(s) of Permit Holder: Idaho Power Company

Post Office Address: P O Box 70, Boise, Idaho 83707

Land and Right of Way Department Telephone No. (208) 3838-2691

Source of Water: Well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Substation control building

restroom and eye wash.

Total rate and/or volume for which proof is submitted 25-30-6PM cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/14/89

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

James T Bunce - Substation Department
(Name)

(208) 322-2085
(Telephone Number)

P O Box 70, Boise, Idaho 83707

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

IDAHO POWER COMPANY
RONALD W BUBB

Ronald W Bubb

NOV 09 1989

Date

Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08484

Proposed Priority: January 17, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 35, Township 01S, Range 20E
BLAINE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

01S 20E 35 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for restroom & faucets at electrical substation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31 day of August, 1989.

for *J. Keith Higginson*
R. Keith Higginson, Director

RECEIVED

FEB 21 1990

Ketake

MICROFILMED

SEP 19 1989

Form 235-1
4/88

Drilling Permit No. 37-89-Z-007
Water Permit No. 37-08484
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant IDAHO POWER CO
2. Address P O BOX 70, Land & Right Of Dept.
BOISE IDAHO 83707 Telephone 383-2691

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 35, Twp. 1 S, Rge. 20 E, County BLAINE,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify RESTROOM, ELECTRIC SUBSTATION

5. Well construction information:

(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth _____
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

MICROFILMED

6. Anticipated construction start date 5-1-89
7. Well Driller (if known) _____ Retake
Address _____

8. Applicant's signature Donald W. Bull Engineering Information
(BLAINE O. JOHNSTON)
Title Manager, Land & Right of Way (ENGINEERING DESIGNER, Phone 383-2781)
Date January 12, 1989 JAN 6 1989

MICROFILMED

* After other pre-requisite approvals have been obtained.

SEP 19 1989

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(✓) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 31st day of August, 1989

MICROFILMED

SEP 19 1989

Signed

Title

J. Glen Taylor
Chief, Water Rights Bureau

MICROFILMED

Received by kw

Fee

\$10.00

Date

1/17/89

FEB 21 1990

Receipt No.

CD05143

Construction start extension to

Extension approved by

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

RECEIVED

JUL 18 1989

July 17, 1989

Department of Water Resources
Southern Region Office

Mr Gary Funderburg
Sr Water Resource Agent
Department of Water Resources
2148 4th Avenue East
Twin Falls, Idaho 83301

RE: Application for Permit No 37-08484

Dear Mr Funderburg:

As per your letter dated July 6, 1989, enclosed is the name and addresses of Idaho Power Company.

If you need any additional information, please feel free to contact me.

Very truly yours,

D Bair

Donald Bair
Permit Co-ordinator
Land and ROW Dept

DB/cc
Enclosure

MICROFILMED MICROFILMED

FEB 21 1990

Retake

SEP 19 1989

JUL 17 1989

OFFICERS

<u>Name</u>	<u>Title</u>	<u>Address</u>
*R J O'Connor	Chairman of the Board and Chief Executive Officer	1220 W Idaho Street Boise, ID 83707
*W W Anderson	President and Chief Operating Officer	"
J W Marshall	Executive Vice President	"
C E Bissell	Senior Vice President - Power Supply	"
L E Lanham	Senior Vice President - Public Affairs	"
Daniel K Bowers	Vice President and Treasurer	"
L R Gunnoe	Vice President - Distribution	"
D D Hammond, Jr	Vice President and Chief Financial Officer	"
Paul L Jauregui	Vice President - Human Resources	"
Paul R Sarni	Vice President - Administrative Services	"
Robert W Stahman	General Counsel and Secretary	"
J L Keen	Controller	"

*Also Directors

DIRECTORS

<u>Name</u>	<u>Address</u>
Robert D Bolinder	1843 Broadway Boise, ID 83706
James E Bruce	428 Cashmere Road Boise, ID 83702
George L Coiner	Route #1 Hansen, ID 83334
A Dale Dunn	999 Main Street Boise, ID 83707
John H Elorriaga	4011 S W Downs View Court Portland, OR 97221
R V Hansberger	1412 W Idaho Boise, ID 83707
Evelyn Loveless	1111 Main Street Boise, ID 83702
Jon H Miller	One Jefferson Square Boise, ID 83728
Richard T Norman	6207 Riviera Circle Long Beach, CA 90815
Gene C Rose	89 S W Third Avenue Ontario, OR 97914
Phil Soulen	Rolling Hills Weiser, ID 83672

MICROFILMED

FEB 21 1990

Retake

MICROFILMED

SEP 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08484

To appropriate the public waters of the State of Idaho

1. Name of applicant IDAHO POWER COMPANY Phone 383-2691
Post office address P.O. BOX 70, BOISE, IDAHO 83707
2. Source of water supply UNDERGROUND which is a tributary of N/A
3. Location of point of diversion is _____ ¼ of NE ¼ of SE ¼, Govt. Lot _____
Sec. 35 Township 1 S Range 20 E B.M. BLAINE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 YEAR years (minimum 1 year).

FEB 21 1990

Retake

SEP 19 1989

8. Description of proposed uses (if irrigation only, go to item 9):

2 FEB 10 1990

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. ONE REST ROOM AND FAUCETS AT ELECTRICAL SUBSTATION.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	20E	35													C				

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? IDAHO POWER COMPANY

b. Who owns the land to be irrigated or place of use? IDAHO POWER COMPANY

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED
FEB 21 1990


MICROFILMED

FEB 21 1990

SEP 19 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TOWNSHIP 1 SOUTH, RANGE 20 EAST, SECTION 35



Scale: 2 inches equal 1 mile.

SEP 19 1989

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Retake
FEB 21 1990

Ronald W. Buhl
MANAGER (Applicant)
LAND & RIGHT OF WAY DEPT.

Received by kw Date 1/17/89 Time 2:40 Preliminary check by Gay-Jenkins
Fee \$ 30.00 Received by kw # C005143 Date 1/17/89
Publication prepared by M. Baldwin Date 4/10/89 Published in Wood River Journal
Publication approved M. Baldwin Date 5/12/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Retake
MICROFILMED
FEB 21 1990

MICROFILMED
SEP 19 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a
newspaper published every week in Hailey, County of Blaine, State of Idaho; that
said newspaper has been continuously and uninterruptedly published for a period of
seventy-eight consecutive weeks prior to the first publication of the annexed notice,
and is a newspaper qualified to publish legal notices as provided by act of the 1919
session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive
issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 19th day of Apr, 1989, and

the date of the last publication was on the 26th day of Apr, 1989.

Daniel J. Gorham
Subscribed and sworn to before me this 26th day of April, 1989.
(SEAL)

Robert McKee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 56
Number of Insertions 2
Lines tabular at 56 5¢/Pica
Lines straight at 2772 4¢/Pica
Subsequent lines at 2156 3¢/Pica
TOTAL COST 49.28

MICROFILMED

SEP 19 1989

6482
MICROFILMED

FEB 21 1990

Retake

COPY OF NOTICE

(Paste Here)

3 Applications
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

3 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08483
AUGUSTUS BRUCE
P.O. BOX 450
SUN VALLEY, ID 83353

Source: GROUNDWATER
Diversion Pt: NWSESW Sec 18 T
04N R 18E
Use: COMMERCIAL (1,000 CFS)

Date Filed: 1/10/1989
In: T04N R18E S18 SEWSW
37-08484

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

Source: GROUNDWATER
Diversion Pt: NESE Sec 35 T 01S
R 20E

Use: COMMERCIAL (0.040 CFS)
Date Filed: 1/17/1989
In: T01S R20E S35 NESE

71-07121
CHURCH OF JESUS CHRIST
OF LATTER-DAY SAINTS
REAL ESTATE DIV., 12TH FL
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER
Diversion Pt: SENE Sec 18 T 07N
R 14E

Use: DOMESTIC (360 CFS)
Date Filed: 10/28/1988
In: T07N R14E S18 SENE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MAY 8, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal
April 19 & 26, 1989.

Department of Water Resources
Southern Region Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707-0070

RE: WATER RIGHT NO. 37-08484

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JAN 04 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 87-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JAN 04 1999

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of December, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 37-08484

IDAHO POWER CO
PO BOX 70
BOISE ID 83707-0070


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 04 1999

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 37-8484 Name: Id Power Date: 11/30/98 ✓ Lots _____

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? _____ Legal _____ P39
 Same 1/4? W32 P36
 Overlap(s) none

P/U ✓ Amendment Needed? _____ P41
 Overlap(s) none
 (Gov't use special ¶s) _____ *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.04 / 0.04
✓ Measured Quantity = 0.02 cfs Theoretical Quantity = 0.01 cfs
8.5 gpm = 0.02 cfs
 (HP) $\frac{8.8 \times 0.70 \times 0.5}{184 + (2.31 \times 30)} = 0.00$ cfs
✓ Recommended capacity 0.02 cfs
✓ Recommended rate 0.02 cfs

VOLUME ✓ Season: (1) 1/1 - 12/31 = 365 days
 Calculations: equivalent to domestic, in house use = 0.6 AF
✓ Flow limit: 0.02 cfs x 365 days/yr. x 1.9835 = 14.5 AF
 Recommended volume 0.6 AF

USES ✓ Same Nature of Use? _____ P46
_____ Amendment Needed? _____

REMARKS _____ Multiple p/d's in same 1/4? Use W32 _____
✓ ① WOI/Comm.

CONDITIONS

_____ Measuring Device (R43) or Lockable Controlling Works (R02)
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/annual volume overlap
_____ GW irrigation replaces surface water (050)
_____ GW irrigation supplements surface water (065)
_____ Water Quality
_____ Other _____

PRIORITY

App Rod 1/17/98 Due 10/1/90 Rcd 10/13/89
 Receipt# NA Fee OK? Yes No _____
 Order to Reinstate Needed? Yes/No Done? _____ Advanced to: _____
 Priority 1/17/98 Examined 10/21/98

COMMENTS:

Limited rate of flow due to capacity.

USE	CFS	VOLUME
<u>Comm.</u>	<u>0.02</u>	<u>0.6</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>TOTAL</u>	<u>0.02</u>	<u>0.6</u>

SRBA Overlap None
 Adjustment Memo _____
 LICENSE
 #1 AMEND: _____ /P38
 #2 AMEND: (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 24 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08484

1. Owner: IDAHO POWER CO. Phone No. (208) 388-2781

Current Address: PO BOX 70, BOISE, ID. 83707

2. Accompanied by: BLAINE JOHNSTON EXAM DATE 21 Oct 98

Address: _____ Phone No. SAME AS ABOVE

Relationship to Permit Holder: ARCHITECT ^{FOR} SUBSTATION

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 0

2. Other water rights with the same point of diversion: 0

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	35	01S	20E	BLAINE	FIELD EXAM/GPS A0007842

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	20E	35																	

MICROFILMED
JAN 04 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GPS A0007842		1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
BUCKET/STOPWATCH						

2. Measurements: _____

MICROFILMED

JAN 04 1999



1/1



restroom/faucet
inside electrical
substation

conc. blk.

photo looking NW'ly




photo looking SW'ly



Cell # 861-526A

BLAINE O. JOHNSTON, A.I.A.
Architect
Substation Engineering

(208) 388-2781
FAX (208) 388-6906
RES. (208) 345-4808

IDAHO POWER COMPANY
1221 WEST IDAHO STREET
P.O. BOX 70
BOISE, IDAHO 83707

PHOTO FILMED

NOV 04 1999

Examiner: Satterlee
21 Oct 98 1100 hrs.

Idaho Power Co.

37-08484

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 10 November 1998
RE: 37-08484

On 21 October 1998 I met with Blaine Johnston to conduct field examination for the above permit. The permit is year round commercial use from a well that serves the electrical substation for Idaho Power Company.

Mr. Johnston says the facilities at the substation are used when Idaho Power personnel conduct the bi-weekly checks at the power station.

The facilities include one toilet, one sink, one faucet/eye wash station, and one spigot (near the pressure tank). This spigot is where the measurements were taken.

The measurement with a bucket and stopwatch shows a rate of approximately 8.5 gallons per minute (0.02 cfs). The theoretical rate shows approximately 0.01 cfs. For the recommendation rate, I will use the measured rate, which is 50% less than the permitted rate. The recommended volume will be the same as "Domestic House, Without a Lawn".

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JAN 04 1999

Additional Computation Sheets Attached

Measured Method:
BUCKET/STOPWATCH

$$1 \text{ GAL} = 8.5 \text{ seconds} = \underline{0.02 \text{ cfs}}$$

$$\text{THEORETICAL} = Q \frac{(8.8)(\frac{1}{2} \text{ HP})(0.70)}{160 + (55 \text{ PSI})(2.31)} = \frac{3.1}{297.1} = \underline{\underline{0.01 \text{ cfs}}}$$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{1}{A}$$

$V = \text{Smaller of } V_{IB} \text{ and } V_{OB} =$

2. Volume Calculations for Other Uses:

EXAM FEE LIMIT

PERMIT RATE

MEASURED

RECOMMENDED "

0.04

0.02

_____ (fee)
_____ Need to collect?

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Commercial	1/1	12/31	0.02 cfs	0.6
Totals:			0.02	0.6 af

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

Field Examiner's Name

George Satterlee

Date 10 Nov 98

Reviewer

Date _____

MICROFILMED^{SEAL}

JAN 04 1999

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

November 1, 1989

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08484

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MAIL ROOM

NOV 03 1989

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08484

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully, since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED
MICROFILMED SEP 19 1989

FEB 21 1990

Retake

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
MICROFILMED
SEP 19 1989 FEB 21 1990

Retake

06-Jul-1989

Idaho Power Co.
P.O. Box 70
Boise, ID 83707

Re: Application for Permit No. 37-08484

Dear Applicant:

In reviewing the application for compliance with the requirements of the Department's Rules and Regulations for Water Appropriations, we have determined that the following information is required to make the Application complete for processing.

- 1) If the Application is filed in the name of a corporation, the names and addresses of its directors and officers shall be provided. If the application is filed by or in behalf of a partnership or joint venture, the application shall provide the names and addresses of all partners and shall designate the managing partner, if any. (Rule 3,3,2,1)

We will continue to hold the application until the requested information is received.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

~~MICROFILMED~~ MICROFILMED

FEB 21 1990

SEP 19 1989

Retake

10-Apr-1989

Idaho Power Co.
P.O. Box 70
Boise, ID 83707

Re: Application for Permit No. 37-08484

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 4/19 & 4/26/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

SEP 19 1989

MICROFILMED

FEB 21 1990

Retake

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

APRIL 10, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED MICROFILMED

FEB 21 1990

Retake

SEP 19 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

FEB 21 1990

Retake

MICROFILMED

SEP 19 1989

37-08484

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NESE Sec 35 T 01S R 20E

Use: COMMERCIAL (.040 CFS)

Date Filed: 1/17/1989

In: T01S R20E S35 NESE

MICROFILMED

SEP 19 1989

MICROFILMED

FEB 21 1990

Retake

Disk: "19"/3NofAp

Depa

3 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08483

AUGUSTUS, BRUCE
P.O. BOX 450
SUN VALLEY, ID 83353
Source: GROUNDWATER
Diversion Pt: NWSESW Sec 18 T
04N R 18E
Use: COMMERCIAL (1.000 CFS)
Date Filed: 1/10/1989
In: T04N R18E S18 SWSW SESW

37-08484 ✓

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: NESE Sec 35 T 01S
R 20E
Use: COMMERCIAL (.040 CFS)
Date Filed: 1/17/1989
In: T01S R20E S35 NESE

71-07121

CHURCH OF JESUS CHRIST
OF LATTER-DAY SAINTS
REAL ESTATE DIV., 12TH FL.
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: SENE Sec 18 T 07N
R 14E
Use: DOMESTIC (.360 CFS)
Date Filed: 10/28/1988
In: T07N R14E S18 SENE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MAY 8, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
April 19 & 26, 1989.

OK
MB
4/18/89

MICROFILMED

SEP 19 1989

MICROFILMED

FEB 21 1990

Retake

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MAY 8, 1989.

R. KEITH HIGGINSON, Director

Published 4/19/1989 & 4/26/1989

MICROFILMED

FEB 21 1990

Retake

MICROFILMED

SEP 19 1989