


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. **AUG 22 1989**

Jean Shuler
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

APR 14 1989

Department of Water Resources
Southern Region Office

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a
newspaper published every week in Hailey, County of Blaine, State of Idaho; that
said newspaper has been continuously and uninterruptedly published for a period of
seventy-eight consecutive weeks prior to the first publication of the annexed notice,
and is a newspaper qualified to publish legal notices as provided by act of the 1919
session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive
issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 5th day of April, 19 89, and

the date of the last publication was on the 12th day of April, 19 89.

Daniel J. Gorham

Subscribed and sworn to before me this 12th day of April, 19 89.
(SEAL)

Roberta McKenney

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 79
Number of Insertions 2
Lines tabular at 5¢/Pica
79 Lines straight at 39.11 4¢/Pica
79 Subsequent lines at 30.42 3¢/Pica
TOTAL COST 69.53

MICROFILMED

AUG 22 1989

COPY OF NOTICE

(Paste Here)

Notice of Applications (4)
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

4 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08464

GREENHORN OWNERS
ASSN. INC.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NENE Sec 18 T 03N
R 18E
Use: DOMESTIC (.280 CFS)
IRRIGATION (.560 CFS)
Date Filed: 10/19/1988
In: T03N R17E S13 SWNE SENE
NESW NWSW NWSE; S14
SWNW SENW NESW NESE
NWSE; R18E S18 SWNW
105.0 ACRES TOTAL

37-08475

THE CHRISTENSEN 1987 TRUST
DOUGLAS M. CHRISTENSEN TR
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 10 T
05N R 17E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.075 CFS)

7-8 pt. Date Filed: 12/02/1988
7-8 pt. In: T05N R17E S10 SWNE
7-8 pt. 2.5 ACRES TOTAL

37-08476

SLUDER, C.D.
SLUDER, M. JOAN
P.O. BOX 370
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: NENWNE Sec 23 T
01N R 18E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
STOCKWATER (.020 CFS)
Date Filed: 12/02/1988
In: T01N R18E S23 NWNE
2.5 ACRES TOTAL

37-08477

ARGYROS, GEORGE L.
950 S. COAST DRIVE, #200
COSTA MESA, CA 92626


Source: GROUNDWATER
Diversion Pt: NESW Sec 5 T 04N
R 18E
Use: DOMESTIC (.020 CFS)
Date Filed: 12/05/1988
In: T04N R18E S05 NESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before APRIL 24, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
April 5 & 12, 1989.

- ① R071416A
- ② R071416B
- ③ R071420A



NTS


BIG WOOD RIVER - flow

CUENDALE RD.

MICROFILMED
FEB 23 1988

SEC 23, T01N, R18E
NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$

SLIDER, DOLIG
AUG 97 NOON
37-08476, -08216





PASTURE

1.5 ac

P/D's

1514

2223

T299

363

John Brown
Inc.

T45

361

C. Reimber

T46

136

E. Cameron

1/2 ac
YARD

1987 Flight ASCS
Scale 1"=660'

N19

FEB 23 1998

8. POSSIBLE CONTAMINATION SOURCES:
Is there evidence of Chemigation? ☐ Yes ☒ No
If yes, is there a check-valve present? ☐ Yes ☐ No
Is there a possible source of contamination nearby? ☐ Yes ☐ No
If yes, what Type? _____
How far away from the well is this source? _____

9. REMARKS: WELL WAS IN PLACE 4 WKS. AGO.; SLUDGER SAID
IT NEEDED WORK BECAUSE OF LEAKING
THIS MAY BE THE OLDEST OF 3 WELLS.

DL Satterlee Agent
Signature of Dept. Representative & Title

14 July 97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

LOOKING NE'LY



WHERE WELL IS SUPPOSE TO BE

LOOKING W'LY

FEB 23 1998

8. POSSIBLE CONTAMINATION RECES:
- Is there evidence of Chemigation? ☐ Yes ☒ No
- If yes, is there a check-valve present? ☐ Yes ☐ No
- Is there a possible source of contamination nearby? ☐ Yes ☐ No
- If yes, what Type? _____
- How far away from the well is this source? _____

9. REMARKS: WELL DRILLED BECAUSE THE FIRST ONE DRIED UP, YET AFTER THIS ONE DRILLED THE OTHER ONE CAME BACK. SLUDER SAYS HE'LL TIE IT IN TO OTHER TWO WELLS EVENTUALLY.

Satterlee, GJ Agent

Signature of Dept. Representative & Title

14 July 97

Inspection Date

WELL 75' SW from Sluder's home.

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



NO PUMP... YET

GPS A0002908

LOOKING WEST

MICROFILMED
FEB 23 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

WELL IS 75 ft. EAST of C. of N-S Rd.
" " 150 ft SOUTH of SLUDER OFFICE

Agent Satterlee


Signature of Dept. Representative & Title

14 July 77

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

LOOKING
WEST



GPS A0002907


MICROFILMED
FEB 23 1978



Photo looking SE'ly

Place of Use: Sec 23, T01N, R18E NW¼NE¼

7/14/93



90 Gallon Stock Tank



LOOKING W'ly

Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee

MICRON
FEB 23 1998 37-08476



6" well GPS A0002908 NO PUMP

Photo looking W



photo looking NW'ly

Well under construction
GPS A0002909



photo looking NE'ly

Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee
Photo looking SW'ly

37-08476

FEB 23 1998



Shop \ photo looking N



Office \ photo looking S



8" well GPS A0002907

MICROFILMED
FEB 23 1998

Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee

37-08476

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08476

Priority: December 2, 1988

Maximum Diversion Rate:

0.18 CFS

Maximum Diversion Volume:

10.8 AF

This is to certify, that C D SLUDER
M JOAN SLUDER

PO BOX 868

BELLEVUE ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 2, 1988; and has submitted Proof of Beneficial Use on July 2, 1990. An examination indicates that the works have a diversion capacity of 0.270 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	8.8 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.8 AF
	Totals	0.18 CFS	10.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 23, Township 01N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	18E	23	NWNE	2.5		2.5

Total number of acres irrigated: 2.5

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
FEB 23 1998


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-08476

CONDITIONS OF APPROVAL AND REMARKS

5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
7. Two points of diversion located in NWNE, S23, T1N, R18E.
8. Domestic use is for 2 homes, an office and shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director.

MICROFILMED
FEB 23 1998

RECEIVED

FEB 10 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08476

Date of Priority: December 2, 1988

Maximum Diversion Rate:

0.18 CFS

Maximum Diversion Volume:

10.8 AF

Comes now

C D SLUDER

M JOAN SLUDER

PO BOX 868

BELLEVUE ID 83313

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-08476, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	8.8 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.8 AF
	Totals	0.18 CFS	10.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 23, Township 01N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	18E	23	NWNE	2.5		2.5

Total number of acres irrigated: 2.5

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 10:00 AM, this 9th day of February, 1998.

MICROFILMED
FEB 23 1998

C. D. Sluder
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08476

FOR DEPARTMENT USE ONLY

Preliminary check by SVK Fee = 50.00 Received by LS # CA414V Date 2/10/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-08476 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
7. Two points of diversion located in NWNE, S23, T1N, R18E.
8. Domestic use is for 2 homes, an office and shop.

Witness my hand this 17TH day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
FEB 23 1998

RECEIVED
JUL 2 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08476 Telephone No. 208-788-3429
2572

Name(s) of Permit Holder(s): M. Joan Shuder C. D. Shuder

Post Office Address: Box 370 Bellevue Id. 83313

Source of Water: ground

If ground water, well driller's name: Ken Smith Date drilled: 7-1973

Extent of Use:
Domestic ☒ 3 (No. of households) Irrigation 3 (No. of acres)
Stockwater ☒ 8 horses (No. and type of stock) Other 1 business

Total rate and/or volume for which proof is submitted .18 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 7-1973

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

C. D. Shuder 208-788-2572
Name Telephone No.

PO Box 370 165 Glendale Rd Bellevue 83313
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-29-90 C. D. Shuder
Date Signature (and title if on behalf of a company or organization)

AUG 15 1990

Form 202
6/785
RECEIVED

OCT 20 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08476

APPROVED

Department of Water Resources
Southern Region Office
To appropriate the public waters of the State of Idaho

1. Name of applicant C.D. or M. JOAN SLUDER Phone 788-2572

Post office address Box 370, BELLEVUE, ID 83313

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 23 Township 1N Range 18E B.M. BLAINE County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for IRR purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .18 Total purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.18 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump, pipeline, Sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 110 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

Completed in 7-1973
_____ years (minimum 1 year).

Allow 1 year

MICROFILMED

AUG 22 1983

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 8 BEEF CATTLE; 8 HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 3 Households ^{Trailer Spaces} ~~4~~ Provided for Employees
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	18E	23		2.5															2.5
1N	18E	23		D 5															

Total number of acres to be irrigated 2.5

10. Describe any other water rights used for the same purposes as described above. _____

None

11. a. Who owns the property at the point of diversion? Claimant

b. Who owns the land to be irrigated or place of use? Claimant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOT RECORDED

AUG 22 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. AUG 22 1989

[Signature]
(Applicant)

Proposed Priority 12/2/88 J. F. Stanton 12/2/88
Received by I. Gasper Date 10/20/88 Time 11:32 Preliminary check by J. F. Stanton
Fee \$ 30.00 Receipted by J # S00 6284 Date 2-13-89
Publication prepared by M. B. Edwin Date 3/20/89 Published in Wood River Journal
Publication approved Thyde R. Page Date 4-14-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8476, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 6th day of June 1989

J. M. Saxton, 600

MICROFILMED

AUG 22 1989

AFFIDAVIT of PUBLICATION

RECEIVED

APR 14 1989

Department of Water Resources
Southern Region Office

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 5th day of Apr, 1989, and

the date of the last publication was on the 12th day of Apr, 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 12th day of April, 1989.
(SEAL)

Roberta McKenney

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	<u>11</u>
Number of Lines in Notice	<u>79</u>
Number of Insertions	<u>2</u>
Lines tabular at	<u>5¢/Pica</u>
<u>79</u> Lines straight at	<u>39.11</u> <u>4¢/Pica</u>
<u>79</u> Subsequent lines at	<u>30.42</u> <u>3¢/Pica</u>
TOTAL COST	<u>69.53</u>

COPY OF NOTICE

(Paste Here)

Notice of Applications (4)
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

4 water right applications filed

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08464

GREENHORN OWNERS ASSN. INC.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: NENE Sec 18 T 03N R 18E

Use: DOMESTIC (.280 CFS) *OK*
IRRIGATION (.560 CFS) *JAP*

Date Filed: 10/19/1988

In: T03N R17E S13 SWNE SENE
NESW NWSW NWSE; S14
SWNW SENW NESW NESE
NWSE; R18E S18 SWNW
105.0 ACRES TOTAL

37-08475

THE CHRISTENSEN 1987 TRUST
DOUGLAS M. CHRISTENSEN TR
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340

Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 10 T 05N R 17E

Use: DOMESTIC (.040 CFS) *OK*
IRRIGATION (.075 CFS)

Date Filed: 12/02/1988

In: T05N R17E S10 SWNE
2.5 ACRES TOTAL

7-8

7-8

7-8

37-08476

SLUDER, C.D.
SLUDER, M. JOAN
P.O. BOX 370
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: NENWNE Sec 23 T 01N R 18E

Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
STOCKWATER (.020 CFS)

Date Filed: 12/02/1988

In: T01N R18E S23 NWNE
2.5 ACRES TOTAL

37-08477

ARGYROS, GEORGE L.
950 S. COAST DRIVE, #200
COSTA MESA, CA 92626

Source: GROUNDWATER
Diversion Pt: NESW Sec 5 T 04N R 18E

Use: DOMESTIC (.020 CFS)
Date Filed: 12/05/1988

In: T04N R18E S05 NESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria

RECEIVED

AUG 12 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 18, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

C D SLUDER
M JOAN SLUDER
PO BOX 868
BELLEVUE ID 83313

RE: WATER RIGHT NO. 37-08476

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 23 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

FEB 23 1998

MICROFILMED


3 FEB 23 1998

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 37-08476

C D SLUDER
M JOAN SLUDER
PO BOX 868
BELLEVUE ID 83313


Kari Lynn Townsend
Secretary

MICROFILMED

FEB 23 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 4, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

C D SLUDER
M JOAN SLUDER
PO BOX 868
BELLEVUE ID 83313

RE: WATER RIGHT NO. 37-08476

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that you developed more points of diversion than were described on your permit. Therefore, before a license can be issued, your permit must be amended to include the additional point(s) of diversion.

The enclosed Application for Amendment form describes the additional point(s) of diversion and other information that will be included on the license when it is issued. In some cases, the reference to multiple points of diversion is contained in the list of conditions of approval and remarks on the last page of the amendment form. Please review the amendment carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

FEB 23 1998

MEMORANDUM

TO: File 37-08476

FROM: Sharla

DATE: February 4, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 37-08476 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.08 cfs	8.8 afa
Stockwater	1/1 - 12/31	0.02 cfs	0.2 afa
Domestic	1/1 - 12/31	0.08 cfs	1.8 afa
TOTALS		0.18 cfs	10.8 afa

The standard irrigation season for this area is 4/1 - 10/31. For irrigation of five acres or less, the rate of diversion allowed is 0.03 cfs/acre. The domestic component will include the office/shop uses thus commercial use will not be added. The domestic volume includes 0.6 af for office/shop use which normally would be allowed for an in-house domestic use.

Examiner: Georgia Satterlee

Exam Date: July 14, 1997

FEB 23 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08476

DATE 11/25/97

REVIEWER: SHARLA

NAME Change OK ✓

Address Change Box 868

SOURCE ✓

Is change clarification of originally intended source?

POINT OF DIV ✓

If not, prepare Notice of Intent to Void Amendment required

PLACE OF USE

Amendment required

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .18 cfs

Fee limit .20 cfs \$50.00

Measured .27 cfs

Theoretical .16 cfs 5hp/50psi/75' lift

Recommended Total Div Rate .18 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	cfs	Volume Calc
<u>Irr</u>	<u>.08</u>	<u>7.5 x 3.5 = 8.8</u> af
<u>Stock</u>	<u>.02</u>	<u>.2</u> af
<u>Dom</u>	<u>.08</u>	<u>1.8</u> af
		<u> </u> af
SUBTOTAL	<u>.18</u>	<u>10.8</u> af

Flow rate cfs X days X 1.98 = af

Total volume recommended af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

✓ Office/shop can be well under domestic ✓
Big allowed 3 homes, new only 2
well w/o pump not hooked up (future)

CONDITIONS

 Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed NA

1st Amend Letter P45 P38

Adjustment Memo dom plups

2nd Amend Letter P42

no comm. added
dom vol.
irr. rate < 5 ac = .03 cfs/ac
irr. season

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 22 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08476

1. Owner: SLIDER, CD & JOAN Phone No. 788-2572

Current Address: PO BOX 868, BELLEVUE, ID 83313

2. Accompanied by: SAME EXAM DATE: 14 JULY 97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		NE	NW	NE	23	01N	18E	BLAINE	FIELD EXAM/GPS A0002907
#2		"	"	"	"	"	"	"	" " " A0002908
#3		"	"	"	"	"	"	"	" " " A0002909

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	18E	23		D															
				S															
				2.5															2.5
				C															

MICROFILMED

FEB 23 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
# 1		5			
# 2				NONE	
# 3		3			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITDT TUBE w/ PSI GAGE						

2. Measurements: HAND LINE/SPRINKLERS

MICROFILMED

FEB 23 1998

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 23 July 1997
RE: 37-08476

On 14 July 1997 at 1000 hrs. I arrived at Sec 23, T01N, R18E NW $\frac{1}{4}$ NE $\frac{1}{4}$ to perform the field examination for the permit 37-08476. The field examination verified the uses as stated on the permit, in addition to possibly adding the use of COMMERCIAL.

All three wells are in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec 23, T01N, R18E. One of the wells does not have a pump. When the well gets a pump, it will be tied into the other two wells.

IRRIGATION: The 1.5 acre of pasture is irrigated plus the lawns surrounding the Sluder home and the trailer. There is approximately one acre of lawn.

STOCK: There are 12-20 horses on the property. There are three 90 gallon stock tanks and two regular size bath tubs that are used for stock water.

DOMESTIC: Two single family homes.

COMMERCIAL: Employees 1/1-12/31 = 5
" " 4/1-11/1 = 15

FACILITIES: Office 2 toilets/3 sinks/1 shower
Shop 1 toilet/1 sink/1 shower

WATER USES: Employees = 15 gal/day

Recommendation:

PLEASE SEE BACK OF BENEFICIAL USE FIELD REPORT FOR RATES AND VOLUMES.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 23 1998

Additional Computation Sheets Attached

PLEASE SEE ATTACHMENT "A"

1. Volume Calculations for Irrigation:

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{2.5(3.5) = 8.8}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{0.05(215)1.9835 = 21.3}$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = \underline{8.8}$$

$$365 \text{ dys (15)} 5 = 27,375 \div 325,900 = 0.08 \text{ af2}$$

$$213 \text{ dys } (15) 15 = 47,925 \div 325,900 = 0.15 \text{ afa}$$

$$12 \text{ gal} (15 \text{ horses}) (365 \text{ dy}) = \frac{65,700}{325,900} = 0.202$$

PERMIT RATE 0.18 cfs
MEASURED RATE 0.27 cfs
EXAM FEE LIMIT : 0.20 cfs

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/01	0.05	8.8
STOCKWATER	1/1	12/31	0.02	0.2
DOMESTIC	1/1	12/31	0.08	1.2
COMMERCIAL	1/1	12/31	0.03	0.2
Totals:			0.18	10.4

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

☒ Other ~~Amend~~ User

Field Examiner's Name

Georgia Satterlee Date 23 July 97

Reviewer


Date _____

SEAL

MICROFILMED

FEB 23 1986

- ① R071416A
- ② R071416B
- ③ R071420A



NTS


BIG WOOD RIVER - flow

GLENDALE RD.

MICROFILMED
FEB 23 1998

SEC 23, T01N, R18E
NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$

SLIDER, DOUG
14 JULY 97 NOON
37-08476, -08216





PASTURE
1.5 ac

P.D.'s

314

2223

T299
363

John Brown
Inc.

T45
361

C. Rehber

T46
36
E. Cameron

YARD
1.2 ac

1987 Flight ASCS
Scale 1:660'

N19

FEB 23 1998

F.

FLOW CALCULATIONS

4" HANDLINES WITH APPROXIMATELY
30 SPRINKLERS ON.

15-WEATHER-TEC 10-30

5-NELSON F33

10-RAINBIRD 30

AVERAGE DISCHARGE = 4 gpm

PSI = 15 ±

$$30(4) = 120 \text{ gpm}$$

$$\frac{120 \text{ gpm}}{0.27 \text{ cfs}} = \frac{9 \text{ gpm}}{0.02 \text{ cfs}}$$

ATTACHMENT A

MICROFILMED
FEB 23 1998

37-08476

6/9/94

COMMUNICATION DOCUMENTATION

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.

IDWR Employee/Agent Georgia Satterlee

DATE
July 10, 1997 12:55pm

CUSTOMER
Ken Smith @ Wood Rvr Drilling

SUBJECT: 37-08216,-08476

phone call (x) walk-in (.)

He called regarding Sluder's well(s). He says Sluder wants to construct a ditch to get water to the "acreage". I explained to Mr. Smith the reason behind filing Proof of Beneficial Use. He seemed surprise? to hear this explanation.

I also said I would be at the property 14 July 1997 @ 1000 hrs (I set up appt. w/ Sluder's secretary on 09 July 1997), and I will call em' as I see em'. I suggested if Mr. Sluder has a problem w/ me doing my job, he can take it up with ADM or Boise office.

He agreed with what I was saying. The conversation ended with Mr. Smith saying, "He'll do the best he can but he's not responsible for Mr. Sluder."

MICROFILMED
FEB 23 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

WELL DRILLER'S REPORTS

1973, 1974, 1982 & 7

37-08216 or

1. DRILLING PERMIT NO: 37-94-G-0175-000 OTHER APPLICABLE NO: 37-084762. OWNER: SLUDER, CD & M. JOAN Phone: 788-2572
Address: PO BOX 868, BELLEVUE, ID. 833133. WELL LOCATION: Twp 01N, Rge. 18E, Sec. 23, NW 1/4 NE 1/4
County BLAINE (Provide sketch map and photo on reverse.)4. DRILLER: KEN SMITH - WOOD RVR DRILLING Lic. No. _____
When Drilled? 1973 ± ?

5. WELL CONSTRUCTION:

Casing Diameter ? inches Water tight cap? ☐ Yes ☒ No Access Port: ☐ Yes ☒ NoCasing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe SEE PHOTO

Depth of Casing _____ ft. Method Drilled _____

Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving _____

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ NoAre there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water _____ ft. Water Temperature _____ °F

Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☒ Stock☐ Test ☐ Municipal ☐ Industrial☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used☐ Other: THIS IS ONE OF THE THREE WELLS SLUDER HAS
HAD DRILLED IN THE SAME NE&NW&NE 1/4

MICROFILMED

FEB 23 1988

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS: WELL WAS IN PLACE 4 WKS. AGO.; SLIDER SAID
IT NEEDED WORK BECAUSE OF LEAKING

THIS MAY BE THE OLDEST OF 3 WELLS.


D. L. Satterlee Agent
Signature of Dept. Representative & Title

14 July 97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

GPS A0002909

LOOKING NE'LY



WHERE WELL^{IS} SUPPOSE TO BE

FEB 23 1998
LOOKING W'LY

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

WELL DRILLER REPORTS 1973, 1974, 1982

1. DRILLING PERMIT NO: 37-94-S-0175-000 OTHER APPLICABLE NO: 37-08216-084762. OWNER: SLUDER, CD & M. JOAN Phone: 788-2572
Address: PO BOX 868, BELLEVUE, ID. 833133. WELL LOCATION: Twp 01N, Rge. 18E, Sec. 23, NW 1/4 NE 1/4
County BLAINE (Provide sketch map and photo on reverse.)4. DRILLER: KEN SMITH Lic. No. _____When Drilled? TAKE YOUR PICK

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ NoCasing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 16" above ground

Depth of Casing _____ ft. Method Drilled _____

Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving _____

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ NoAre there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water _____ ft. Water Temperature _____ °F

Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☐ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: <u>NO PUMP</u>		

MICROFILMED
FEB 23 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: WELL DRILLED BECAUSE THE FIRST ONE DRIED UP,
YET AFTER THIS ONE DRILLED THE OTHER ONE CAME
BACK. SLUDER SAYS HE'LL TIE IT IN TO OTHER TWO
WELLS EVENTUALLY.

Satterlee, G J Agent


Signature of Dept. Representative & Title

14 July 97

Inspection Date

WELL 75' SW from Sluder's home.

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



NO PUMP... YET

GPS A0002908

LOOKING WEST

MICROFILMED
FEB 23 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

WELL DRILLER REPORTS 1973, 1974, 1982

1. DRILLING PERMIT NO: 37-94-S-0175.000 OTHER APPLICABLE NO: 37-08216, -08476
2. OWNER: SLUDER, CD & M. JOAN Phone: 788-2572
Address: PO BOX 868, BELLEVILLE, ID. 83313
3. WELL LOCATION: Twp 01N, Rge. 18E, Sec. 23, NW 1/4 NE 1/4
County BLAINE (Provide sketch map and photo on reverse.)
4. DRILLER: KEN SMITH Lic. No. _____
When Drilled? CHOOSE A DATE ...

5. WELL CONSTRUCTION:

Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 17" a.g.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: ONE OF THREE WELLS IN NE¹/₄, NW¹/₄, NE¹/₄ SLUDER
OWNS.

MICROFILMED
FEB 23 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

WELL IS 75 ft. EAST of E of N-S Rd.
" " 150 ft SOUTH of SLUDER OFFICE

Agent Satterlee


Signature of Dept. Representative & Title

14 July 97

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

LOOKING
WEST





GPS A0002907

MICROFILMED
FEB 23 1998




Place of Use: Sec. 23, T01N, R18E NW1/4NE1/4



Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee

MICROFILMED
FEB 37 308476



6" well GPS A0002908 NO PUMP

Photo looking W



photo looking NW'ly

Well under construction
GPS A0002909





photo looking NE'ly

Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee

37-08476


Photo looking SW'ly



Shop \photo looking N



Office \photo looking S



8" well GPS A0002907

MICROFILM
FEB 23 1998

Sluder, CD & Joan
14 July 1997 noon
Examiner: Satterlee

37-08476

August 8, 1990

C. D. SLUDER
M. JOAN SLUDER
P.O. BOX 370
BELLEVUE, ID 83313

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08476

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 15 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8476

Date: 8-3-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely OK
 Reinstated

Source of Water:

- Surface water
☒ Groundwater
 1. well log in file 1973
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
 Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

Just acceptable

Priority Calculation:

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority date	<u> </u>	<u> </u>
NEW PRIORITY DATE	<u> </u>	<u> </u>

SEND FILES TO DATA CP ENTRY AND THEN TO MICROFILM

Box 370

Boiler Idaho

83313

RECEIVED

JUL 2 1990

Department of Water Resources

AUG 15 1990



P 848 318 278

MAIL



State of Idaho
Department of Water Resources
1301 N. Orchard
Boise Idaho 83706

138673
April 30, 1990

C. D. SLUDER
M. JOAN SLUDER
P.O. BOX 370
BELLEVUE, ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-08476

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MicroFILMED

AUG 15 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 7, 1989

M. JOAN SLUDER
C. D. SLUDER
P.O. BOX 370
BELLEVUE, ID 83313

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08476

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 22 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

AUG 22 1989

IRM No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. F. Stanton DATE 2-13-89 APPLICATION NUMBER 37-08476

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
MAY 15 1989

Date Requested

Department of Water Resources

CESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

ID COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☐ U.S. Forest Service, Forest _____
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

IAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4/24/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 37
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 12/2/88
By Loren O. Kahan Date 5/8/89

STATE OFFICE REVIEW

P05, P23 P16 46 41

☐ See below for additional information
By KW Date 5/30/89

ODITIONAL INFORMATION

App. in TRUST area - DCMI

21-Mar-1989

C. D. or M. Joan Sluder
P.O. Box 370
Bellevue, ID 83313

Re: Application for Permit No. 37-08476

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 4/5 & 4/12/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED

AUG 22 1989

STATE OF IDAH
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MARCH 20, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 24, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 22 1989

37-08476

SLUDER, C. D.
SLUDER, M. JOAN
P.O. BOX 370
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 23 T 01N R 18E

Use: IRRIGATION	(.080 CFS)
DOMESTIC	(.080 CFS)
STOCKWATER	(.020 CFS)

Date Filed: 12/02/1988

In: T01N R18E S23 NWNE

2.5 ACRES TOTAL

NOTIFIED

AUG 22 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08464

GREENHORN OWNERS
ASSN. INC.
C/O JAMES P. SPECK, ESQ.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: NENE Sec 18 T 03N
R 18E
Use: DOMESTIC (.280 CFS)
IRRIGATION (.560 CFS)
Date Filed: 10/19/1988
In: T03N R17E S13 SWNE SENE
NESW NWSW NWSE; S14
SWNW SENW NESW NESE
NWSE; R18E S18 SWNW
105.0 ACRES TOTAL

37-08475

THE CHRISTENSEN 1987 TRUST
DOUGLAS M. CHRISTENSEN TR.
C/O JAMES P. SPECK, ATTY.
P.O. BOX 987
KETCHUM, ID 83340
Source: GROUNDWATER
Diversion Pt: SWSWNE Sec 10
05N R 17E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.075 CFS)
Date Filed: 12/02/1988
In: T05N R17E S10 SWNE
2.5 ACRES TOTAL

37-08476 ✓

SLUDER, C.D.
SLUDER, M. JOAN
P.O. BOX 370
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 23 T
01N R 18E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
STOCKWATER (.020 CFS)
Date Filed: 12/02/1988
In: T01N R18E S23 NWNE
2.5 ACRES TOTAL

37-08477

ARGYROS, GEORGE L
950 S. COAST DRIVE, #200
COSTA MESA, CA 92626
Source: GROUNDWATER
Diversion Pt: NESW Sec 5 T 04N
R 18E
Use: DOMESTIC (.020 CFS)
Date Filed: 12/05/1988
In: T04N R18E S05 NESW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before APRIL 24, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
April 5 & 12, 1989.

MICROFILMED

AUG 22 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before APRIL 24, 1989.

R. Keith Higginson, Director

Published 4/05/1989 & 4/12/1989

MICROFILMED

AUG 22 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

25-Nov-1988

C.D. Sluder
P.O. Box 370
Bellevue, ID 83313

Dear Mr. Sluder:

We are returning your application for permit and check for \$45.00. The amount shown for irrigation should be 0.08 cfs instead of 0.75 cfs. This makes the total flow rate 0.18 cfs. Please return the corrected application and filing fee of \$30.00 to this office for processing.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

Enclosure

MICROFILMED

AUG 22 1989

37-08476

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]