




AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 1st day of Mar, 1989, and

the date of the last publication was on the 8th day of Mar, 1989.

David J. Gorham
Subscribed and sworn to before me this 8th day of Mar, 1989.
(SEAL)

Roberta McGee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 36 5¢/Pica
Lines straight at 17.82 4¢/Pica
Subsequent lines at 36 3¢/Pica
TOTAL COST 31.68

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08455
TITLE OF NOTICE Bodensteiner

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Water right sought by Bodensteiner

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08455

BODENSTEINER, GEORGE
P.O. BOX 2288
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: NENE Sec 25 T
02N R 17E

Use: IRRIGATION (0.090 CFS)
Date Filed: 11/17/1988

In: T02N R17E S25 NENE
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MARCH 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
March 1 & 8, 1989.

AS OF OCT. 1, 1988

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive insertion....3.5/pica

OK
MJB
3/14/89

JUN 13 1989

No 6430
RECEIVED

MAR 10 1989

Department of Water Resources
Southern Region Office

2. Measurements: Pressure measurements were performed using a pitot tube and a pressure gage.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~Pitot tube~~ Pitot tube						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Well	Sta-Rite	2	L30P4GT-02	Sta-Rite	
Backup Well	Franklin	3/4	2801074910	Sta-Rite	


4.

Scale: 1" = 100' Above
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached




3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

CHARDSON SUMMIT QUADRANGLE
IDAHO-BLAINE CO.
5 MINUTE SERIES (TOPOGRAPHIC)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



PERMIT 37-08455 INIT AH
T. R. S. Q/Q
P/D 2 17E 25 NE NE
SCALE _____
PHOTO ID. _____

RECEIVED

1996

BLAINE COUNTY TITLE INC.

"CROESUS CREEK" SUBDIVISION

●	BEARING	DISTANCE	●	BEARING	DISTANCE
A	N 62° 46' 43" W	182.64'	M	S 26° 58' 58" E	78.69'
B	"	81.60'	N	S 15° 24' 37" W	105.25'
C	"	"	O	S 78° 54' 56" W	90.89'
D	"	"	P	S 33° 23' 28" W	344.18'
E	N 60° 56' 06" W	107.25'	Q	S 56° 58' 05" E	96.21'
F	"	52.43'	R	N 27° 00' 42" E	39.51'
G	"	"	S	N 23° 45' 19" E	44.89'
H	S 29° 54' 49" W	125.18'	T	N 56° 58' 05" W	50.05'
I	"	153.41'	U	"	"
J	"	73.42'			
K	S 24° 13' 20" E	141.05'			
L	S 81° 56' 35" E	60.00'			
M	S 24° 56' 51" E	138.90'			



MATCH TO SHEET 4

APR 29 1996

37-08455



#3

P/u

Looking East



#4

P/u

Looking South

APPROPRIATE

APR 29 1996

0-08455



#1

P/D

Main Well



#2

P/D

Backup Well

APR 29 1996

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Application~~	~~37-08455~~	~~Bodensteiner, George~~	~~0.09~~
Full Assignment	37-08455	Begley, Stephen	0.09
Added by Assignment	37-08455	Taylor, Lana J	

RECEIVED

APR 29 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08455

Priority: November 17, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that LANA J TAYLOR
STEPHEN L BEGLEY

PO BOX 2473

HAILEY ID 83333-2473

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 17, 1988; and has submitted Proof of Beneficial Use on May 26, 1993. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 25, Township 02N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	17E	25	NENE	1.2		1.2

Total number of acres irrigated: 1.2

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. Place of use is located within Lot 7, Blk. 1, Sunset Meadow Estates Subdivision.

APR 29 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08455


CONDITIONS OF APPROVAL AND REMARKS

8. Two points of diversion are located within NENE, S25, T02N, R17E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of APRIL, 1996.

Acting for

KARL J. DREHER, Director



RECORDED

APR 29 1996

State of Idaho
Department of Water Resources

RECEIVED

APR 19 1996

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08455

Date of Priority: November 17, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.2 AF

Comes now

LANA J TAYLOR

PO BOX 2473

HAILEY ID 83333-2473

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-08455, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 25, Township 02N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	17E	25	NENE	1.2		1.2

Total number of acres irrigated: 1.2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hailey ID, this 18th day of April, 1996.

RECEIVED

APR 29 1996

Lana J. Taylor
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08455

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW #C035361 Date 4-19-86

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-08455 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. Place of use is located within Lot 7, Blk. 1, Sunset Meadow Estates Subdivision.
8. Two points of diversion are located within NENE, S25, T02N, R17E.

Witness my hand this 24TH day of April, 1986.

Karl J. Dreher
Acting for KARL J. DREHER, Director

RECEIVED

APR 29 1986

RECEIVED

MAY 26 1993

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5-24-93
Receipt No. 5015791
Receipt by MTS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08455 Telephone No. 208-788-9479
2. Name(s) of Permit Holder(s): Stephen L. Begley Lana J. Taylor
3. Mailing Address: P.O. Box 2473 Hailey, ID 83333
4. Source of Water: Ground Water

If **GROUNDWATER**, Well Driller's Name: Ken Smith Wood River Drilling Date Drilled: Oct 3, 1988

OPTIONAL:

Pump horsepower: 2 Pressure (psi): 50 lbs Dynamic pumping level (ft.): 100

5. Extent of Use (as authorized by the permit):

Domestic NA (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 3 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 35 gpm cfs OR 0.08 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Stephen Begley Telephone No. 208-788-9479
Address P.O. Box 2473 / 14 Terrace Circle Hailey, ID 83333

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date May 21, 1993

Signature (and title, if on behalf of a company or organization)

JUN 30 1993

RECEIVED
MAY 07 1993
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 1993

ASSIGNMENT OF APPLICATION FOR PERMIT Department of Water Resources
Southern Region Office

I, Stephen L. Begley, hereby assign to Lana J. Taylor
of, 14 Terrace Circle Box 2473 Hailey Id. 83333
(Full Address)

All my right, title, and interest in and to Application for Permit
No. 37-08455 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Application for Permit No. ~~37-08455~~ to appropriate the public
waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.


Made this 27 day of April, 1993

Steve Begley
Applicant

State of Idaho)

County of Blaine) ss

On this 27th day of April, 1993, personally appeared before me the signer of the
above instrument, duly acknowledged to me that he (she) (they) executed the same.



Cathy Zaccardi
Notary Public

Residing at: Hailey Id

My commission expires: 1-11-99

MAY 25 1993

database updated 5/14/93 c.z.

RECEIVED
MAY 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by J. E. Stanton
Date 5-14-91
Receipt # 50/3336

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08455

Name(s) of Permit Holder: Stephen L. Begley

Post Office Address: P.O. Box 1948, Hailey, ID 83333

Telephone No. 788-9479

Date Proof is Due: 6-1-1991

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled & a 1 1/2 hp pump installed. Existing domestic well is tied into system.
450 trees & shrubs have been planted.

Costing \$ 10,000.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Due to the large amount of landscaping developed (as opposed to regular pasture), additional time
is needed. Three years was requested for completion of the project, but only two years time was
granted by IDWR.

Permit holder(s) request an extension to 6-1, 19 95.
(1 yr. minimum)

Steve Begley
(Signature)

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

JUL 11 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1993.

Signed this 29th day of May, 19 91.

J. Glen Saylor
Chief, Water Allocation Bureau

RECEIVED

MAY 14 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

ASSIGNMENT OF APPLICATION FOR PERMIT

I George Bodensteiner hereby assign to Stephen L Begley
of, Box 1948 Hailey, Idaho 83333
(Full Address)

All my right, title, and interest in and to Application for Permit
No. 37-08455 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Application for Permit No. _____ to appropriate the public
waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.


Made this _____ day of _____, 1990.

George Bodensteiner
Applicant

State of Idaho)

County of Blaine) ss

On this 9th day of May, ¹⁹⁹¹1990, personally appeared before me the signer of the
above instrument, duly acknowledged to me that he (she) (they) executed the same.



Carolyn Baird
Notary Public
residing at Hailey

MICROFILMED

JUL 11 1991

My commission expires: 3-14-97

RECEIVED

NOV 17 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08455

Department of Water Resources appropriate the public waters of the State of Idaho
Southern Region Office

APPROVED

1. Name of applicant George Badensteiner Phone 788-2256
Post office address Box 2288 Hailey, Idaho 83333
2. Source of water supply GROUND WATER which is a tributary of N/A
3. Location of point of diversion is NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 25 Township 2N Range 17E B.M. BLAINE County; additional
points of diversion if any: LOT 7 Block 1 SUNSET MEADOW ESTATES
4. Water will be used for the following purposes:
Amount .09 for IRRIGATION purposes from MAY 1 to NOV 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .09 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. APPROXIMATELY 3 HP PUMP
DEPENDING ON LIFT, TO WATER 2 1/2 TO 3 ACRES
PASTURE
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 220 feet.
d. Is ground water with a temperature of greater than 90°F being sought? N/A
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

JUN 13 1989

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. N/A

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	17E	25	3 X																3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? George Bodensteiner

b. Who owns the land to be irrigated or place of use? George Bodensteiner

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: WATER To be used ONLY To IRRIGATE SMALL PASTURE
OF 2 1/2 TO 3 ACRES WITH NO INDUSTRIAL WASTES OR EFFLUENTS WHICH

COULD BE RETURNED TO STREAMS

Well drillers To be Wood River Drilling & Pump Co

Box 1165 Hailey, Id 83333 788-3163

MICROFILMED

JUN 13 1989

Proposed Priority 11/17/88

Received by I. Gasper Date 11/17/88 Time 3:50 p. Preliminary check by DJ

Fee \$ 30.00 ch. 272 Received by M. Baldwin # 5004113 Date 11/30/88

Publication prepared by AC Date 2/8/89 Published in Wood River

Publication approved M. Baldwin Date 3/14/89 Journal

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8455, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Irrigation use under this permit is authorized only in connection with a domestic use.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30th day of May, 1989.



J. Glen Saylor

MICROFILMED

JUN 13 1989

LOT 7 Block 1
Sunset Meadow Estates
4.2 miles west Hailey, Id.
NE 1/4 NE 1/4 Sec 25 Township 2
Range 17E B.M. Blaine Coun.

SCALE: 1" = 200'




STATION	BEARING	DISTANCE	STATION	
A	N 82° 46' 45" W	182.64'	M	E
B	"	81.06'	N	E
C	"	"	O	E
D	N 60° 56' 00" W	107.75'	P	E
E	"	52.43'	S	E
F	"	"		
G	S 29° 54' 40" W	123.18'		
H	"	153.41'		
I	"	73.48'		
J	S 24° 13' 35" E	141.05'		
K	S 81° 56' 35" E	40.00'		
L	S 2° 30' 31" W	124.36'		

MICROFILMED

JUN 13 1989

STATION	BEARING	DISTANCE	STATION	BEARING
A-1	N 00° 15' 29" W	36.05'	O-1	S 8°
B-1	N 00° 15' 29" W	27.15'		
C-1	N 00° 15' 29" W	35.87'		
D-1	N 00° 09' 10" E	74.28'		
E-1	N 24° 48' 15" W	185.30'		
F-1	"	"		
G-1	"	"		
H-1	S 29° 27' 45" W	34.69'		
I-1	S 15° 35' 15" W	24.73'		
J-1	S 24° 35' 04" E	105.71'		
K-1	S 00° 27' 35" E	17.80'		
L-1	N 00° 15' 13" W	75.00'		
M-1	N 22° 05' 42" E	60.00'		
N-1	S 88° 39' 47" E	95.30'		

DEER MIGRATION EASEMENT - NO BUILDING SHALL BE
ALLOWED IN THIS MEADOW THROUGH



AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 8th day of Mar, 1989, and

the date of the last publication was on the 8th day of Mar, 1989.

David J. Gorham
Subscribed and sworn to before me this 8th day of Mar, 1989.
(SEAL)

Roberta W. Fischer
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 5¢/Pica
36 Lines straight at 17.82 4¢/Pica
36 Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08455
TITLE OF NOTICE *Bodensteiner*

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Water right sought by Bodensteiner

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08455

BODENSTEINER, GEORGE
P.O. BOX 2288
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: NENE Sec 25 T
02N R 17E

Use: IRRIGATION (0.090 CFS)
Date Filed: 11/17/1988
In: T02N R17E S25 NENE
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MARCH 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
March 1 & 8, 1989.

AS OF OCT. 1, 1988

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive insertion....3.5/pica

OK MB 3/14/89
MICROFILMED
RECEIVED

JUN 13 1989

MAR 10 1989

Department of Water Resources
Southern Region Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 25, 1996

LANA J TAYLOR
STEPHEN L BEGLEY
PO BOX 2473
HAILEY ID 83333/2473

RE: WATER RIGHT NO. 37-08455

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

APR 29 1996

RECEIVED

APR 19 1996


Department of Water Resources


April 18, 1996

Dear Water Rights Supervisor,

When I sent a letter giving my approval for my wife's name to be on the Water Rights for our land, I didn't intend for my rights to be dissolved. We would like to have both our names attached to any further paperwork concerning our water rights including our license.

Respectfully,


Stephen L. Begley


Lana J. Taylor

*Processed
4/19/96 m*

RECEIVED

APR 29 1996

MEMORANDUM

DATE: April 18, 1996

TO: File 37-08455

FROM: Shelley W. Keen *SWK*

RE: Phone call from Lana Taylor

Lana Taylor, holder of permit 37-08455, called today to discuss the licensing amendment I recently sent her. I believe I was able to answer all her questions about the elements of the water right. She also asked why her husband's name does not appear on the document. She explained that Stephen Begley is her husband and that he had gotten the right assigned to him and then he filed an assignment to add his wife, Lana Taylor, as an owner. I reviewed the assignments and discovered that the assignment intended to add Lana Taylor was filled out as though she were to replace Stephen Begley. I suggested to Lana Taylor that she send me a letter signed by her and Mr. Begley explaining the intentions of the assignment.

MICROFILMED

APR 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 11, 1996

LANA J TAYLOR
PO BOX 2473
HAILEY ID 833332473

RE: WATER RIGHT NO. 37-08455

Dear Water Right Holder(s):


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

APR 29 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

01/96

Permit #: 37-8455 Name: Begley/Taylor Date: 4/11/96 ✓ Lots ✓
Chng Same

NAME ✓ Or Address Change? Box 2473

SOURCE ✓ Clarify source
 Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? ~~SENE~~ add 2nd pd. P39
Overlap(s)

P/U ✓ Amendment Needed? reduce to 1.2 ac. P41
Overlap(s)
(Gov't special ¶'s) *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits: 0.07 / 0.08
 ✓ Measured Q = 0.04 cfs/Theoretical Q = 0.0 cfs
 see back of this review sheet for measured capacity
 (HP) $8.8 \times 0.70 \times 2 = \frac{12.32}{292.4} = 0.04$
 ✓ Recommended capacity 0.04 cfs
 ✓ Recommended rate 0.04 cfs

VOLUME ✓ Season: (B / 3.5) 4/15-10/15 = 184 days
Calculations: $1.2 \times 3.5 = 4.2$ AF

 ✓ Flow limit: $0.04 \times 184 \times 1.9835 = 14.6$ AF
Recommended volume 4.2 AF

USES ✓ Same Nature of Use? P46
 Amendment Needed?

REMARKS ✓ Multiple p/d's in $\frac{1}{4}$? W32 NENE, S25, T2N, R17E.
✓ Lot 7, Bk1, Sunset Meadow Estates Sub.

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
 Watermaster Control (R04) - WD #
R50 Irrigation rate/volume overlap
 GW irrigation replaces surface water (050)
 GW irrigation supplements surface water (065)
✓ Water Quality/Other 041

PRIORITY App Rcd 11/17/88 Due 6/1/93 Rc'd 5/24/93
Receipt# 5015791 Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:
Priority 11/17/88 Examined 6/2/94

COMMENTS: amend pd - add 2 pd in same 1/4; reduce acres.

USE	CFS	DIV VOL	SRBA Overlap
<u>1rr</u>	<u>0.04</u>	<u>4.2</u>	<u>none</u>
<u> </u>	<u> </u>	<u> </u>	<u>Adjustment Memo</u> ✓
<u> </u>	<u> </u>	<u> </u>	<u>LICENSE LTR: P49</u>
<u> </u>	<u> </u>	<u> </u>	<u>#1 AMEND LTR: P39/P38</u>
<u>TOTAL</u>	<u>0.04</u>	<u>4.2</u>	<u>#2 AMEND LTR: P42/P47</u>

12 9/64" nozzles; 6 run at a time.

$$2 \times (9/64" @ 40 \text{ psi}) = 2 \times 3.74 \text{ gpm} = 7.48$$

$$1 \times (9/64" @ 32 \text{ psi}) = 1 \times 3.36 \text{ gpm} = 3.36$$

$$1 \times (9/64" @ 26 \text{ psi}) = 1 \times 3.02 \text{ gpm} = 3.02$$

$$2 \times (9/64" @ 24 \text{ psi}) = 2 \times 2.86 \text{ gpm} = 5.72$$

$$19.58 \text{ gpm} \div 448.83 = 0.04 \text{ cfs}$$

MEMORANDUM

DATE: April 11, 1996
TO: File No. 37-08455
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

During the review of this exam, I noted the place of use is identified on item 2 of the exam as in the NWNE, S25, T02N, R17E. The place of use is identified on the topographic map and the subdivision plat as in the NENE, S25, T02N, R17E.

The following adjustments were made on the field report to the place of use to reflect the correct location as identified on the subdivision plat:

1. Place of use is located within the NENE, S25, T02N, R17E.

RECEIVED

APR 29 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 06 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08455

1. Owner: Stephen L. Begley; Lana J. Taylor Phone No. (208)788-9479

Current Address: P.O. Box 2473, Hailey, ID 83333

2. Accompanied by: Stephen L. Begley EXAM DATE: 6-2-94

Address: Same as above Phone No. Same as above

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NE	25	2N	17E	Blaine	Topo map


* 2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	17E	25		1.2															1.2
				D															

APR 29 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

----- Saucer hose

X sprinkler

⊗ - well

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Well	Sta-Rite	2	L30P4GT-02	Sta-Rite	
Backup Well	Franklin	3/4	2801074910	Sta-Rite	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~Pitot tube~~ Pitot tube						

2. Measurements: Pressure measurements were performed using a pitot tube and a pressure gage.

APR 29 1996

E. NARRATIVE/REMARKS/COMMENTS

No overlaps.

See Narrative Attachment

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

APR 29 1996

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Area = 1.2 ac

Aug. pressure = $\frac{40 + 26 + 24 + 24 + 32 + 40}{6} = 31 \text{ psi}$

12 Nozzles @ $\frac{9}{64}$ " dia.

$$\text{Flow} = \left[30 \left(\frac{9}{64} \right)^2 (31)^{.5} \right] 12 = 39.64 \text{ gpm} \\ = .09 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.2 (3.5) = 4.2 \frac{\text{ac-ft}}{\text{yr.}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 14.6 \frac{\text{ac-ft}}{\text{yr.}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.2 \frac{\text{ac-ft}}{\text{yr.}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-15</u>	<u>10-15</u>	<u>.04</u>	<u>4.2</u>
Totals:			<u>.04</u>	<u>4.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Alan Hanston Date 6-8-94

Reviewer _____ Date _____

SEAL

* Adjustments made during the review of this right for license approval.
See memo for additional information. 3/11/96

APR 29 1996

037-08455

Narrative Attachment

The point of diversion for this system is composed of two wells. The main well which is used most of the time is a 2 Hp Sta-Rite submersible pump. The backup well uses a 3/4 Hp Sta-Rite pump with a Franklin motor. Plastic tubing was used to route the water to the sprinkler heads. The sprinkler system is composed of 12 Rainbird sprinklers that are mounted on stands at an elevation of 4 feet. The nozzles used in these sprinklers are blue plastic #6 nozzles with a diameter of 9/64". 650 feet of soaker hose is also used to irrigate a row of shrubs along the west edge of the property. The area of irrigation is composed of sagebrush, native grasses, and owner seeded grasses. The irrigated area is 1 acre.

RECEIVED
29 1996

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08455
DATE: 6-7-94
BY: Alan Hyster

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (\dots 2 \dots) \times (0.70)}{[(\dots 200 \dots) + (\dots 31 \dots \times 2.31)]} = \underline{.05 \text{ cfs}}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement (X)	Motor Make, Serial or ID
owner ()	owner ()	<u>Sta-Rite L30PHGT-02</u>
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs (X)	owner gage ()	<u>Sta-Rite</u>
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = $\frac{(\dots 184 \dots) \times (1.98) \times (\dots 05 \dots)}{(\dots 1.2 \dots)}$

POTENTIAL = 15.18

REQUIRED Acre Feet/Acre/Annum = 3.5
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()


APR 29 1996

2 wells -
Rainbird Blue #6 - $\frac{3}{4}$ "

#1 $\frac{3}{4}$ HP 280 1574910 - Double Motor
Pump - Sta-Rite
#2 Sta-Rite - 2 HP - Model 30P4GT-00
Pump - Sta-Rite

Nozzles - 40 + 26 + 24 + 24
+ 32 + 40

650 x 10' = Soaker hose for shrubs.



RECEIVED

APR 29 1996

$$A = (90 \cdot 2.5) \times (67 \cdot 3) = 48,225 \text{ sq ft} = 1.0 \text{ acre}$$
$$+ 650(10) = 6500$$

$$A = (90 \cdot 2.5) \times (67 \cdot 3) + 650(10) = 51,725 \text{ sq ft} = 1.2 \text{ ac}$$

Stephen Begely

37-08455

$$A = (90 \cdot 2.5)(67.3) + 650(10) = 51,725 \text{ ft}^2 = 1.2 \text{ ac}$$

$$F) \text{ Avg Pressure} = \frac{40 + 26 + 24 + 24 + 32 + 40}{6} = 31 \text{ psig}$$

12 nozzles @ $\frac{9}{16}$ " dia.

$$\text{Flow} = \left[30 \left(\frac{9}{16} \right)^2 (31)^{.5} \right] 12 = 39.64 \text{ gpm}$$

.09 cfs

$$G) V_{IR} = 1.2 (3.5) = 4.2 \frac{\text{ac} \cdot \text{ft}}{\text{yr}}$$

$$V_{DR} = \frac{.04}{.09} (184) (1.9835) = 32.85 \frac{\text{ac} \cdot \text{ft}}{\text{yr}}$$


$$V = 4.2 \frac{\text{ac} \cdot \text{ft}}{\text{yr}}$$

H.)	Irrig	4-15	10-15	$\frac{.04}{.09}$	4.2
	Domestic	1-1	12-31	~~.04~~	

RECEIVED
APR 29 1996

APR 29 1996

CHARDSON SUMMIT QUADRANGLE
IDAHO-BLAINE CO.
15 MINUTE SERIES (TOPOGRAPHIC)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




PHOTO ID.

SECRET


9 1996

SCALE: 1" = 200'

This map is a photographic reproduction of that on file in either the Recorder's or the Surveyor's Office. The company assumes no liability for variation, if any, with another or re-survey. Courtesy Of:
BLAINE COUNTY TITLE INC.

"CROESUS CREEK" SUBDIVISION

BEARING	DISTANCE	BEARING	DISTANCE
N 26° 20' 54" E	78.68'	N 62° 40' 45" W	182.64'
N 5° 34' 57" W	103.25'	N 1° 15' 34" W	81.63'
S 78° 34' 36" W	90.88'	N 80° 38' 08" W	107.25'
S 31° 53' 28" E	148.15'	E	92.43'
S 36° 28' 05" E	98.27'	S 28° 34' 48" W	123.48'
N 21° 00' 42" E	19.31'	S 24° 15' 10" E	123.41'
N 74° 45' 19" E	44.89'	N 81° 50' 35" E	80.00'
N 56° 30' 05" W	30.05'	S 28° 30' 31" W	128.39'



APR 29 1996

MATCH TO SHEET 4




#3
P/u
Looking East



#4
P/u
Looking South


APR 29 1996



#1

P/D

Main Well



#2

P/D

Backup Well

APR 29 1996

June 3, 1993

LANA J TAYLOR
14 TERRACE CIR
HAILEY ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08455

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager


c: IDWR - Region

RECEIVED

JUN 30 1993

Form 235-1
4/88

37-89-S-068
Drilling Permit No. ~~37-89-S-067~~
Water Permit No. 37-08455
Injection Permit No. _____



State of Idaho
Department of Water Resources

2148 4th ave. East
Twin Falls, Ida.

DRILLING PERMIT

RECEIVED

Department of Water Resources

(Authorizing Construction of a Well)*

JUL 14 1989

Department of Water Resources
Southern Region Office

1. Applicant George Bodensteiner
2. Address Box 2288 Hailey Idaho 83333
Telephone 798-2256
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 2N, Rge. 17E, County Blaine,
Lot, block and subdivision Lot 7 Block 1 Sunset Meadow Estate.
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 220
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 6-28-89
7. Well Driller (if known) WOOD RIVER DRILLING AND PUMP
BOX 1165 788-3163
Address HAILEY, IDAHO 83333
8. Applicant's signature George Bodensteiner
Title _____
Date 7/7/89

JUL 30 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

Please send copy to driller

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

Dated this 17th day of July, 19 89.

Signed [Signature] FOR LOREN HOLMES
Title SOUTHERN REGION MANAGER

Received by JRP Fee 100.00 Date 7-17-89
5.00

Receipt No. 5008572 Construction start extension to _____

Extension approved by _____

JUN 30 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 20, 1993

LANA J TAYLOR
14 TERRACE CIRCLE
BOX 2473
HAILEY ID 83333

Re: Permit No. 37-08455

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

RECEIVED

MAY 25 1993

March 31, 1993

STEPHEN L. BEGLEY
BOX 1948
HAILEY ID 83333

PROOF DUE NOTICE

RE: PERMIT NO. 37-08455

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAILED

MAY 25 1993

May 24, 1991

STEPHEN L. BAGLEY
P. O. BOX 1948
HAILEY ID 83333

Dear Mr. Bagley:

RE: Permit No. 37-8455

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1993.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

NOT RECORDED
JUL 11 1991

GEORGE BODENSTEINER
P.O. BOX 2288
HAILEY, ID 83333

138278
March 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 37-08455

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
JUL 11 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

[illegible]

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 2, 1989

GEORGE BODENSTEINER
P.O. BOX 2288
HAILEY, ID 83333

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08455

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

JUN 13 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 13 1989

17-Feb-1989

George Bodensteiner
P.O. Box 2288
Hailey, ID 83333

Re: Application for Permit No. 37-08455

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 3/1 & 3/8/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 17, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 13 1989

37-08455

BODENSTEINER, GEORGE
P.O. BOX 2288
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: NENE Sec 25 T 02N R 17E

Use: IRRIGATION (.090 CFS)

Date Filed: 11/17/1988

In: T02N R17E S25 NENE

3.0 ACRES TOTAL

MICROFILMED

JUN 13 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08455

BODENSTEINER, GEORGE
P.O. BOX 2288
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: NENE Sec 25 T
02N R 17E

Use: IRRIGATION (.090 CFS)
Date Filed: 11/17/1988
In: T02N R17E S25 NENE
3.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301, on
or before MARCH 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
March 1 & 8, 1989.

OK
MB
2/23/89

MICROFILMED

JUN 13 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 20, 1989.

R. Keith Higginson, Director

Published 3/01/1989 & 3/08/1989

RECEIVED

JUN 13 1989