

15. 20E

9/8
MICROFILMED

JUN 13 1988



AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 1st day of Feb, 1989, and

the date of the last publication was on the 8th day of Feb, 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 8th day of Feb, 1989.
(SEAL)

Roberta K. Kacher

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 36 5¢/Pica
Lines straight at 17.82 4¢/Pica
Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

COPY OF NOTICE

(Paste Here)

Not. of Applic. #37-08413
TITLE OF NOTICE Picabo Cemetery

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res
BILL TO

Water right sought by cemetery

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08413

PICABO CEMETERY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 26 T
01S R 20E

Use: IRRIGATION (.090 CFS)

Date Filed: 10/06/1988

In: T01S R20E S26 SESW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before FEBRUARY 20, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
February 1 & 8, 1989.

7-8 pt. per line tabular.....5.5/pica
7-8 pt. per line successive insertion.....3.5/pica

OK 2/13/89
JG

N^o 6348
RECORDED

FEB 13 1989

Department of Water Resources
Southern Region Office

[illegible]

PERMIT 97-113 INIT _____
T. R. S. Q/Q _____
P/D _____
SCALE _____
PHOTO ID. _____

6042


24

25

36

1



12




IDAHO DEPARTMENT OF WATER RESOURCES

LICENSING EXAMINATION DATA

RECOMMENDED P/D & P/U, PERMIT 37-8413



Section Lines



Quarter/Quarter Lines

General Location: 7/8 mile SE of Picabo



Point(s) of Diversion



Place of Use



Prepared By J E Stanton 5-10-01

1986/87 NAPP Data



Cemetery Looking SE from NW Corner

37-08413
7-22-98
JE stanton
MICROFILMED
OCT 11 2001



Well House



Buried Pop-Up Sprinkler Head

MICROFILMED
OCT 11 2001

37-08413
7-22-98
JE Stanton



Diversion Works

Licensing Exam 37-8413

Picabo Cemetery District

By J E Stanton

MICROFILMED
4-26-01

OCT 11 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-08413

Priority: October 06, 1988

Maximum Diversion Rate: 0.07 CFS
Maximum Diversion Volume: 6.0 AF

It is hereby certified that PICABO CEMETARY DISTRICT
C/O RAYMOND CASTLE
PO BOX 394
BELLEVUE ID 83313 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated October 06, 1988; and has
submitted Proof of Beneficial Use on April 23, 1990. An examination indicates that the works have a
diversion capacity of 0.07 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/15 to 10/31	0.07 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 26, Twp 01S, Rge 20E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	20E	26																	1.7

Total Acres: 1.7

CONDITIONS OF APPROVAL

1. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
2. This right when combined with all other rights shall provide no more than 0.07 cfs nor more than 6.0 afa at the field headgate for irrigation of the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 14th day of September, 2001.

Acting for 
KARL J. DREHER
Director

MICROFILMED

OCT 11 2001

RECEIVED

APR 23 1990

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
APR 25 1990
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08413

Board Member - Ken Worthington
Telephone No. 788-3969
also works at Hailey Highschool
788-3481 (?)

Name(s) of Permit Holder(s): Picabo Cemetary District

Post Office Address: c/o Cecilia A. Porter Picabo, ID 83348

Source of Water: Ground water

If ground water, well driller's name: George Rosse/or Date drilled: 1969

Extent of Use:
Domestic _____ (No. of households) Irrigation 3 acres (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .09 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: may 1 1969

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Ken Worthington 788-3969
Name Telephone No.

RT 1 Bellevue
Address

The above information is my true statement of the extent to which the above numbered permit holder(s) has/have relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 19 1990

4/23/90 Ken Worthington board member
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08413

RECEIVED
APPROVED
OCT 12 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern Region Office

1. Name of applicant Picabo Cemetery District Phone _____
Post office address c/o Cecilia A. Porter ~~Picabo~~ Picabo, ID 83348
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 26 Township 1S Range 20E B.M. Blaine County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for IRRIGATION purposes from April to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .06 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

well + pump 10 Hp Pump, subm.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

existing years (minimum 1 year).

Allow 1 year

MICROFILMED

JUN 13 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. IRRIGATE Cemetery

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15	20E	26											3						3.0

Total number of acres to be irrigated 3.0

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? SAME
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Adjudication claim has also been filed
A37-11545 with a priority of July 18-1969

MICROFILMED

JUN 13 1989

15. 20E

Baker Canyon

26

25

Picabo Air Strip

PHOTOGRAPH

66-1 MAP

JUN 12 1966

CAREY 3.5 MI

Well 4916

35

5716

6

9

14

12

4831

4828

4855

30

19

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 15 columns and 15 rows, creating a total of 225 small squares. The lines are evenly spaced and extend across the entire page, leaving a small margin at the top and bottom.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Misson-Comner
(Applicant)

Proposed Priority 10/6/88

Received by SCC Date 10/6/88 Time 12:30 p Preliminary check by J. F. Stanton

Fee \$ 30.00 Received by SCC # M00 1534 Date 10/6/88

Publication prepared by M. Baldwin Date 1/12/89 Published in Wood River Journal

Publication approved T. Cooper Date 2/13/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8413, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.09 cfs.

Witness my hand this 30th day of May, 1989.

J. F. Stanton

MICROFILMED

JUN 13 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 11, 1989

RE: Application for Permit No. 37-8413

Picabo Cemetery District
c/o Cecilia A. Porter
Picabo, ID 83348

Dear Ms. Porter:

We have received your application for permit, for irrigation purposes, from our Southern Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names and addresses of all partners, directors and officers within the district. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

Kay Walker

KAY WALKER
Technical Records Specialist

KW:hm

cc: Southern Region

RECEIVED

MAY 22 1989

Department of Water Resources

Don Nissen, Director 358 Baseline Rd., Hailey
Ken Worthington, Director 41 Kilpatrick Bridge Rd., Sunnyside
Chas. Baldwin 8819 Abram Lane, Boise
+ Picabo, ID
Cecilia Porter - Secretary/Treasurer
Box 682 Picabo, ID

MICROFILMED

JUN 13 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 1st day of Feb., 1989, and

the date of the last publication was on the 8th day of Feb., 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 8th day of Feb., 1989.
(SEAL)

Roberta McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line	<u>11</u>
Number of Lines in Notice	<u>36</u>
Number of Insertions	<u>2</u>
Lines tabular at	5¢/Pica
<u>36</u> Lines straight at	<u>17.82</u> 4¢/Pica
<u>36</u> Subsequent lines at	<u>13.86</u> 3¢/Pica
TOTAL COST	<u>36.68</u>

COPY OF NOTICE

(Paste Here)

Not of Applic #37-08413
TITLE OF NOTICE *Picabo Cemetery*

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res
BILL TO

Water Right sought by cemetery

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08413

PICABO CEMETERY DISTRICT
CECILIA A. PORTER
PICABO, ID 83348

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 26 T
01S R 20E

Use: IRRIGATION (1.090 CFS)

Date Filed: 10/06/1988

In: T01S R20E S26 SESW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before FEBRUARY 20, 1989.

R. Keith Higginson, Director
Publish: Wood River Journal-
February 1 & 8, 1989.

7-8 pt. per line tabular.....5.5/pica
7-8 pt. per line successive insertion.....3.5/pica

RECEIVED
No. 6348

FEB 09 1989

Department of Water Resources
Twin Falls Region Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 17, 2001

PICABO CEMETARY DISTRICT
C/O RAYMOND CASTLE
PO BOX 394
BELLEVUE ID 83313

RE: License No. 37-8413 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:kit

Enclosure(s)


MICROFILMED
OCT 11 2001

CERTIFICATE OF MAILING

I hereby certify that on September 17, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-8413

**PICABO CEMETARY DISTRICT
C/O RAYMOND CASTLE
PO BOX 394
BELLEVUE ID 83313**


Kari Lynn Townsend
Secretary

MICROFILMED
OCT 11 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
OCT 11 2001

LICENSE REVIEW CHECKLIST

Permit No. 37-8413 Date: 9-12-01 Reviewer: Kay Walker

Change/OK

Name/Address

change

Source

ok

Does change clarify original intended source? If no, void permit.

Point of Diversion:

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

ok

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

37-11545

File reviewed Profile reports printed

should be disallowed in SRBA - see proof report below

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.09 cfs

Fee Limit 0.20 cfs

Measured 0.07 cfs

Theoretical 0.07 cfs

Recommended Total Diversion Rate

0.07 - see memo of 9/12/01

Water Uses

ok

Change (P46)

Season of Use per new Standards

4-15 10-31

Irrigation 0.07 cfs 6.0 af

Stockwater cfs af

Domestic cfs af

 cfs af

 cfs af

Total 0.07 cfs 6.0 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.07 cfs x 1.9835 x 200 days = 27.8 af (vs) 1.7 acres x 3.5 (FHR) = 5.95 af 6.0
2.5 (con)

Remarks:

W31, R55

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

Not req'd

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

MEMORANDUM

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

TO: File 37-08413

FROM: KAY WALKER *KW*

RE: License Recommendations

Date: September 12, 2001
.....

In a review of this exam, I found the examiner had recommended a diversion rate greater than 0.03 cfs per acre. Pursuant to Administrator's Memorandum, Application Processing Memo No. 60, we can allow more than 0.03 cfs per acre for cemeteries. In light of the memo, I am recommending we go with examiner's recommendation.

MICROFILMED
OCT 11 2001

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 37-11545

WATER RIGHT NUMBER: 37-11545

Owner Type

Current Owner

Name and Address

PICABO CEMETARY DISTRICT
C/O RAYMOND CASTLE
PO BOX 394
BELLEVUE, ID 83313

Priority Date: 07/18/1969

Basis: Beneficial Use

Status: Active

Source

GROUND WATER

Tributary

*should be
disallowed due to
priority claimed*

Beneficial Use

IRRIGATION

From To

4/01 to 11/01

Diversion Rate

0.060 CFS

Annual VolumeTotal Diversion: 0.060 CFSLocation of Point(s) of Diversion

GROUND WATER

SW1/4SE1/4SW1/4

Sec. 26, Twp 01S, Rge 20E, B.M.

BLAINE County

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
01S	20E	26	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	3.0
																			3.0

Total Acres: 3

Conditions of Approval:Remarks:

- General APPLICATION FOR PERMIT HAS ALSO BEEN FILED.^^^


Comments:Dates and Other Information:

Idaho Dept. of Water Resources
Place of Use Comparison Report



Type	WR #	Owner	Source	TRS	NENE	WNE	SWNE	SENE	NEHW	NWNV	SWNW	SEHW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	TAG
TRIGHT	37 7349A	CAROL L MC FARLAND, M DON MC FARLAND,	GROUND WATER	01S20E26						39	16.4										88.4
TRIGHT	37 7349B	WILLIAM J SWANSON TRUST,	ROUND WATER, SILVER CREEK	01S20E26					7	24	20	5					26	14	7	12	115

Idaho Dept. of Water Resources
Place of Use Comparison Report



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 16 2001
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION


- Permit No. 37-084/3
Phone No. 788-3712 home
1. Owner: Picabo Cemetery District
Current Address: c/o Raymond Castle, PO Box 374, Bellevue, ID 83313
2. Accompanied by: Raymond Castle per telecon EXAM. DATE: 7-22-98 & 4-26-01
Address: 102 3rd Ave N, Bellevue, ID 83313 Phone No. 727-7412 cell #
Relationship to Permit Holder: Caretaker
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Claim 37-11545
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: Claim 37-11545
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____
GIS

2. ☒ Copy of ~~U.S.G.S.~~ U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

OCT 11 2001

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, buried lines to Rainbird R-50 pop-up sprinklers with 3-gpm heads.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	5	2343178304	Sta-Rite	L30P4JH-02

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	26	15	20E	Bhine	GIS

6. Place(s) of Use:

Indicate Method of Determination GIS

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15	20E	26												1.7					1.7

Do not use this space
MICROFILMED

NOV 19 2001

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured. Can run 10 sprinklers at a time x 3 gpm/head = 30 gpm.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow 0.07 cfs system capacity

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.7 \times 3.5 = 6.0 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.07 \times 199 \times 1.9835 = 27.6 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 11 2001

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SRBA claim should be disallowed due to development after mandatory permit date.
Recommend flow rate based on system capacity rather than on standard rate of 0.03 cfs/acre, as we should not be telling these people how to run their system. There will be no excessive water use as long as system is properly maintained.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-31	0.07	6.0
Totals:			0.07	6.0

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name JE Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 5-10-01

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 11 2001


PERMIT 37-113 INIT 6042

T. R. S. Q/Q

P/D

SCALE

PHOTO ID.




MICROFILMED
2001

IDAHO DEPARTMENT OF WATER RESOURCES

LICENSING EXAMINATION DATA

RECOMMENDED P/D & P/U, PERMIT 37-8413



Section Lines



Quarter/Quarter Lines

General Location: 7/8 mile SE of Picabo




Point(s) of Diversion




Place of Use

MICROFILMED
OCT 11 2001



Prepared By J E Stanton 5-10-01

1986/87 NAPP Data



Cemetery Looking SE From NW Corner

37-08413

7-22-98


JE Stanton

MICROFILMED

OCT 11 2001



Well House



Buried Pop-Up Sprinkler Head

MICROFILMED
OCT 11 2001

37-08413
7-22-98
J E Stanton



Diversion Works

Licensing Exam 37-8413
Picacho Cemetery District
By J & Stanton

MICROFILMED
4-26-01
OCT 11 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37-8413
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

A. Prior to Conducting the Exam, the File Contains:

MAY 16 2001

Department of Water Resources

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat no

Check of P/D index 6-19-90 JP (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 6-20-90 JP (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed J. F. Esten (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

June 11, 1990

PICABO CEMETARY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08413

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

JUN 19 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8413

Date: 6-8-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
1. well log in file 1969
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138479

March 31, 1990

PICABO CEMETARY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

PROOF DUE NOTICE

RE: PERMIT NO. 37-08413

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 2, 1989

PICABO CEMETARY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08413

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 13 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 13 1989

aboo Cemetery District

Form No. 202a
1987STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. Stanton DATE 11-9-88 APPLICATION NUMBER 39-08413REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED

MARCH 7 1989

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

ND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☐ U.S. Forest Service, Forest _____
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

NAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest _____
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 37M or 37N
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information
Date of priority recommended 10/6/88
By John O. Huber Date 3/20/89

STATE OFFICE REVIEW P05, P23 P16 46 28 (irrig., 0.09 cfs)

☐ See below for additional information
By KW Date 5/23/89

ADDITIONAL INFORMATION

App. in TRUST area - (Note: not associated w/domestic use)
Held for list of officials in
district rec'd



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 11, 1989

RE: Application for Permit No. 37-8413

Picabo Cemetery District
c/o Cecilia A. Porter
Picabo, ID 83348

Dear Ms. Porter:

We have received your application for permit, for irrigation purposes, from our Southern Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names and addresses of all partners, directors and officers within the district. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:hm

cc: Southern Region

*rec'd 5/22
see under
app. kw*

Microfilm

JUN 13 1989

12-Jan-1989

Picabo Cemetary District
c/o Cecilia A. Porter
Picabo, ID 83348

Re: Application for Permit No. 37-08413

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 2/1 & 2/8/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED
JUN 13 1989

(STATE OF IDAHO)
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JANUARY 12, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08413

PICABO CEMETARY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 26 T 01S R 20E

Use: IRRIGATION (.090 CFS)

Date Filed: 10/06/1988

In: T01S R20E S26 SESW

3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 20, 1989.

R. Keith Higginson, Director

Published 2/01/1989 & 2/08/1989

MICROFILMED

JUN 13 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08413

PICABO CEMETERY DISTRICT
C/O CECILIA A. PORTER
PICABO, ID 83348

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 26 T
01S R 20E

Use: IRRIGATION (.090 CFS)

Date Filed: 10/06/1988

In: T01S R20E S26 SESW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before FEBRUARY 20, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
February 1 & 8, 1989.

OK
mb
1/27/89

MICROFILMED

JUN 13 1989

STAFF ANALYSIS SUPPLEMENT

1) Water District _____ Basin # 37

2) Local description (of one P/D)

☐

At the above street address

☐

_____ miles N/S _____ and _____ miles E/W _____

of

(City center or numbered highway intersection)

☒

Picabo Cemetery

(Travel directions from city center or highway intersection)