


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein set forth

MICROFILMED

JUN 13 1989

Raymond
(Applicant)

Oct. 6, 1988

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 18th day of Jan, 19 89, and

the date of the last publication was on the 25th day of Jan, 19 89.

Daniel J. Gorham

Subscribed and sworn to before me this 25th day of Jan, 19 89.
(SEAL)

Roberta M. Kuecher
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
36 Lines tabular at 5¢/Pica
36 Lines straight at 17.82 4¢/Pica
36 Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

MICROFILMED

JUN 13 1989

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08411
TITLE OF NOTICE Webb

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Water right sought by Webb

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08411

WEBB, DOUG
P.O. BOX 444
SUN VALLEY, ID 83353

Source: GROUNDWATER

Diversion Pt: SESE Sec 14 T 01N
R 18E

Use: COMMERCIAL (.270 CFS)
DOMESTIC (.040 CFS)

Date Filed: 10/06/1988

In: T01N R18E S14 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
January 18 & 25, 1989.


7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive inser-
tion.....3.5/pica

OK
1/27/89

RECEIVED
No. 6314

JAN 26 1989

Department of Water Resources
Southern Region Office



CLAIM 37-0841 INIT
T. R. S. Q/O
P/D 01N 18E 14 SE 1/4 SE 1/4
PHOTO ID. Y24-BELLEVUE 7.5' QUAD

SEC 14, T01N, R18E, SE1/4 SE1/4

2223
T299
363
John Brown
Inc.

T45
361
C. Rehbein

T46
36
G. Cameron

PD SEC 14, T01N, R18E
NW1/4 SE1/4 SE1/4
Ramp
House
GARDEN
CENTER

OFFICE

P/U
AREA EXPANDED
ACCORDING TO
ASCS FLIGHT 1995

14113
23124

P/U
1987

BIG WOOD RIVER

ASCS FLIGHT-1987
" 54IDES = 1995
37-08411 *
37-08412


UNFILMED
FEB 23 1998

— 71 —

~~Shop~~ GARDEN CENTER

OFFICE
~~Care Takers~~

Pressure Regulator for #5
(Pump Start Relay overrides #5
from Bx B 1/5 Clock)



Pressure Regulator #7

○ = Valve

▨ = Filter

#50

#7.5 *

* Pump Diagrams - only
Lines may not run in correct directions
i.e. line to Shop could run on other
side of Pump house ??

Main Line
to Plants

MICROFILMED

FEB 23 1998

* 37-08411 & 37-08412
P/D's: SEC 14, TOIN, R18E
NW 1/4, SE 1/4, SE 1/4


P/D's #1 5 hp Sec 14, T01N, R18E
#2 7.5 hp Sec 14, T01N, R18E
both in Nw 1/4 SE 1/4 SE 1/4

1/3

The two wells join at a "T" inside
the green box.
The 3.5" PVC transports
water to the nursery plants.

DIRECTION TO
NURSERY →


Area of pipe measured with flowmeter



#2 7.5 hp Mod#2261119020 PH1
Franklin Electric

Photo taken from
the North.

5 Storage Tanks in Pump House
Only 3 shown.



#1 5 hp Franklin Motor
Ser#2821138310 Pump #40550-15
Grundfos


NOTIFIED
FEB 23 1998

37-08411 37-08412

July 10, 1996 1200 hrs.
Examiner: Satterlee


Franklin Electric
Mod#2821138310 5HP PH1
VOLT 230 HZ 60

Grundfos Pump Type 40550-15
Motor Type 5HP Franklin



Mod#2261119020 7.5HP 5.5KW PH1
VOLTS 230 RPM 3450 HZ60
MIN. FLOW FT/SEC 0.5
Franklin Electric

Pressure Regulator #2822019310



July 10, 1996 1200 hrs.

MICROFILMED
FEB 23 1998

37-08411 37-08412

NURSERY
Glendale Road
South of Bellevue
208-788-2066

OFFICE
P.O. Box 744
Ketchum, ID 83340
208-726-4927

WEBB
LANDSCAPING

Bill Josey

Place of Use: Sec 14, T01N, R18E
SE 1/4 SE 1/4

Photo taken from the west

MICROFILMED
FEB 23 1998



10 July 1996 1200 hrs.

July 10, 1996 1200 hrs.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 37-08411

Priority: October 6, 1988

Maximum Diversion Rate: 0.18 CFS
Maximum Diversion Volume: 66.2 AF

This is to certify, that DOUG WEBB
PO BOX 744
SUN VALLEY ID 83353

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 6, 1988; and has submitted Proof of Beneficial Use on August 17, 1989. An examination indicates that the works have a diversion capacity of 0.180 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	03/01 to 12/31	0.18 CFS	66.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 14, Township 01N, Range 18E
BLAINE County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
01N 18E 14 SESE


CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 37-08411 and 37-08412 when combined shall not exceed a total annual diversion volume of 88.1 af for commercial purposes.
6. Commercial use is for a nursery and greenhouse.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of FEBRUARY, 1998.

RECORDED

FEB 22 1998


Acting for KARL J. DREHER, Director

RECEIVED
AUG 17 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Fee Received \$100.00
Date 8/17/89
Receipt # 2009727
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 75-54

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08411

Name(s) of Permit Holder: Doug Webb

Post Office Address: P.O. Box 744

Ketchum, Id 83340 Telephone No. 726-4927

Source of Water: Ground water

Extent of Use:

Domestic X (1) (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark x Commercial- Nursery, & Greenhouse

Total rate and/or volume for which proof is submitted .27 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: July 24, 1988

Measuring Device: Required? ☐ Yes ☐ No Fee enclosed \$ 100.00
Installed? ☐ Yes ☐ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Mark Palmer 788-3685
(Name) (Telephone Number)

162 Glendale Road, Bellevue, Idaho 83313
(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-14-89
Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

DEC 15 1989

RECEIVED

OCT 2 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-0841

APPROVED

Department of Water Resources To appropriate the public waters of the State of Idaho
Southern Region Office

1. Name of applicant Doug Webb Phone ⁽²⁰⁸⁾ 726-4927
Post office address Box 444, Sun Valley, ID 83353
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____
Sec. 14 Township 1N Range 18E B.M. BLAINE County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .27 ^(120 gpm) for Commercial purposes from May 1 to Oct 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .27 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
8" well, 150' Deep, 7 1/2 HP Pump @ 120 GPM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to beneficial use is
Existing years (minimum 1 year).

MICROFILMED

JUN 13 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 House
- e. Other; describe fully. Commercial use is for Nursery and Greenhouse with Drip Irrigation System.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	14																D/C	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Application for Another Well w/priority of 3-9-1981 HAS BEEN FILED Applicant
- b. Who owns the land to be irrigated or place of use? SAME
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: this well was drilled July 24, 1988

JUN 13 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



the State of Idaho as herein

MICROFILMED

JUN 13 1989

Dan Lawler
(Applicant)

Oct. 6, 1988

~~Proposed~~ Priority 10/6/88

Received by SCC Date 10/6/88 Time 2:30 p Preliminary check by _____

Fee \$ 45.00 Receipted by M. Baldwin # 9004083 Date 11/30/88

Publication prepared by M. Baldwin Date 1/12/89 Published in Wood River Journal

Publication approved T. Jasper Date 1/27/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8411, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1,, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 9th day of May, 1989.

A. Newington

MICROFILMED

JUN 13 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 18th day of Jun, 1989, and

the date of the last publication was on the 25th day of Jan, 1989.

Daniel J. Gorham

Subscribed and sworn to before me this 25th day of Jan, 1989.
(SEAL)

Roberta M. Kucher

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2

Lines tabular at _____ 5¢/Pica
36 Lines straight at 17.82 4¢/Pica
36 Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

MICROFILMED

JUN 13 1989

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08411
TITLE OF NOTICE Webb

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Water Right
Sought by Webb

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08411

WEBB, DOUG
P.O. BOX 444
SUN VALLEY, ID 83363
Source: GROUNDWATER

Diversion Pt: SESE Sec 14 T 01N R 18E

Use: COMMERCIAL (.270 CFS)
DOMESTIC (.040 CFS)

Date Filed: 10/06/1988

In: T01N R18E S14 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before FEBRUARY 8, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
January 18 & 25, 1989.

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive insertion....3.5/pica

RECEIVED

JAN 26 1989

Department of Water Resources
Southern Region Office

OK
TJ 11/27/89



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 17, 1998

DOUG WEBB
PO BOX 744
SUN VALLEY ID 83353-0744

RE: WATER RIGHTS 37-08411/37-08412

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of **February, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

WATER RIGHTS 37-08411/37-08412

**DOUG WEBB
PO BOX 744
SUN VALLEY ID 83353-0744**


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: Files 37-08411 and 37-08412

FROM: Sharla

DATE: February 6, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit Nos. 37-08411 and 37-08412 are as follows:

H. RECOMMENDATIONS

37-08411:

Commercial	1/1 - 12/31	0.18 cfs	66.2 afa
------------	-------------	----------	----------

The volume for the commercial use is based on continuous flow for the 184-day season (just as would be allowed if the use was called irrigation) and an additional 0.6 af for the employee use at the nursery (as allowed for in-house domestic). The season is listed as year-round for employee use including the "off-season."

37-08412:

Commercial	1/1 - 12/31	0.11 cfs	40.2 afa
Domestic	1/1 - 12/31	0.04 cfs	0.6 afa
TOTALS		0.11 cfs	40.7 afa

The volume for the commercial use is based on continuous flow for the 184-day season (just as would be allowed if the use was called irrigation). The capacity allows for diversion of the measured rate. The season is listed as year-round for employee use including the "off-season."

A condition will be placed on both rights limiting the commercial volume, when combined, to 88.1 afa (Irrigation of 25 acres X 4.0 afa/acre = 87.5 af + 0.6 afa for employee use = 88.1 afa).

Examiner: Georgia Satterlee

Exam Date: July 10, 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08411

DATE 8/22/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .27 cfs
 Fee limit 1.0 cfs \$100⁰⁰
 Measured 18 cfs
 Theoretical .32 cfs well log 60 gpm = .13
 @ 50' lift and 40 psi Recommended Total Div Rate .18 cfs

ANNUAL VOLUME/ NATURE OF USES

25 x 3.5 = 87.5
 3/1-12/31 yr. ~~period~~ use

Use	cfs	Volume Calc	af
<u>Comm</u>	<u>.18</u>	<u>62.4</u>	<u>.6</u> as in house
~~Dom~~	<u>.02</u>	<u>6</u>	<u>—</u>
<u>SUBTOTAL</u>	<u>—</u>	<u>62.4</u>	<u>65.6</u>

Flow rate .18 cfs X 184 days X 1.98 = 65.6 af
 Total volume recommended 62.4 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Nursery & greenhouse.

CONDITIONS


— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
 Adjustment Memo volume

1st Amend Letter NA
 2nd Amend Letter NA

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached
(Pages 1-3)

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#2	FRANKLIN	7.5	2261119020		
#1 SEE 37-08412					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC FLOWMETER	PEEK		ISTT-P	26865		4/96

2. Measurements: SEE ATTACHMENT "B"

FEB 23 1998

E. NARRATIVE/REMARKS/COMMENTS

SEE ATTACHMENT "A"

Have conditions of permit approval been met? ☒ yes ☐ no

FCR 2.3 1003

F. FLOW CALCULATIONSX Additional Computation Sheets Attached

Measured Method:

SEE ATTACHMENT "B"

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 25(3.5) = 87.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

USED 87.5 AFA AS THE
SMALLER OF $V_{I.R.}$ & $V_{D.R.}$
DUE TO TOTAL CAPACITY (0.29 CFS)

PERMIT RATE : 0.27 CFS
EXAM FEE LIMIT: 1.00 CFS
MEASURED RATE: 0.18 CFS

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
COMMERCIAL (C.-E.)				
C. Employees	3/01	12/31		0.2
D. Patrons	5/01	10/01		0.1
E. Irrigation	4/15	10/15	0.18	62.1
Totals:			0.18	62.4

2. Recommended Amendments

COMBINED WITH 37-08412 TOTAL NOT TO EXCEED
0.29 CFS & 88.5 AFA

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

I. AUTHENTICATIONField Examiner's Name Georgia Satterlee Date 24 Sept. 96

Reviewer _____ Date _____

SEAL

FEB 28 1997

A T T A C H M E N T "A"

TO: File #37-08411 & #37-08412
FROM: Georgia Satterlee
DATE: 20 September 1996
RE: Field Examination

On 10 July 1996, at approximately 1000 hrs., I was accompanied by Bill Josey, manager for Webb Landscaping/Nursery. The purpose of the visit is to perform a field examination in order to license the above permit number(s).

The point of diversion are two wells, both located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 14, T01N, R18E, Blaine County. The first well, #37-08411, is 7.5 hp, located 15 feet north of the pump house. The second well, #37-08412, is 5.0 hp, situated inside the pump house. See photo page 1 of 3.

The measurements were made with the Polysonic Flowmeter, see Attachment "B". There were three measurements taken. The first measurement was with both pumps running. The second, with the only the 5 hp running. The third measurement was the 7.5 hp running alone.

The place of use is a outdoor nursery for landscape plants with one green house. The irrigation for the nursery and the outdoor plants is accomplished by low volume drip method. In proximity only to the green house, overhead impact sprinklers are used. Mr. Josey did not know the amount discharged from any of the methods. Bill Josey said there are about 32 acres total with approximately 25 acres in use today. The acreage determined by a planimeter and 1987 ASCS map, using 1995 slides, is about 17 acres. The 25 acres will be used for this exam.

FACILITIES:

DOMESTIC	Caretaker's House/Office	1 toilet/1 shower/1 sink
		1 washer hookup/1 kitchen sink
COMMERCIAL	Garden Center/Store	1 toilet/2 sinks

PARTICIPANTS:

COMMERCIAL	Number of employees = 6	01/01-12/31
COMMERCIAL	Number of employees = 9	03/01-12/31
COMMERCIAL	Number of customers = 700	05/01-10/01

WATER USES:

Employees	15 gal/day
Patrons	15 gal/day

AMOUNTS/CALCULATIONS:

Domestic	1 residence	=0.6afa
Commercial	15 gal/day(365 day/year)	=32,850gal/yr=0.1afa
Commercial	15 gal/day(306 day/year)	=41,310gal/yr=0.2afa
Commercial	15 gal/day(184day/year)	=11,040gal/yr=0.1afa


NOTE: To Determine AFA: $\frac{(\# \text{ days})(\text{amount})(\# \text{ people})}{325,900 \text{ gal/ac.ft.}}$

ANALYSIS/RECOMMENDATION:

The two (2) wells have a TOTAL Capacity of 0.29 CFS
Irrigation season 4/15-10/15=183 days
Irrigated acreage=25 acres
Irrigation requirement=3.5
Irrigation annual volume=87.5 afa

<u>#37-08412</u>	<u>PERIOD</u>	<u>CFS</u>	<u>AFA</u>
DOMESTIC	01/01-12/31	0.04	0.6
COMMERCIAL (A. & B.)			
A. Employees	01/01-12/31		0.1
B. Irrigation	10/15-04/15	0.07	25.4
		<u>0.11</u>	<u>26.1</u>
 <u>#37-08411</u>	 <u>PERIOD</u>	 <u>CFS</u>	 <u>AFA</u>
COMMERCIAL (C., D., & E.)			
C. Employees	3/01-12/31		0.2
D. Patrons	5/01-10/01		0.1
E. Irrigation	4/15-10/15	0.18	62.1
		<u>0.18</u>	<u>62.4</u>

TOTAL NOT TO EXCEED 0.29 CFS 88.5 AFA



R18E

T10N

CLAIM 37-08411 INIT
T R S. 9/0
P/D 01N 18E 14 SE 1/4 SE 1/4
PHOTO ID. Y24-BELLEVUE 7.5' GLAD

T299
363

John Brown
Inc.

T45
361

Rehber

T46
36

G. Cameron

OFFICE

P/D SEC 14, T01N, R18E
NW 1/4 SE 1/4 SE 1/4
Ramp
House

GARDEN
CENTER

14113
23124

9/4
AREA EXPANDED
ACCORDING TO
ASCS FLIGHT 1995

PL 1987

BIG WOOD RIVER

SEC 14, T01N, R18E, SE 1/4 SE 1/4

ASCS FLIGHT=1987
GUIDES=1995
37-08411
37-08412

~~Stop~~ GARDEN CENTER

OFFICE
~~Gate Office~~

Pressure Regulator for #5
(Pump Start Relay overrides #5
from BrB 1/5 Clock)

Pump House

Pressure Regulator #7

○ = Valve

▨ = Filter

* Pump Diagram only
Lines may not run in correct directions
i.e. line to Shop could run on other
side of Pump house ??

Main Line
To Plants

#50

#75 *

* 37-08411 & 37-08412
P/D's: SEL 14, TOIN, R18E
NW 1/4, SE 1/4, SE 1/4

ATTACHMENT "B"

MEASUREMENT

* True Time 1100 HRS. to 1245 HRS.

PIPE O.D. 3.530 IN
 PIPE WALL THICKNESS 0.224 IN
 PIPE I.D. 3.082 IN
 PIPE MATERIAL PUC
 PIPE SOUND VELOCITY 7388.451 F/S
 * 31:46 07-10-96
~~Min. Rate 0.00 GPM~~
~~Max. Rate 0.00 GPM~~
~~Avg. Rate 0.00 GPM~~
~~Flow Rate 0.00 GPM~~
 LINER MATERIAL NONE
 LINER SOUND VELOCITY 0.000 F/S
 LINER THICKNESS 0.000 IN
 INSIDE ABS ROUGHNESS 0.00000702
 FLUID MATERIAL WATER
 FLUID SOUND VELOCITY 4863.330 F/S
 FLUID VISCOSITY 1.132 cSt
 TRANSDUCER TYPE STANDARD
 TRANSDUCER MOUNTING
 TRANSDUCER SPACING

BOTH PUMPS

137.017 GPM

136.137

135.406

136.902

137.641

138.490

138.132

$$\frac{\sum V}{7} = 137.104$$

$$= 0.305 \text{ cfs @ 70 PSI}$$

F/S 5.88

5 HP ONLY

@ 80 PSI

F/S

50.125

2.156

50.254

2.161

50.204

2.157

49.830

49.732

50.262

$$\frac{\sum V}{6} = 50.068$$

$$= 0.112 \text{ cfs}$$

↑

2.143

2.162

* 7.5 HP ONLY

@ 58 PSI

83.122

3.6 F/S

83.012

"

83.130

"

82.786

3.6 F/S

82.845

3.6

82.58

3.6

82.73

"

82.64

3.6

82.49

3.5 F/S

82.29

"

"

$$\frac{\sum V}{10} = 82.762$$

$$= 0.184 \text{ cfs}$$

0.112 5HP

0.184 7.5HP

0.296 cfs

* 37-08411

37-08412

The two wells join at a "T" inside
the green box.
The 3.5" PVC transports
water to the nursery plants.

DIRECTION TO
NURSERY →

Area of pipe measured with flowmeter



(2) 7.5 hp Mod#2261119020 PH1
Franklin Electric

Photo taken from
the North.

5 Storage Tanks in Pump House
Only 3 shown.




(1) 5 hp Franklin Motor
Ser#2821138310 Pump #40550-15
Grundfos

July 10, 1996 1200 hrs.
Examiner: Satterlee

37-08411 37-08412


Franklin Electric
Mod#2821138310 5HP PH1
VOLT 230 HZ 60

Grundfos Pump Type 40550-15
Motor Type 5HP Franklin



Mod#2261119020 7.5HP 5.5KW PH1
VOLTS 230 RPM 3450 HZ60
MIN. FLOW FT/SEC 0.5
Franklin Electric

Pressure Regulator #2822019310



NURSERY

Glendale Road
South of Bellevue
208-788-2066

OFFICE

P.O. Box 744
Ketchum, ID 83340
208-726-4927

WEBB
LANDSCAPING

Bill Josey

Place of Use: Sec 14, T01N, R18E
SE1 SE1

Photo taken from the west



10 July 1996 1200 hrs.

July 10, 1996 1200 hrs.

37-08411 37-08412

December 7, 1989

DOUG WEBB
P.O. BOX 444
SUN VALLEY, ID 83353

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08411

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

UNRECORDED

DEC 15 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 17, 1989

Mr. Doug Webb
Webb Landscaping
Box 44
Sun Valley, ID 83353

Dear Mr. Webb:

Enclosed is Departmental Receipt No. C012809 in the amount of \$90 which you remitted for the requested additional fee for Drilling Permit 37-88-S-059. Thank you for remitting this fee.

Sincerely,

MARK SLIFKA
Groundwater Protection Section

MS:ldt

Enclosure

CC: IDWR - Southern Region
WR Files 37-08411 & 37-08412

MICROFILMED

DEC 13 1989

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: C012809

Date: 11/14/89
Time: 09:40:19

Received
From: WEBB LANDSCAPING

Type of Payment
DRILLING PERMIT-DOUG WEBB

Program Acct Class
0930350 1238 6390

Amount
\$90.00

Total \$90.00

CHECK 6816

Idaho Department of Water Resources

Region: STATE

Signature: S. J. Keathley

MICROFILMED

DEC 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 27, 1989

Mr. Doug Webb
Box 44
Sun Valley, ID 83353

Reference: Drilling Permit
37-88-S-059

Dear Mr. Webb:

We approved a drilling permit for you on July 26, 1988, for a domestic well (a copy is enclosed). However, our records show that you later filed an application for water right and proof of beneficial use for this well at .27 cfs. The fee for a well drilled to divert in excess of .04 cfs is \$100.00 versus the \$10.00 fee for a single family domestic well with an expected yield less than .04 cfs. Please refer to IDWR Rules and Regulations 7,4,4,1. (copy enclosed) which discusses this fee structure.

To maintain the validity of your permits please remit to the IDWR the difference of \$90.00. Your cooperation is appreciated.

Sincerely,

MARK SLIFKA, Hydrogeologist
Groundwater Protection Section

MSS:js

Enclosures

RECEIVED
FILMED

DEC 15 1989

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

RECEIVED
Form 235-1
4/88

RECEIVED
JUL 28 1988

Drilling Permit No. 37-88-S-059
Water Permit No. _____
Injection Permit No. _____

JUL 26 1988

Department of Water Resources
Southern Region Office

Department of Water Resources Idaho
Department of Water Resources

2148 4th Ave East
Twin Falls Idaho
83301

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Doug Webb
2. Address Box 444 Sun Valley Idaho
Telephone 726-4927

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 14, Twp. 1 N., Rge. 18 E., County Blaine County,
Lot, block and subdivision Lot #1 Spruce Subdivision

4. Proposed use of well: (Check all that apply)
☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 8" Maximum depth 150
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date 7/26/88

7. Well Driller (if known) WOOD RIVER DRILLING AND PUMP
BOX 1165 788-3163
Address HAILEY, IDAHO 83333

8. Applicant's signature Doug Webb

Title Owner

Date 7/21/88

RECORDED

DEC 15 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

Please send copy to driller

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 24 day of July, 1988.

Signed Larry O. Hansen
Title Southern Region Mgt

Received by AG Fee 10.00 Date 7/27/88

Receipt No. 5001128 Construction start extension to DEC 15 1989

Extension approved by _____

MICROFILMED

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8411

Date: 10-25-89

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
y 14 well log in file
y 2 drilling permit
y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
y Waiver or modification of measuring device requested

Remarks: Proof acceptable

y Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 10, 1989

DOUG WEBB
P.O. BOX 444
SUN VALLEY, ID 83353

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08411

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

JUN 13 1989

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 13 1989

Webb, Doug

37-08411

Form No. 202a
'87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DR DATE 11-14-88 APPLICATION NUMBER _____REQUIRED INFORMATION


- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume) ?
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____


 Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

ID COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☐ U.S. Forest Service, Forest _____
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

NAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest _____
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 37 ^{P05}
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 10/6/88 ✓
By _____ Date _____

STATE OFFICE REVIEW P05, P23

P16 46 09E

☐ See below for additional information
By Loren D. Kuhn Date 3/7/89
kw 5/2/89

ADDITIONAL INFORMATION

Two wells on property hooked into the same delivery system. The wells supposedly serve as backups to each other but have different ^{principal} periods of use.

App. in TRUST area - DCM I, OK

12-Jan-1989

Doug Webb
P.O. Box 444
Sun Valley, ID 83353

Re: Applications for Permit Nos. 37-08411, 37-08412

Dear Applicant:

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above referenced identification numbers. Please refer to these numbers in all further correspondence.

This office will be advertising the applications in the Wood River Journal on 1/18 & 1/25/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the applications are not protested, they will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the applications and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Doug Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JANUARY 10, 1989

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 6, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08411

WEBB, DOUG
P.O. BOX 444
SUN VALLEY, ID 83353

Source: GROUNDWATER

Diversion Pt: SESE Sec 14 T 01N R 18E

Use: COMMERCIAL (.270 CFS)
DOMESTIC (.040 CFS)

Date Filed: 10/06/1988

In: T01N R18E S14 SESE

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Published 1/18/1989 & 1/25/1989

MICROFILMED

JUN 13 1989

STAFF ANALYSIS SUPPLEMENT

1) Water District None Basin # 37

2) Local description (of one P/D)

☐

At the above street address

☐4 miles N/S S and 1 miles E/W 4of Belleme
(City center or numbered highway intersection)☐

(Travel directions from city center or highway intersection)

WATER RIGHT
DATA ENTRY LOG

[illegible]