

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

36

P/D P/U
NE NE SE
Sec 36
T. 1N
R. 18E

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carolyn Bavid
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 28 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Rusty or Carolyn Baird Permit No. 37-08408
Current Address: Bx 395 Hailu, Ida 83333 Phone No. 788-4319
2. Accompanied by: Rusty & Carolyn EXAM. DATE: 6-1-90
Address: 54th Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to L

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO ☐ Copies Attached
2. Other water rights with same point of diversion: NO ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

NOV 2 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

85EPSH / 85EWPSH / 85EHD-LA 1-1/4" Part Circle Impact Sprinklers

- Part/full circle brass impact sprinklers
- Standard trajectory angle for maximum distance of throw
- Largest nozzle sizes and highest flow rates in brass part circle sprinklers
- "LA" model recommended for pivots and linears
- "ESPH" model has spreader nozzle; "EWPSH" model has plugged spreader outlet; "EHD-LA" has single nozzle body
- Durable heavy brass construction; excellent for many types of field applications
- HD-LA model has heavy-duty features for longer life in dirty water
 - Heavier trip components
 - Locking friction collars
 - Stainless steel trip lever pads and trip stops
 - Stainless steel replaceable spoon
 - Superior "H" bearing



85EHD-LA TOUGH BIRD

Specifications:

Material: Brass
Bearing Size/Type - 1-1/4" male NPT
Body trajectory - 27°, "LA" model - 17°

Materials:

Body: Cast Bronze
Arm: Cast Bronze (with Stainless Steel Spoon on 85EHD-LA)
Bearing Sleeve: Brass
Bearing Nipple: Brass
All Springs: Stainless Steel
All Washers: Chemically resistant

85EPSH / ST. BORE NOZZLES (7/32" SPREADER) Stream Height 14"

PSI @ Nozzle	Nozzle 11/32" x 7/32"-20° Rad. GPM	Nozzle 3/8" x ** 7/32"-20° Rad. GPM	Nozzle 13/32" x 7/32"-20° Rad. GPM	Nozzle 7/16" x 7/32"-20° Rad. GPM	Nozzle 15/32" x 7/32"-20° Rad. GPM
25	61 23.3	62 26.5	64 29.6	66 32.9	66 36.4
30	64 25.6	65 29.1	68 32.4	69 36.1	72 40.0
35	67 27.7	68 31.4	72 35.1	74 39.0	77 43.3
40	69 29.6	71 33.6	75 37.6	77 41.8	80 46.3
45	71 31.5	73 35.7	77 39.9	79 44.4	82 49.2
50	73 33.2	75 37.7	79 42.1	81 46.8	84 51.9
55	75 34.9	77 39.7	81 44.3	83 49.1	86 54.7
60	77 36.5	79 41.4	83 46.6	86 51.5	88 57.2
65	79 38.0	81 43.2	84 48.6	87 53.8	90 59.8
70	81 40.1	83 44.9	86 50.4	89 55.9	91 62.1
75	82 41.0	84 46.7	87 52.4	90 57.9	93 64.3
80	83 42.6	86 48.3	89 54.3	92 60.0	94 66.7
85	85 43.8	87 49.8	90 56.0	93 62.0	96 68.8
90	86 45.7	89 51.4	92 57.9	95 63.9	97 70.7
95	87 46.6	90 53.0	93 59.6	96 65.8	98 72.8
100	88 47.9	91 54.5	94 61.2	97 67.5	99 74.8

PERFORMANCE DATA CONTINUED ON NEXT PAGE . . .

These sprinklers are widely used as end guns on center pivot machines. Non-clog straightening vanes assure good coverage in the wind.

The 85EHD-LA was specifically developed for use in the highly abrasive water conditions normally experienced on center pivot machines. It gives excellent performance even in extreme winds due to a specially drilled low angle (17°) body. In addition, these models are suitable for a wide variety of applications such as horse pastures, paddocks, arenas, feedlots, dust control, sod farms, or any other application requiring the performance of a 1-1/4" sprinkler.

Common Spacings Range: 80'x80' to 140'x140'

How to Order: Specify

Model number - 85EPSH, 85EWPSH, or 85EHD-LA
Nozzle size
Example: 85EHD-LA X 3/8" SB

DOVE FLATS SUBDIVISION

37-8408



THE CANAL RANCH SUBDIVISION

RINGNECK ACRES SUBDIVISION

WIND RANCH SUBDIVISION

FRIEDMAN LANE

ROPES END ROAD



NOV 22 1993

1W, 18E, S36
line Pl.

37-8408

37-08408

TIN
COR 18E

35 36

1 49.9
T52 2.9
3 10.0

36 31

6 22.6

PID + PIV

4 12.7

T16
102.0

T77
41.3

T73
20.3

2 54.7

5 26.2
6 16.0

one hand

10K

36 TIS T18E

7 23.2

8 52.3
9 60.7

10 90.8



6 T34
98.6

T77
1 37.6
4 ALF

NOV 22 1983

11 11.0

3 10.8
6 36.6
5 7.0



37-8408



UNRECORDED

NOV 22 1993

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a
newspaper published every week in Hailey, County of Blaine, State of Idaho; that
said newspaper has been continuously and uninterruptedly published for a period of
seventy-eight consecutive weeks prior to the first publication of the annexed notice,
and is a newspaper qualified to publish legal notices as provided by act of the 1919
session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive
issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 18th day of Jan, 19 89, and

the date of the last publication was on the 25th day of Jan, 19 89.

Daniel J. Gorham

Subscribed and sworn to before me this 25th day of Jan, 19 89.
(SEAL)

Rolanta McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 36 5¢/Pica
Lines straight at 17.82 4¢/Pica
Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

MICROFILMED

JUN 13 1989

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08408
TITLE OF NOTICE Baird

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Water right sought by Baird

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the
public waters of the State of
Idaho:

37-08408

BAIRD, RUSTY
BAIRD, CAROLYN
P.O. BOX 395
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: NENESE Sec 36 T
01N R 18E

Use: IRRIGATION (.090 CFS)

Date Filed: 10/06/1988

In: T01N R18E S36 NESE
3.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water
Resources, 2148 4th Avenue
East, Twin Falls, Idaho 83301, on
or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal--
January 18 & 25, 1989.

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive inser-
tion.....3.5/pica

Nº 6316

RECEIVED

JAN 26 1989

Department of Water Resources
Southern Region Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08408

Priority: October 6, 1988

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

7.0 AF

This is to certify, that CAROLYN BAIRD
RUSTY BAIRD

PO BOX 395

HAILEY ID 83333

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 1, 1988; and has submitted Proof of Beneficial Use on April 10, 1990. An examination indicates that the works have a diversion capacity of .320 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.06 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 36, Township 01N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	18E	36	SENE	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Irrigation use under this right is authorized only in connection with a domestic use.

RECORDED


NOV 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08408

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of NOVEMBER, 1993.

Acting for  R. Keith Higginson, Director

NOV 22 1993

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
SEP 09 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08408

Date of Priority: October 6, 1988

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 7.0 AF

Comes now

CAROLYN BAIRD
RUSTY BAIRD

PO BOX 395
HAILEY ID 83333

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-08408, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.06 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 36, Township 01N, Range 18E
BLAINE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
01N	18E	36	SENE	2	2

Total number of acres irrigated: 2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hailey, Id, this 7th day of Sept, 1993.

Carolyn Baird
(Signature)

RECEIVED

NOV 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08408

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = 2000 Received by JW # C028529 Date 9-9-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 37-08408 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Irrigation use under this right is authorized only in connection with a domestic use.

Witness my hand this 17th day of NOVEMBER, 1993.

R. Keith Higginson
Acting for R. Keith Higginson, Director

NOV 22 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08408 Telephone No. 208-788-4201

Name(s) of Permit Holder(s): Rusty Baird and Carolyn Baird

Post Office Address: P.O. Box 395, Hailey, Idaho 83333

Source of Water: Ground water

If ground water, well driller's name: Ken Smith well drilling Date drilled: 6-75 to 10-79
NET sure

Extent of Use:
Domestic _____ (No. of households) Irrigation 3 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .09 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: We purchased property in October of 1982 well and pump were on property when we purchased

One of the following may be a condition of approval of your permit:
Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Rusty Baird 208-788-4201 home
Name Telephone No. 208-788-2109 work
004 Lopez End Rd. Blaine County, Id
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 23 1990

4-10-90 Carolyn Baird
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08408

APPROVED

To appropriate the public waters of the State of Idaho

Rusty wak 788-2109

1. Name of applicant Rusty or Carolyn Baird Phone 788-4201

Post office address Box 395 Hailey, Id 83333

2. Source of water supply Groundwater which is a tributary of N/A

3. Location of point of diversion is NE ¼ of NE ¼ of SE ¼, Govt. Lot _____

Sec. 36 Township 1N Range 18E B.M. Blaine County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .09 for Irrigation purposes from 5-1 to 10-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .09 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 8" cased well 120'
deep w/submers 5hp pump handline to p/n

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 120 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

JUN 13 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	18E	36													3				3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. None


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Same well also has 3/4 hp pump for domestic use

RECORDED

JUN 13 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUN 13 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carolyn Baud
(Applicant)

Proposed Priority 10/1/88

Received by RW Date 10-1-88 Time 1:05 Preliminary check by AS

Fee \$ 30- Received by M. Baldwin # 5004079 Date 11/30/88

Publication prepared by M. Baldwin Date 1/12/89 Published in Wood River Journal

Publication approved I. Gasper Date 1/27/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8408, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 9th day of May, 1989.

I. Glen Saylor

MICROFILMED

JUN 13 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 22, 1993

CAROLYN BAIRD
RUSTY BAIRD
PO BOX 395
HAILEY ID 83333


RE: WATER RIGHT NO. 37-08408

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

NOV 22 1993
2 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 19, 1993

CAROLYN BAIRD
RUSTY BAIRD
PO BOX 395
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08408

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
NOV 22 1993

WR0749NP
No. L37-08408

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/18/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CAROLYN BAIRD	10/06/1988	IRRIGATION	04-15 10-15	0.06 CFS	7.0 AFA
C	RUSTY BAIRD					
	PO BOX 395					
	HAILEY ID 83333					
	(208) 788-4201					
				TOTAL DIVERSION:	0.06 CFS	7.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.32 CFS

Point(s) of Diversion: T01N R18E S36 SE NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---	---	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
01N	18E	36	:					:	02	:			:					:							:	2.0
																							TOTAL ACRES		2.0	

Pou County: BLAINE

Other Rights: NONE

Other Water Rights with Same Point(s) of Diversion and Source:

37-02611B 37-07855 37-08168 37-08488

Other Water Rights Listing Overlapping Place(s) of use:

37-00577BH 37-02307 37-02611B 37-08168 37-08488 37-08548 37-08731

Conditions of Approval:

R50 - This right when combined with all other rights shall provide no-
- more than .03 cfs per acre nor more than 3.5 afa per acre for the
- lands above.

041 - Irrigation use under this right is authorized only in
- connection with a domestic use.

Dates: App. Received: 10/01/1988 Priority Date: 10/06/1988
Proof Due Date: 06/01/1990 Proof Made Date: 04/10/1990
Exam Made Date: 06/01/1990 Exam Sent to S.O.: 07/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/18/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 37-8408 Date 8-18-93 Brenda Chapman

NAME	Yes	No	
	☐	☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐	☒	Order to Reinstate Needed?
SOURCE	☐	☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change.
P/D	☒	☐	Amendment Needed? <u>Change to SENE</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☒	☐	Amendment Needed? <u>Change to SENE</u>
	☐	☒	Is Overlap Analysis a Consideration?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? $5 \times 29.1 = .32c$
	☐	☒	Disagree/Measurement <u>Pitot tube 30PSI</u>
	☐	☒	Pumping Theoretical $8.8 \times .70 \times 5HP$
	☐	☒	$40 + 2.31 \times 40 = .23$
	☐	☒	System Capacity <u>.32</u>
	☐	☒	Allowable Amount: <u>2 acres = .06 CFS</u> (.19 at 50 PSI)
TOTAL VOLUME			Rate/ac <u>3.5</u> AFA Irr. Season <u>B</u>
<i>Examiner used wrong season of use.</i>			<u>4-15 to 10-15</u> Standard Irr. Season
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>2 acres @ 3.5 = 7.0</u>
	☐	☒	Flow limit: <u>.06</u> x 184 x 1.9835 = <u>21.9</u>
USES	☐	☒	Change(s) in Nature of Use? <u> </u>
	☐	☒	Amendment Needed? <u> </u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐	☒	Non-Irr. Uses <u> </u>
	☐	☒	Special Overlap Condition <u> </u>
	☐	☒	Other <u> </u>
CONDITIONS	☐	☒	Measuring/Locking Devices <u> </u> Misc/Dates <u> </u>
	☐	☒	W/Master Control <u> </u> Water Dist <u> </u>
	<u>RSD</u>	☐	Irrigation Overlap <u> </u> App Rec'd <u> </u>
	☐	☒	Water Quality <u> </u> Exam Made <u> </u>
COMMENTS:	<u>Reduce acres & rate; Amend P/D & P/U</u>		

RECOMMENDED	CFS	VOL
<u>Irrigation</u>	<u>.06</u>	<u>7.0</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE
AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 28 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Rusty or Carolyn Baird Permit No. 37-08408
Current Address: Bx 295 Hailu, Ida 83333 Phone No. 788-4319
2. Accompanied by: Rusty & Carolyn EXAM. DATE: 6-1-90
Address: 544 Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to L

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO ☐ Copies Attached
2. Other water rights with same point of diversion: NO ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



[Signature]

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOV 2 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Sub, well, Motor & Pump w/ Sprinkler Lines
5 Hds -

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Franklin Ed.	5	M-282-1132-20		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	36	1N	18E	Blaine	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	36				2													2
																			2

Do not use this space

NOV 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 Hds / 3/8 Nozzle / 7/32 nozzle / 30 P.S.I.
 Rainbird 85 P.S. (See attached Rainbird table)

$$\frac{5 \times 8.8 \times 1.7}{40 + (2.31 \times 60)} = .17 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

pitot-tube 30 p.s.i.
 5 Hds @ 29.1 gpm = 145.5 gpm = 0.32 c.f.s.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2 \text{ Acres}) \times (3) = 6 \text{ ACF/AM}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.06 \text{ cfs}) (24 \text{ days}) (1.9835) = 2.854$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6 \text{ ACF/AM}$$

2. Volume Calculations for Other Uses:

RECEIVED

NOV 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Domestic use from $\frac{3}{4}$ Hp pump from same well.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>April 1</i>	<i>Oct 31</i>	<i>0.06 cfs.</i>	<i>6.0 AcF/</i>
Totals:			<i>0.06 cfs</i>	<i>6.0 AcF/</i>

2. Recommended Amendments


- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name *Gray Funderburg*
 Signature *Gray Funderburg*
 Certification Date *3/31/93*
 Field Report Preparation Date *6/24/93*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


REPRODUCTION

NOV 22 1993

85EPSH / 85EWPSH / 85EHD-LA

1-1/4" Part Circle Impact Sprinklers

- Part/full circle brass impact sprinklers
- Standard trajectory angle for maximum distance of throw
- Largest nozzle sizes and highest flow rates in brass part circle sprinklers
- "LA" model recommended for pivots and linears
- "ESPH" model has spreader nozzle; "EWPSH" model has plugged spreader outlet; "EHD-LA" has single nozzle body
- Durable heavy brass construction; excellent for many types of field applications
- HD-LA model has heavy-duty features for longer life in dirty water
 - Heavier trip components
 - Locking friction collars
 - Stainless steel trip lever pads and trip stops
 - Stainless steel replaceable spoon
 - Superior "H" bearing



85EHD-LA TOUGH BIRD

Specifications:

Material: Brass
 Bearing Size/Type - 1-1/4" male NPT
 Body trajectory - 27°, "LA" model - 17°

Materials:

Body: Cast Bronze
 Arm: Cast Bronze (with Stainless Steel Spoon on 85EHD-LA)
 Bearing Sleeve: Brass
 Bearing Nipple: Brass
 All Springs: Stainless Steel
 All Washers: Chemically resistant

85EPSH / ST. BORE NOZZLES (7/32" SPREADER)

Stream Height 14"

PSI @ Nozzle	Nozzle 1 1/32" x 7/32"-20° Rad. GPM	Nozzle 3/8" x 1/2" 7/32"-20° Rad. GPM	Nozzle 1 1/32" x 7/32"-20° Rad. GPM	Nozzle 7/16" x 7/32"-20° Rad. GPM	Nozzle 1 1/2" x 7/32"-20° Rad. GPM
25	81 23.3	62 26.5	64 29.6	66 32.9	66 36.4
30	84 25.6	65 29.1	68 32.4	69 36.1	72 40.0
35	87 27.7	68 31.4	72 35.1	74 39.0	77 43.3
40	89 29.6	71 33.6	75 37.6	77 41.8	80 46.3
45	91 31.5	73 35.7	77 39.9	79 44.4	82 49.2
50	93 33.2	75 37.7	79 42.1	81 46.8	84 51.9
55	95 34.9	77 39.7	81 44.3	83 49.1	86 54.7
60	97 36.5	79 41.4	83 46.6	85 51.5	88 57.2
65	99 38.0	81 43.2	84 48.6	87 53.8	90 59.8
70	101 39.5	83 44.9	86 50.4	89 55.9	91 62.1
75	103 41.0	84 46.7	87 52.4	90 57.9	93 64.3
80	105 42.6	86 48.3	89 54.3	92 60.0	94 66.7
85	107 43.8	87 49.8	90 56.0	93 62.0	96 68.8
90	109 45.7	89 51.4	92 57.9	95 63.9	97 70.7
95	111 46.6	90 53.0	93 59.6	96 65.8	98 72.8
100	113 47.9	91 54.5	94 61.2	97 67.5	99 74.8

PERFORMANCE DATA CONTINUED ON NEXT PAGE...

These sprinklers are widely used as end guns on center pivot machines. Non-clog straightening vanes assure good coverage in the wind.

The 85EHD-LA was specifically developed for use in the highly abrasive water conditions normally experienced on center pivot machines. It gives excellent performance even in extreme winds due to a specially drilled low angle (17°) body. In addition, these models are suitable for a wide variety of applications such as horse pastures, paddocks, arenas, feedlots, dust control, sod farms, or any other application requiring the performance of a 1-1/4" sprinkler.

Common Spacings Range: 80'x80' to 140'x140'

How to Order: Specify

Model number - 85EPSH, 85EWPSH, or 85EHD-LA

Nozzle size

Example: 85EHD-LA X 3/8" SB

NOV 22 1993

25
36
R. 18 E. 6
30
R. 19 E. 31

DOVE FLATS SUBDIVISION

37-8408

THE CANAL RANCH SUBDIVISION

RINGNECK ACRES SUBDIVISION

WIND RANCH SUBDIVISION

LANE
FRIEDMAN

ROPES END ROAD

158

176

110

116

126

004

019

016

027


144

112

NOV 22 1993

1W, 18E, S36

lane Rd.



ST-840

37-08408

TIN

60R 181E

49.9 52.9

22.2

PID + PIV

T10
102.0

T11
41.3

T12
20.3


34.1

52.2

306 TIS T18E

NOV 22 1977

ALF



RECEIVED


WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well. SEC 9 1976

Department of Water Resources
Southern District Office

1. WELL OWNER				Department of Water Resources Southern District Office			
Name <u>W. R. Clouse</u>				Static water level <u>30</u> feet below land surface			
Address <u>Baseline Rd. Bellevue, Idaho</u>				Flowing? ☐ Yes ☒ No G.P.M. flow _____			
Owner's Permit No. _____				Temperature _____ ° F. Quality <u>Good</u>			
				Artesian closed-in pressure _____ p.s.i.			
				Controlled by ☐ Valve ☐ Cap ☐ Plug			
2. NATURE OF WORK				8. WELL TEST DATA			
☒ New well ☐ Deepened ☐ Replacement				☐ Pump ☒ Bailor ☐ Other			
☐ Abandoned (describe method of abandoning) _____				Discharge G.P.M. Draw Down Hours Pumped			
				<u>50</u> <u>3'</u> <u>1</u>			
3. PROPOSED USE				9. LITHOLOGIC LOG			
☒ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____				Hole Diam. Depth Material Water			
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection				Yes No			
4. METHOD DRILLED				From To			
☒ Cable ☐ Rotary ☐ Dug ☐ Other				10" 1 4 Gravel and top soil X			
5. WELL CONSTRUCTION				10" 4 18 Gravel and clay X			
Diameter of hole <u>8</u> inches Total depth <u>100</u> feet				8" 18 54 Gravel and clay X			
Casing schedule: ☒ Steel ☐ Concrete				8" 54 65 Gravel X			
Thickness Diameter From To				8" 65 80 Gravel and pea gravel X			
<u>.280</u> inches inches + <u>1</u> feet <u>100</u> feet				8" 80 100 Clay and sand X			
_____ inches inches feet feet							
_____ inches inches feet feet							
_____ inches inches feet feet							
_____ inches inches feet feet							
Was a packer or seal used? ☐ Yes ☒ No							
Perforated? ☒ Yes ☐ No							
How perforated? ☐ Factory ☒ Knife ☐ Torch							
Size of perforation <u>1½</u> inches by <u>1</u> inches							
Number From To							
<u>60</u> perforations <u>65</u> feet <u>80</u> feet							
_____ perforations feet feet							
_____ perforations feet feet							
Well screen installed? ☐ Yes ☒ No							
Manufacturer's name _____							
Type _____ Model No. _____							
Diameter _____ Slot size _____ Set from _____ feet to _____ feet							
Diameter _____ Slot size _____ Set from _____ feet to _____ feet							
Gravel packed? ☐ Yes ☒ No Size of gravel _____							
Placed from _____ feet to _____ feet							
Surface seal depth <u>18'</u> Material used in seal ☐ Cement grout							
☒ Puddling clay ☐ Well cuttings							
Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing							
☐ Overbore to seal depth _____							
6. LOCATION OF WELL				10.			
Sketch map location must agree with written location.				Work started <u>6-30-76</u> finished <u>7-2-76</u>			
Subdivision Name <u>D:</u>				II. DRILLERS CERTIFICATION			
Lot No. _____ Block No. _____				Firm Name <u>Ken Smith Well Drilling</u> Firm No. <u>26</u>			
				Address <u>Box 1165 Hailloy, Idaho</u> Date <u>7/2/76</u>			
				Signed by (Firm Official) <u>Ken Smith</u>			
				and <u>Gary Jones</u>			

37-8408



PAID BY THE POST

NOV 22 1993

May 2, 1990

CAROLYN BAIRD
RUSTY BAIRD
P.O. BOX 395
HAILEY, ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08408

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

MAY 23 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8408

Date: 4-19-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. ~~drilling~~ permit
~~Y~~ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

~~Y~~ Is a measuring device or access port required?
~~Y~~ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: *Proof acceptable*

Y Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138478
March 31, 1990

RUSTY BAIRD
CAROLYN BAIRD
P.O. BOX 395
HAILEY, ID 83333

PROOF DUE NOTICE

RE: PERMIT NO. 37-08408

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

MAY 23 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 10, 1989

RUSTY BAIRD
CAROLYN BAIRD
P.O. BOX 395
HAILEY, ID 83333

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08408

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

JUN 13 1989

~~~~~

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

Microfilm

JUN 13 1989

12-Jan-1989

Rusty &/or Carolyn Baird  
P.O. Box 395  
Hailey, ID 83333

Re: Application for Permit No. 37-08408

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 1/18 & 1/25/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg  
Sr. Water Resource Agent

GF:MB

MICROFILMED

JUN 13 1989

# AFFIDAVIT of PUBLICATION

State of Idaho, }  
County of Blaine } SS.

**DANIEL J. GORHAM**

, being first duly sworn,  
deposes and says that he is the printer (publisher) of the Wood River Journal, a  
newspaper published every week in Hailey, County of Blaine, State of Idaho; that  
said newspaper has been continuously and uninterruptedly published for a period of  
seventy-eight consecutive weeks prior to the first publication of the annexed notice,  
and is a newspaper qualified to publish legal notices as provided by act of the 1919  
session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive  
issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 18<sup>th</sup> day of Jan, 19 89, and

the date of the last publication was on the 25<sup>th</sup> day of Jan, 19 89.

Daniel J. Gorham  
Subscribed and sworn to before me this 25<sup>th</sup> day of Jan, 19 89.  
(SEAL)

Rolanda Mykewich  
NOTARY PUBLIC

WOOD RIVER JOURNAL  
Hailey, Idaho

## COST OF PUBLICATION

Number of Picas per Line 11  
Number of Lines in Notice 36  
Number of Insertions 2  
Lines tabular at 5¢/Pica  
36 Lines straight at 17.82 4¢/Pica  
36 Subsequent lines at 13.86 3¢/Pica  
TOTAL COST 36.68

MICROFILMED

JUN 13 1989

## COPY OF NOTICE

(Paste Here)

Not. of Application # 37-08408  
TITLE OF NOTICE Baird

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources  
BILL TO

## Water right sought by Baird

### NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have  
been filed to appropriate the  
public waters of the State of  
Idaho:

37-08408

BAIRD, RUSTY  
BAIRD, CAROLYN  
P.O. BOX 395  
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: NENESE Sec 36 T  
01N R 18E

Use: IRRIGATION (.090 CFS)

Date Filed: 10/06/1988

In: T01N R18E S36 NESE  
3.0 ACRES TOTAL

The permit(s) will be subject to all  
prior water rights. Protests may  
be submitted based on the criteria  
of Sec. 42-203A, Idaho Code,  
and/or the new public interest  
criteria of Sec. 42-203C, Idaho  
Code. Protests must be filed with  
the Director, Dept. of Water  
Resources, 2148 4th Avenue  
East, Twin Falls, Idaho 83301, on  
or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal--  
January 18 & 25, 1989.

7-8 pt. per line straight....4.5/pica  
7-8 pt. per line tabular....5.5/pica  
7-8 pt. per line successive inser-  
tion.....3.5/pica

No 6316

RECEIVED

JAN 26 1989

Department of Water Resources  
Southern Region Office

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Southern Region  
2148 4th Avenue East  
Twin Falls, ID 83301  
(208)734-3578

---

JANUARY 10, 1989

WOOD RIVER JOURNAL  
P.O. BOX 988  
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 6, 1989.

Yours truly,

Mary Baldwin  
Secretary/Office Coordinator

Enclosure

MICROFILMED

JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08408

BAIRD, RUSTY  
BAIRD, CAROLYN  
P.O. BOX 395  
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: NENESE Sec 36 T 01N R 18E

Use: IRRIGATION ( .090 CFS)

Date Filed: 10/06/1988

In: T01N R18E S36 NESE

3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Published 1/18/1989 & 1/25/1989

MICROFILMED

JUN 13 1989