

142

FORD

ROAD

1.74B

STAR BRIDGE

U.S.

2

209

211

212

216

224

230

Subject

21 22
28 27


22 23
27 26


RECEIVED

MAR 26 1999


Department of Water Resources
Southern Region

MICROFILMED
APR 08 1999






GARRETT
MICROFILMED
APR 26 1999



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 50'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN EL.	5	MODEL # 282 113 8510	SUB	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NO MEASUREMENT WAS POSSIBLE DUE TO THE DESIGN OF THE SPRINKLER NOZZLES. OWNER ESTIMATED 60-70 PSI

OCT 20 1993

37-8383
GATES



R-70 FC/R-70 PC Performance

PSI	RADIUS'	GPM	NOZZLE	*PRECIP ■	*PRECIP ▲
30	40	4.0	10	.48	.39
	43	6.0	13	.71	.57
	43	6.8	14	.67	.53
40	42	4.4	10	.46	.37
	46	7.1	13	.71	.57
	45	8.0	14	.70	.57
	57	12.5	18	.77	.62
	58	14.3	20	.77	.63
50	33	5.0	10	.50	.40
	46	8.1	13	.71	.57
	49	9.0	14	.72	.58
	57	14.0	18	.83	.67
	58	16.3	20	.82	.65
	64	20.0	22	.87	.69
60	44	5.5	10	.52	.42
	50	9.0	13	.67	.53
	50	10.0	14	.68	.55
	60	15.5	18	.88	.71
	68	18.0	20	.80	.64
	66	22.4	22	.96	.77
70	44	6.0	10	.55	.44
	52	9.8	13	.70	.56
	50	11.2	14	.71	.57
	62	16.9	18	.85	.68
	68	19.7	20	.82	.66
	68	24.4	22	.96	.77
80	52	12.0	14	.76	.61
	63	18.1	18	.78	.62
	69	21.0	20	.85	.68
	70	26.2	22	1.00	.80
90	64	19.3	18	.80	.64
	71	22.4	20	.88	.71
	72	27.9	22	1.04	.83
100	66	20.3	18	.85	.68
	72	24.3	20	.96	.77
	72	30.0	22	1.08	.87

*Precipitation Rates based on half circle operation, and are given for reference only. For spacing recommendations, consult your irrigation specialist.
 ■ Square Spacing based on 50% diameter of throw.
 ▲ Triangular spacing based on 60% diameter of throw.

NOZZLE CONVERSION CHART

All nozzle combinations are given in XX/64 equivalents. The following chart can be used for conversion.

NEW	8	9	10	11	12	13	14
OLD	1 8	9 64	5 32	11 64	3 16	13 64	7 32
NEW	15	16	17	18	20	22	24
OLD	15 64	1 1/2	17 64	9 32	5 16	11 32	3 8

R-70 Rubber Collar

Features

- Durable, high quality rubber collar for converting standard R-70 into rubber-covered **R-70-RC**
- Easy to install
- Recommended for use with rubber-covered RC nozzles
- Add RC suffix for rubber covered nozzles

R-70 Rubber Collar



R-70 Non-Potable Rubber Cover


- Specify as **NP-RC**
- **Purple** rubber cover with non-potable logo
- Easily retrofits any R-70
- Recommended for reclaimed water installations.



2N 18E

37-08383

BELLEVUE QU.
IDAHO-BLA
7.5 MINUTE SERIES



37-8383

GATES



P/D



PASTURE #1

OCT 20 1993

37-8383
GATES



PASTURE #2



PASTURE #3

OCT 20 1993

AFFIDAVIT of PUBLICATION

RECEIVED

OCT 9 1990

Department of Water Resources
Southern Region Office

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 19 day of 9, 19 90, and

the date of the last publication was on the 26 day of 9, 19 90.

Subscribed and sworn to before me this 26th day of Sept., 1990.
(SEAL)

Roberta McKee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions _____
Lines tabular at \$9.80 6¢ / Pica
Lines straight at \$15.84 5¢ / Pica
Subsequent lines at \$5.00 4¢ / Pica
TOTAL COST \$40.64

COPY OF NOTICE

(Paste Here)

App. Water Permit
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO *T.J.*

Gates seeks amended permit

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08383

CHARLES GATES
PO BOX 111
HAILEY ID 83333

Date Amended: 7/24/90

Source: groundwater

Diversion Pt: SW1/4SE1/4SE1/4, S22, T2N, R18E; Blaine County.

Use: irrigation (.04 cfs)

Total quantity to be appropriated: .04 cfs

In: 2 Acres within SE1/4SE1/4, S22, T2N, R18E; NE1/4NE1/4, S27, T2N, R18E.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301, on or before October 8, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal-September 19 & 26, 1990.

RECEIVED
DEC 23 1991

Publication Rates As of Jan., 1990

(Idaho Code, Rev. Statutes 1984)
7-8 pt./line straight: 5/pica
7-8 pt./line tabular: 6/pica
7-8 pt./line successive insertion: 4/pica

No 7272

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } ss.

MAY 16 1990

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of May, 1990, and

the date of the last publication was on the 9th day of May, 1990.

Daniel J. Gorham

Subscribed and sworn to before me this 9th day of May, 1990.
(SEAL)

Roberta McGee

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at _____ 6¢ / Pica
36 Lines straight at 19.80 5¢ / Pica
36 Subsequent lines at 15.84 4¢ / Pica
TOTAL COST 35.64

COPY OF NOTICE
(Paste Here)

Gates Application # 37-08383
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources (T.A.)
BILL TO

Gates applies for water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08383

GATES, CHARLES
P.O. BOX 1111
HAILEY, ID 83333

Source: GROUNDWATER
Diversion Pt: SWSESE Sec 27 T
02N R 18E

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 8/29/1988

In: T02N R18E S22 SESE

S27 NENE

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before MAY 21, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal-
May 2 & 9, 1990.

Publication Rates As of Jan., 1990

(Idaho Code,
Reb. Statutes 1984)
7-8 pt./line straight: .5/ pica
7-8 pt./line tabular: 6/ pica
7-8 pt./line successive
insertion: .4/ pica

No 7001

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

RECEIVED

MAR 29 1999

Department of Water Resources

RECEIVED

MAR 26 1999

Department of Water Resources
Southern Region

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right Number(s) 37-08383
Adjudication Claim Number(s) _____
2. The following REQUIRED information must be submitted with this form.
 - A. ☒ A copy of the most recent DEED, TITLE, POLICY, CONTRACT OF SALE, or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.
AND
 - B. ☒ PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually on file with the county.)
OR
 - C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Services Agency (formerly ASCS) AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.
3. Name and Address of Former Charles Gates
Owner/Claimants P.O. BOX 1111, Hailey, ID, 83333
4. New Owner/Claimant(s) William J. Gehrke III & Barbara L. Gehrke
Name connector (check one): ☒ AND, [] OR, [] AND/OR
New Mailing Address P.O. Box 27
City, State and ZIP Code Belleuve, ID 83313
New Telephone Number (208) 788-3545
5. Date you acquired the property 3-24-98
6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water rights(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.
Number of acres actually irrigated 1.8 Number and type of stock 2 - Horses
Diversion rate in CFS 0.04 Number of homes 1 Other uses _____
cubic feet per second
If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.
7. Signature of New William J. Gehrke III Date 3-19-99
Owner/Claimant(s) Barbara Gehrke
(Corporations or other organizations must submit a list of directors/officers demonstrating authority to sign form.)
8. For Snake River Basin Adjudication Claims: If you are represented by an attorney and you want IDWR to correspond directly with your attorney for all matters related to your claims, please attach a Notice of Appearance completed by your attorney.

MICROFILMED

APR 08 1999

412986

BLAINE CO. REQUEST
OF: BLAINE COUNTY TITLE

'98 APR 13 PM 2 33

~~MARY GREEN, CLEM~~

(Space above line for Recorder's use)

FEES \$ 7.-

RECEIVED

MAR 1999

Department of Natural Resources
Southern Region

WARRANTY DEED

FOR VALUE RECEIVED, MARK T. GATES, JR. AND DONALD E. CASHEN, PERSONAL REPRESENTATIVES OF THE ESTATE OF CHARLES E. GATES, DECEASED, whose address is c/o James P. Speck, Esq., Speck & Aenestad, A Professional Corporation, P.O. Box 987, Ketchum, ID 83340 ("Grantor" whether one or more), hereby grants, bargains, sells and conveys unto WILLIAM J. GEHRKE, III, and BARBARA L. GEHRKE, AS TRUSTEES OF THE GEHRKE FAMILY TRUST, whose address is 11128 Wright Road, Lynwood, CA 90262 ("Grantee", whether one or more), that certain real property situated in Blaine County, Idaho and described in Exhibit A attached hereto and incorporated herein by this reference;

TOGETHER WITH any and all water rights appurtenant thereto;

SUBJECT TO all easement and restrictions of record, unpatented mining claims, if any, and any reservations or exceptions in patents or in Acts authorizing the issuance of such patents;

TO HAVE AND TO HOLD, the said real property, with its appurtenances unto the said Grantee and to the Grantee's heirs and assigns forever. And the Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said real property, that said real property is free from all encumbrances except as above-described, and that the Grantor will warrant and defend the same from all lawful claims whatsoever.

IN WITNESS WHEREOF, Grantor has executed this Warranty Deed as of the dates set forth below.

"GRANTOR"

DATE: 3/24/98

MARK T. GATES, JR., PERSONAL
REPRESENTATIVES OF THE ESTATE
OF CHARLES E. GATES, DECEASED

MICROFILM

APR 08 199

**Department of Water Resources
Southern Region**

MAR 26 1963

**DONALD E. CASHEN, PERSONAL
REPRESENTATIVES OF THE ESTATE
OF CHARLES E. GATES, DECEASED**

COUNTY OF BLAINE

On this 24 day of March, 1998, before me, the undersigned, a notary public in and for said state, personally appeared MARK T. GATES, JR., known or identified to me to be the person whose name is subscribed to the within instrument, as PERSONAL REPRESENTATIVES OF THE ESTATE OF CHARLES E. GATES, DECEASED, and acknowledged to me that he executed the same as such Personal Representative.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year first above written.

Residing at:

My Commission Expires:

COUNTY OF BLAINE

On this 29 day of March, 1998, before me, the undersigned, a notary public in and for said state, personally appeared DONALD E. CASHEN, known or identified to me to be the person whose name is subscribed to the within instrument, as PERSONAL REPRESENTATIVES OF THE ESTATE OF CHARLES E. GATES, DECEASED, and acknowledged to me that he executed the same as such Personal Representative.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year first above written.

Residing at:**My Commission Expires:**

IDENTIFICATION NUMBER: WFO

Expiration Date: 4/29/2002
Residing: Hailey, Idaho

A circular notary seal for Stormy R. Namer, a Notary Public in the State of Idaho. The seal features the text "STORMY R. NAMER" at the top, "NOTARY PUBLIC" in the center, and "STATE OF IDAHO" at the bottom, separated by two small stars.

Expiration Date: 4/29/2002
Residing: Halley, Idaho

APR-13-88 MON 01:39 PM

BLAINE COUNTY, TITLE

FAX NO. 2087268408

P. 02/02

SCHEDULE A

EXHIBIT "A"

Order Number: 98000294


LEGAL DESCRIPTION

A parcel of land situated in SECTIONS 22 & 27, TOWNSHIP 2 NORTH, RANGE 18 EAST, BOISE MERIDIAN, BLAINE COUNTY, IDAHO, more particularly described as follows:


BEGINNING at a point South 86° 27' West, 1091.8 feet from the Northeast corner of Section 27, a which point there is located a steel pin, which is the TRUE POINT OF BEGINNING. Running thence in a Northwesterly direction North 21° 57' West, a distance of 22 feet to a point where the boundary line between Sections 22 and 27 intersects said line and continuing in said line a distance of 255.89 feet, to a steel pin; thence North 17° 33' West, a distance of 81.01 feet to a steel pin; Running thence South 71° 53' West, a distance of 169 feet to a steel pin; Running thence South 18° 07' East, a distance of 318 feet to the intersection of the boundary line of Sections 22 and 27; continuing thence along said line a distance of 156 feet to a steel pin; Running thence North 71° 53' East, a distance of 387.76 feet to the TRUE POINT OF BEGINNING.

MAR 26 1999

MICROFILMED
APR 08 1999



SEC. 22 T 2 N R 18 E



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08383

Priority: August 29, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.3 AF

This is to certify, that CHARLES GATES

PO BOX 1111

HAILEY ID 83333

has complied with the terms and condition of the permit, issued pursuant to Application for Permit dated August 29, 1988; and has submitted Proof of Beneficial Use on September 28, 1992. An examination indicates that the works have a diversion capacity of .190 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	6.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWE , Sec. 22, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	22	SWSE 0.8	SESE 0.4		1.2
		27	NENE 0.2	NWNE 0.4		0.6

Total number of acres irrigated: 1.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

PROCESSED

OCT 20 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08383

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of September, 1998.

Acting for *R. Keith Higginson*, Director

RECEIVED

OCT 20 1993

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
AUG 26 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08383

Date of Priority: August 29, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 6.3 AF

Comes now
PO BOX 1111
HAILEY ID 83333

CHARLES GATES

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-08383, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	6.3 AF

LOCATION OF POINT(S) OF DIVERSION: SESWSE, Sec. 22, Township 02N, Range 18E
BLAINE County

<u>PLACE OF USE:</u> IRRIGATION		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>					
02N	18E	22	SWSE	0.8	SESE	0.4	1.2
		27	NENE	0.2	NWNE	0.4	0.6
Total number of acres irrigated:							1.8

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hailey Id., this 25 day of August, 1993.

Charles E. Gates
(Signature)

RECEIVED

OCT 20 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-08383

✓ FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20⁰⁰ Received by CA # C028442 Date 8-26-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 37-08383 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness my hand this 6TH day of September, 1993.

Acting for R. Keith Higginson, Director

OCT 20 1993

RECEIVED

STATE OF IDAHO

SEP 28 1992

DEPARTMENT OF WATER RESOURCES

NOV
Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08383 Telephone No. 208 788-2302

2. Name(s) of Permit Holder(s): CHARLES GATES

3. Post Office Address: Box 1111 HAILEY ID 83333

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: KEN SMITH 788-3163 Date drilled: JUNE 1970
JUNE 1990

b. Pump horsepower: 5 Pressure (psi): 70 lbs Dynamic pumping level (ft.): 22'

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? ☒ Yes ☒ No ☒ Installed? ☒ Yes ☒ No ☒

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

CHARLES GATES 788-2302
Name Telephone No.

Box 1111 OR 230 Broadford Rd Hailey
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-24-92
Date

Charles Gates
Signature (and title if on behalf of a company or organization)

RECEIVED
OCT 26 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08383

Proposed Priority: August 29, 1988 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **CHARLES GATES**
PO BOX 1111
HAILEY ID 83333

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSESE , Sec. 22, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	22	SESE 1			1
		27	NENE 1			1

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1992.**
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of December, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Charles Gates Phone 788-2302

Post office address Box 1111 Hailey, ID 83333

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____

Sec. 22 Township 2N Range 18E B.M. Blaine County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump. Sprinklers to be installed.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is 30' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECEIVED
DEC 23 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	22															+	1	21
		27	1	X															21

Total number of acres to be irrigated 42

10. Describe any other water rights used for the same purposes as described above. None

Domestic use has been claimed under SRRA


11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well was drilled in 1970. Only one or two acres will be irrigated, however the land is located in all four of the quarter-quarters listed above.

DEC 23 1991





RECEIVED
DEC 23 1967

Charles E. Eats
(Applicant)

Received by CF Date 8-29-88 Time 1:30 Preliminary check by LF
Fee \$ 30.00 Receipted by CF # 5001836 Date 8-29-1988
Publication prepared by MB Date 4/25/90 Published in Wood River Journal
Publication approved M. Baldwin Date 5/17/90, 10/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 30, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM J GEHRKE III
BARBARA L GEHRKE
PO BOX 27
BELLEVUE ID 83313

RE: Water Right 37-08383


Dear Mr. & Mrs. Gehrke:

The Department is in receipt of the correspondence changing ownership of the above referenced claim to you. We have modified our records to reflect this change in ownership and a computer generated report is enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED

APR 08 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 7, 1993

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08383

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

OCT 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 19, 1993

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08383


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

OCT 20 1993

WR0749NP
No. L37-08383

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/18/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES GATES PO BOX 1111 HAILEY ID 83333 (208) 788-2302	08/29/1988	IRRIGATION	04-15 10-15	0.04 CFS	6.3 AFA
TOTAL DIVERSION:					0.04 CFS	6.3 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.19 CFS

Point(s) of Diversion: T02N R18E S22 SE SW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	18E	22	:																	:	1.2
02N	18E	27	:	.2		.4														:	0.6
TOTAL ACRES																				1.8	

Pou County: BLAINE

Other Water Rights with Same Point(s) of Diversion and Source:
37-07253 37-08604

Other Water Rights Listing Overlapping Place(s) of use:
37-00882 37-07253 37-07322 37-08383 37-08604

Conditions of Approval:

- R30 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.5 afa per acre for the
- lands above.

Dates: App. Received: 08/29/1988 Priority Date: 08/29/1988
Proof Due Date: 12/01/1992 Proof Made Date: 09/28/1992
Exam Made Date: 06/22/1993 Exam Sent to S.O.: 07/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 10/22/1991 User-ID: SKAGGS Subject: "P" FILE
Big Wood River GWMA

Date: 09/28/1992 User-ID: ANDREGG Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 08/18/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 37-8383

Date 8-17-93

Brenda Chapman

	Yes	No	
NAME	☐	☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? _____ Memo to Advance _____
	☐	☒	Order to Reinstate Needed?
SOURCE	☐	☒	Changes? Clarification of Originally Intended source _____
	☐	☒	Notice of Intent to Void - Source change.
P/D	☒	☐	Amendment Needed? <u>CHANGE TO SESWSE</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☒	☐	Amendment Needed? <u>ADD SWSE/22 NWNE/27</u>
	☐	☒	Is Overlap Analysis a Consideration?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree/Measurement <u>Rainbirds @ 60 PSI = 22.4 gpm EACH</u>
	☐	☒	Pumping Theoretical $\frac{8.8 \times .70 \times 5HP}{20 + 2.31 \times 60} = .19CF$
	☐	☒	System Capacity <u>.19</u>
	☐	☒	Allowable Amount: $1.8 \times .03 = .05$ / PERMIT LIMIT = .04
TOTAL VOLUME			Rate/ac <u>3.5</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			$1.8 \times 3.5 = 6.3$
	☐	☒	Flow limit: $.04 \times 184 \times 1.9835 = 14.6$
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices _____ Misc/Dates _____
	☐	☒	W/Master Control _____ Water Dist _____
	<u>R30</u>	☒	Irrigation Overlap <u>8-29-88 App Rec'd</u>
	☐	☒	Water Quality <u>6-18-93 Exam Made</u>

COMMENTS: (REDUCE ACRES/NOT RATE) AMEND P/D and P/U

RECOMMENDED	CFS	VOL	
Irrigation	<u>.04</u>	<u>6.3</u>	LICENSE _____
Domestic	_____	_____	AMEND ☒
Stockwater	_____	_____	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 28 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-8383

1. Owner: CHARLES GATES Phone No. 788-2302

Current Address: 230 BROADFORD RD, HAILEY, ID 83333

2. Accompanied by: C. GATES + BRETT BARRY (IDWR) EXAM DATE: 6/18/93

MAILING Address: P.O. BOX 1111, HAILEY, ID 83333 Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: - NONE -

2. Other water rights with the same point of diversion: - NONE -

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SE	22	2N	18E	BLAINE	QUAD + TITLE


2. Place(s) of Use:

Indicate Method of Determination QUAD + TITLE

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	18E	22															0.8	0.4	1.2
2N	18E	27	0.2	0.4															0.6

OCT 20 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = 50'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN EL.	5	MODEL # 282 113 8310	SUB	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NO MEASUREMENT WAS POSSIBLE DUE TO THE DESIGN OF THE SPRINKLER NOZZLES. OWNER ESTIMATED 60-70 PSI

OCT 20 1993

E. NARRATIVE/REMARKS/COMMENTS

A 6 INCH CASED WELL WITH A 5 HP. PUMP LIFTING WATER FROM A DYNAMIC WATER LEVEL OF 20 FEET. WATER IS MOVED THROUGH A BURIED 2 INCH MAINLINE TO AUTOMATED SPRINKLER SETS. SPRINKLERS ARE SET IN AND AROUND THREE PASTURES. HAND SPRINKLERS AND DRIP LINES ARE USED AROUND THE LAWN. THE HOUSE USES A SEPARATE WELL FOR INTERNAL USE,

THE PASTURE SPRINKLERS WERE IDENTICAL RAINBIRD GREEN CODE ($\frac{1}{32}$ INCH) R-70'S RATED FOR 22.4 GPM AT 60 PSI A MAXIMUM OF THREE R-70'S ARE IN EACH SET MAKING THE FLOW RATE 67.2 GPM OR 0.15 CFS. RAINBIRD SHEET INCLUDED.

GATE'S' TITLE DESCRIPTION PINPOINTED THE BOUNDARY OF SECTION 22 + 27 AND SO HELPED LOCATE THE PLOT.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

OCT 20 1993

F. FLOW CALCULATIONS

2 Additional Computation Sheets Attached

Measured Method:

THEORETICAL (60 PSI, 20 FT, 5 HP) = 0.19 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated})^{\frac{1.8}{0.04}} \times (\text{Irrigation Requirement})^{\frac{3.5}{13.4}} = \underline{6.5}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{17.6}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{6.5}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	0.04	6.5
Totals:			0.04	6.5


2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name MIKE MARSHBARGER Date 6/21/93

Reviewer Larue O. Holmes Date 7/26/93



OCT 20 1993

37-8383
GATES

R-70 FC/R-70 PC Performance

	PSI	RADIUS'	GPM	NOZZLE	*PRECIP. ■	*PRECIP. ▲
30	40	4.0	10		.48	.39
	43	6.0	13		.71	.57
	43	6.8	14		.67	.53
40	42	4.4	10		.46	.37
	46	7.1	13		.71	.57
	45	8.0	14		.70	.57
	57	12.5	18		.77	.62
	58	14.3	20		.77	.63
50	33	5.0	10		.50	.40
	46	8.1	13		.71	.57
	49	9.0	14		.72	.58
	57	14.0	18		.83	.67
	58	16.3	20		.82	.65
60	64	20.0	22		.87	.69
	44	5.5	10		.52	.42
	50	9.0	13		.67	.53
	50	10.0	14		.68	.55
	60	15.5	18		.88	.71
70	68	18.0	20		.80	.64
	66	22.4	22		.96	.77
	44	6.0	10		.55	.44
	52	9.8	13		.70	.56
	50	11.2	14		.71	.57
80	62	16.9	18		.85	.68
	68	19.7	20		.82	.66
	68	24.4	22		.96	.77
	52	12.0	14		.76	.61
	63	18.1	18		.78	.62
90	69	21.0	20		.85	.68
	70	26.2	22		1.00	.80
	64	19.3	18		.80	.64
100	71	22.4	20		.88	.71
	72	27.9	22		1.04	.83
	66	20.3	18		.85	.68
100	72	24.3	20		.96	.77
	72	30.0	22		1.08	.87

*Precipitation Rates based on half circle operation, and are given for reference only. For spacing recommendations, consult your irrigation specialist.
■ Square Spacing based on 50% diameter of throw.
▲ Triangular spacing based on 60% diameter of throw.

NOZZLE CONVERSION CHART

All nozzle combinations are given in XX/64 equivalents. The following chart can be used for conversion.

NEW	8	9	10	11	12	13	14
OLD	1/8	9/64	5/32	11/64	3/16	13/64	7/32
NEW	15	16	17	18	20	22	24
OLD	15/64	1/4	9/32	5/16	11/32	3/8	

OCT 20 1993

Optional rubber cover



Calibrated sprag clutch (permits dry arc adjustment).

Heavy-duty construction

Filter screen

Convenient color coding

Interchangeable, patented high-performance nozzles

Raised turning surface

3/4" pop-up stem

Multi-function wiper seal

Small exposed diameter

Removable thumbwheel for arc adjustment

Vacuum tube

Water-lubricated piston drive with non-rising drive motor

Less than 2% of water used to drive head

SAM check valve

R-70 Rubber Collar

Features

- Durable, high quality rubber collar for converting standard R-70 into rubber-covered R-70-RC
- Easy to install
- Recommended for use with rubber-covered RC nozzles
- Add RC suffix for rubber covered nozzles

R-70 Rubber Collar



R-70 Non-Potable Rubber Cover

- Specify as NP-RC
- Purple rubber cover with non-potable logo
- Easily retrofits any R-70
- Recommended for reclaimed water installations.

RAIN BIRD
PREFERRED BY PROFESSIONALS WORLDWIDE®

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-8383
DATE: 6-21-93
BY: MTH

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

- Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (5 \text{ HP}) \times (0.70)}{[(20 \text{ FT}) + (60 \text{ PSI} \times 2.31)]} = 0.19 \text{ CFS}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner (S)	owner ()	
area estimate ()	estimate (S)	Pump Make, Serial or ID, rating
well logs (S)	owner gage ()	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL =

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum = 3.5
(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (S)


IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

OCT 20 1993

QV 18E

37-08383

BELLEVUE QU
IDAHO-BLA
7.5 MINUTE SERIES



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Chuck Gates</u> Address <u>Box 1111 Hailey, Id. 83333</u> Owner's Permit No. <u>37-90-5-024</u>		7. WATER LEVEL Static water level <u>8</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality <u>good</u> Describe artesian or temperature curves below.																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping time</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>60</u></td><td><u>36</u></td><td><u>1</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping time	Hours Pumped	<u>60</u>	<u>36</u>	<u>1</u>																										
Discharge G.P.M.	Pumping time	Hours Pumped																																	
<u>60</u>	<u>36</u>	<u>1</u>																																	
3. PROPOSED USE <u>3 ACRES or Less</u> ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>8</u></td><td><u>0</u></td><td><u>8</u></td><td><u>Gravel and sand</u></td><td></td><td>☒</td></tr><tr><td><u>8</u></td><td><u>8</u></td><td><u>32</u></td><td><u>Gravel</u></td><td></td><td>☒</td></tr><tr><td><u>6</u></td><td><u>32</u></td><td><u>38</u></td><td><u>Gravel and clay</u></td><td></td><td>☒</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>8</u>	<u>0</u>	<u>8</u>	<u>Gravel and sand</u>		☒	<u>8</u>	<u>8</u>	<u>32</u>	<u>Gravel</u>		☒	<u>6</u>	<u>32</u>	<u>38</u>	<u>Gravel and clay</u>		☒				
Bore Diam.	Depth		Material		Water																														
	From	To		Yes	No																														
<u>8</u>	<u>0</u>	<u>8</u>	<u>Gravel and sand</u>		☒																														
<u>8</u>	<u>8</u>	<u>32</u>	<u>Gravel</u>		☒																														
<u>6</u>	<u>32</u>	<u>38</u>	<u>Gravel and clay</u>		☒																														
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		OCT 06 1992 Department of Water Resources Southern Region Office RECEIVED JUL - 3 1990 Department of Water Resources Southern Region Office RECEIVED JUL 10 1990 Department of Water Resources																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>12</u> feet</td><td><u>36</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Shurry pit ☒ Temp. surface casing ☒ C overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>12</u> feet	<u>36</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness	Diameter			From	To																														
<u>.250</u> inches	<u>6</u> inches			<u>12</u> feet	<u>36</u> feet																														
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
Number	From	To																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
6. LOCATION OF WELL Sketch map. Location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BLAINE</u> <u>SE 1/4</u> <u>22</u> <u>T.2</u> <u>N.4</u> <u>R.18</u> <u>E.4</u>		N			W		E				10. Work started <u>5-5-90</u> finished <u>5-5-90</u>																								
N																																			
W		E																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. WOOD RIVER DRILLING AND PUMP Firm No. <u>245</u> <u>BOX 1165 788-3163</u> Address <u>HAILEY, IDAHO 83333</u> Date <u>5-5-90</u> Signed by (Firm Official) <u>Ken Smith</u> and (Operator) <u>BOO McElroy</u>		11. USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																	

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 20 1993

37-8383
GATES



P/D



PASTURE #1

OCT 20 1993

37-8383

GATES



PASTURE #2



PASTURE #3

OCT 20 1993

October 2, 1992

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08383

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

OCT 26 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08383

Reviewed by Klg

Date 90/1/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

irrigate-2

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 37-90-S-0026

100 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

NA Required?

/ Amount Submitted

/ Correct?

MEASURING DEVICE

NA Required?

/ Installed?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due / -

No. of days late / =

Priority Date / +

New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 9/28/92
10/2/92 Klg

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

September 30, 1992

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

PROOF DUE NOTICE

RE: PERMIT NO. 37-08383

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

OCT 26 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 18, 1991

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08383

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
DEC 23 1991

MEMORANDUM

TO: File No. 37-8383
FROM: Gary Spackman *Gary*
DATE: December 13, 1991

RE: Exemption from Ground Water Management Restrictions

Paragraph four on page eight of the Swan Falls Water Right Policy and Implementation Plan states that the Department of Water Resources would process all water right applications filed after July 1, 1985, out of sequence which seeks to validate water use developed prior to October 1, 1984.

Application for permit no. 37-8383 was filed to legalize water use that began in 1970. I have received information from Mr. Gates indicating that water has been used continuously since the construction of the systems in 1970. Had we recognized that the application sought to validate an existing use, we would have processed it prior to the designation of a ground water management area. We should immediately process this application, and exempt it from the restrictions imposed by the ground water management area order and implementation plan.

DEC 23 1991

RECEIVED
NOV 14 1991

Department of Water Resources

Dear Mr. Spackman

In regards to our conversation
on Tuesday November 12 I am
writing you this letter.

This pertains to Application No.
37-8383. In 1970 Robert Vernon
built this house at 230 Broadford
Road. In that same year he dug
two water wells. One for domestic
use and the other for irrigation.
Except for a short period of down
time due to mechanical failure
these two wells have been in con-

MICROFILMED
DEC 23 1991

stant use ever since. The domestic
well services the house and bedding
plants around the perimeter of the
house. The irrigation well services
the lawn and horse pastures.

I hope this is the informa-
tion you desire for my permit.
If not, call me.

Yours Truly

Charles Bates

RECORDED

DEC 28 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 1, 1991

Charles Gates
Box 1111
Hailey, ID 83333

RE: Application for Permit No. 37-8383

Dear Mr. Gates:

The Department of Water Resources recently designated a ground water management area which encompasses the upper Big Wood River Valley, the Bellevue Triangle, a portion of the Silver Creek drainage, and the Camas Prairie. Our records show that you have filed an application for permit to appropriate water with the Department which proposes a point of diversion within the ground water management area.

The Department intends to process pending applications within the ground water management area. Any applicant who proposes consumptive use, other than domestic use not exceeding one-half acre of irrigation, must show that his proposed use will not reduce flows in the Big Wood River or Silver Creek, or he must propose a reasonable plan to mitigate the reduction in flow.

Our records show that you have applied for a consumptive use of water. Prior to processing your application, or conducting a hearing if the application is protested, you must submit the following information:

1. Hydrologic evaluation of the ground water aquifer at the proposed point of diversion and its relationship to surface water, including timing of potential impacts.
2. If the hydrologic evaluation results in a conclusion that a well can be constructed without impact, a prospectus discussing well construction methods and standards must be submitted which will be implemented to prevent depletion of surface flow.
3. If the hydrologic evaluation results in a conclusion that a well cannot be constructed without depleting surface flow, a plan of mitigation and/or compensation must be submitted that will replace depletions of surface water caused by proposed ground water withdrawal.

DEC 23 1991

If you do not wish to submit the above information, you may withdraw your application by completing the enclosed withdrawal form. If your application includes a domestic component, and you wish to limit the application to domestic use, please inform the Department.

Failure to respond to this inquiry within thirty (30) days, with either the withdrawal or a schedule for submittal of the above information, is cause for the Department to void the application for failure to submit requested information.

Respectfully,



GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

RECEIVED

DEC 23 1991

APPLICATION FOR PERMIT REVIEW

Application #: 37-8383

Reviewer:

Pam Skaggs

Date: 10-22-91

Existing:

✓ No - 26A-P17
 ✓ Complete in 1 year - P16

Yes

Proof not submitted - P16
 Proof submitted - N/A

Groundwater:

✓ GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
 ✓ LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99
 Not included - 046-P23(All GW, even existing wells)

Location:

✓ Water Districts - WD No. 37
 Surface water - 005, 005-01H-P01(LT.2 w/pump)
 005-01J-P08(GT.2)

✓ Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

✓ Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - C (1, Blank or Other)

✓ Trust DMCI. Exempt - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042(req.), 002-P06(MD), 07A(Spec.),
 044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
 18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: -

Other Conditions Recommended

11-02-1992 12-01-1992
BigWood River GW 11A - Exempt per Memo 12-13

APPROVED
 DEC 23 1991

AFFIDAVIT of PUBLICATION

RECEIVED

OCT 9 1990

State of Idaho, }
County of Blaine } ss.

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 19 day of 9, 19 90, and

the date of the last publication was on the 26 day of 9, 19 90.

Daniel J. Gorham
Subscribed and sworn to before me this 26th day of Sept, 1990.
(SEAL)

Roberta M. Ketchum
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions _____
Lines tabular at \$9.80 6¢ / Pica
Lines straight at \$15.84 5¢ / Pica
Subsequent lines at \$5.00 fee 4¢ / Pica
TOTAL COST \$40.64

COPY OF NOTICE

(Paste Here)

App. Water Permit
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO *T.J.*

Gates seeks amended permit

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08383

CHARLES GATES
PO BOX 111
HAILEY ID 83333

Date Amended: 7/24/90

Source: groundwater

Diversion Pt: SW1/4SE1/4SE1/4,

S22, T2N, R18E; Blaine County.

Use: irrigation (.04 cfs)

Total quantity to be appropriated:

.04 cfs

In: 2 Acres within SE1/4SE1/4,

S22, T2N, R18E; NE1/4NE1/4,

S27, T2N, R18E.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301, on or before October 8, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal-
September 19 & 26, 1990.

MICROFILMED
DEC 23 1991

Publication Rates As of Jan., 1990

(Idaho Code,
Reb. Statutes 1984)
7-8 pt./line straight: 5/pica
7-8 pt./line tabular: 6/pica
7-8 pt./line successive
insertion: 4/pica

No 7272

NOTICE OF AMENDED APPLICATION FOR WATER PERMIT

Notice is hereby given that the following application for permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08383

CHARLES GATES
PO BOX 111
HAILEY ID 83333

Date Amended: 7/24/90

Source: groundwater

Diversion Pt: SW1/4SE1/4SE1/4, S22, T2N, R18E; Blaine County.

Use: irrigation (.04 cfs)

Total quantity to be appropriated: .04 cfs

In: 2 Acres within SE1/4SE1/4, S22, T2N, R18E; NE1/4NE1/4, S27, T2N, R18E.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East., Twin Falls, ID 83301 on or before October 8, 1990.

R. Keith Higginson, Director

Published in Wood River Journal on 9/16 & 9/26/90

RECEIVED

DEC 23 1991

**NOTICE OF AMENDED
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that the following application for permit to appropriate the public waters of the State of Idaho has been amended as follows:

37-08383

CHARLES GATES

PO BOX 111

HAILEY ID 83333

Date Amended: 7/24/90

Source: groundwater

Diversion Pt: SW1/4SE1/4SE1/4,

S22, T2N, R18E; Blaine County.

Use: irrigation (.04 cfs)

Total quantity to be appropriated:

.04 cfs

In: 2 Acres within SE1/4SE1/4,

S22, T2N, R18E; NE1/4NE1/4,

S27, T2N, R18E.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301, on or before October 8, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal--
September 19 & 26, 1990.

OK
MB
9/12/90

RECEIVED

SEP 12 1990

Department of Water Resources
Southern Region Office

MICROFILMED
DEC 23 1991

30-Aug-1990

CHARLES GATES
PO BOX 111
HAILEY ID 83333

Re: Amended Application for Permit No. 37-08383

Dear Mr. Gates:

The above referenced application for permit has been returned to the Southern Regional Office from our State Office because it could not be approved due to errors that were overlooked during the first regional review.

This office will be advertising the amended application in the Wood River Journal on 9/19 & 9/26. A period of ten days following the second publication will be allowed for the submittal of protests.

If the amended application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the amended application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct additional review prior to final processing of the application and will notify you of the outcome of this review.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED

DEC 23 1991

29-Aug-1990

WOOD RIVER JOURNAL
PO BOX 988
HAILEY ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
DEC 23 1991

MEMORANDUM

TO: file 37-08383

FROM: JIM STANTON

DATE: 29-Aug-1990

SUBJECT: CHANGE OF POINT OF DIVERSION

THE POINT OF DIVERSION ON THE APPLICATION WAS CHANGED ON OR ABOUT 7/24/90 BY WATER AGENT GARY FUNDERBURG WHO DID NOT INITIAL THE CHANGE. ITEM #3 NOW AGREES WITH APPLICATION MAP.

THE PLACE OF USE WILL BE ADVERTISED AS CHANGED BY THE APPLICANT ON 4/6/90. (ITEM #9). THE MAP WAS INADVERTENTLY LEFT UNCHANGED AT THAT TIME.

ga

RECEIVED

DEC 23 1991

MEMORANDUM

RECEIVED

JUL 24 1990

TO: SOUTHERN REGION

Department of Water Resources
Southern Region Office

FROM: KAY WALKER *Kay*

RE: APPLICATION FOR PERMIT NO. 37-8383

DATE: 20-JUL-1990

=====

The point of diversion on this application is in error. The legal description should be SWSESE, Section 22, Twp. 2N, Rge. 18E instead of Section 27. *OK*

Also, the place of use should be corrected to show the S1/2SE, Section 22 and the N1/2NE, Section 27. We could put 0.5 acres in each of the 40 acre tracts and this would more correctly describe the p/u. *The corrects that were made is the correct*

We will need to re-advertise this one. Thanks! Kay

*advertised
place of use
GF*

MAILED
DEC 23 1991

25-APR-1990

CHARLES GATES
PO BOX 1111
HAILEY ID 83333

Re: Application for Permit No. 37-08383

Dear Applicant(s):

On March 25, 1988 the Federal Energy Regulatory Commission (FERC) issued an order satisfying the last condition to make the Swan Falls Agreement effective. The Department is now prepared to proceed with the normal processing of your application.

This office will be advertising the application in the Wood River Journal on 5/2 & 5/9/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

MICROFILMED

DEC 23 1991

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

APRIL 24, 1990

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

DEC 23 1991

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } ss.

MAY 16 1990

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of May, 1990, and

the date of the last publication was on the 9th day of May, 1990.

Daniel J. Gorham

Subscribed and sworn to before me this 9th day of May, 1990.
(SEAL)

Roberta M. Ketchum

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
36 Lines tabular at 6c / Pica
36 Lines straight at 19.80 5c / Pica
36 Subsequent lines at 15.84 4c / Pica
TOTAL COST 35.64

COPY OF NOTICE
(Paste Here)

Gates Application #37-0838
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources (T.F.)
BILL TO

Gates applies for water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08383

GATES, CHARLES
P.O. BOX 1111
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt.: SWSESE Sec 27 T
02N R 18E
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 8/29/1988
In: T02N R18E S22 SESE
S27 NENE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before MAY 21, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal
May 2 & 9, 1990.

Publication Rates
As of Jan., 1990
(Idaho Code, Rev. Statutes 1984)
7-8 pt./line straight: 5/pica
7-8 pt./line tabular: 6/pica
7-8 pt./line successive insertion: 4/pica

No 7001

37-08383

GATES, CHARLES
P.O. BOX 1111
HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: SWSESE Sec 27 T.02N R 18E

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 8/29/ 1988.

In: T02N R18E S22 SESE
S27 NENE

2.0 ACRES TOTAL

MICROFILMED

DEC 23 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08383

GATES, CHARLES

P.O. BOX 1111

HAILEY, ID 83333

Source: GROUNDWATER

Diversion Pt: SWSESE Sec 27 T

02N R 18E

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 8/29/1988

In: T02N R18E S22 SESE

S27 NENE

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301, on or before MAY 21, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal—
May 2 & 9, 1990.

RECEIVED

APR 30 1990

Department of Water Resources
Southern Region Office

OK
mb
4/30/90

RECEIVED
DEC 23 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before MAY 21, 1990..

R. Keith Higginson, Director

Published 5/ 2/1990 & 5/ 9/1990

MICROFILMED

DEC 23 1991

9/89

Department of Water Resources
222 Shoshone E.
Twin Falls, ID 83301
734-3578

Drilling Permit No. 37-90-5-026
Water Right Permit No. App. 37-08383
Injection Permit No.

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant ~~Charles Gates~~ Charles Gates
2. Mailing Address Box 1111
Hailey Id. 83333 Telephone 208-788-2302
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot-No. _____,
Sec 22, Twp. 2 N, Rge. 18 E, County Blaine,
Street Address of Well Site 230 Broadford Rd. Hailey Id
Lot, block and subdivision _____
4. Proposed use of well:
() Single family or stockwater use (less than 13,000 gallons per day)
☒ Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
☒ Other (describe fully) replace older well
5. Well construction information:
A. ☒ New well () Deepen (X) Replace - See Condition 9.
B. Proposed surface diameter 6" Maximum depth 160 ft.
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date 5-15-70 **WOOD RIVER DRILLING AND PUMP**
BOX 1165 788-3163
HAILEY, IDAHO 83333
7. Anticipated Well Driller
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Charles Gates Date 4-6-80
Title owner
(Owner, Firm Representative, Other)

Please Send Copy To Driller

AGENCY OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

4/6/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

By accepting this permit and commencing construction, Applicant acknowledges that he accepts all risk that the well may not ultimately be approved for use.

Signature of Authorized Department Representative

FOR LOREN HOLMES

SOUTHERN REGION MANAGER

Title

Receipt No

SO 11840311XOR

Received by

JS

Fee \$100

Date

4-6-90

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.

DEC 23 1991

Drilling permit No. _____

Water right No. 37-08383

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Charles Gates, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Existing well has gone dry. A driller will be available soon to put in the new well.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date 4-6-90

Signature Charles Gates

Applicant

RECEIVED
DEC 23 1991

MEMORANDUM

TO: FILE ✓

FROM: TIM LUKE *TL*

RE: SWAN FALLS PROCESSING REQUIREMENTS

DATE: 2/3/89

This file has been reviewed to determine requirements under
Swan Falls processing.

There is no clear or conclusive evidence in the file that
would exempt it from review of Section 42-203C. The file
should remain on the process list with no further action taken
until such time as it comes up for processing as a result of
its priority date.

RECORDED

DEC 23 1991

07-Nov-1988

Charles Gates
Box 1111
Hailey, ID 83333

Re: Application for permit No. 37-08383

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

RECEIVED

DEC 23 1991