

T. 2N. R. 18E.

Topographic map of the Big Wood River area. The map shows contour lines indicating elevation, with major peaks around 6000 feet. Key features include:

- Water Bodies:** Big Wood River, Colocado Gulch, Mammoth Gulch, and Broadford Gulch.
- Settlements and Landmarks:** Colocado, Mammoth, Broadford, and Moore.
- Infrastructure:** Roads (e.g., 75, 17, 30), canals, and bridges.
- Elevation Points:** Numerous spot elevations are marked, such as 5255, 5913, 5800, 5400, 5268, 5273, 5277, 5261, 5260, 5255, 5326, 5241, 5240, 5227, 5220, 5205, 5183, 5180, 5182, 5481, 5487, 5544, 5581, 5495, 5518, 5539, 5995, 5993, 5878, 5872, 5870, 5993, 6056, 6168, 5954, 5922, 6179, 6428, 6821, 7002, 6166, 6435, 6261, 6906, 8941, 7158, 7151, 6520, 6821, 7002, 6166, 6435, 6261, 6906, 8941, 7158, 7151, 6520, 6821, 7002.
- Other Features:** "P.O. COVE", "Sew Dispa Plc", "Broadford", "Moore", "Mammoth", "Colocado", "BIG WOOD RIVER", "Mammoth", "Broadford", "Moore", "Mammoth", "Colocado", "BIG WOOD RIVER".

A red stamp at the bottom right reads "MICROFILMED".

MAR 03 1989

Richard S Anderson
(Applicant)


A hand-drawn site map on grid paper. The map shows a property layout with the following features and dimensions:

- DRIVEWAY**: A horizontal line at the top left.
- 235'**: A vertical dimension line on the left side of the main property area.
- ORCHARD**: A rectangular area on the left side of the main property.
- HOUSE HOLD**: A shaded rectangular area in the center.
- LAWN**: Two areas, one between the house and the pond, and another on the right side.
- 278'**: A horizontal dimension line between the house and the pond.
- POND**: An oval-shaped area at the bottom left of the main property.
- PASTURE**: A large area on the right side of the main property.
- 32670 sq ft = 1.5 ac**: A dimension line indicating the area of the pasture.
- BROADFORD ROAD**: A road running diagonally from the bottom left to the bottom right.
- SHED**: A small rectangular area at the top right.
- P/D**: A small circle at the top right.


MAR 08 1996

PHOTO ID. N/A

BELLE
ID
7.5 MINUTE



PERMIT 37-08364 INIT det
T. R. S. Q/Q
P/D 2N 18E 22 NE/NE/NW
SCALE _____
PHOTO ID. _____



P/D



P/u

MICHIGAN
MAR 08 1996



P/4
Domestic
Component

AMT

MAR 08 1996



P/u
 Showing
 PART of IRR
 component
 Trees



P/u
 showing part
 of Irrigation
 component
 Fruit Trees
 Irrigated By
 hose

MAR 08 1996

37-08364

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

NOV 10 1988

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of Nov, 19 88, and

the date of the last publication was on the 9th day of Nov, 19 88.

Daniel J. Gorham
Subscribed and sworn to before me this 9th day of Nov, 19 88.
(SEAL)

Roberta McKenney
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 38
Number of Insertions 2
Lines tabular at _____ 5¢/Pica
38 Lines straight at 18.81 4¢/Pica
38 Subsequent lines at 14.63 3¢/Pica
TOTAL COST 33.44

COPY OF NOTICE

(Paste Here)

Not. of Application # 37-08364
TITLE OF NOTICE Anderson

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Anderson files on water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08364

ANDERSON, RICHARD B.
305 E. CENTER
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NENENW Sec 22 T
02N R 18E; Blaine County; 2 miles
South of Hailey.

Use: DOMESTIC (.020 CFS)
IRRIGATION (.060 CFS)
RECREATION (.080 CFS)

Date Filed: 6/21/1988

In: T02N R18E S22 NENW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before NOVEMBER 21, 1988.

R. Keith Higginson, Director
Publish: Wood River Journal-
November 2 & 9, 1988.

7-8 pt. per line straight.....4.5/pica
7-8 pt. per line tabular.....5.5/pica
7-8 pt. per line successive insertion.....3.5/pica

No 6231

MAR 03 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08364

Priority: June 21, 1988

Maximum Diversion Rate:

0.04 CFS

This is to certify, that RICHARD B ANDERSON
BOX 2284

HAILEY ID 83333 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 21, 1988; and has submitted Proof of Beneficial Use on February 1, 1993. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	
	Totals	0.04 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 22, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	22	NENW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
5. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.

RECORDED

MAR 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08364

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual irrigation diversion volume of 7.0 af for the lands above.
7. Domestic use is for 1 home and is limited to an annual diversion volume of .6 af.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of FEBRUARY, 1996.

Acting for

KARL J. DREHER, Director

RECEIVED

MAR 08 1996

RECEIVED

FEB 1 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Receipt by _____

RECEIVED

JAN 11 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08364 Telephone No. 208 357 5196

2. Name(s) of Permit Holder(s): Richard B Anderson

3. Mailing Address: Box 2284 Hailey Id 83333

4. Source of Water: ground

If GROUNDWATER, Well Driller's Name: Wood River Drilling Date Drilled: Dec 1992

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other Pond for fire purposes

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR 711493 gal 18.9 acre/feet = .04

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ — (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Richard Anderson Telephone No. 288 2071

Address 125 Broadford Road, Hailey, 83333

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 1/10/93 Signature (and title, if on behalf of a company or organization) Richard B Anderson FEB 17 1993

STATE OF IDAHO

For Office Use Only
\$15 FEE Received by 102
Date 2/15/91
Receipt # 0019666

DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 15 1991

REQUEST FOR EXTENSION OF TIME

**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08364

Name(s) of Permit Holder: Richard B Anderson

Post Office Address: 305 E. Center, Shelley, Id 83274

Telephone No. 208 357 5796

Date Proof is Due: March 1991

Describe what work has been completed toward the development of this water right: 8" pipe is
(This must be filled out! If no work has been completed, show "none".)

5 ft into ground water - requires extension
To supply sufficient water for normal pumping
as water does not enter pipe @ sufficient rate. low flow
pumped in 1989-90 Costing \$ 200.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Electrical power not into house site, House
un finished but under construction. requires
state Health approval of location - Well & Septic

Permit holder(s) request an extension to 1996, 19 96. Richard B Anderson
(1 yr. minimum) (Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to March 1, 1993.

Signed this 1st day of March, 19 91.

A. Glen Saylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-08364

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard B. Anderson Phone 208 357 5196
Post office address 305 E. Center Shelley Id 83274
2. Source of water supply Ground water which is a tributary of Wood River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 22 Township 2 N Range 18 E B.M. Blaine County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .06 for Irrigation purposes from May 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .08 for Recreation purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .08 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Domestic well, pipeline to sprinkler system and pipeline to small pond used for recreation and fire protection.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 6 to 8 inches; proposed depth of well is 60 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

MICROFILMED

MAR 02 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 household
- e. Other; describe fully. To replenish water lost by evaporation and Percolation in a small pond built for recreation and fire protection.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	18E	22					2												2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. _____

2" 1783 from Cove Canal when available

11. a. Who owns the property at the point of diversion? Richard B Anderson

b. Who owns the land to be irrigated or place of use? Richard B Anderson


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

township and range number

T. 2N. R. 18E.

7.5 ML



Scale: 2 inches equal 1 mile.

MAR 03 1969

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard B Anderson
(Applicant)

6/21/88

Received by M. Baldwin Date 6/21/88 Time 11:44am Preliminary check by LH

Fee \$ 30.00 Receipted by TJ # 5000485 Date 6/21/88

Publication prepared by M. Baldwin Date 10/20/88 Published in Wood River Journal

Publication approved M. Baldwin Date 11/22/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8364, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 2nd day of February, 1989.

J. Glen Saxton



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 1, 1996

RICHARD B ANDERSON
BOX 2284
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08364

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
MAR 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08364 DATE 2-26-96



NAME	Change OK ☒	☒	Assignment Needed _____
PRIORITY DATE	☒	☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u> <u>NO FEES PAID</u>
SOURCE	☒	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☒	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☒	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☒	☒	Permit (fee) limits: <u>.08 / .04 cfs</u> <u>SPRINKLER</u> Meas Q = <u>.03</u> Theo Q = <u>.04</u> Recommend: <u>.04</u> <u>(IRR / 2 acres) x .02 = .04</u> <u>INT / DOM = .02</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	☒	Volume Limit: _____ Season: <u>B / 3.5 4-15 to 10-15</u> Calculations: <u>2 x 3.5 = 7.0</u> <u>INT / DOM = .6</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☒	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
NEW CONDITIONS	☒	☒	Irrigation Overlap _____ Replaces Surface Water <u>050</u> <u>YES</u> Supplemental GW <u>065</u> Water Quality/Dam Safety/Heat-Cool/Fish _____ WM Control- District _____ Meas/Lock Devices _____ Other _____
NEW REMARKS	☒	☒	<u>YES</u> Supplemental GW [in Snake River Plain] <u>WB8 / WB7</u> <u>YES</u> Irr/Dom Combination <u>WB5</u> PPU Recommendation _____ Boise River/Wood River Source Aes/Rec Uses <u>W38</u> Multiple p/d(s) in 1/4 1/4? _____ Fire Protection <u>WB6</u> Other _____

COMMENTS: ① Supplemental to Cove Canal when water is ^{NOT} available from it.
② Delete recreation use.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed	NO
<u>Irrigation</u>	<u>.03</u>	<u>7.0</u>			<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>			☒
			LICENSE		
			1ST AMEND LETTER		
<u>TOTAL</u>	<u>.04</u>	<u>7.6</u>	2ND AMEND LETTER		

MEMORANDUM

TO: File 37-08364 / Richard B. Anderson
FROM: Brenda Chapman
DATE: February 27, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 37-08364 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-15 to 10-15	.03	7.0
Domestic	1-01 to 12-31	.02	.6

The irrigation diversion volume has been changed to the current recommended guidelines for the per acre field headgate requirement of crops/lawns in that area. [3.5 afa per acre] The examiner had it correct in Part G, he just carried down the wrong figure in the recommendation.

RECEIVED
FILMED

MAR 08 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 18 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08364

1. Owner: RICHARD B. ANDERSON Phone No. (208) 788-2071

Current Address: P.O. Box 2284, HAILEY, ID. 83333

2. Accompanied by: RICHARD EXAM DATE: 09-26-1995

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Ground water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	22	02N	18E	BLAINE	USGS QUADRANGLE


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	18E	22					NE I												2.00

MAR 08 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	SUBMERSIBLE unk	.75	unk	unk	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube	/					

2. Measurements: $\frac{9}{64}'' \times 40 \text{ PSI} = 3.74 \text{ gpm} \times 3 = 11 \text{ gpm} \times .00223 = .03 \text{ cfs}$

MAR 08 1996

E. NARRATIVE/REMARKS/COMMENTS

THE SYSTEM:

THIS SYSTEM CONSISTS OF A 6" WELL DRILLED 65' WITH A DYNAMIC PUMPING LEVEL OF 20'. H₂O IS DIVERTED BY A 3/4 hp SUBMERSIBLE PUMP TO A 5gal PRESSURE TANK, THEN TO A 60 gal PRESSURE TANK UNDER THE HOUSE. WATER IS ALSO DIVERTED TO 4 OUTSIDE FAUCETS THAT ARE IN TURN HOOKED TO STANDARD SIZE GARDEN HOSES W 9/64 RAIN-BIRD TYPE SPRINKLER HEADS.

NOTE: NO FEE PAID - LIMITING FACTOR AND BASIS FOR RECOMMENDATION ALSO PROOF OF BENEFICIAL USE SHOWS PROOF SUBMITTED @ .04 cfs WHICH IS STANDARD FOR DOMESTIC.

ADDITIONAL WATER FROM COVE CANAL IS SPORADIC AT BEST AND IS NOT ALWAYS AVAILABLE, I COULD NOT SEE ANY DELIVERY SYSTEM AT EXAM SITE. ALSO POND WAS DRY. WHEN ASKED, HE INDICATED THAT DEPENDING ON WEATHER CONDITIONS AS A FACTOR IF HE HAS WATER IN POND OR NOT.

Have conditions of permit approval been met? ☒ yes ☐ no

REPROFILMED

MAR 08 1996

Additional Computation Sheets Attached

$$\frac{8.8 \times .75 \times .70}{19 + (40 \times 2.31)} = \frac{4}{111} = .04 \text{ cfs}$$

$$\left(\begin{aligned} 9/64 \times 40 &= 3.74 \text{ gpm} \times 3 = 11.9 \text{ gpm} \\ 11.9 \text{ gpm} \times .00223 &= \underline{.03 \text{ cfs}} \end{aligned} \right)$$

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3.5 = 7 \text{ cfs}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 254 \times 1.9835 = 10.9 \text{ a/a}$$

$V = \text{Smaller of } V_{L,R} \text{ and } V_{D,R} =$ 70%

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* DOMESTIC			.02	0.6 afa
IRRIGATION			.03	10.9 afa
		Totals:	.04 CFS	11.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dallas Taylor Date 09-26-95

Reviewer _____ Date _____


SEAL

* See adjutant memo. RE

MR. GALT:

PHOTO ID. N/A

BELLE
ID.
7.5 MINUTE



GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08364DATE: 9-26-95BY: cnt

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH} =$

Q = CFS

H.P. = TOTAL BRAKE HORSEPOWER OF PUMPING PLANT (INCLUDING BOOSTER)

EFF. = PUMPING PLANT EFFICIENCY (ASSUME 70% OR .70)

TDH = TOTAL DYNAMIC HEAD = { (LIFT) + (PSI X 2.31) }

LIFT = DEPTH TO WATER IN FEET FROM LAND SURFACE TO PUMPING WATER LEVEL.

PSI = PUMPING PRESSURE MEASURED IN PSI NEAR PUMP. (IF OPEN DISCHARGE, ASSUME ZERO [0]).

$$Q = \frac{(8.8) (\underline{.75}) (0.70)}{[(\underline{2.9}) + (\underline{40} \times 2.31)]} = \frac{4}{111} = \underline{.04} \text{ CFS}$$

LIFT FROM:PSI FROMNOTES ON PUMP:

MEASUREMENT ()	MEASUREMENT (<u>✓</u>)
OWNER ()	OWNER ()
AREA EST ()	ESTIMATE ()
WELL LOGS (<u>✓</u>)	OWNER GAGE ()
BOOSTER (Y)	(N)

MOTOR MAKE, SERIAL #
SUBMERGIBLE

PUMP MAKE, SERIAL #,
RATING .75 hp

REMARKS 9/64' Nozzle @ 40 PSI = 3.74 gpm x 3 = 11.2 gpm = .03 cfs

ANNUAL VOLUME ANALYSIS

POTENTIAL ACRE FEET/ACRE/ANNUM = $\frac{(\text{DAYS IN SEASON}) \times (1.98 \times (Q))}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(SEASON)	(DAYS)
3/15 - 11/15	246
4/1 - 11/01	215
~~4/15~~ - 10/15	184
3/1 - 12/01	276

POTENTIAL = $\frac{(\underline{184}) \times (1.98) \times (\underline{.04})}{(\underline{2})} = \underline{7.54}$

POTENTIAL = $(\underline{15 \div 2})$

REQUIRED ACRE FEET/ACRE/ANNUM

= $(\underline{7.54})$

(AF/ANN/AC IRRIGATION REQUIREMENT FROM CHART FOR AREA)

****NOTE THAT THIS IS NOT CONSUMPTIVE USE****

IF POTENTIAL IS GREATER THAN REQUIRED, THEN NO MEASUREMENT IS NECESSARY
IF POTENTIAL IS LESS THAN REQUIRED, THEN MEASUREMENT IS NECESSARY

7 MAY 1996
MAR 8 1996

WD0731NP
(00-0731)

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 10/16/95
PAGE: 1

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
37-92-S-0198-000	0	RICHARD B ANDERSON PO BOX 2284 HAILEY, ID 83337 (208) 788-2071	02N	18E	22	NE NW		BLAINE

Subdivision Well Site Location and Description:
Subdivision Name: TERRY ANDERSON SUB
Well Site Address: 125 BRADFORD RD
City, State: HAILEY, ID

Lot(s): 01
Block(s):
Geographic Location:
GPS Site ID:
Lat: : :
Long: : :
Accuracy Code: N W

Proposed Use of Well: Domestic
Anticipated Bottom Hole Temperature: 85f or Less

Proposed Casing Diameter: 6 In.
Proposed Depth: 45 Ft.

Well Use Comments:

Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Driller License No: 0265

Permit Status: Permit	Verbal Issue Date:	Receipt No.	Receipt Date	Fee
	Date Received: 11/04/1992	S015144	11/04/1992	\$ 35.00
	Date Approved: 11/04/1992		NOT ON FILE	
	Proposed Start Date: 12/20/1992		NOT ON FILE	
	Extension Date:		NOT ON FILE	
	Extension Expiration:		NOT ON FILE	

Specific Conditions:

Permit Remarks:

Conditions of Approval:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-92-S-0198-000

Water Right No:
Injection Permit No:

Nature of Work: REPLACE

Construction Method: ROTARY

Number of Monitor Wells:

Casing Diameter:	6 In.	Static Water Level:	19 Ft.	Actual Start Date:	11/20/1992
Depth of Casing:	65 Ft.	Temperature:	F.	Well Finish Date:	11/23/1992
Total Depth:	65 Ft.	Production Rate:	35.00 GPM	Log Received Date:	12/08/1992
Screen Installed?	No			Certification Date:	12/07/1992

Violation Flag:

Field Inspection Date:

Inspector:

Well Log Remarks: SURFACE SEAL DEPTH 19 FT.

RECEIVED
MAR 08 1996

PERMIT 37-08364 INIT dst
T. R. S. Q/Q
P/D 2N 18E 22 NE/NE/NW
SCALE _____
PHOTO ID. _____



P/D



P/u

MAR 08 1996



P/u
 Showing
 PART of IRR
 Component
 TREES



P/u
 Showing Part
 of Irrigation
 Component
 Fruit Trees
 Irrigated By

APPROPRIATE

MAR 08 1996

37-08364



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 13, 1993

Richard B Anderson
125 Broadford Road
Box 2284
Hailey, ID 83333

Re: Permit No. 37-08364

Dear Permit Holder:

Returned is the proof of beneficial use submitted in connection with the above referenced permit. As you suspected, you have already submitted proof on this permit. The Department received the first proof of beneficial use on February 1, 1993 and sent you and acknowledgement letter on February 5, 1993.

Is it possible that you have another permit that has proof due? You have obviously received some sort of correspondence from the Department that prompted you to submit another proof form. Please check your records carefully to make sure you have fully complied with all of the conditions on all of your permits.

In any case, I have also begun the process to refund the \$50 license examination fee submitted in connection with this permit. The process takes from four to six weeks and will arrive under separate cover.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: Fiscal

MAR 08 1996

RECEIVED

STATE OF IDAHO APR - 9 1993

For Office Use Only
Amt. of Fee \$ 50.00
Date 4-9-93
Receipt No. 0027127
Received by Jul

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

copy

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-8364 Telephone No. 788-2071
2. Name(s) of Permit Holder(s): Richard B Anderson
3. Post Office Address: 125 Broadford Rd. Box 2284 Hailey, Id
4. Source of Water: well
 - a. If ground water, well driller's name: Wood River Date drilled: Dec '91
 - b. Pump horsepower: 1/2 Pressure (psi): 50 Dynamic pumping level (ft.): 55'

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .1 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☐ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50. (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

R.B. Anderson 788 2894
Name Telephone No.
125 Broadford Rd
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/8/93
Date

Richard B Anderson
Signature (and title if on behalf of a company or organization)

APR 08 1993

February 5, 1993

RICHARD B. ANDERSON
BOX 2284
HAILEY ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08364

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 17 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08364 Reviewed by Klg Date 1/12/93

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic-1 irrigate-2
fire
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
data Copy in the file? Drilling Permit No. 37-9)-S-0198
35 Amount paid for permit yes Correct?
data Well log in the file?

LICENSE EXAMINATION FEE

NA yes Required?
 Amount Submitted
 Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

Karen G.
on checking I
will be able to
get by with
0.04 cfs
R. Anderson

DEFICIENCIES OR ACTION ITEMS

needs a few clarify cfs

proof acceptable

TORADOL ^{ORAL}
10 MG TABLETS
(KETOROLAC TROMETHAMINE)

DATA ENTRY

New Address Box 2284 Naily, ID 83279 ^{2/2/93 Klg} ³³³
Proof Made 2/1/93 2/5/93 Klg

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
37-92-S-0198-000	0	RICHARD B ANDERSON PO BOX 2284 HAILEY, ID 83337 (208) 788-2071	02N	18E	22	NE NW		BLAINE

Subdivision Location and Description:
Subdivision Name: TERRY ANDERSON SUB
Well Site Address: 125 BRADFORD RD
City, State: HAILEY, ID

Proposed Use of Well: Domestic
Proposed Casing Diameter: 6 In.
Proposed Depth: 45 Ft.

Well Use Comments:
Firm Name: WOOD RIVER DRILLING & PUMP INC
Official: KENNETH R SMITH

Driller License No: 0265

Permit Status: Permit
Verbal Issue Date: 11/04/1992
Date Received: 11/04/1992
Date Approved: 11/04/1992
Proposed Start Date: 12/20/1992
Extension Date:
Extension Expiration:

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 37-92-S-0198-000
Water Right No:
Injection Permit No:

Nature of Work: REPLACE
Construction Method: ROTARY
Number of Monitor Wells:
Casing Diameter: 6 In.
Depth of Casing: 65 Ft.
Total Depth: 65 Ft.
Screen Installed? No
Static Water Level: 19 Ft.
Temperature: F.
Production Rate: 35.00 GPM
Actual Start Date: 11/20/1992
Well Finish Date: 11/23/1992
Log Received Date: 12/08/1992
Certification Date: 12/07/1992
Field Inspection Date:
Inspector:

Well Log Remarks: SURFACE SEAL DEPTH 19 FT.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1993

Richard B Anderson
Box 2284
Hailey, ID 83333

Re: Permit No. 37-08364

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. It indicates the total rate of diversion of water to be 0.20 cfs. However, your permit was issued for only 0.08 cfs. The Department cannot accept a proof of beneficial use for more water than has been authorized by your permit. Therefore, I have amended the permit to read 0.08 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.08 cfs is \$50. Note the back of the enclosed instruction sheet/fee schedule.

In order to be in compliance with all of the necessary dates, you will need to return the original proof and the \$50 license exam fee on or before March 1, 1993.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
FEB 17 1993

December 31, 1992

RICHARD B. ANDERSON
305 E. CENTER
SHELLEY ID 83274

PROOF DUE NOTICE

RE: PERMIT NO. 37-08364

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MAILED

FEB 17 1993



March 7, 1991

RICHARD B ANDERSON
305 E CENTER
SHELLEY ID 83274

Dear Mr. Anderson:

Re: Permit No. 37-8364

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to March 1, 1993.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

MAR 18 1991

138903

December 31, 1990

RICHARD B. ANDERSON
305 E. CENTER
SHELLEY, ID 83274

PROOF DUE NOTICE

RE: PERMIT NO. 37-08364

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

MAR 18 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 7, 1989

RICHARD B. ANDERSON
305 E. CENTER
SHELLEY, ID 83274

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08364

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

MAR 03 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 03 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

01-Nov-1988

Richard B. Anderson
305 E. Center
Shelley, ID 83274

Re: Application for Permit No. 37-08364

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Wood River Journal on 11/2 & 11/9/88. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

MICROFILMED

MAK 03 1989

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

NOV 10 1988

Department of Water Resources
Southern Region Office

DANIEL J. GORHAM

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of Nov, 1988, and

the date of the last publication was on the 9th day of Nov, 1988.

Daniel J. Gorham
Subscribed and sworn to before me this 9th day of Nov, 1988.
(SEAL)

Roberta Trempner
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 38
Number of Insertions 2
Lines tabular at 5¢/Pica
38 Lines straight at 18.81 4¢/Pica
38 Subsequent lines at 14.63 3¢/Pica
TOTAL COST 33.44

COPY OF NOTICE

(Paste Here)

Not. of Application # 37-08364
TITLE OF NOTICE Anderson

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

Anderson files on water right

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08364

ANDERSON, RICHARD B.
305 E. CENTER
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NENENW Sec 22 T 02N R 18E; Blaine County; 2 miles South of Hailey.

Use: DOMESTIC (.020 CFS)
IRRIGATION (.060 CFS)
RECREATION (.080 CFS)

Date Filed: 6/21/1988

In: T02N R18E S22 NENW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue, East, Twin Falls, Idaho 83301, on or before NOVEMBER 21, 1988.

R. Keith Higginson, Director

Publish: Wood River Journal- November 2 & 9, 1988.

7-8 pt. per line straight.....4.5/pica
7-8 pt. per line tabular.....5.5/pica
7-8 pt. per line successive insertion.....3.5/pica

Microfilm No. 6231

MAR 03 1989

STATE OF IDAH
DEPARTMENT OF WATER RESOURCE
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

OCTOBER 20, 1988

WOOD RIVER JOURNAL
P.O. BOX 988
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 21, 1988.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAR 03 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

37-08364

ANDERSON, RICHARD B.
305 E. CENTER
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NENENW Sec 22 T 02N R 18E; Blaine County; 2 miles South of Hailey.

Use: DOMESTIC	(.020 CFS)
IRRIGATION	(.060 CFS)
RECREATION	(.080 CFS)

Date Filed: 6/21/1988

In: T02N R18E S22 NENW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before NOVEMBER 21, 1988.

R. Keith Higginson, Director

Published 11/02/1988 & 11/09/1988

MICROFILMED

MAR 03 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08364

ANDERSON, RICHARD
305 E. CENTER
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NENENW Sec 22 T
02N R 18E; Blaine County; 2 miles
South of Hailey.

Use: DOMESTIC (.020 CFS)
IRRIGATION (.060 CFS)
RECREATION (.080 CFS)

Date Filed: 6/21/1988

In: T02N R18E S22 NENW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before NOVEMBER 21, 1988.

R. Keith Higginson, Director

Publish: Wood River Journal-
November 2 & 9, 1988.

OK
MB
10/31/88

RECEIVED
FEB 10 1989

MAR 10 1989