


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Eaton Pres.
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 02 1994
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Airport Ranch Inc. Permit No. 37-8326
Current Address: P.O. Box 563, Wendell, ID 83355 Phone No. 536-2341
2. Accompanied by: Jim Egton EXAM. DATE: 2-10-92
Address: Same Phone No. _____
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-2761
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 37-2761
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
AUG 08 1995

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



Verli-Line PUMP

16 KHXL

1770 RPM

SECTION	40
PAGE	989
DATE	2-24-65
CURVE	
NO.	1650



ONE STAGE (7) STAGE

NPSH REQUIRED AT EYE
OF BOTTOM IMPELLER

TOTAL HEAD-IN FEET

NPSH REQ'D IN FEET

160 120 80 40
1120 840 560 280

A

B

C

OPERATING POINT

Q = 2888 gpm

83% TDH = 550'

75% 80% 82% 83%

525 75 350 50 175 25

U.S. GALLONS PER MINUTE

0 400 800 1200 1600 2000 2400 2800 3200 3600 4000

CUSTOMER JIM EATON

ADDRESS WENDELL

JOB

PROPOSAL #

SEE REVERSE SIDE FOR DETAILED INFORMATION

LAYNE & BOWLER PUMP CO.

CITY OF INDUSTRY, CALIFORNIA - LOS ANGELES AREA

PUMP AND MOTOR

Pumping Unit: _____ Date: _____

Pump Data:

Manufacturer Layne & Bowler

Serial No. D17284

Model No. 116 KAXL

Type VT

No. of Stages 7

Rated Speed (rpm) 1770

Rated Discharge (gpm) 3000

Rated TDH (ft.) 535

Other Data Col 430' 12x3 1/2 x 2 3/16

Well 20" 480' SWL 364

Motor Data:

Manufacturer US Motors

Serial No. 1399344

Rated Horsepower (hp) 500

Rated Amperage (amps) 650

Rated Voltage (volts) 440

Rated Speed (rpm) 1770


Phase 3

Service Factor 1.15


Other Data "U" Frame A689PY


Remarks _____


DIAGRAM OF PUMPING UNIT



AUG 08 1995







-6S



37-8326

PD



Some of P/u

AUG 08 1995

AFFIDAVIT of PUBLICATION

RECEIVED

JAN 15 1991

State of Idaho,)
) SS.
County of Gooding)

Department of Water Resources

Patty Nance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 2nd day of Jan
19 91, and the date of the last publication was on the 9th
day of Jan, 19 91.

Subscribed and sworn to before me this 10th
day of Jan, 19 91.
(SEAL)

Vivian Gonsky
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 2X

— Lines tabular at _____ 6¢/Pica
— 351.5 Lines straight at 17.58 5¢/Pica
— Subsequent lines at 14.06 4¢/Pica
TOTAL COST 31.64

COPY OF NOTICE (Paste Here)

Not. Appl. Trust Wrt. Rt.
TITLE OF NOTICE

Airport Ranch
37-08326

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J D W R Boise
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08326

AIRPORT RANCH, INC.
P.O. BOX 563
WENDELL, ID 833550000
Source: GROUNDWATER
Diversion Pt: SESE Sec 10 T 06S R 14E
Use: IRRIGATION (1.360 CFS)
Total Diversion: (1.360 CFS)
Date Filed: 1/6/1988
In: T06S R14E S10 NENE NWNE SWNE
SENE

NENW SENW NESW SESW
NESE NWSE SWSE SESE
S15 NENE NWNE SWNE SENE
518.0 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before JANUARY 21, 1991.

-s- R. Keith Higginson
Director
G3457

Pub: 1-2, 9

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 859

3457

OK
TJL
1-15-91

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08326

Priority: January 6, 1988

Maximum Diversion Rate:

1.36 CFS

This is to certify, that AIRPORT RANCH INC

PO BOX 563

WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 6, 1988; and has submitted Proof of Beneficial Use on December 17, 1991. An examination indicates that the works have a diversion capacity of 6.760 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	10/01 to 10/31	1.36 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION: SESE, Sec. 10, Township 06S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>CR</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	14E	10	NENE 40	NWNE 40	SWNE 40	
			SENE 27	NENE 35	SENE 38	
			NESW 40	SESW 33	NESE 33	
			NWSE	SWSE 40	SESE 40	446
15			NENE 40	NWNE 40	SWNE 38	
			SENE 38			156

Number of Acres Irrigated: 602

CONDITIONS/REMARKS:

1. This water right is appurtenant to the place of use.
2. This right is subject to forfeiture and may be forfeited by five years non-use.
3. Modifications to or variations from this license may be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

AUG 08 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-08326

CONDITIONS/REMARKS:

7. Right 37-02761B is also diverted through the point of diversion described above.
8. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
9. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
10. This right is limited to the irrigation of 518 acres within the place of use described above in a single irrigation season.
11. Use of this right with Right 37-02761B is limited to a total combined annual diversion volume of 2408.0 af and to the irrigation of a combined total of 602 acres in a single irrigation season.
12. This right when combined with Right 37-02761B and all other rights shall provide no more than .02 cfs per acre.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of AUGUST, 1995.

Acting for

KARL J. GREHER, Director

RECORDED
AUG 08 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
)
NO. 37-08326 IN THE NAME) **ORDER OF REINSTATEMENT**
)
OF AIRPORT RANCH INC)
_____)

This matter having come before the Department of Water Resources (Department) as a result of review, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On December 27, 1994, the Department issued a preliminary order which voided Permit No. 37-08326. The permit was voided because upon field examination by Department staff it appeared that water use developed was already covered by another water right (Permit No. 37-02761).

2. Upon further investigation the Department found that not all the acreage previously listed on Permit No. 37-08326 belonged to the permit holders nor was it overlapped by Permit No. 37-02761.

3. It was also found that water had been put to a beneficial use under Permit No. 37-08326 as authorized by the permit on the acreage that was not overlapped by Permit No. 37-02761.

RECEIVED
AUG 08 1995

CONCLUSIONS OF LAW

1. Section 42-219, Idaho Code, states:

In the event that the Department shall find that the applicant has not fully complied with the law and the conditions of the permit, it may issue a license for that portion of use which is in accordance with the permit, or may refuse issuance of a license and void the permit.

2. The permit should be reinstated pursuant to section 42-219 Idaho Code.

ORDER

IT IS THEREFORE HEREBY ORDERED that Preliminary Order Voiding Permit No. 37-08326 is **RESCINDED** and the permit is **REINSTATED**.

Dated this 1st day of August, 1995.

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED
AUG 08 1995

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 37-08326 IN THE NAME	)	PRELIMINARY ORDER
	)	VOIDING PERMIT
OF AIRPORT RANCH INC	)	
_____	)	

This matter having come before the Department of Water Resources (Department) as a result of an examination by Department staff to determine the extent of beneficial use of water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On January 6, 1988, Airport Ranch, Inc. applied to the Department of Water Resources for a permit to appropriate 1.36 cubic feet per second for irrigation of 518 acres using a groundwater source, within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Township 06S, Range 14E, Section 10, B.M., Gooding County.
2. On March 12, 1991, the Department approved the Application for Permit.
3. On December 17, 1991, the Department received Proof of Beneficial Use for the permit.

MICROFILMED

AUG 08 1995

4. On Febraury 10, 1992, Department staff conducted a field examination and the examiner's report indicated that the water use developed was already fully covered by previous water rights No. 37-02761, therefore no additional beneficial use of water had been made under this permit.

CONCLUSIONS OF LAW

1. Section 42-219, Idaho Code, states:

In the event that the Department shall find that the applicant has not fully complied with the law and the conditions of the permit, it may issue a license for that portion of use which is in accordance with the permit, or may refuse issuance of a license and void the permit.


2. The examination by Department staff revealed that the permit holder has not complied with the conditions of the permit by not beneficially placing water to the proposed use(s) beyond that already allowed from previous water rights as required by the permit and Section 42-219, Idaho Code.

3. The Department should void Permit No. 37-08326 as provided in Section 42-219, Idaho Code.

ORDER

IT IS HEREBY ORDERED that Permit No. 37-08326 is VOIDED in accordance to the provisions of Section 42-219, Idaho Code.

Dated this 27 day of December, 1994.


L. GLEN SAXTON
Chief, Water Allocation Bureau



AUG 08 1995

RECEIVED

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ 125.00Date 12-17-91Receipt No. 5013994Received by J. F. Eaton

DEC 17 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08326 Telephone No. 536-23412. Name(s) of Permit Holder(s): Airport Ranch Inc.3. Post Office Address: P.O. Box 563, Wendell, ID 833554. Source of Water: Groundwatera. If ground water, well driller's name: Eaton Drilling Date drilled: 1966b. Pump horsepower: 500 Pressure (psi): 100 Dynamic pumping level (ft.): 380

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 518 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 1.36 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Jim Eaton
Name

Telephone No. _____

Sqmc
Address

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 23 1991

12-17-91
DateJames Eaton
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08326

Proposed Priority: January 6, 1988 Maximum Diversion Rate: 1.36 CFS
This is to certify, that AIRPORT RANCH, INC.

P.O. BOX 563
WENDELL, ID 833550000

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.36 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 10, Township 06S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	14E	10	NENE 40	NWNE 40	SWNE 40	
			SENE 27	NENW 17	SENE 13	
			NESW 20	SESW 29	NESE 33	
			NWSE 40	SWSE 40	SESE 40	379
	15		NENE 38	NWNE 37	SWNE 24	
			SENE 40			139

Total number of acres irrigated: 518

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECEIVED

MAR 28 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08326

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of March, 1991.

for

R. Keith Higginson, Director



FILED - 1391

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Airport Ranch, Inc. Phone 536-2341
Post office address Box 563 Wendell, ID 83355
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ ¼ of SE ¼ of SE ¼, Govt. Lot _____
Sec. 10 Township 6S Range 14E B.M. Gooding County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.36 cfs for Irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.36 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing well, motor, pump, pivot
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ Existing well diameter is 20 inches; proposed depth of well is 700 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
MAR 28 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	14E	10	40	40	40	27	17			13	20			29	33	40	40	40	379
		15	38	37	24	40													139

Total number of acres to be irrigated 518

10. Describe any other water rights used for the same purposes as described above. 37-2761

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Part of Lic. 37-2761 is on land that we leased but never owned. The lease has ended, and the leased land will now be irrigated from another well not owned by us. The water from our well that was previously used on ½ the leased land will now be used on the licensed land that we do own. This will increase the flow rate for our land to still less than 1"/ac.

MAR 28 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Eaton Pres.
(Applicant)

Received by JS Date 1-6-88 Time 2:45 Preliminary check by JA
Fee \$ 6500 Received by M. Baldwin # 45431 Date 1/6/88
Publication prepared by LW Date 1/20/88 Published in Gooding Leader
B. Miller 12/26/90
Publication approved JG Date 1-15-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 28 1991

FROM Sam Skaggs

DATE 2-14-91

TO File #37-8326

SUBJECT Corporate Officers

James Eaten - President

Duane Johnson - Sec./Treas.

See telecon with James Eaten on this date.

MAR 28 1991

Sam Skaggs
SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 4, 1995

AIRPORT RANCH INC
PO BOX 563
WENDELL ID 83355

RE: WATER RIGHT NO. 37-08326

Dear Water Right Holder(s):

Enclosed is a copy of the Order of Reinstatement of your water right, plus a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

SHELLEY WALTER KEEN
Water Rights Supervisor

SWK:rl

Enclosures

RECEIVED
AUG 08 1995

MEMORANDUM

TO: File 37-08326 / Airport Ranch
FROM: Brenda Chapman
DATE: July 18, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

This permit had been recommended for voiding based on the examiner's recommendation that the acres in question were fully covered by the system's capacity as licensed under 37-02761 (6.68 cfs for 687 acres).

However, the 169 acres in Sections 11 and 14 covered under 37-02761 had been developed on land leased from the City of Gooding. When the right holder, Airport Ranch, filed a transfer to add a point of diversion, the City of Gooding refused to allow them to move the portion of land developed on the leased land. The city maintains a portion of the right is theirs and that the acres are still being irrigated but by another source. The original licensed well has not irrigated the leased acres in several years. The transfer has been amended to split 37-02761 into A & B. Part A covers the City of Gooding acres and a portion of the rate. Part B, Airport Ranch's portion, has a place of use of 602 acres but is limited to 518 by the split. They also have only a portion of the capacity.

With that information, 37-08326 can be licensed to pick up the remaining acres and portion of the capacity not licensed.

See File 37-02761 for additional information.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	1.36	336.0 <i>AK</i>

RECORDED
AUG 08 1995

LICENS REVIEW CHECKLIST



PERMIT NO. 37-08326 DATE 7-18-95

NAME	<u>Change</u> ☒ <u>OK</u>	Or Address Change?
PRIORITY DATE	<u> </u> ☒	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u> ☒	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u> ☒	Amendment needed? <u> </u> ^{PART A irrigates} Overlaps? <u>37-02761</u> ^{FROM A DIFFERENT P/D} <u>(T37-02761A @ 1.64)</u> <u>(T37-02761B @ 5.04)</u>
PLACE OF USE	<u> </u> ☒	Amendment needed? <u> </u> Overlaps? <u>602 acre place of use (T37-02761B)</u> <u>limited to 513.</u>
DIV RATE	<u> </u> ☒	Permit/fee limits: <u>1.36 CFS</u> Meas Q = <u>10.76</u> Theo Q = <u> </u> Recommend: <u>1.36</u> <u>84 x .02 = 1.68</u>
CAPACITY @ 6.76		
T37-02761B 5.04		
AVAILABLE 1.72		
ANNUAL VOLUME	<u> </u> ☒	Volume Limit: <u> </u> ^{NEW} Season: <u>C/4 (4-1 to 10-31)</u> Calculations: <u>84 x 4 = 336 af</u> <u>602 x 4 = 2408</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u>NO</u>
USES	<u> </u> ☒	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
ADDITIONAL INFO		Supplemental Groundwater <u>YES</u> PPU Scenario <u>YES</u> Irr/Dom Combination <u>NO</u> Shared G/W System <u>YES</u>
NEW REMARKS	<u>NO</u> <u>YES</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u>W36 WB3 WB8 W27 (84 acres) W35 W44</u>
NEW CONDITIONS	<u> </u> <u> </u> <u> </u> <u>YES</u> <u> </u>	Watermaster control - District <u> </u> Measuring/Locking Devices <u> </u> Irrigation Overlap <u> </u> Other <u>R55 R56 R57 (TRUST)</u> Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>

COMMENTS: Supplemental GW/PPU Scenario
Reduce acres & rate

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>1.36</u>	<u>336</u>	Adjustment Memo Needed	<u>YES</u>
<u> </u>	<u> </u>	<u>(in</u>	LICENSE	<u> </u>
<u> </u>	<u> </u>	<u>remarks)</u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

MEMORANDUM

TO: FILES 37-02761 & 37-08326

FROM: PAM SKAGGS/^{CP}STATE OFFICE

SUBJECT: OVERLAP EVALUATION

DATE: February 7, 1995

=====

Right No. 37-02761 is currently being reviewed under Transfer No. 4489 and several questions about what portion of the right is owned by Airport Ranch have emerged. (See memo dated 01-31-95 in file.)

It has also come to our attention that Permit No. 37-08326 overlaps the same system and therefor recommendations for licensing could be affected by the final evaluation of Right No. 37-02761.

A preliminary order to void the permit has been issued, but until the questions regarding Right No. 37-02761 are resolved, no further action should be taken on Permit No. 37-08326.

MICROFILMED

AUG 08 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

December 28, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

AIRPORT RANCH INC
PO BOX 563
WENDELL ID 83355-0563

RE: Permit No. 37-08326

Dear Permit Holder:

The accompanying order is a "preliminary order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of this order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director.

RECEIVED
AUG 08 1995

The Director retains the right to review the preliminary order on his own motion.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final


AUG 08 1995

order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a long horizontal stroke extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc


Enclosure

AUG 08 1995

CERTIFICATE OF MAILING

I HEREBY CERTIFY that on this 29th day of December, 1994, I mailed a true and correct copy, postage prepaid, of the foregoing Preliminary Order to the following:

Airport Ranch Inc.
PO Box 563
Wendell, ID 83355-0563



Donna Lord Corless
Clerical Specialist

MAILED
AUG 08 1995

LICENS: REVIEW CHECKLIST

PERMIT NO. 37-8326 DATE 12-20-94



	Yes	No	
NAME	___	___	Or Address Change?
PRIORITY DATE	___	___	Advance? ___ Advanced to: ___ Order to reinstate needed? ___ Incorrect fee for rate recommended? ___
SOURCE	___	___	Changes or just clarification of originally intended source? ___ Notice of Intent to Void necessary? ___
POINT OF DIV	___	___	Amendment needed? ___ Overlaps? ___
PLACE OF USE	___	___	Amendment needed? ___ Overlaps? ___
DIV RATE	___	___	Permit/fee limits: ___ Meas Q = ___ Theo Q = ___ Recommend: ___ Combined rates exceed capacity ___
ANNUAL VOLUME	___	___	Season of use: ___ Calculations: ___ Flow limit: ___ cfs x ___ x 1.9835 = ___ Combined volumes exceed capacity/allowable ___
USES	___	___	Change in Nature of Use or additional uses? ___ Amendment necessary? ___
REMARKS	___	___	Multiple p/d(s) in ¼ ¼? ___ Other ___
CONDITIONS	___	___	Measuring/Locking Devices Watermaster control - District ___ Irrigation Overlap Water Quality Other ___ Heat/Cool/ Fish verified ___
COMMENTS:	<u>RECOMMEND VOIDING PERMIT / FULLY COVERED UNDER</u> <u>37-027161.</u> <u>(NO ADDITIONAL ACRES OR WATER)</u>		

RECOMMENDED	CFS	VOL	SRBA Claim Filed	Adjustment Memo Needed
___	___	___	___	___
___	___	___	LICENSE	___
___	___	___	1ST AMENDMENT LETTER	___
___	___	___	FINAL AMENDMENT LETTER	___

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 02 1994
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Airport Ranch Inc. Permit No. 37-9326
Current Address: P.O. Box 563, Wendell, ID 83355 Phone No. 536-2341
2. Accompanied by: Jim Eaton EXAM. DATE: 2-10-92
Address: Same Phone No. _____
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-2761
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 37-2761
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
AUG 08 1995

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, buried mainline to 3 pivots & 700 handline sections.

3 pumps in canal pump into the same mainline (158 shares), Well is used as needed to supplement surface rights.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motors	500	1399344	Layne & Bowler	D17284

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SE	10	6S	14E	Gooding	

6. **Place(s) of Use:**

Indicate Method of Determination Aerial Photos

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	14E	10	39	39	40	39	36			29	40			32	35	40	40	40	41
		15	39	39	36	40													154
																			59

Do not use this space

AUG 08 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						

2. Measurements:

Tested 6.76 cfs on 7-15-91.
IPCO test on 5-21-85 was 6.34 cfs.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

APPROVED

AUG 08 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The original license on this system included 80 acres in Sec. 11 & 14 that were leased but not owned by the Airport Ranch. The lease ended a few years ago. Since some water was appurtenant to the leased land, the second permit was obtained to allow full use of this well on the Airport Ranch.

Under the SRBA, however, the Ranch claimed the full licensed flow rate on its remaining lands. No claims were filed on the other 80 acres, indicating that the license was never actually split.

The acreage I found is slightly less than the claimed acres, and the flow rate measured is a bit ^{more} ~~less~~ than the licensed amount. So ~~no new~~ ^{only 1% more} water and no new land were developed under this permit. Therefore, I recommend this permit be cancelled.

Measuring equipment is not accurate enough to justify licensing of an additional 1% of the existing licensed flow rate.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
None				
Totals:				

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 2-19-92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 08 1995

OUTER DIAMETER
14.1008 IN

WALL THICKNESS
.22000 IN

SPACING
11.229 IN U

OUTER DIAMETER
14.0213 IN

WALL THICKNESS
.25001 IN

SPACING
11.208 IN U

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

07-15 11:4600 *R
+ 6.551E 0FPS

07-15 11:4600 *R
+002.90 % AI2

0509.6 MMSEC
100.86 % T0

DAMPING SET
10 SEC

11:48+ 2.885E 36PM 00R
+00000 *10 G 00R
-00000 *10 G 00R

DAMPING SET
20 SEC

11:49+ 2.893E 36PM 00R
+00200 *10 G 00R
-00000 *10 G 00R

11:50+ 2.896E 36PM 00R
+00578 *10 G 00R
-00000 *10 G 00R

11:51+ 2.890E 36PM 00R
+00869 *10 G 00R
-00000 *10 G 00R

11:52+ 2.885E 36PM 00R
+01156 *10 G 00R
-00000 *10 G 00R

11:53+ 2.876E 36PM 00R
+01445 *10 G 00R
-00000 *10 G 00R

11:54+ 2.865E 36PM 00R
+01732 *10 G 00R
-00000 *10 G 00R

11:55+ 2.911E 36PM 00R
+02021 *10 G 00R
-00000 *10 G 00R

11:56+ 2.893E 36PM 00R
+02310 *10 G 00R
-00000 *10 G 00R

11:57+ 2.878E 36PM 00R
+02600 *10 G 00R
-00000 *10 G 00R

11:58+ 2.887E 36PM 00R
+02887 *10 G 00R
-00000 *10 G 00R

Jim Eaton
500 H.P.
Running
60 H.P.
Running

RECEIVED
AUG 08 1995

Idaho Department of Water Resources
APPLICATION FOR MUNICIPAL PUMP TEST
OR IRRIGATION SYSTEM AUDIT

1. Applicant: Airport Ranch Inc
2. Person to contact to arrange pump test: James Eaton
Address: Box 569 Wendell Ida
83333
Phone: 536 2341

3. For irrigation audits only:
Motor horsepower of each pump _____
Number of deep well turbines _____ short couple turbines _____
Number of in-line boosters _____ other centrifugals _____

Are any deep well turbines interconnected? yes ☐ no ☐

4. The applicant hereby authorizes the Department and its agents to install and use testing equipment during the period of the test. The applicant understands that installation may involve the drilling and tapping of the discharge pipe for installation of a flow meter, and that upon completion of the test, the hole is plugged. The applicant also understands that an authorized person must be on-site to operate the pumping unit during the test. The applicant hereby agrees to indemnify and hold harmless the Department and its agents for any injuries or losses resulting from performance of the pump test, provided that the Department and its agents shall not hereby be relieved of liability for their own negligence.
5. The Department shall prepare a pump test or system audit report and shall mail it to the above address. The applicant agrees to make a good faith, concerted effort to determine if a retrofit would be cost-effective and make the appropriate improvements within a reasonable period of time from receipt of the Department's written report.

Authorized
Signature: _____

James Eaton

July 13 1991
Date

Capacity or Position: _____

Accepted by: _____

Jared Miller

Idaho Department of
Water Resources

7/15/91
Date

Mail to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720

RECEIVED
AUG 08 1995

FIELD FORM FOR WELL WATER LEVEL MEASUREMENT PROBLEM DOCUMENTATION

This form should be used upon the occurrence of any unusual circumstances during well water level measurements. The form should be kept on file with the Department and will be used by the Bureau of Risk Management if a damage claim is filed by the well owner.

Date: 7/15/91 Time: 11:00 AM

Well Owner: JIM EATON

Staff Making Measurement: ARRED MILLER

Other People Present: SCOTT KING

Well Location: _____

Type of Well - irrigation(☒) municipal() industrial()
commercial() domestic() no present use()

Motor: Manufacturer U.S. Motors HP 500

Model _____ Serial 1399344

Type of Pump - vertical turbine(☒) submersible()
end suction() none()

was pump operating during measurement? yes(☒) no()

Pump: Manufacturer LAYNE 3. BOWEN

Model 16 KHXL Serial 017284

Purpose of Measurement - theoretical flow rate()
pump efficiency test(☒)
groundwater inventory()
other() _____

Type of Equipment Used - steel tape() Fisher M-scope(☒)
Olympic Actat() Soiltest()
other() Homemade

Give a complete description of the problem. Include photos of the well site if possible. Also include a description of the cable or tape which was broken or cut such as color, type, length and tip description. Describe any apparent damage to the pumping plant.

Dropped about 400' of wire into well (about depth thought water was). Didn't locate water, started to pull out and got hung up about 300'. Access well was fairly sharp, pulling in one spot was fraying wire. Cut off and tied. No apparent damage, owner was notified.

RECORDED
AUG 08 1995




Verli-Line PUMP

SECTION 40
PAGE 982
DATE 2-24-65
CURVE NO. 1650

16 KHXL 1770 RPM

ONE STAGE
(7) STAGE

NPSH REQUIRED AT EYE
OF BOTTOM IMPELLER



CUSTOMER JIM EATON

ADDRESS WENDELL

PROPOSAL #

LAYNE & BOWLER PUMP CO.

CITY OF INDUSTRY, CALIFORNIA - LOS ANGELES AREA

SEE REVERSE SIDE FOR DETAILED INFORMATION

BOWLER PUMP CO.

BOWLER PUMP CO.

Outside Time Sheet

P. 898 66022

Head 20.25 ft. 12.

Motor 1/2 H.P. 500 Speed

Bowls 7079 16 KHXU

Col. Size 12 x 3 1/2 x 1 1/2

Col. Length 130'

Longest Joint 30'

Suction 1 1/2" x 1 1/2" x 1 1/2"

Well Size 30" Depth 110'

Water Level 20'

Pumping Level

Mileage

Total Expense

Customer

Well Location

Pump No.

Installer

Dates

Is Job Complete

Work Done

Is Job Complete

No

Robert Evans

Trucking Station

Well No.

17-3-1947

17-3-1947

18-1305 41358

18-1305 41358

18-1305 41358

18-1305 41358

18-1305 41358

18-1305 41358

Itemized Expense on Reverse Side

AUG 08 1995

MP TEST SUMMARY

Pumping Unit: 500 H.P. WELL

Date: 7/15/91

Address of Owner: JIM EATON

Total Dynamic Head:

a) pumping water level:

Owner says PwL = 380

LOST!
Fisher or steel tape (ft) static

b) discharge pres.: IDWR gage

72

psi x 2.31

pumping

bowls at 400

c) press. gauge height (from center line of disch. pipe)

166.3 ft

d) friction losses (pump intake to pressure gauge)

2 ft

TDH = (a + b + c + d) = 550 ft

(see below) Q = 2880 gpm

ADJ = 3032 gpm

OHP = Q x TDH ÷ 3960 = 421.2 hp

(see attached data) IHP = 571.3 hp

Eff. = OHP ÷ IHP x 100 = 73.8 %

Electric Powered Pump Standards For Tested Efficiencies (from Pacific Gas & Electric Company, 77 Beale Street, San Francisco, CA 94104)				
Motor Size (HP)	Ratings			
	Low	Fair	Good	Excellent
3-5	41.9 or less	42-49.9	50-54.9	55 or above
7 1/2-10	44.9 or less	45-52.9	53-57.9	58 or above
15-20	47.9 or less	48-55.9	56-60.9	61 or above
40-60	52.9 or less	53-59.9	60-64.9	65 or above
75+	55.9 or less	56-62.9	63-68.9	69 or above

Other flow meter data:

Amount _____ units _____ seconds 1) _____ 2) _____ 3) _____ Ave _____

Type _____ Computed Flow Rate _____ gpm

FLOW MEASUREMENT

Inside Dia. (D) = _____ in

Inside radius IR = _____ in

Station Factors (F)	Stations (IR x F)		Velocity (V)	
	dec	in	R	L
A) 0.051				
B) 0.163				
C) 0.293*				
D) 0.453				
E) 0.684				
F) 1.316				
G) 1.547				
H) 1.707*				
I) 1.837				
J) 1.949				
Average Velocity (V):				

* two-point method

DECIMAL TO FRACTION
CONVERSIONS
(TO 1/16 INCH)

FEB 13 1992
Department of Water Resources
Southern Region Office

0.0000 - 0.0313	0
0.0313 - 0.0938	1/16
0.0938 - 0.1563	1/8
0.1563 - 0.2188	3/16
0.2188 - 0.2813	1/4
0.2813 - 0.3438	5/16
0.3438 - 0.4063	3/8
0.4063 - 0.4688	7/16
0.4688 - 0.5313	1/2
0.5313 - 0.5938	9/16
0.5938 - 0.6563	5/8
0.6563 - 0.7188	11/16
0.7188 - 0.7813	3/4
0.7813 - 0.8438	13/16
0.8438 - 0.9063	7/8
0.9063 - 0.9688	15/16
0.9688 - 1.0000	1

V (Hall) = _____

_____ - .32 = _____

AUG 08 1995

Flow: Q = 2.451 x V x (DIA)² x 5 corr. factor = 3032 gpm
= 6.76 cfs

INPUT HORSEPOWER

Pumping Unit: _____ Date: Clipped, call IP!

Kilowatt-Hour Meter Method:

Utility Idaho Power
 Manufacturer General Electric

#710

Type VM-63-A

Serial No. 50 822 350 CAT 700K16626

Demand 368 x 120 = 441.6

Model No. 3-1390X 6-30-67

Disc Constant (Kh) 4.8

Rated Voltage 480

Meter Multiplier 120

Other data FMSA CL10 TA25

Trial _____ Revolutions _____

4089 kwh

Seconds

1 10

48.63

2 10

48.75

3 10

48.54

Average Disc Rev.: N = 10 rev

Average Time: T = 48.64 sec

Input Kilowatts:

IKW = $3.6 \times Kh \times Mult \times N \div T$ = 424.3 kW

Input Horsepower:

IHP = IKW x 1.34 = 571.3 hp

Volt/Amp Measurement Method:

Volts

1-2 474

2-3 470

1-3 472

934-5661

J.P. Co.

Amps

1 564

2 _____

3 584

- couldn't get
probe around
wires

Average Voltage: V = 472 volts Average Amperage: A = _____ amps

Power Factor (PF) : _____ Comments _____

Input Kilowatts: IKW = $PF \times V \times A \times \sqrt{3} \div 1000$ = _____ kW

Input Horsepower: IHP = IKW x 1.34 = _____ hp

Too big of
wires

Hours of Operation Data: _____

Total Pumping Bill: _____

MAILED
AUG 08 1995

PUMP AND MOTOR

Pumping Unit: _____ Date: _____

Pump Data:

Manufacturer Layne & Bowler

Serial No. D17284

Model No. 16 KAXL

Type VT

No. of Stages 7

Rated Speed (rpm) 1770

Rated Discharge (gpm) 3000

Rated TDH (ft.) 535

Other Data Col 430' 12x3 1/2 x 2 3/16

Well 20" 480' SWL 364

Motor Data:

Manufacturer US Motors

Serial No. 1399344

Rated Horsepower (hp) 500

Rated Amperage (amps) 650

Rated Voltage (volts) 440

Rated Speed (rpm) 1770


Phase 3

Service Factor 1.15


Other Data "U" Frame A689PY

Remarks _____

DIAGRAM OF PUMPING UNIT



AUG 08 1995



GOODING 2 MI.
SHOSHONE 18 MI.


INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1962
MR 1560


683000m.E.

42°52'30"
114°45'

ROAD CLASSIFICATION

1 MILE





6S

21
5 HEL
10

11
14

15
16

13.1
HEL

16.3
HEL

18.4
HEL

8.1
HEL


AUG 08 1995

22 23

126
HEL

37-8326

PD



Some of P/u

AUG 08 1995

December 20, 1991

AIRPORT RANCH, INC.
P.O. BOX 563
WENDELL ID 833550000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08326

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 23 1991

138346

November 30, 1991

AIRPORT RANCH, INC.
P.O. BOX 563
WENDELL ID 833550000

PROOF DUE NOTICE

RE: PERMIT NO. 37-08326

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 19, 1991

AIRPORT RANCH, INC.
P.O. BOX 563
WENDELL, ID 833550000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08326

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

RECEIVED
MAR 28 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

MAR 28 1991

APPLICATION FOR PERMIT REVIEW

Application #: 37-8326
Date: 2-14-91

Reviewer: Pam Skaggs *PS*

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

✓ Proof not submitted - P16
Proof submitted - N/A

Groundwater:

✓ GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

✓ Approved w/permit - P99
Not included - 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. 37
Surface water - 005, 005-01H-P01 (LT.7 w/pump)
005-01J-P08 (GT.7)

✓ Groundwater *existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - 7 (1 or Blank)

✓ Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 11D-P72

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D. Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - Use Power Review

Mining - 06A, 006, 010, 09E-P10 & 054 (req.)

Storage - 18A-P for multiple measuring devices (In
W.D.), 18B-P09 (Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 02-01-1992

Other Conditions Recommended

waive 4.5.3 info per Jim Luke's Memo. System covered under license 37-2761.

FILED

MAR 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

DECEMBER 26, 1990

Gooding County Leader
442 Main Box 56
Gooding, ID 83330

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 21, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

RECEIVED

MAR 28 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08326

AIRPORT RANCH, INC.
P.O. BOX 563
WENDELL, ID 833550000

Source: GROUNDWATER

Diversion Pt: SESE Sec 10 T 06S R 14E

Use: IRRIGATION (1.360 CFS)
Total Diversion: (1.360 CFS)

Date Filed: 1/ 6/ 1988

In: T06S R14E S10	NENE	NWNE	SWNE	SENE
	NENW	SENW	NESW	SESW
	NESE	NWSE	SWSE	SESE
S15	NENE	NWNE	SWNE	SENE

518.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JANUARY 21, 1991.

Published 1/ 2/1991 & 1/ 9/1991

R. Keith Higginson, Director

MICROFILMED

MAR 28 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 37-8326/Trust Water Processing

DATE: 12-20-90

This application is a trust water filing which has come up for sequential processing under the appropriate rules and statutes.

The entire place of use under this application is covered by license 37-2761. This application proposes to increase the rate of diversion under an existing groundwater diversion system. The application does not propose development of any additional land.

The application should be processed as a trust filing but will not include any trust acreage.

REPROFILMED

MAR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Application No. 37-8326

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐

b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

Same as on application for permit. Well has pumped the licensed rate since 1965 or so.

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. _____

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

37-2761

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Jamuelston

Date 12-19-90

RECEIVED

DEC 19 1990

Department of Water Resources
Southern Region Office

MICROFILMED

MAR 28 1991

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	SUM
3708326	AMERICAN FALLS RESERVO	D	SNAKE RIVER	06S	14E	10	:	:	:	:	:	:	:	:	:
0100006	AIRPORT RANCH INC.	L	GROUNDWATER	06S	14E	10	40	40	27	17	13	20	29	33	40
3702761	AIRPORT RANCH, INC.	A	GROUNDWATER	06S	14E	10	40	40	27	17	13	20	29	33	40
3708326	1986 MAPPING DATA	---	COUNTY 47 QUAD AA	20	06S	14E	10	42	39	40	33	42	38	40	40
3708326	AMERICAN FALLS RESERVO	D	SNAKE RIVER	06S	14E	15	:	:	:	:	:	:	:	:	139
0100006	AIRPORT RANCH INC.	L	GROUNDWATER	06S	14E	15	38	37	24	40	:	:	:	:	35
3702761	LUTHER	S	WASTE WATER	06S	14E	15	:	:	:	:	:	35	:	:	40
3704166	GIESE	P	GROUNDWATER	06S	14E	15	:	:	:	:	:	:	:	:	139
3707611	AIRPORT RANCH, INC.	A	GROUNDWATER	06S	14E	15	38	37	24	40	:	:	:	:	2
3708326	COOK	P	GROUNDWATER	06S	14E	15	:	:	:	:	:	:	2	:	2
3708341	COOK	P	WASTE WATER	06S	14E	15	:	:	:	:	:	:	2	:	2
3708342	1986 MAPPING DATA	---	COUNTY 47 QUAD AA	20	06S	14E	15	37	39	38	41	40	40	38	39
3708326	AMERICAN FALLS RESERVO	D	SNAKE RIVER	06S	14E	15	:	:	:	:	:	:	:	:	612
0100006	AIRPORT RANCH INC.	L	GROUNDWATER	06S	14E	15	38	37	24	40	:	:	:	:	139
3702761	LUTHER	S	WASTE WATER	06S	14E	15	:	:	:	:	:	35	:	:	35
3704166	GIESE	P	GROUNDWATER	06S	14E	15	:	:	:	:	:	:	40	:	40
3707611	AIRPORT RANCH, INC.	A	GROUNDWATER	06S	14E	15	38	37	24	40	:	:	:	:	139
3708326	COOK	P	GROUNDWATER	06S	14E	15	:	:	:	:	:	:	2	:	2
3708341	COOK	P	WASTE WATER	06S	14E	15	:	:	:	:	:	:	2	:	2
3708342	1986 MAPPING DATA	---	COUNTY 47 QUAD AA	20	06S	14E	15	37	39	38	41	40	40	23	40

MICROFILMED

MAR 28 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 10, 1990

RE: APPLICATION FOR PERMIT NO. 37-8326

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

DEC 13 1991


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

MAR 2 1982

MAR 2 1982



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region

CECIL D. ANDRUS
Governor

January 20, 1988

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

R. KEITH HIGGINSON
Director

Airport Ranch
c/o James Eaton
Box 563
Wendell, ID 83355

Re: Application for permit No. 37-8326

Dear Mr. Eaton:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 37-8326. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

LW for LH

Loren O. Holmes, P.E.
Southern Region Manager

LH:LW

MICROFILMED

MAR 3 1988

RECEIVED
JAN 15 1991

JAN 15 1991

Department of Water Resources

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 2nd day of Jan 1991, and the date of the last publication was on the 9th day of Jan 1991.

Subscribed and sworn to before me this

day of Jan., 19 91
(SEAL)

Vivian Garza
NOTARY PUBLIC

Gookling, Idaho

Number of Lines in Notice _____

Number of Insertions 2X

—	Lines tabular at	6¢/Pica
—	<u>351.5</u> Lines straight at	<u>17.50</u> 5¢/Pica
—	Subsequent lines at	<u>14.00</u> 4¢/Pica
	TOTAL COST <u>31.64</u>	

(Paste Here)

Not. Appl. Limit Not. R.
TITLE OF NOTICE

Airport Ranch
37-68326
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO

NOTICE OF SALE
 57 6535
 AIRPORT RANCH, INC.
 P.O. BOX 400
 WENDELL, IDAHO 83456
 Source: GROUNDWATER
 Diversion To: SEED PLOT TO T 663 R 14E
 Use: IRRIGATION (1,200 CFS)
 Total Diversion (1,200 CFS)
 Date Filed: 1/27/1994
 To: T 663 R 14E S 10 NENE NWNE SWNE
 SENE
 NENE SENW NENE SESE
 NENE NWSE SWNE SESE
 S1S NENE NWNE SWNE SENE
 518.9 ACRES TOTAL
 The water in the above described all prior
 water rights is hereby abandoned
 because of the construction of the
 Idaho Canal and the public in-
 terest in the water. Idaho
 Canal is a project of the
 Department of Water Resources,
 State of Idaho, Boise, Idaho 83725 on
 or about JANUARY 21, 1994.
 - R. Keith Hingelson
 Director
 G3457

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

№ 859

3457

OK
JH
1-15-91