


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George E. Robbins

(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED
MAR 27 1991

State of Idaho,)
)SS.
County of Lincoln)

Department of Water Resources

Patty Nance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Lincoln County
Journal, a newspaper published every week in Shoshone, County of Lincoln,
State of Idaho, that said newspaper has been continuously and uninterruptedly
published for a period of seventy-eight consecutive weeks prior to the first
publication of the annexed notice, and is a newspaper qualified to publish
legal notices as provided by act of the 1919 session of the legislature of the
State of Idaho, know as House Bill 145; that the annexed advertisement was
published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 20th day of March
19 91, and the date of the last publication was on the 27th
day of March, 19 91.

Patty Nance

Subscribed and sworn to before me this 27th
day of March, 19 91.
(SEAL)

Vincent Anderson
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL
Shoshone, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____
Number of Insertions 2x

_____ Lines tabular at _____ 6¢/Pica
351.5 Lines straight at 17.58 5¢/Pica
_____ Subsequent lines at 14.06 4¢/Pica
TOTAL COST 31.64

COPY OF NOTICE (Paste Here)

Not for Appl. Trust Wat. Rt.
TITLE OF NOTICE
Gerald E. Robbins
37-08296
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Wat. Res.
BILL TO Boise

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08296
ROBBINS, GERALD E.
1421 POPULAR
TWIN FALLS, ID 833010000
Source: GROUNDWATER
Diversions Pt: Lot 8 () Sec 31 T 06S R
19E
Use: IRRIGATION (5,000 CFS)
Total Diversions: (5,000 CFS)
Date Filed: 5/11/1987
In: T06S R18E S36 NESE NWSE SWSE
SESE
R19E S31 Lot 7 () Lot 8 () Lot 9 () Lot 10 ()
Lot 11 () Lot 12 () NESE NWSE
SWSE SESE

491.0 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before APRIL 8, 1991.

-s- R. Keith Higginson, Director
Pub: 3-20, 27 L4365

7-8 pt. per line successive
insertions.....4¢/Pica

RECEIVED
JUL 11 1991

No 3460

4365

OK
3-27-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 15 1994
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Gerald E. Robbins Permit No. 37-8296
Current Address: 1421 Poplar, Twin Falls, ID 83301 Phone No. 733-9593
2. Accompanied by: Gene Shaw per telecon EXAM. DATE: 7-6-93
Address: _____ Phone No. 544-2924
Relationship to Permit Holder: Farm operator
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Canal water ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

(DIETRICH BUTTE)





T478 G. ROBBINS
323



T479
466

31 32

37-8296



P/u


37-8296



Well & Pump

Well, Discharge Pipe, Pond,
Re-lift Pump

Re-lift
Pump



Permit To Appropriate Water

Proposed Priority: May 11, 1987 Maximum Diversion Rate: 5.00 CFS
This is to certify, that GERALD E. ROBBINS
1421 POPLAR
TWIN FALLS, ID 833010000
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	5.00 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 8(NWSW), Sec. 31, Township 06S, Range 19E
LINCOLN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
06S	18E	36		NESE 40		NWSE 16		SWSE 19	
				SESE 40					115
	19E	31	LOT 9()	28	LOT 10()	28	LOT 7(NESW)	40	
			LOT 8(NWSW)	40	LOT 11(SWSW)	40	LOT 12(SESW)	40	
				NESE 40		NWSE 40		SWSE 40	
				SESE 40					376
Total number of acres irrigated:									491

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1992.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.

MICROFILMED

JUL 11 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08296

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

18th day of June, 1991.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

JUL 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-8296

To appropriate the public waters of the State of Idaho

1. Name of applicant Gerald E. Robbins Phone 544-2771
Post office address 750 East 568 South, Dietrich, Idaho 83324
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW ^{per map 23} $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 8
Sec. 31 Township 6S Range 19 E B.M. Lincoln County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 5.0 for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 5.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with Pump delivering
via sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 20 inches; proposed depth of well is 300' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

NO
MICROFILMED
JUL 11 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	19E	31							4.9	4.10	4.7	4.8	4.11	4.12	40	40	40	40	376
6S	18E	36							28	28	40	40	40	40	40	16	19	40	115

Total number of acres to be irrigated 491

10. Describe any other water rights used for the same purposes as described above. _____

179 Shares of Big Wood Canal Co.

101 1/4 shares of American Falls Reservoir Dist. #2

11. a. Who owns the property at the point of diversion? _____

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

APPROVED
JUL 11 1991

12. Remarks: The above water rights normally provide adequate water. It is requested this application be approved under 1987 drought temporary approval program and then processed normally under Chapter 2, Title 42 of the Idaho Code.

This is a topographic map of a section of the Milner River area. The map features a grid of lots, with Lot 7 through Lot 12, Lot 16 through Lot 19, and Lot 28. The lots are numbered 40, except for Lot 28 which is numbered 28. The map includes contour lines, a grid, and various geographical features like the Milner River, a canal, and a footbridge. Handwritten annotations include 'T.65.', 'Well', and 'MILNER'. The map also shows a 'LATERAL' canal and a 'CANAL'.

George E. Robbins
(Applicant)

Received by M. Baldwin Date 5/11/87 Time 4 pm Preliminary check by _____
Fee \$ 125⁰⁰ Receipted by M. Baldwin # 40782 Date 5/11/87
Publication prepared by BdM Date 3-12-91 Published in Lincoln County Journal
Publication approved TJL Date 3-27-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED
JUL 11 1991

AFFIDAVIT of PUBLICATION

RECEIVED

MAR 27 1991

State of Idaho,)
)SS.
County of Lincoln)

Department of Water Resources

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, County of Lincoln, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, know as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 20th day of March 19 91, and the date of the last publication was on the 27th day of March 19 91

Patty Nance

Subscribed and sworn to before me this 27th day of March 19 91
(SEAL)

Vincent Anderson
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL
Shoshone, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
351.5 Lines straight at 17.58 5¢/Pica
Subsequent lines at 14.06 4¢/Pica
TOTAL COST 31.64

COPY OF NOTICE (Paste Here)

Notice Appl. Trust Wat. Rt.

Gerald E. Robbins
37-08296
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Wat. Res.
BILL TO Boise

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08296

ROBBINS, GERALD E.
1421 POPULAR
TWIN FALLS, ID 833010000
Source: GROUNDWATER
Diversión Pt: Lot 8 () Sec 31 T 06S R 19E

Use: IRRIGATION (5,000 CFS)
Total Diversión: (5,000 CFS)
Date Filed: 5/11/1987
In: T06S R18E S36 NESE NWSE SWSE

SESE
R19E S31 Lot 7 () Lot 8 () Lot 9 () Lot 10 ()
Lot 11 () Lot 12 () NESE NWSE
SWSE SESE

491.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before APRIL 8, 1991.

-s- R. Keith Higginson, Director
Pub: 3-20, 27 L4365

7-8 pt. per line successive
insertions.....4¢/Pica

NOTIFIED
JUL 11 1991

No 3460

4365

OK
3-27-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Gerald E. Robbins Permit No. 37-8296
Current Address: 1421 Poplar, Twin Falls, ID 83301 Phone No. 733-9593
2. Accompanied by: Gene Shaw per telecon EXAM. DATE: 7-6-93
Address: _____ Phone No. 544-2924
Relationship to Permit Holder: Farm operator
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal water ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, open discharge into pond. Relift pump from pond to sprinklers.

4. No tag on motor. No pressure gauge on re-lift pump. ☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well				Lynco? Bowler	LI 91295
Re-lift pump	Marathon	100	ED-96616-4/7	Peerless	76L115640

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8	NW	NW	SW	31	6S	19E	Lincoln	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	19E	31									34.7	36.8	34.7	34.7	3.3	34.7	16.7		203.7
											36.6	37.5	38.1	20.8					
											47.7	47.8	47.1	47.2					
											26								
											47.9								

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Theoretical capacity = 4.05 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 203.7 \times 4 = 814.8$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4.05 \times 214 \times 1.9835 = 1719.1$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 814.8$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well supplements canal water as needed. Well off during exam - only canal water was in use.

Not to exceed 814.8 AF/annum for all rights used on this land.

Flow rate recommended is for re-lift pump, which should be about the same as the well would produce. Pond is not large enough to hold any significant amount of storage.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	4.05	814.8
Totals:			4.05	814.8

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name J E Stanton

Signature J E Stanton

Certification Date _____


Field Report Preparation Date 1-31-74

CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SHOSHONE SE QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

(DIETRICH BUTTE)



37- 8296



GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 27-8296

DATE: _____

BY: JE Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (\dots 100 \dots) \times (0.70)}{[(\dots 250 \dots) + (\dots 65 \dots \times 2.31)]} = \underline{\underline{4.05}}$$

LIFT FROM:

measurement ()

owner (X)

area estimate ()

well logs ()

PSI FROM:

measurement ()

owner (X)

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

Booster (Y) (N)

REMARKS Rating for re-lift pump

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____

(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

37-8296




P/u

37-8296



Well & Pump



Well, Discharge Pipe, Pond,
Re-lift Pump

Re-lift
Pump



August 14, 1991

GERALD E. ROBBINS
1421 POPLAR
TWIN FALLS, ID 833010000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08296

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 37-8296

Date 8-12-91

GENERAL CONSIDERATIONS

- y Name same as permit?
y Address same as permit? If no, indicate below.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- Surface water source
y Ground water source
y Drill permit req'd?
y Copy in file? Drill permit no. 37-91-S-012
200.00 Amt paid for drilling permit? y Correct?
x Well log in file?

LICENSE EXAMINATION FEE

- y Required?
200.00 Amount submitted?
y Correct amount?

MEASURING DEVICE

- y Measuring device or access port required?
y Installed?
NA Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

** too early - not submitted yet*
Proof acceptable

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

Form 217
RECEIVED
AUG 02 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 200.00
Date 8-2-91
Receipt No. C821388
Received by [Signature]

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08296 Telephone No. 208-733-9593

2. Name(s) of Permit Holder(s): GERALD E. RUBBINS

3. Post Office Address: 1421 POPIAR AVE TWIN FALLS, ID 83301

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: SMITH DRILLING (Jenna) Date drilled: JULY 1991

b. Pump horsepower: 150 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 491 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 5.00 cfs 401-500 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ___ No Installed? ☒ Yes ___ No

OR

Flow Measurement Port: Required? ☒ Yes ___ No Installed? ☒ Yes ___ No

8. Fee Enclosed: \$ 200 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

(GARY)
GERALD E. RUBBINS
Name

733-9593
Telephone No.

1421 POPIAR

TWIN FALLS
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-1-91
Date

Gerald E. Robbins owner
Signature (and title if on behalf of a company or organization)

AUG 22 1991

Drilling Permit No. 37-91-5-012
Water Right Permit No. App. 37-8296
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT FEB 20 1991

Department of Water Resources

RECEIVED

1. Applicant (please print) Gerald E. Robbins
2. Mailing Address 750 E. 568 S., Dietrich, ID 83324
Telephone 733-9593

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SW 1/4, or Gov't Lot No. 3
Sec. 31, Twp. 6S, Rge. 19E, County Lincoln
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

- () Injection

- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

- A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 16" Proposed Maximum Depth 300'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date Within 60 days

7. Anticipated Well Driller ?
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Gerald E. Robbins Date 2-19-91

Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

2/19/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the well permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriate injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Larry O. Halverson
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION

Title

Receipt No. 5012023 Received by OP Fee \$200.00 Date 2-19-91

EXTENSION OF DRILLING PERMIT

AUG 22 1991

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 21, 1991

GERALD E. ROBBINS
1421 POPLAR
TWIN FALLS, ID 833010000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-08296

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

MICROFILMED
JUL 11 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JUL 11 1991

MEMORANDUM

TO: GARY

FROM: JIM JOHNSON

RE: APPLICATION IN BASIN 37

DATE: May 8, 1991

=====

This application was filed in 1987 and has now surfaced under Trust Water Processing. Tim's review shows that most of the right has already be developed except for 160 acre tract located in the SE 1/4 of Section 31.

I believe you told me that a Administrative Memorandum would be written to cover the splitting of applications. Where are we on this? Should this right be split?

MICROFILMED

JUL 11 1991

APPLICATION FOR PERMIT REVIEW

Application #: 37-8296
Date: 5-6-91

Reviewer: Pam Skaggs

Existing:

- No - 26A-P17
- Complete in 1 year - P16
- ✓ Yes
- ✓ Proof not submitted - P16
- Proof submitted - N/A
- ✓ Groundwater:
- ✓ GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
- LT. 0.7 cfs - N/A
- ✓ Drilling Permit:
- Approved w/permit - P99
- Not included - 046-P23 (All GW, even existing wells)

Location:

- ✓ Water Districts - WD No. 37M
- Surface water - 005, 005-01H-P01 (LT.7 w/pump)
- 005-01J-P08 (GT.7)
- ✓ Groundwater *Existing* - 005
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- ✓ Swan Falls Flag - 7 (1, Blank or Other)
- Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
- Non Trust - 048-049 or Irr & Dom)

River Basins:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A or 010, 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
- Rec. & Aesthetic - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

Ownership:

- Non land owner - 004

Protested:

- Agreement - 020

Minimum Stream Flow:

- Overlapping uses - 029-P20

Beneficial Use Due Date:

Other Conditions Recommended 05-01-1992 *Existing*
4,5,3 Data - all supplemental except 160 acres
in SE. See Jim Luke Memo of 3-5-91

JUL 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MARCH 11, 1991

Lincoln County Journal
Box 704
Shoshone, ID 83352

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 8, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

MICROFILMED
JUL 11 1991

37-08296

ROBBINS, GERALD E.
1421 POPULAR
TWIN FALLS, ID 833010000

Source: GROUNDWATER

Diversion Pt: LOT 8 () Sec 31 T 06S R 19E

Use: IRRIGATION (5.000 CFS)
Total Diversion: (5.000 CFS)

Date Filed: 5/11/ 1987

In: T06S R18E S36	NESE	NWSE	SWSE	SESE
R19E S31	Lot 7 ()	Lot 8 ()	Lot 9 ()	Lot 10 ()
	Lot 11 ()	Lot 12 ()	NESE	NWSE
	SWSE	SESE		

491.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before APRIL 8, 1991.

R. Keith Higginson, Director

Published 3/20/1991 & 3/27/1991

MICROFILMED

JUL 11 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 37-8296/Trust Water Processing




DATE: 3-5-91

The above application has come up for sequential trust water processing. Based on review of the returned questionnaire and attached overlap report, the application is largely a supplemental filing. Most of the acreage under the application has been developed with existing surface water rights. The returned trust water questionnaire indicates that the source has not been developed but that the source will supplement surface water rights.

On this date I reviewed a 1984 color infrared aerial (NHAP) photo at the state SCS office. All of the acreage under the application except for the 160 acres in the SE1/4 of section 31 appeared to be clearly irrigated in the 1984 photo. About half of the SE1/4 of section 31 appeared developed, but the land appeared dry farmed. The photo was not conclusive as to whether the latter lands were irrigated. The 160 acres in the SE1/4 should be considered non-irrigated prior to 10/1/1984 and will be counted as trust water acreage.

MHC
JED
JUL 11 1991

Gary Robbins
1421 Pooler
Twin Falls, ID 83301



1991 JUL 11
ADDRESS
JUL 11 1991

State of Idaho
Dept of Water Resources
1301 North Orchard Street
Statehouse mail
Boise, Idaho 83720

RECEIVED
FEB 14 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE Department of Water Resources

Application No. 37-8296

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No

b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ~~X~~ No ~~X~~ X

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

presently there is water available for about 250 Acres.
Source is magic Dam.

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. NONE

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 350

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

101 3/4 Shares American Falls 179 Shares Magic

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Geoff E. Hobbs

Date 2-12-91
MICROFILMED

JUL 11 1991

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3708296																							
0100006	AMERICAN FALLS RESERVO	D	SNAKE RIVER	06S	18E	36				:				:				:					
3702558	GRIEVE	L	GROUNDWATER	06S	18E	36				:				:	10	35	40	40			5		130
3708296	ROBBINS	A	GROUNDWATER	06S	18E	36				:				:				:	40	16	19	40	115
	1986 MAPPING DATA	—	COUNTY 63 QUAD AA 74	06S	18E	36	8	5		4	:	6	4	:	15	29	2	:	39	5	13	39	169
3708296																							
0100006	AMERICAN FALLS RESERVO	D	SNAKE RIVER	06S	19E	31				:				:				:					
3708296	ROBBINS	A	GROUNDWATER	06S	19E	31				:				:				:	40	40	40	40	160
	1986 MAPPING DATA	—	COUNTY 63 QUAD AA 75	06S	19E	31	37	4	1	26	:			:				:	13	39	35	15	170

1984 NHAP

SE36 NE SE = 40✓
 NW SE = 16✓
 SW SE 19✓
 SE SE = 40✓

SEE 31:

SW 1/4 = ALL irrig. (lots 8, 9, 10, 11)
~~SE 1/4~~ = lots 7 & 12 = irrig.

SE 1/4 = non-irrigated. → 80 acres of E 1/2 SE 1/4
 80 acres W 1/2 SE = appeared dry farmed or
 developed; not conclusive evidence as to irrigation

Summary: Approx 80 of 491 acres is non-irrigated in 1984 photo.

T92 3-5-91

MICROFILMED
JUL 11 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 16, 1991

Gerald E. Robbins
750 E. 568 S.
Dietrich, ID 83324

RE: Application for Permit No. 37-8296

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING APPLICATION

On May 11, 1987 you filed with the Department of Water Resources (Department) Application for Permit No. 37-8296 which proposed the diversion of 5.0 cubic feet per second of groundwater for irrigation of 491 acres.

The Department mailed a letter and questionnaire to you on December 10, 1990. The letter requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this notice is to provide a second and final opportunity for you to submit the requested information. Pursuant to Section 42-204, Idaho Code, the Department may void applications for which requested information is not submitted. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Section 42-204, Idaho Code.


If no development has been completed as authorized by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water without an approved permit, the Department may issue an order requiring you to cease diverting the water.

MICROFILMED

JUL 11 1991

Please feel free to contact me if you have questions concerning this matter.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosure
cc: Region

MICROFILMED

JUL 11 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

December 10, 1990

R. KEITH HIGGINSON
DIRECTOR

RE: APPLICATION FOR PERMIT NO. 37-8296

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED

JUL 11 1991

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

MICROFILMED

JUL 11 1991

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: T. Blau ROBBINS, Gerald
APPLICATION NUMBER: 37-8296

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. AA-74, 75
☐ Yes ☐ No Other rights on same place of use. D1-0006
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☐ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☐ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended. _____
Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: _____ Date: _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

May 15, 1987

Gerald E. Robbins
750 E, 568 S
Dietrich, ID 83324

RE: Water Right No. 37-8296

Dear Mr. Robbins:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Supervisor

LH:mb

Enclosures

MICROFILMED

JUL 11 1981

EXHIBIT A
ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 37-8296

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 37-8296; and a temporary approval to divert groundwater is granted until September 11, 1987 subject to the following limitations and conditions:

- a. Subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.

MICROFILMED

JUL 11 1991

- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- K. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 18 day of May, 1987.

Loren O. Holmes
Loren O. Holmes, P.E.
Southern Region Supervisor

MICROFILMED

JUL 11 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

May 15, 1987

Gerald E. Robbins
750 E, 568 S
Dietrich, ID 83324

RE: Water Right No. 37-8296

Dear Mr. Robbins:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

Very truly yours,

Loren O. Holmes
Loren O. Holmes, P.E.
Southern Region Supervisor

LH:mb

Enclosures

MICROFILMED

JUL 11 1991

EMERGENCY GROUNDWATER APPLICATION ANALYSIS SHEET

☒

Is the application acceptable according to a regular Staff Analysis? (Y/N)

☒

Is permanent approval under normal conditions also requested? (Y/N)

☒

Has the Governor issued a drought emergency declaration for the County the P/U is in? (Y/N)

☒

Is the P/U outside a GWMA or CGWA? (Y/N)

Overlap Review

Attach one of the following:



Copy of P/U microfilm showing overlapping surface rights.



Conversation Memo with Canal Co. documenting that the P/U has canal stock.

☒

Does Item 10 of the application correctly identify overlapping surface water rights?

Reviewed by

Terry Blair

MICROFILMED

JUL 11 1991

CONVERSATION MEMORANDUM

DATE 1/12/87

Big Wood Canal Co.

FILE Gerald RobbinsNAME OF PARTY American Falls Res. Dist #2EMPLOYEE TERRY BlauRE: Emergency G.W. AppLists under Gary Robbins AS OWNERSharesTitled Owner

179 Big Wood Canal Co Cert. 9491 JH & Glenda Burgoyne

101.75 shares AFDist 2 Cert 9772 in T

.5 shares Big Wood Canal Co " 8271 George W Bowman

Big W. Lots 8-11 31 6 - 19

SE 1/4 E. of Canal 36 6 - 18

A.F. SE 1/4 Lot 7-12 31 6 - 19

(Lots 18-24) in 12 6 - 18

(Detarich Village)

1 Share equals $\frac{5}{8}$ in = 175.47" = 3.5 cfs

MICROFILMED

JUL 11 1991