


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. D. Shuler
(Applicant)

MICROFILMED

COPY OF NOTICE

37-8214

SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N
R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

Protests must be filed with the
Director, Department of Water
Resources, Southern Region,
1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301, on or
before NOVEMBER 11, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal-
October 24 and October 31, 1985.

**Water right app.
filed by Sluder**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-8214

SLUDER, C.D.
Post Office Box 370
Bellevue, Idaho 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diverslon Point: SESE Sec 23 T
01N R 18E

Use: COMMERCIAL (1.50 CFS)
In: SESE Sec 23 T 01N R 18E

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the
Director of the Idaho Department
of Water Resources, 1041 Blue
Lakes Boulevard North, Twin
Falls, Idaho 83301, and received
ON OR BEFORE JULY 22, 1985.

A. KENNETH DUNN

Director

Publish: Wood River Journal-July
3 & 11, 1985.

RECEIVED
SEP 16 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: C.D. Sluder Permit No. 37-8214
Current Address: P.O. Box 370, Bellevue, ID 83313 Phone No. 788-3429
2. Accompanied by: Gib Sluder EXAM. DATE: 5-1-87
Address: Same Phone No. _____
Relationship to Permit Holder: son
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

MAY 23 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.



QUADRANGLE LOCATION

ROAD LEGEND

Improved Road
Unimproved Road

37-8214

Well with outlet
to rock crusher/
sorter.



Diesel motor
powering well,



Rock crusher/
sorter.

MICROFILMED

MAY 23 1990



Applicants allowed opportunity to protest

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) is (are) being advertised to allow all parties affected by the addition of the public interest criteria Sec. 42-203C, Idaho Code, the opportunity to protest:

37-8056

CITY OF BELLEVUE
BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 11/02/1982

Amount: 3.00 CFS

Diversion Point: NWNW Sec 34
T 02N R 19E, BLAINE Co.

Use: MUNICIPAL (3.00 CFS) from
01/01 to 12/31

Place of Use: Sec 36 T 02N R 18E
WITHIN THE CITY LIMITS OF
BELLEVUE

Diversion Means: WELL, PUMP

37-8118

HORN, RUSSELL L.

&/or SALLY M.

P.O. BOX 10

HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 06/03/1985

Diversion Pt: NWSW Sec 15 T
02N R 18E

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.04 CFS)

In: NWSW Sec 15 T 02N R 18E
FOR 2 ACRES

37-8213

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: NENE Sec 23 T
01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: NENE Sec 23 T 01N R 18E

37-8214

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N
R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

Protests must be filed with the
Director, Department of Water
Resources, Southern Region,
1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301, on or
before NOVEMBER 4, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal-
October 17 and October 24, 1985.

*ok
may*

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08214

Priority: May 21, 1985

Maximum Diversion Rate:

0.81 CFS

Maximum Diversion Volume:¹

88.0 AF

This is to certify, that C. D. SLUDER

P.O. BOX 370

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1985; and has submitted Proof of Beneficial Use on January 5, 1987. An examination indicates that the works have a diversion capacity of .810 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.81 CFS	88.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 23, Township 01N, Range 18E
BLAINE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

01N 18E 23 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Commercial use is for washing & separation of sand and gravel.

MICROFILMED

MAY 23 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08214

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of MAY, 1990.

Acting for *Norm Ogung*
R. Keith Higginson, Director

MICROFILMED

MAY 23 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 37-8214 IN THE
NAME OF C. D. SLUDER

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1987; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 1, 1987 the permit lapsed for failure of the permit holder to submit proof of beneficial use together with the examination fee; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting the proof of beneficial use and the examination fee on January 5, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 37-8214 be REINSTATED and the priority advanced to May 21, 1985.

Dated this 21st day of January, 1987.

MICROFILMED

MAY 23 1990

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant C. D. Sluder Phone 788-3429

Post office address P. O. Box 370, Bellevue, ID 83313

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 1N

Range 18E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.5 cfs for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.5 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 120 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 1N

Range 18E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Washing & separation of sand & gravel.

MICROFILMED

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks: This system was completed in June of 1982, and has been used since then.

I therefore claim subordination by Idaho Power Co. of my water right.

After use, this water goes into a settling pond. Much of this water returns to the aquifer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. D. Shuler
(Applicant)

MICROFILMED

Proposed Priority 5/17/85

MICROFILMED

Received by JA Date 5-17-85 Time 12:20 pm

Preliminary check by ADM Fee \$ 65.00

Receipted by JA Date 5-17-85 # 35352

Publication prepared by marga Date 6/27/85

Published in read river journal

Publication dates 7/4 + 7/11/85

Publication approved marga Date 7/12/85

Protests filed by: None

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by ADM KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8214, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 4th day of December, 1985.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(Paste Here)

Notice of Application
TITLE OF NOTICE
#37-8214 Sluder

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO

State of Idaho, }
County of Blaine } SS.

CLINT STENNETT

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 24th day of Oct. 19 85, and the date of the last publication was on the 31st day of Oct. 19 85.

Clint Stennett

Subscribed and sworn to before me this 31st

day of October, 19 85.
(SEAL)

Robert J. Kucher
NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line
Number of Lines in Notice 22.5
Number of Insertions 2
Lines tabular at 5¢/Pica
22.5 Lines straight at 9.90 4¢/Pica
22.5 Subsequent lines at 7.43 3¢/Pica

TOTAL COST 17.33

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica
7-8 pt. per line tabular 5¢/Pica
7-8 pt. per line successive
insertions 3¢/Pica

RECEIVED

NOV 4 1985

Department of Water Resources
Southern District Office
MICROFILMED

S.U.C.
P.A.
RELIEF, ID 83373
Source: GROUNDWATER
Date Filed: 05/17/1995
Designation: SESE Sec 23 T 01N
R 18E
Use: COMMERCIAL (1.50 CFS)
In: SESE Sec 23 T 01N R 18E
Please consult with the
Director, Department of Water
Resources, Southern Region,
1000 West 10th Blvd, North
Platte, NE 68101, on or
before NOVEMBER 11, 1995.
A. KENNETH DUNN
Director
Public Works
October 11, 1995

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

CLINT STENNETT

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of July 19 85 and the date of the last publication was on the 11th day of July 19 85

Subscribed and sworn to before me this 11th day of July 19 85
(SEAL)

Roberta McKendall
NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 5¢/Pica
36 Lines straight at 15.84 4¢/Pica
36 Subsequent lines at 11.88 3¢/Pica
TOTAL COST 27.72

COPY OF NOTICE

(Paste Here)

Not. of App #37-8214
TITLE OF NOTICE
Sluder

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica
7-8 pt. per line tabular 5¢/Pica
7-8 pt. per line successive
insertions 3¢/Pica

ok mayer
RECEIVED

No 4152
JUL 12 1985

Department of Water Resources
Southern District Office

MICROFILMED

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

[illegible]

U.S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D.C. 20535

ject
bary
perm
Draw
of W
Lafco
Fallo
ON ON

[Illegible text]

May 7, 1990

C. D. SLUDER
P.O. BOX 370
BELLEVUE, ID 83313

RE: PERMIT NO. 37-08214

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAY 23 1990

April 11, 1990

C. D. SLUDER
P.O. BOX 370
BELLEVUE, ID 83313

RE: PERMIT NO. 37-08214

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 23 1990

STATE OF IDAHO
DEPARTMENT OF, WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

37-8214
Permit No.

RECEIVED

SEP 16 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with condition
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy

License as Recommended.

Check of P/D index 4-27-87 (Ini

Overlap? ☐ yes ☒ no If yes: ☐ copy
Type of Overlap? ☐ Add acres or uses to
☐ Increase rate of flow
☐ Other: _____

Check of P/U index 4-27-87 (Ini

Overlap? ☐ yes ☒ no If yes: ☐ copy
Type of Overlap? ☐ Increase rate of flow
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 6-2-87 J. E. Stettin (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent ADM 6/16/87 (Initial and date)

Exam Reviewed by Manager of Regional Office SK 8/26/87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 37-8214

A. GENERAL INFORMATION

1. Owner: C.D. Sluder

Phone No. 788-3439

Current Address: P.O. Box 370, Bellevue, ID 83313

2. Accompanied by: Gib Sluder

EXAM. DATE: 5-1-87

Address: Same

Phone No. _____

Relationship to Permit Holder: son

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: —

☐ Copies Attached


2. Other water rights with same point of diversion: —

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAY 23 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, diesel pump engine, submersible pump

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Caterpillar	200	66D922967	Sta-Rite	15 hp 22.5 gpm 480V

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	23	1N	18E	Blaine	

6. Place(s) of Use:


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	23																C	

MICROFILMED

1981 JUN 23 1980


Do not use this space



ROAD LEGEND


Improved Road
 Unimproved Road

QUADRANGLE LOCATION



37-8214

Well with outlet
to rock crusher/
sorter.



Diesel motor
powering well,



Rock crusher/
sorter.

MICROFILMED

MAY 23 1990



Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Cox-Hall Meter					2 1/2-5"	
Manometer						

2. Measurements:

$41.8 - 8.0" = 33.8" = 28.77"$ for Cox meter.
 $28.77" \times \pi r^2 (4" \text{ pipe}) = 362 \text{ gpm} = 0.81 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 7 psi x 2.31 = 16.3 ft (1); Dynamic pumping level: 45 ft (2)

Total Head: (1) + (2) = 61.2 (3); Flow rate: 1.13 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

~~$0.81 \text{ cfs} \times 365 \text{ days} \times (8/24 \times 1.9835) = 195.6 \text{ AFA}$~~
~~229~~

$0.81 \text{ cfs} \times 40 \text{ hrs/wk} \times 33 \text{ wks/ann} = 362 \text{ gpm} \times 60 \text{ min/hr} \times 1320 \text{ hrs/ann} = 88 \text{ AFA}$
 325900 gal/AFA

MAY 23 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Most of the water runs back into the ground thru the sand/gravel beds of the P/U.

Well under permit 37-8213 serves the same purpose but at a different location. Use moves between the 2 sites in different years. System does not operate in freezing weather.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	4-1	~~12-31~~ 11-15	0.81	~~195.5~~ 88.0
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name J.E. Stanton

Signature James E. Stanton

Certification Date 5/15/87

Field Report Preparation Date 6-1-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
MAY 23 1990

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING
PERMIT NO. 37-8214

DATE: 6-14-89

It is recommended that this permit be exempt from the review requirements of Section 42-203D (i.e.; Swan Falls review) for the following reasons:

- 1) the permit is for a commercial use and contains a condition that the consumptive use shall not exceed 2.0 acre-feet per day;
- 2) at the time the application was made, the applicant stated that the system was completed in 1982 and had been in use since that time;
- 3) proof was filed in 1987 which referenced that the use had commenced in 1982;
- 4) a field examination was completed by the department and the measured discharge rate was 0.81 cfs.

Commercial use filings less with rates of 1.0 cfs or less are exempt from the review requirements of Section 42-203D. The permit and field exam should be reviewed for licensing.

MicroFILMED

MAY 23 1990

RECEIVED

JAN 05 1987

no ✓ JJ

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$125.00

Date 1-6-87

Receipt # 40936

Receipt by JJ

Reviewed by JJ

Sent to region 1-15-87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-8214

Name(s) of Permit Holder: C. D. Sluder

Post Office Address: P. O. Box 370

Bellevue, Idaho 83313

Telephone No. 788-3429 or 788-2572

Source of Water: Drilled Well

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation (acres)

Other/Remark Commercial

Total rate and/or volume for which proof is submitted 1.5 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: June - 1982

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

C. D. Sluder

788-3429 or 788-2572

(Name)

(Telephone Number)

Glendale Road
P. O. Box 370

Bellevue, Idaho 83313

(Address)

The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
MAY 23 1990

12-29-86

Date

C. D. Sluder

Signature of Permit Holder (and title, if appropriate)

ATTN: Dept. of Water Resources 1-2-86

Please find check, for 250.00
enclosed for Water Bayouth
37-8513 and #57-8514. We have
enclosed in correct Beneficial
I have forgot to send the check
with them.

Request more concrete well and not
concrete the water can be
taken from about our plants
down, well good. We
need well around the
of Ogilvie, 1987.

JAN 05 1987

RECEIVED

Department of Water Resources

Dean J. Rubin

MAY 24 1980

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
OCTOBER 31, 1986

138426

SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-8214

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAY 23 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
DECEMBER 05, 1985

SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-8214

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

SLUDER, C. D.

INITIAL REVIEW BY: ADA

APPLICATION NUMBER: 37-8214

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. Not looked up.

- ☒ Yes ☐ No* In form for advertising. 7/22/85 11/4/85 11/11/85
Final date for protests: 7/22/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/12/85 11/4/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37
105 5/17/85 Date of priority recommended.
☒ Special conditions of approval or cover letter. 09D

RECEIVED
NOV 22 1985

app. not identified in S.F. suit

Department of Water Resources

MICROFILMED

By: ADA Date: 7/24/85 11/20/85

STATE OFFICE REVIEW:

103, 105, 116 32 OIC 09E

RECEIVED

- ☐ See attached sheet for more information.

By: EW Date: 12/3/85 JUL 26 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

DISCONTINUED BY ADAS 5 1361

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

ADAS 5 1361
DECEMBER 1961

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 8, 1985

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

Encl:

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) is (are) being advertised to allow all parties affected by the addition of the public interest criteria Sec. 42-203C, Idaho Code the opportunity to protest:

32-8214-

SLUDER, C.D.

P.O. BOX 370, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

Protests must be filed with the Director, Department of Water Resources, Southern Region, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before November 4, 1985.

Nov. 11, 1985
A. KENNETH DUNN
Director

Published in Wood River Journal on Oct. 24, Oct. 31 ~~Oct. 17 & 24~~, 1985

MICROFILMED

Applicants allowed opportunity to protest

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) is
(are) being advertised to allow all
parties affected by the addition of
the public interest criteria Sec.
42-203C, Idaho Code, the oppor-
tunity to protest:

37-8056

CITY OF BELLEVUE
BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 11/02/1982

Amount: 3.00 CFS

Diversion Point: NWNW Sec 34
T 02N R 19E, BLAINE Co.

Use: MUNICIPAL (3.00 CFS) from
01/01 to 12/31

Place of Use: Sec 36 T 02N R 18E
WITHIN THE CITY LIMITS OF
BELLEVUE

Diversion Means: WELL, PUMP

37-8118

HORN, RUSSELL L.

Et/or SALLY M.

P.O. BOX 10

HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 06/03/1985

Diversion Pt: NWSW Sec 15 T
02N R 18E

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.04 CFS)

In: NWSW Sec 15 T 02N R 18E
FOR 2 ACRES

37-8213

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: NENE Sec 23 T
01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: NENE Sec 23 T 01N R 18E

37-8214

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N
R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

Protests must be filed with the
Director, Department of Water
Resources, Southern Region,
1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301, on or
before NOVEMBER 4, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal-
October 17 and October 24, 1985.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JUNE 27, 1985

Wood River Journal
P.O.Box 988
Hailer ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JULY 22, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8214

SLUDER, C.D.

P.O. BOX 370, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 22, 1985.

A. KENNETH DUNN

Director

Published 7/3 & 7/11/85.

MICROFILMED