


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. D. Shuler
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

CLINT STENNETT

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24th day of Oct.

19 85, and the date of the last publication was on the 31st

day of Oct., 19 85

Clint Stennett

Subscribed and sworn to before me this 31st
day of October, 19 85.
(SEAL)

Roberta Meyer
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 11
Number of Lines in Notice 11
Number of Insertions 2

Lines tabular at _____ 5¢/Pica
11 Lines straight at 4.84 4¢/Pica
11 Subsequent lines at 3.63 3¢/Pica
TOTAL COST 8.47

COPY OF NOTICE

(Paste Here)

Not. of Application
TITLE OF NOTICE
#37-8213 Sluder

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO

37-8213
SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313
Source: GROUNDWATER
Date Filed: 05/17/1985
Diversion Pt: NENE Sec 23 T
01N R 18E
Use: COMMERCIAL (1.50 CFS)
In: NENE Sec 23 T 01N R 18E

RECEIVED

NOV 4 1985

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica
7-8 pt. per line tabular 5¢/Pica
7-8 pt. per line successive
insertions 3¢/Pica

No 4392

MICROFILMED

**Water right app.
filed by Sluder**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-8213

SLUDER, C.D.
Post Office Box 370
Bellevue, Idaho 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Point: NENE Sec 23 T
01N R 18E

Use: COMMERCIAL (1.50 CFS)
In: NENE Sec 23 T 01N R 18E

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the
Director of the Idaho Department
of Water Resources, 1041 Blue
Lakes Boulevard North, Twin
Falls, Idaho 83301, and received
ON OR BEFORE JULY 22, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal--July
3 & 11, 1985.

RECEIVED
NOV 27 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-8213

1. Owner: C. D. Sluder Phone No. 788-3429
Current Address: P.O. Box 370, Bellevue, ID 83313
2. Accompanied by: Gib Sluder EXAM. DATE: 8/21/89
Address: Same Phone No. Same
Relationship to Permit Holder: Brother
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
NOV 13 1992








P.O.
Looking
west



Gallon
Counter

MICROFILMED
NOV 18 1992





MICROFILMED
NOV 18 1992


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

JUN 2 1975

1. WELL OWNER Name <u>Bong J. Luder</u> Address <u>Bellevue, Idaho</u> Owner's Permit No. _____		7. WATER LEVEL Department of Water Resources Static water level <u>24</u> feet below <u>surface</u> Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ F. Quality <u>good</u> Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Other Discharge G.P.M. _____ Draw Down _____ ft. Hours Pumped <u>1</u>																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>18</td><td>Gravel and sandy loam</td><td>X</td><td></td></tr><tr><td>8"</td><td>18</td><td>26</td><td>Gravel and clay</td><td>X</td><td></td></tr><tr><td>8"</td><td>26</td><td>76</td><td>Gravel and clay</td><td>X</td><td></td></tr><tr><td>6"</td><td>76</td><td>112</td><td>Water bearing gravel</td><td>X</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	18	Gravel and sandy loam	X		8"	18	26	Gravel and clay	X		8"	26	76	Gravel and clay	X		6"	76	112	Water bearing gravel	X	
Hole Diam.	Depth		Material		Water																																
	From	To		Yes	No																																
10"	0	18	Gravel and sandy loam	X																																	
8"	18	26	Gravel and clay	X																																	
8"	26	76	Gravel and clay	X																																	
6"	76	112	Water bearing gravel	X																																	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																					
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>112</u> feet Casing schedule ☒ Steel ☐ Concrete Thickness Diameter From To <u>.312</u> inches <u>8</u> inches <u>+1</u> feet <u>112</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>2</u> inches by <u>12</u> inches Number From To <u>4</u> per ft. perforations <u>72</u> feet <u>112</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from _____ feet to _____ feet Diameter Slot size Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>18</u> feet Material used in seal ☐ Cement grout ☒ Pudding clay																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <u>37</u>  County <u>Blaine</u> N.E. 1/4 N.E. 1/4 Sec. 23 T. 1-N. N/S. R. 12-E. E/W		10. Work started <u>Oct. 28, 1974</u> finished <u>Nov. 1, 1974</u>																																			
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Ken Smith Well Drilling</u> 265 Driller's or Firm's Name Number <u>Box 1165 Bailey, Idaho 83335</u> Address <u>Ken Smith</u> <u>Dec. 10, 1974</u> Signed By Date																																			

MICROFILMED
NOV 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08213

Priority: May 21, 1985

Maximum Diversion Rate:
Maximum Diversion Volume:

0.09 CFS
0.9 AF

This is to certify, that C D SLUDER
PO BOX 370
BELLEVUE ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 1985; and has submitted Proof of Beneficial Use on January 5, 1987. An examination indicates that the works have a diversion capacity of .090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.09 CFS	0.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 23, Township 01N, Range 18E
BLAINE County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

01N 18E 23 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Commercial use is for a gravel washing facility.

MICROFILMED


NOV 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08213

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of OCTOBER, 1972.

Acting for  R. Keith Higginson, Director

MICROFILMED

NOV 13 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 37-8213 IN THE

NAME OF C. D. SLUDER

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1987; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 1, 1987 the permit lapsed for failure of the permit holder to submit proof of beneficial use together with the examination fee; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting the proof of beneficial use and the examination fee on January 5, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 37-8213 be REINSTATED and the priority advanced to May 21, 1985.

Dated this 21st day of January, 1987.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

NOV 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant C. D. Sluder Phone 788-3429

Post office address P. O. Box 370, Bellevue, ID 83313

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 1N

Range 18E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.5 cfs for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.5 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 120 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 1N

Range 18E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Washing and separation of sand & gravel

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This system was completed in May of 1978, and has been used since then.

I therefore claim subordination by Idaho Power Co. of this water right.

After use, this water goes into a settling pond. Much of this water returns to the aquifer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. D. Shubin
(Applicant)

Proposed Priority 5/17/85

MICROFILMED

Received by JP Date 5-17-85 Time 12:20 pm

Preliminary check by Adm Fee \$ 65.00

Receipted by JP Date 5-17-85 # 35352

Publication prepared by marge Date 6/27/85 *re-adv*

Published in Wood River Journal

Publication dates 7/4 + 7/11/85

Publication approved marge Date 7/12/85 *10/17 + 10/24/85*
10/24 + 10/31/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Adm kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8213, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 4th day of December, 1985.

A. Glen Gayton
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

CLINT STENNETT

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24th day of Oct.

19 85, and the date of the last publication was on the 31st

day of Oct., 19 85

Clint Stennett

Subscribed and sworn to before me this 31st

day of October, 19 85

(SEAL)

Roberta Meyer

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 11

Number of Lines in Notice 11

Number of Insertions 2

Lines tabular at 5¢/Pica

11 Lines straight at 4.84 4¢/Pica

11 Subsequent lines at 3.63 3¢/Pica

TOTAL COST 8.47

COPY OF NOTICE

(Paste Here)


Not. of Application
TITLE OF NOTICE
#37-8213 Sluder

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO



RECEIVED

NOV 4 1985

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica

7-8 pt. per line tabular 5¢/Pica

7-8 pt. per line successive

insertions 3¢/Pica

No 4392

MICROFILMED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

CLINT STENNETT

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3rd day of July 1985, and the date of the last publication was on the 11th day of July 1985

Subscribed and sworn to before me this 11th

day of July, 1985
(SEAL)

Robert A. Proffner

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2

Lines tabular at 5¢/Pica
36 Lines straight at 15.84 4¢/Pica
36 Subsequent lines at 11.88 3¢/Pica

TOTAL COST 27.72

COPY OF NOTICE

(Paste Here)

Not. of Applic #37-8213

TITLE OF NOTICE

Sluder

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res

NOT. TO

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica

7-8 pt. per line tabular 5¢/Pica

7-8 pt. per line successive

insertions 3¢/Pica

RECEIVED

No 4153
JUL 12 1985

Department of Water Resources
Southern District Office

MICROFILMED

WATER POLLUTION

WATER POLLUTION

That the following information has been submitted to the Department of the Interior for its consideration and action.

SLIDER CO.

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370

Box 370



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 23, 1992

C D SLUDER
PO BOX 370
BELLEVUE ID 83313

RE: WATER RIGHT NO. 37-08213

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MIAMI MED

3 1992

September 17, 1992

C D SLUDER
PO BOX 370
BELLEVUE ID 83313

RE: WATER RIGHT NO. 37-08213

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
NOV 18 1992

LICENSE REVIEW CHECKLIST

Permit # 37-8213

Date 09-15-92

[illegible]

	<u>Yes</u>	<u>No</u>	
NAME	—	✓	Address Change? _____
PRIORITY DATE	—	✓	Advance? _____
	—	✓	Memo to Advance _____
	—	✓	Order to Reinstate Needed? _____
TOTAL CFS	—	✓	Incorrect Fee for rate recommended? _____
	—	✓	Disagree with Actual Measurement? _____
	—	—	.09 cfs (COMM) _____
	✓	—	Disagree with Theoretical? $3 \times 8.8 \times .7 = .092$ _____
	—	✓	Limited by Capacity? .09 cfs $85' + (2.31 \times 50)$ _____
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	—	✓	Disagree with Examiner's Calculations? _____
	—	✓	0.92 afa (COMM) _____
	—	✓	Limited by Flow? $.09 \times 365 \times 1.9835 = 65.27.92$ _____
SOURCE	—	✓	Changes? Clarification of <u>Originally</u>
	—	✓	<u>Intended</u> source _____
	—	✓	Notice of Intent to Void. _____
P/D	—	✓	Verify with Map _____
	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
P/U	—	✓	Verify with Map _____
	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
USES	—	✓	Change(s) in Nature of Use? _____
	—	✓	Amendment Needed? _____
REMARKS	—	✓	Multiple P/Ds in 1/4 1/4? _____
	✓	—	Non-Irr. Uses COMM/Gravel washing _____
	—	✓	Special Overlap Condition _____
	—	✓	Other _____
CONDITIONS	—	✓	Measuring Device _____ DATES/MISC _____
	—	✓	W/Master Control _____ Water Dist. _____
	—	✓	Overlap _____ App Rec'd _____
	09E	—	Water Quality _____ Exam Made _____
COMMENTS/MEMOS NEEDED:	Reduced Rate _____		
	74' Static Level / Used 85' min. dynamic estimate _____		
	Used 50 psi average per F.E. / Total volume 52 af _____		
	Average daily volume 2.01 af / 2 af/day condition not app _____		
License	10-Day	✓	15-Day _____ Special Correspondence _____

WR0749NP
No. L37-08213

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/15/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	C D SLUDER PO BOX 370 BELLEVUE ID 83313 (208) 788-3429	05/21/1985	COMMERCIAL	01-01 12-31	0.09 CFS	0.9 AFA
TOTAL DIVERSION:					0.09 CFS	0.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.09 CFS

Point(s) of Diversion: T01N R18E S23 NE NE

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
01N	18E	23	:	C																:

Pou County: BLAINE

Other Water Rights Listing Overlapping Place(s) of use:
37-00601

Conditions of Approval:

- 09E - Water used under this right if discharged into a natural
- channel or subsurface system shall meet Idaho Water Quality
- Standards.

Remarks: Commercial use is for a gravel washing facility.

Dates:	App. Received:	05/17/1985	Priority Date:	05/21/1985	(Priority Date Advanced.)
	Proof Due Date:	01/01/1987	Proof Made Date:	01/05/1987	(Proof Received Late.)
	Exam Made Date:	08/21/1989	Exam Sent to S.O.:	11/26/1991	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 09/15/92 SKAGGS

Department of Water Resources

Permit No. 37-8213

Phone No. 788-3429

Phone No. 788-3429

EXAM. DATE: 8/21/89

Phone No. Same

Phone No. Same

Phone No. Same

1. Other water rights with same place of use: None

☐ **Copies Attached**☐ Copies Attached☐ Copies of Field Exam's Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



- ☐ **Aerial Photo Attached**
(required for irrigation of 10 acres or more).

- MICROFILMED**
NOV 13 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is pumped from 8" well by submersible pump to two 30 gallon pressure tanks. It is then conveyed to a 1500 gal. storage tank with a float. A 15HP booster pump draws the water from the storage tank to the concrete mixer. The booster pump ~~was~~ and storage tank were bypassed during measurement

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Sta-Rite	G72

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	23	1N	18E	Blaine	Quadrangle

6. Place(s) of Use:

Indicate Method of Determination Quadrangle

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	23	C																

MICROFILMED

NOV 13 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Stopwatch/gallon odometer (on mixer)						

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{40 \text{ gpm}}{448.8} = 0.09 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{8.8 \times 3 \times .7}{(2.3 \times 50) + 74} = 0.10 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$25 \text{ gal/yd} \times 1000 \text{ yd/month} = 25,000 \text{ gal/month}$$

$$25,000 \text{ gal} \times 12 \text{ mo.} = 300,000 \text{ gal/yr}$$

$$300,000 \div 325,850 = .921 \text{ afa}$$

MICROFILMED
NOV 18 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Commercial</u>	<u>JAN 1</u>	<u>Dec 31</u>	<u>0.09</u>	<u>0.9</u>
Totals:			<u>0.09</u>	<u>0.9</u>

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Russ Lewins
Signature Russell A Lewins
Certification Date 4/10/91
Field Report Preparation Date 8/28/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 13 1992






P. D
Looking
west



Gallon
Counter

MICROFILMED
NOV 13 1992





MICROFILMED
NOV 18 1982


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED

This law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

JUN 2 1974

1. WELL OWNER Name: <u>Bill Blader</u> Address: <u>Bellevue, Idaho</u> Owner's Permit No: _____		7. WATER LEVEL Department of Water Resources Static water level: <u>7 1/2</u> feet below ground surface Flowing? ☒ Yes ☐ No G.P.M. flow: _____ Temperature: _____ Quality: <u>good</u> Artesian closed in pressure: _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK ☒ New well ☐ Amended ☐ Replacement ☐ Abandoned (describe method of abandonment): _____		8. WELL TEST DATA Pump: ☒ Bailor ☐ Other Discharge G.P.M.: _____ Draw Down: <u>12</u> feet Head Pressure: _____	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG State Dept. Depth (feet) Material 0 18 Gravel and sandy loam 18 24 Gravel and clay 24 26 Gravel and clay 26 27 1/2 Yellowish gray clay	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other			
5. WELL CONSTRUCTION Diameter of hole: <u>8</u> inches Total depth: <u>112</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>3/12</u> inches <u>8</u> inches <u>1</u> foot <u>112</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation: <u>1/8</u> inches by <u>1</u> inch Number From To <u>2</u> perforations <u>22</u> feet <u>112</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name: _____ Type: _____ Model No.: _____ Diameter Slot size Set from Set to Diameter Slot size Set from Set to Gravel packed? ☐ Yes ☒ No Size of gravel: _____ Passed from: _____ feet to: _____ feet Surfaced? ☒ Yes ☐ No To what depth: <u>18</u> feet Material used in seal: ☐ Cement grout ☒ Pudding clay			
6. LOCATION OF WELL Sketch map location must agree with written location. <u>37</u>  County: <u>Blaine</u> S.E. 1/4 Sec. 23 T. 14N. R. 11E. E.W.		10. Work started Oct. 28, 1974, finished Nov. 1, 1974	
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. Ken Smith Drill 106 Driller's or Firm's Name Number Box 1165 Halcyon, Idaho 83333 Signed By: <u>Ken Smith</u> Date: <u>Dec 10, 1974</u>	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE REPORT TO THE STATE DEPARTMENT OF WATER RESOURCES

MEMORANDUM

TO: File

FROM: TIM LUKE *pl.*

RE: Swan Falls Processing

DATE: 2/14/89

After reviewing this file I recomend that it be removed from the Swan Falls process list. Evidence in the file indicates that the use was established prior to October 1, 1984 and therefore is not subject to the review requirements of 42-203D.

The evidence includes a statement made by the permittee at the time of the original filing in May, 1985 that the use was established in 1978 and is not subordinate to Idaho Power's hydropower right.

MICROFILMED

NOV 18 1992

RECEIVED

JAN 05 1987

no ✓ 92
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$125.00

Date 1-6-87

Receipt # 40936

Receipt by [Signature]

Reviewed by [Signature]

Sent to region 1-15-87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-8213

Name(s) of Permit Holder: C. D. Sluder

Post Office Address: P. O. Box 370

Bellevue, Idaho 83313

Telephone No. 788-3429 or 788-2572

Source of Water: Drilled Well

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation (acres)

Other/Remark Commercial

Total rate and/or volume for which proof is submitted 1.5 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: May - 1978

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

C. D. Sluder

(Name)

788-3429 to 7882572

(Telephone Number)

Glendale Road

P. O. Box 370, Bellevue, Idaho 83313

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

NOV 18 1992

12-29-86

Date

[Signature of C. D. Sluder]

Signature of Permit Holder (and title, if appropriate)

ATTN: Dept. of Water Resources 1-2-86

Please find check for 250.⁰⁰ enclosed for Water Permits # 37-8213 and #37-8214. When I mailed in Proof of Beneficial Use I forgot to send the check with them.

Right now our wells are not in use as the weather conditions have shut our plants down, we'll probably be using wells around the 1st of April, 1987.

RECEIVED

JAN 05 1987

Thanks

Department of Water Resources

Joan D. Linder

MICROFILMED

NOV 13 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
OCTOBER 31, 1986

138425

SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-8213

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

NOV 13 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
DECEMBER 05, 1985

SLUDER, C.D.
P.O. BOX 370
BELLEVUE, ID 83313

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-8213

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ADM SLUDER, C.D.
APPLICATION NUMBER: 37-8213

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. Not Looked Up

- ☐ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 7/22/85 11/4/85 11/11/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/12/85
☒ Application published correctly. If not, record action taken: 11/4/85
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37
5/17/85 Date of priority recommended.
Special conditions of approval or cover letter. 09D

RECEIVED
NOV 22 1985

app. not identified in J.E. suit

Department of Water Resources

MICROFILMED

By: ADM Date: 7/24/85, 11/20/85

STATE OFFICE REVIEW:

403, 405, 416

09E 01C 32

RECEIVED

- ☐ See attached sheet for more information.

By: KW Date: 12/3/85 JUL 26 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

060512001 17 17/161 1602041000

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

NOV 15 1982

RECEIVED

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 8, 1985

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

Encl:

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) is (are) being advertised to allow all parties affected by the addition of the public interest criteria Sec. 42-203C, Idaho Code the opportunity to protest:

32-8213-

SLUDER, C.D.

P.O. BOX 370, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: NENE Sec 23 T 01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: NENE Sec 23 T 01N R 18E

Protests must be filed with the Director, Department of Water Resources, Southern Region, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before November 4, 1985.

Nov. 11, 1985
A. KENNETH DUNN
Director

Published in Wood River Journal on Oct. 17 & 24, 1985

MICROFILMED

Applicants allowed opportunity to protest

~~NOTICE OF APPLICATION~~ FOR WATER RIGHT

The following applications to
new being advertised to show all
parties affected by the addition of
the public interest article Sec.
42-203C, Idaho Code, the oppor-
tunity to protest:

37-8056

CITY OF BELLEVUE
BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 11/02/1982

Amount: 3.00 CFS

Diversion Point: NWNW Sec 34
T 02N R 19E, BLAINE Co.

Use: MUNICIPAL (3.00 CFS) from
01/01 to 12/31

Place of Use: Sec 36 T 02N R 18E
WITHIN THE CITY LIMITS OF
BELLEVUE

Diversion Means: WELL, PUMP

37-8118

HORN, RUSSELL L.

8/or SALLY M.

P.O. BOX 10

HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 06/03/1985

Diversion Pt: NWSW Sec 15 T
02N R 18E

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.04 CFS)

In: NWSW Sec 15 T 02N R 18E
FOR 2 ACRES

37-8213

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: NENE Sec 23 T
01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: NENE Sec 23 T 01N R 18E

37-8214

SLUDER, C.D.

P.O. BOX 370

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: SESE Sec 23 T 01N
R 18E

Use: COMMERCIAL (1.50 CFS)

In: SESE Sec 23 T 01N R 18E

Protests must be filed with the
Director, Department of Water
Resources, Southern Region,
1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301, on or
before NOVEMBER 4, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal-
October 17 and October 24, 1985.

*ok
may*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JUNE 27, 1985

Wood River Journal
P.O.Box 988
Hailer ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JULY 22, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-8213-

SLUDER, C.D.

P.O. BOX 370, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 05/17/1985

Diversion Pt: NENE Sec 23 T 01N R 18E

Use: COMMERCIAL (1.50 CFS)

In: NENE Sec 23 T 01N R 18E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 22, 1985.

A. KENNETH DUNN

Director

Published 7/3 & 7/11/85.

MICROFILMED