

TWP 2N Rge 18E

Scale 1"=200'

NOT PLATTED



**Water right app.
filed by Donnelly**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-8200

DONNELLY, DALE L.
P.O. BOX 966
HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 11/07/1984

**Diversion Pt: NESE Sec 05 T 02N
R 18E**

**Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.04 CFS)**

**In: NESE Sec 05 T 02N R 18E
NWSW Sec 04 T 02N R 18E FOR
2 ACRES**

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the
Director of the Idaho Department
of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls,
Idaho 83301, and received on or
before January 6, 1986.

A. KENNETH DUNN
Director

**Publish: Wood River Journal-
December 19 & 26, 1985.**

1/2

Photo looking S'ly

Back of house



Pond is claimed in 37-08199, -08217

Front of house


Tennis Court



Photo NW'ly

Photo looking W'ly

Tennis Court



Sec 5, T02N, R18E NE SE $\frac{1}{4}$ = P/U

Strip of lawn adjacent to
Rvr.Gr.v.Ln.


Hansing, Patricia 1300 hrs.
13 Aug 1997 Examiner: Satterlee
37-08200

LOOKING S'ly



2/2

Please see 37-08217 for infor #2



#1 Well


Pump House

#2 Well

Photo looking SW'ly




Inside pump house pressure tanks.
Pump Information see Field Report



#1 Well
GPSA0002941

Photo looking S'ly

Hansing, Patricia 1300 hrs.
13 Aug 1997
Examiner:Satterlee 37-08200



Hansing, Patricia P.

37-08200, -08217

DEC 08 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

40' EAST of WEST PROPERTY LINE

3' NORTH of PINE TREE

10' SOUTH of SW COR. of Pumphouse

Stettinlee WR Agent

Signature of Dept. Representative & Title

13 Aug 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

GPS A0002141





PHOTO LOOKIN' S'LY

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



Box Closed - No Order

RECEIVED

MAR 12 1986

Department of Water Resources

NOT DELIVERABLE
AS ADDRESSED -
UNABLE TO FORWARD

Patricia P. Hansing
Box 1298
Hailey, ID 83333

MAILED

APR 18 1990


3/13/86 -
per Blaine Co. Assessor's office:
(788-2930)

(ms. Hansing does not appear
on assessor's property
record for this legal
description)

only Patricia
Hansing known
to assessor's office

~~per auto address~~
4447 Longridge Ave.
Sherman Oaks, CA
91423

kw



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08200

Priority: November 7, 1984

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

5.9 AF

This is to certify, that PATRICIA P HANSING

PO BOX 1298

HAILEY ID 83333

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 7, 1984; and has submitted Proof of Beneficial Use on March 6, 1990. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.05 CFS	5.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.05 CFS	5.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 5, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	4	NWSW	1		1
		5	NESE	0.5		0.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 37.

MICROFILMED

DEC 08 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08200

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
7. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of NOVEMBER, 1997.

Acting for

KARL J. DREHER, Director

MICROFILMED

DEC 08 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Permit~~	~~37-8200~~	~~Donnelly, Dale L.~~	~~.11~~
Full Assignment	37-8200	Hansing, Patricia P.	.11

MICROFILMED

RECEIVED

STATE OF IDAHO

MAR 6 1990

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

RECEIVED
MAR 08 1990
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-8200

Telephone No. 208-788-4664

Name(s) of Permit Holder(s): Patricia P. Hansing

Post Office Address: P.O. Box 1298 Hailey, Id. 83333

Source of Water: groundwater

If ground water, well driller's name: Ken Smith

Date drilled: about 11/84

Extent of Use:

Domestic .04 cfs (No. of households)

Irrigation .06 cfs (No. of acres)

Stockwater .01 cfs (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.11 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 2/84 ?

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Patricia P. Hansing
Name

208-788-4664
Telephone No.

P.O. Box 1298 Hailey, Id. 83333
Address

106 River Grove Ln.
Hailey, Id. 83333

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 18 1990

3/6/90
Date

Patricia P. Hansing
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
FEB 19 1986

Department of Water Resources

I, Dale L. Donnelly, hereby assign to Patricia P. Hensing
of P.O. Box 1298, Hailey, ID 83333
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 37-8200
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 11th day of February, 1986.

Dale L. Donnelly
Permit Holder

Valerie M. Donnelly
Spouse of Permit Holder

State of Idaho)
County of Blaine) ss.

On this 11th day of February, 1986, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Annette Coy
Notary Public residing at
Hailey, Idaho

My commission expires:
11-2-87

MICROFILMED

ok

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Dale L. Donnelly Phone 208/788-4857
Post office address P.O. Box 966, Hailey, Idaho 83333
2. Source of water supply Ground water which is a tributary of —
(2 Points)
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 2N
Range 18E B.M. Blaine County, additional points of diversion if any: —

4. Water will be used for the following purposes:

- Amount .06 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .04 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .01 cfs for stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 911 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 6" by 50 ft. well with
2 HP submersible pump
- b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir capacity — acre-feet, materials used in storage dam: —
Period of year when water will be diverted to storage — to — inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 50 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 2N
Range 18E B.M.
- (2) Amount of power to be generated: — horsepower under — feet of head.
- (3) List number of each kind of livestock to be watered 3 horses or 3 llamas
- (4) Name of municipality to be served —, or number of families to be supplied with domestic water one.
- (5) If water is to be used for other purposes describe: —

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 2.0

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant - Dale L. Donnelly
 b. Who owns the land to be irrigated or place of use " " "
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing -

10. Remarks


Twp 2N Rg 18E

Scale 1"=200'

NOT PLATTED



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dale F. Donnelly
(Applicant)

MICROFILMED

Proposed Priority 11/7/84

MICROFILMED

Received by TGB Date 11-7-84 Time 12:00

Preliminary check by J Fee \$ 30.00

Received by TGB Date 11-7-84 # 35217

Publication prepared by marya Date 12/10/85

Published in Wood River Journal

Publication dates 12/1 + 12/24/85

Publication approved marya Date 12/12/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8200, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District No. 37, Big Wood River.

Witness my hand this 27th day of January, 1986.

L. Glen Sayton
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION
RECEIVED

State of Idaho, }
County of Blaine } SS.

DEC 30 1985

Department of Water Resources
Southern District Office

CLINT STENNETT

being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 19th day of Dec. 1985 and the date of the last publication was on the 26th day of Dec. 1985

Clint Stennett

Subscribed and sworn to before me this 26th

day of December, 1985.
(SEAL)

Robert J. Fisher

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 11
Number of Lines in Notice 40.5
Number of Insertions 2

Lines tabular at 5/Pica
40.5 Lines straight at 17.82 4/Pica
40.5 Subsequent lines at 13.37 3/Pica

TOTAL COST 31.19

COPY OF NOTICE

(Paste Here)

Not. of application
TITLE OF NOTICE
#37-8200 Donnelly

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4/Pica
7-8 pt. per line tabular 5/Pica
7-8 pt. per line successive
insertions 3/Pica


No 4469

MICROFILMED

Q

62

Q





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

December 1, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PATRICIA P HANSING
PO BOX 1298
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08200

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED
DEC 8 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

RECORDED

DEC 8 1987

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED


DEC 08 1967

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of December, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 37-08200

PATRICIA P HANSING
PO BOX 1298
HAILEY ID 83333


Kari Lynn Townsend
Secretary

DEC 06 1997
DEC 06 1997

MEMORANDUM

TO: File 37-08200

FROM: Sharla

DATE: November 28, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 37-08200 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.05 cfs	5.3 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.07 cfs	5.9 afa

The domestic component is for in-house use only; the rate if diversion has been adjusted accordingly. The allowable rate of diversion for irrigation of less than 5 acres is 0.03 cfs/acre. The capacity of the system is sufficient to supply this rate.

Examiner: Georgia Satterlee
Exam Date: August 13, 1997

DEC 08 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08200

DATE 11/26/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.11</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50.00</u>
Measured	<u>—</u> cfs
Theoretical	<u>.07</u> cfs

Recommended Total Div Rate .07 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u>	Use <u>irr.</u>	cfs <u>.05</u>	Volume Calc <u>1.5 X 3.5 = 5.3</u> af
	<u>Dom.</u>	<u>.02</u>	<u>.6</u> af
			af
			af
	SUBTOTAL	<u>.09</u>	<u>5.9</u> af

Flow rate .03 cfs X 184 days X 1.98 = 10.9 af

Total volume recommended — af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home (WBS)

CONDITIONS 104 Watermaster Control WD# 37

— GW Measurement/Measuring Device

107 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓

Adjustment Memo dom rate
(in house)
irr. rate

1st Amend Letter NA

2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 2 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08200

1. Owner: PATRICIA HANSING Phone No. (208) 788-4664

Current Address: PO BOX 1298 HAILEY, ID. 83333

2. Accompanied by: SAME AS ABOVE EXAM DATE: 13 AUG 97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 37-08199, 37-08217, A37-00862A, A37-12188
2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		NE	NE	SE	05	02N	18E	BLAINE	FIELD EXAM/GPS


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N	18E	04									1.0								1.0
"	"	05													0.5				0.5
"	"	"													D				
															1.5				1.5

DEC 08 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 GPSA0002941		2		FRANKLIN ELECTRIC	2823018103 PA1

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
THEORETICAL						
ATTACHED						

2. Measurements: _____

REVISED

DEC 08 07

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 26 August 1997
RE: 37-08200

On 13 August 1997 at 1330 hrs. I met with Patricia Hansing. The permit 37-08200 (A37-08200), states domestic, irrigation, and stockwater from groundwater. Also, there is another adjudication claim, A37-12188, claiming surface water out of Purdum Slough for domestic and irrigation use.

The applicant, Patricia Hansing, rents the house and property out during the summer. She resides in Hagerman during those months.

The permit was assigned to Patricia Hansing from Dale Donnley in 1986. When the well was drilled, the proposed use was domestic only. Prior to licensing 37-08200, Ms. Hansing needs to pay the extra fee related to the irrigation use out of the well.

There are two wells on Lot 4 (106 River Grove Lane) of the River Grove Ranch. The wells are not tied together. The #1 well associated with the said permit is located 40 feet east of the west property line and 100 feet south of the north property line and 3 feet north of a (14" diameter) pine tree.

Please see 37-08217 (37-08199 licensed surface right) related with the second well and the pond on the property.

The #1 well serves one large home. The irrigation consists of Rainbird maxie spray rotor sprinklers surrounding the landscaped yard and six Falcon Rainbirds along the north property line. The timer system is controlled to operate every other day for about 15 minute per station with approximately ten stations.

The permit calls to three irrigated acres. I excepted out the tennis court, the house, the pump house, and the driveway(s). The landscaped lawn irrigated in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5 is approximately 0.5 acre. There is one acre irrigated of landscaped lawn in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 4.

There will be no recommendation for stock because there was none at the time of examination.

For recommended rate per 37-08200 please see attached theoretical.

PLEASE SEE BACK OF BENEFICIAL USE FIELD REPORT FOR RATES AND VOLUMES.

Note to File A37-12188 Because the uses are claimed sufficiently in 37-08200, I would suggest the adjudication claim, A37-12188, which is claiming surface water out of Purdum Slough for domestic and irrigation uses, be disallowed.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
DEC 08 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5(3.5) = 5.25$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 = 0.03(184)1.9835 = 10.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{5.25} \quad \underline{5.3}$$

2. Volume Calculations for Other Uses:

EXAM FEE LIMIT 0.20 cfs
PERMIT RATE 0.11 "
MEASURED RATE 0.07 "
(THEORETICAL)

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	0.04	0.6 afa
IRRIGATION	4/15	10/15	0.03	5.3 "
Totals:			0.07	5.9 afa

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Berrija Satterlee Date August 26, 1997

Reviewer _____ Date _____

SEAL

MICROFILMED

DEC 08 1997

1/2

Photo looking S'ly

Back of house

Pond is claimed to be 31' x 17' x 27'

Front of house

Yard

Photo NW'ly

8/13/97

Photo S, from, RICH NW SE 1/4 = P/L

Edge of lawn adjacent to
Rvr. Grv. Ln.

Shooting, Patricia 1300 hrs.
13 Aug 1997 Examiner: Satterlee
37-08200

Looking S'ly

#1 Well

Pump House

Please see 37-08217 for infor #2

#2 Well

Photo looking SW'ly


Inside pump house pressure tanks.
Pump Information see Field Report

#1 Well
GPSA0002941

Photo looking S'ly

RECEIVED
DEC 10 1997

Monzing, Patricia 1300 hrs.
13 Aug 1997
Examiner:Satterlee 37-08200



Hansing, Patricia P.
DEC 08 1997
37-08200-08217

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08200
DATE: 13 AUG 67
BY: SATTERLEE

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (2.0) (0.70)}{[(32) + (65 \times 2.31)]} = \frac{12.32}{210} = 0.07 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	SEE FIELD REPORT
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ☒	owner gage ☒	
Booster (Y) (N)		
REMARKS TOOK MEAN LIFT FROM BOTH WELL DRILLER REPORTS		

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL = (.....) X (1.98) X (.....)
4/15 - 10/15	184	
3/1 - 12/1	276	(.....)

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

AUG 08 1967



IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION
1341 FILLMORE ST STE 200
TWIN FALLS ID 83301-3380
(208) 736-3033

PHILIP E BATT
GOVERNOR

KARL J DREHER
DIRECTOR

RECEIVED
AUG 15 1997
Department of Water Resources
Southern Region

CHANGE IN ADDRESS

☐ Water Right Number(s):

A-3708217

A-3708200

☐ Old Mailing Address:

4447 Longridge Ave

☐ New Mailing Address:

Box 1298

Hailey, Id. 83333

☐ New Telephone Number:

(208) 788-4664

☐ Signature of Claimant(s):

Patricia P. Hansing

Date:

8-13-97

FOR IDWR USE ONLY	
Initial Review and Data Entry	
Date:	By:
Further Action Needed:	
Further Action Taken	
Date:	By:
Final Review and Data Entry	
Date:	By:

DEC 9 8 1997

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

WELL DRILLER REPORT UNDER:

(A) 37-08200

1. DRILLING PERMIT NO: DALE DONNLEY OTHER APPLICABLE NO: 37-08200

2. OWNER: PATRICIA HANSING Phone: 788-4664
Address: PO BOX 1298, HAILEY, ID. 83333

3. WELL LOCATION: Twp 02N, Rge. 18E, Sec. 5, NE 1/4 SE 1/4
County BLAINE (Provide sketch map and photo on reverse.)

4. DRILLER: _____ Lic. No. _____
When Drilled? 1977±

5. WELL CONSTRUCTION:
Casing Diameter 6 inches? Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☐ Yes ☒ No - Describe FLUSH w/ O.G.
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe CAN'T TELL
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: 65 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

DEC 08 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS:

40' EAST of WEST PROPERTY LINE
3' NORTH of PINE TREE
10' SOUTH of SW COR. of BUNKHOUSE

Stettinlee WR Agent

Signature of Dept. Representative & Title

13 Aug 97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

GPS A0002941





PHOTO LOOKING S'LY DEC 0 0 1997

6/9/94

COMMUNICATION DOCUMENTATION

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.

IDWR Employee/Agent Georgia Satterlee

DATE

August 6, 1997 3:50pm

CUSTOMER

HANSING, PATRICIA

SUBJECT: 37-08200,-08217

phone call (X) walk-in (.)

HAGERMAN #837-6066 (SUMMER RESIDENCE ONLY)

1100 Hrs.

I AM PLANNING TO MEET MRS. HANSING ON 13 AUG 1997, 1000 HRS.,

106 RIVER GROVE LANE, NORTH OF HAILEY 0.5 MILE.

REC 6 8 1997

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Dale DonnleyAddress Hailey, Idaho

Owner's Permit No. _____

7. WATER LEVEL

Static water level 12 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____Temperature _____ ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailor ☐ Other

Discharge G.P.M.

60

Draw Down

nil

Hours Pumped

1

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 76 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.280</u> inches	<u>8</u> inches	<u>1</u> feet	<u>76</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ TorchSize of perforation 2 inches by 1 1/2 inches

Number	From	To
<u>90</u> perforations	<u>30</u> feet	<u>45</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal ☐ Cement grout☒ Puddling clay ☐ Wall cuttingsSealing procedure used ☐ Slurry pit ☒ Temporary surface casing☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BLAINENE 1/4 Sec. 5, T. 2 N, R. 18 E

10.

Work started 3/23/77 finished 3/23/77

11. DRILLERS CERTIFICATION

Firm Name Ken Smith Well Drilling Firm No. 265Address Box 1165 Hailey, Idaho Date 5/10/77Signed by (Firm Official) Ken Smith

and

(Operator) Maupaloni

April 13, 1990

PATRICIA P. HANSING
4447 LONGRIDGE AVE.
SHERMAN OAKS, CA 914230000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08200

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8200

Date: 4-12-1990

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y ~~Address change~~ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ ~~drilling permit~~
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks: Proof acceptable

Y Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 37-8200
Name(s) of Permit Holder(s): Patricia P. Hansing
Post Office Address: P.O. Box 1298
Hailey, Idaho Tel. No. 208-788-

☒ I hereby certify that construction of diversion works on the above referenced permit began on Nov. 22 (date) and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


7/11/86
Date

Patricia P. Hansing
Signature of Permit Holder

P. Hansi

P.O. Box 10492

Hailey, Idaho 83423



MICROFILMED

APR 18 1990

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUL 18 1986

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



3/13/86 -
Blaine Co. Assessor's office
(788-2930)
does not appear
property
mail

RECEIVED

MAR 12 1986

Department of Water Resources

Box Closed - No Order

UNDELIVERED
UNABLE TO FORWARD



Patricia P. Hansing
Box 1298
Hailey, ID 83333

on record
description
per auto mail
only Patricia
Hansing known
to assessors office
4447 Longlake
Sherman Oaks, CA
91423
kw

RECORDED

APR 18 1986

Patricia P. Hansing
Box 1298
Hailey, ID 83333

03

February 27, 1986

RE: Permit No. 37-8200

Patricia P. Hansing
Box 1298
Hailey, ID 83333

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permit to you.


Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure



Permit No. 37-8200

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment? Yes
b. Partial Assignment?
4. "No assignment" condition on permit? No
5. Commencement of Works received? Yes
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required?
7. Extension granted due to litigation?
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓ Sharla
2. Coding sheet. ✓ Sharla
3. Acknowledgement letter type. #1
4. Copy to region. ✓ Sharla

Date 2-24-86

Employee Jani

92811-111

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JANUARY 28, 1986

DONNELLY, DALE L.
P.O. BOX 966
HAILEY, ID 83333

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-8200

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THAT ONE OF THE CONDITIONS OF APPROVAL IS THAT THE DIVERSION OF WATER UNDER THIS PERMIT IS SUBJECT TO THE CONTROL OF A STATE WATERMASTER. THE REASON FOR THIS IS THAT SOME HYDROLOGIC STUDIES OF RIVERS IN THE STATE INDICATE THAT WELLS CONSTRUCTED IN THE SAND AND GRAVEL AQUIFERS OF THE RIVER AREAS MAY INTERCEPT WATER THAT OTHERWISE WOULD HAVE ENTERED THE RIVER. HOWEVER, THE EXTENT OF THE ALLUVIAL MATERIAL THICKNESS IS NOT KNOWN NOR IS THE PRECISE DEGREE OF INTERFERENCE OF WELLS WITH SURFACE WATER FLOWS. STUDIES DO INDICATE THAT AS MUCH AS 50% OF THE WATER DIVERTED FROM A WELL LOCATED ONE MILE FROM THE RIVER WOULD HAVE REACHED THE RIVER IF IMPERMEABLE LAYERS OF CLAY OR HARD ROCK DO NOT SEPARATE THE RIVER FROM THE AQUIFER FROM WHICH THE WELL IS PRODUCING.

THE INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE YOU A PERMIT BUT DOES MERIT CAUTIONING YOU THAT ANY PERMIT ISSUED BY THE DEPARTMENT CANNOT DEPRIVE WATER USERS, WITH EARLIER RIGHTS, OF THEIR WATER SUPPLY.

THE REASON FOR CONDITIONING THE PERMIT AND EXPLAINING THE POTENTIAL INTERFERENCE PROBLEM IS TO MAKE YOU AWARE THAT FUTURE TESTS MAY DEFINITELY SHOW THAT DIVERSION OF WATER FROM YOUR WELL SHOULD BE ADMINISTERED TOGETHER WITH THE OLDER SURFACE WATER PRIORITIES OF THE RIVER AND ITS TRIBUTARIES. IF THIS WERE TO OCCUR, IT WOULD ESSENTIALLY MEAN THAT THERE WOULD NOT BE WATER AVAILABLE FOR A DIVERSION FROM YOUR WELL SINCE THE SURFACE WATER SYSTEM IS FULLY APPROPRIATED. BY LOCATING YOUR WELL AS FAR FROM THE RIVER AS POSSIBLE AND BY CASING OUT UPPER WATER PRODUCING ZONES AS THE WELL IS CONSTRUCTED, YOU MAY BE ABLE TO REDUCE THE AMOUNT OF INTERFERENCE WITH THE RIVER.

MICROFILMED

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTTILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Kay Walker *KW*

DATE

1-23-86

TO

Application for Permit No. *37-8200*


SUBJECT

Watermaster Control Recommendation

Pursuant to review of this application, I recommend that it be subject to watermaster control because of the close proximity of the well to the river and the shallowness of the well itself. (*50'*)

MICROFILMED

SIGNATURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

DONNELLY, Dale L.

INITIAL REVIEW BY: J.P. Stanton

APPLICATION NUMBER: 37-8200

CHECK:

- ☐ Source.
☐ Point of diversion.
☐ County.
☐ Quantity of water and period of use.
☐ Description of diverting works.
☐ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☐ Map.
☐ Signature.
☐ Fee.
☐ Yes ☐ No Field check required.
☐ Yes ☐ No Critical groundwater area.
☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: J.P. Map No. X-74
☒ Yes ☐ No Other rights on same place of use. Decreed surface water, app. for surface-water permit
☒ Yes ☐ No* In form for advertising. 1/6/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37
☒ 11/7/84 Date of priority recommended.
☒ Special conditions of approval or cover letter. 26

MICROFILMED

app. not identified in S.F. suit - DCMI-OK to process

NOTE: App. has not been advertised pursuant to Sec. 42-203, I.C. as amended.

By: ADM

Date: 1/8/86

STATE OFFICE REVIEW:

221,417

26

05 (37, Big Wood)

RECEIVED
JAN 10 1986

- ☐ See attached sheet for more information.

By: KW

Date: 1/23/86

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

3/83

IDENT. NO. 37-8200

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 10, 1985

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

Encl:

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application (s) have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8200-

DONNELLY, DALE L.

P.O. BOX 966, HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 11/07/1984

Diversion Pt: NESE Sec 05 T 02N R 18E

Use: IRRIGATION	(0.06 CFS)
STOCKWATER	(0.01 CFS)
DOMESTIC	(0.04 CFS)

In: NESE Sec 05 T 02N R 18E NWSN Sec 04 T 02N R 18E FOR 2 XX ACRES

If issued the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 and received on or before January 6, 1985.

A. KENNETH DUNN
Director

Published December 19 and 26, 1985.

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-8200

DONNELLY, DALE L.
P.O. BOX 966
HAILEY, ID 83333

Source: GROUNDWATER

Date Filed: 11/07/1984

Diversion Point: NESE Sec 05 T
02N R 18E

Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.04 CFS)

In: NESE Sec 05 T 02N R 18E
NWSW Sec 04 T 02N R 18E FOR
2 ACRES

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the
Director of the Idaho Department
of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls,
Idaho 83301, and received on or
before January 6, 1986.

A. KENNETH DUNN
Director

Publish: Wood River Journal-
December 19 & 26, 1985.

*ok
marge
12/12/85*