


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 19E BM.

T
1
S




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
JUN 19 1990

Kenneth Worthington
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: Not to Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE VP III	3	698H		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube & psi gauge						

2. **Measurements:** With the pitot tube & psi gauge I measured an avg. pressure of 26 psi at 16 Rainbird Hds with 9/16" nozzles.

NOV 07 1990



PERMIT 37-08137 INIT B.R.B.

T. R. S. Q/Q

P/D 015 19E 24 NESE

SCALE

PHOTO ID.

Aerial Photo

P/O - Irrigation

P/O - Domestic & Stockwater

7 1994

a small pasture adjacent to corrals



stockwater

P37-8137 This photo was taken on July 16, 1993.
This photo was taken looking east from the nearby
corrals.

UNIVERSITY OF MICHIGAN

NOV 07 1994



P37-8137 These photos were taken on July 16, 1993.
This photo was taken looking west from the nearby well house.

P/U




P37-8137

These photos
were taken on
July 16, 1993.

↙ This is the well
house/shed where
the well is located

P/D
This house is
included in the domestic
use for this permit.



This is the well
inside the well house.

P/D

NOV 07 1994

Three file on trust water rights

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08137 *OK*

WORTHINGTON, KENNETH D.
WORTHINGTON, JUNE *TH*
RT. 1

BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: NESE Sec 24 T 01S
R 19E

Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.200 CFS)

Date Filed: 6/30/1983

In: T01S R19E S24 NESE
20.0 ACRES TOTAL

37-08157

DUMKE, EDMUND W.
P.O. BOX 569
SUN VALLEY, ID 83353

Source: SPRINGS

Tributary: SINKS

Diversion Pt: NWNW Sec 16 T
04N R 18E SWNW Sec 16 T 04N
R 18E

Use: IRRIGATION (.130 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/30/1983

In: T04N R18E S16 SWNW
NWSW SWSW
30.0 ACRES TOTAL

37-08158

DUMKE, EDMUND W.
P.O. BOX 569
SUN VALLEY, ID 83353

Source: SPRING

Tributary: SINKS

Diversion Pt: NWNW Sec 16 T
04N R 18E

Use: IRRIGATION (.100 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.120 CFS)

Date Filed: 6/30/1983

In: T04N R18E S16 NWNW
25.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may
be submitted based on the criteria
of Sec. 42-203A, Idaho Code,
and/or the new public interest
criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with
the Director, Dept. of Water Re-
sources, Statehouse Mail, Boise,
Idaho 83720, on or before MAY
21, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
May 2 & 9, 1990.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08137

Priority: June 30, 1983

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

47.1 AF

This is to certify, that KENNETH D WORTHINGTON
JUNE WORTHINGTON

RT 1

BELLEVUE ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 1983; and has submitted Proof of Beneficial Use on May 11, 1992. An examination indicates that the works have a diversion capacity of .130 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.13 CFS	45.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
	Totals	0.13 CFS	47.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 24, Township 01S, Range 19E
BLAINE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

01S 19E 24

ACRES

NESE 13

ACRES

ACRES

TOTAL

13

Total number of acres irrigated:

13

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOV 07 1994


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**


WATER RIGHT NO. 37-08137

CONDITIONS/REMARKS:

5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
9. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
10. Stockwater use is for 20 head of mixed stock.
11. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director



NOV 07 1994

RECEIVED

OFFICE USE ONLY
 Amt. of Fee \$ 50.00
 Date 5-11-92
 Receipt No. 2014518
 Receipt by MTS

MAY 11 1992

Department of Water Resources
 Southern Region Office

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-8137 Telephone No. 788-3969
 2. Name(s) of Permit Holder(s): Worthington, Kenneth R and/or June
 3. Mailing Address: Rt #1 Bellevue, Id. 83313
 4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Eugene Walker Date Drilled: 1979

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater 20 head (No. and type of stock)
 Irrigation 10 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes X No Installed? ____ Yes ____ No

Flow Measurement Port: Required? ____ Yes X No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 . (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Kenneth Worthington Telephone No. 788-3969
 Address Same as above

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 18 1992

Date

Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08137

Proposed Priority: June 30, 1983 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **KENNETH D. WORTHINGTON**

JUNE WORTHINGTON

RT. 1

BELLEVUE, ID 83313

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.20 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 24, Township 01S, Range 19E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	19E	24	NESE	20		20

Total number of acres irrigated: 20

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1992**.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

MICROFILMED

JUN 19 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 37-08137

CONDITIONS/REMARKS:

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
9. Stockwater use is for 25 cattle & 2 horses; domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Kenneth D. & for Jane Worthington Phone 788-2833
Post office address RT #1 Bellevue Id. 83313
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 1S
Range 19E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 20 cfs for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 02 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 02 cfs for Stock water purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6" well 292' deep. 3 hp.
submersible pump. line to house, & coral.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 292 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 1S
Range 19E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 85hd Livestock 2 horses

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 19 1980

b. if water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above. *Decreased*

Water rights from Butte Creek 37-0630

37-7799 is for north half of $\frac{1}{4}$ $\frac{1}{4}$

9. a. Who owns the property at the point of diversion App.

b. Who owns the land to be irrigated or place of use App.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks


[illegible]

JUN 19 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 19E BM.

T
1
S



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED
JUN 19 1990

Heinrich Worthington
(Applicant)

Received by gde Date 6/30/83 Time 12:55 AM
Preliminary check by ADH Fee \$ 30.00 # 29106
Receipted by gde Date 6/30/83
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

JUN 19 1980



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 28, 1994

KENNETH D WORTHINGTON
JUNE WORTHINGTON
RT 1
BELLEVUE ID 83313

RE: WATER RIGHT NO. 37-08137

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

A faint, rectangular stamp, possibly a filing or processing mark, located in the lower right area of the page.

NOV 07 1994

LICENSE REVIEW CHECKLIST



PERMIT NO. 37-08137 DATE 9-30-94

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u> <u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	<u>✓</u> <u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u>Surface water right 37-001030B</u>
DIV RATE	<u> </u> <u>✓</u>	Permit/fee limits: <u>.20 CFS</u> Meas Q = <u> </u> Theo Q = <u>.13</u> Recommend: <u>.13 CFS</u> <u>(13 X .02 = .26) allow .13</u> <u>Dom per permit @ .02 Stock per permit @ .02</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u> </u> <u>✓</u>	Season of use: <u>B/3.5 (4-15 to 10-15) (new)</u> Calculations: <u>13 X 3.5 = 45.5</u> <u>STOCK @ .4 Dom @ 1.2</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u> <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u>WB3</u> <u>✓</u>	Multiple p/d(s) in ¼ ¼? <u> </u> Other <u> </u>
CONDITIONS	<u> </u> <u>✓</u> <u>B30</u> <u>✓</u> <u>✓</u> <u>✓</u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u>TRUST R55</u> Heat/Cool/ Fish verified <u> </u>
COMMENTS:	<u>20 head mixed stock</u> <u>56</u> <u>57</u>	

Reduce rate + acres

RECOMMENDED	CFS	VOL	SRBA Claim Filed	NO/NA
<u>Irrigation</u>	<u>.13</u>	<u>45.5</u>	Adjustment Memo Needed	<u>NO</u>
<u>Stockwater</u>	<u>.02</u>	<u>.4</u>		
<u>Domestic</u>	<u>.02</u>	<u>1.2</u>	LICENSE	<u>✓</u>
<u>Total</u>	<u>.13</u>	<u>47.1</u>	1ST AMENDMENT LETTER	<u> </u>
			FINAL AMENDMENT LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08137

1. Owner: Kenneth D. Worthington / Son Worthington Phone No. 788-3969

Current Address: Rt #1 Bellevue 83313

2. Accompanied by: Kenneth D. Worthington EXAM DATE: 7-16-93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A37-00630B (Surface water from Louisa Creek)

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	24	01S	19E	Blaine	Aerial Photo, Inspection


2. Place(s) of Use:

Indicate Method of Determination Planimeter, Aerial Photo

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	19E	24																13	13
																		D	D
																		S	S

NOV 07 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale - Not to Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STIA-RITEUR III	3	G98H		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pilot tube & psi gauge						

2. **Measurements:** With the pilot tube & psi gauge, I measured an avg. pressure of 26 psi at 16 Rainbird Hds with 9/64" nozzles.

E. NARRATIVE/REMARKS/COMMENTS

See attached sheet

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
NOV 07 1994

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

9/16" nozzles at 26psi & 3gpm
 16 hrs x 3gpm = 48gpm or 0.10 cfs
 Theoretical Diversion Rate = 0.13 cfs
 2 stockwater between 15-20 hrs
 requires 0.02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (13 \text{ acres}) (3.5 \text{ ata/acre}) = 45.5 \text{ ata}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.13 \text{ cfs}) (184) (1.9835) = 47.4 \text{ ata}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{45.5 \text{ ata}}$$

2. Volume Calculations for Other Uses:

currently carries between 15-20 hrs of rattle
 which corresponds to about 0.4 ata/yr

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (ata)
	From	To		
Irrigation	4/15	10/15	0.13 cfs	45.5 ata
Stockwater	1/1	12/31	0.02 cfs	0.4 ata
Domestic	1/1	12/31	0.02 cfs	0.6 ata
Totals:			0.13 cfs	46.5 ata
				47.1 ata

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Brett Barry Date 8-30-93

Reviewer _____ Date _____

SEAL

DATE: August 30, 1993

FROM: Brett Barry

SUBJECT: P37-08137 FIELD EXAM: NARRATIVE/COMMENTS

On July 16, 1993, the field exam for the above permit was conducted. Kenneth Worthington, the permit holder, accompanied myself during this examination.

This permit overlaps place of use with adjudication claim 37-00630B. This claim is for 0.40 cfs for surface water rights out of Loving Creek. The main headgate for this surface water is approximately an eighth of mile northwest of the groundwater well for this permit.

Three mainlines divert from this well which has a 3 H.P. submersible pump set at fifty feet. One underground mainline diverts to the house for domestic use while another diverts underground to the corrals for stockwater use. The last mainline is a 6 in surface mainline that runs north and south from the well. One 3 in lateral runs east and west off this mainline and waters the main field. There were 19 Weather Tec hds with 9/64 in nozzles on this lateral. Two 3 in laterals with 11 and 5 hds each, water a smaller pasture and some landscaping and lawn.

A measurement was taken with 16 hds running, the avg. pressure was 26 psi at the nozzle. This corresponded to 3 gpm at each head or 48 gpm (0.10 cfs) total. A theoretical diversion rate of 0.13 was calculated. Giving the permit holder the benefit, I recommended a diversion rate of 0.13 cfs.

A well log is attached.

This water right when combined with all other water rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre for the lands above.

NOV 07 1994

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08137

DATE: 8-30-93

BY: Brent Baum

THEORETICAL RATE OF FLOW:

$$Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (3.4 \text{ H.P.}) \times (0.70)}{[(.43') + (.45 \text{ psi} \times 2.31)]} = 0.13 \text{ cfs}$$

LIFT FROM:

measurement ()

owner (✓)

area estimate ()

well logs (✓)

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate (✓)

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

STA-RT EQUIPMENT #6984

Pump Make, Serial or ID, rating

REMARKS

The owner recently had his pump changed and said pump is set at 50'. I estimated the pressure at the well head from the pressure at the sprinkler head.

ANNUAL VOLUME ANALYSIS

$$\text{POTENTIAL Acre Feet/Acre/Annum} = \frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$$

(season) (days)

3/15 - 11/15 246

4/1 - 11/1 215

4/15 - 10/15 184

3/1 - 12/1 276

POTENTIAL =

$$(.184 \text{ days}) \times (1.98) \times (.013 \text{ cfs})$$

(.13 acre?)

POTENTIAL = 3.64 ac/a/acre

REQUIRED Acre Feet/Acre/Annum

= 3.5 ac/a/acre


(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

NOV 07 1994



PERMIT P37-9137 INIT B.P.B.

T. R. S. Q/Q

P/D 015 19E 24 NESE

SCALE

PHOTO ID. _____

P/D
37-08137

TIS-R19E-S24

Blaine

NOV 27 1994

PERMIT 37-08137 INIT BRB.

T. R. S. Q/Q

P/D 015 19E 24 NESE

SCALE

PHOTO ID.

Aerial Photo

P/U - Irrigation

P/U - Domestic & Stockwater

1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

14-00000

NOV 07 1994


a small pasture adjacent to corrals



stockwater

P37-8137 This photo was taken on July 16, 1993.
This photo was taken looking east from the nearby
corrals.

NOV 07 1994



NOV 07 1994

P37-8137 These photos were taken on July 16, 1993.
This photo was taken looking west from the nearby well house.

P/U


P37-8137

These photos
were taken on
July 16, 1993.



✓ This is the well
house/shed where
the well is located

P/O
This house is
included in the domestic
use for this permit.



This is the well
inside the well house.

P/D

RECEIVED

NOV 07 1994

May 15, 1992

KENNETH D. WORTHINGTON
JUNE WORTHINGTON
RT. 1
BELLEVUE ID 83313

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08137

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager


c: IDWR - Region

MICROFILMED

MAY 18 1992

KENNETH D. WORTHINGTON
JUNE WORTHINGTON
RT. 1
BELLEVUE ID 83313

March 31, 1992



RE: PERMIT NO. 37-08137 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

KENNETH D. WORTHINGTON
JUNE WORTHINGTON
RT. 1
BELLEVUE, ID 83313

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P37-08137

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

RECEIVED
MICHIGAN

JUN 19 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 19 1990

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 2nd day of May, 1990, and

the date of the last publication was on the 9th day of May, 1990.

Daniel J. Gorham

Subscribed and sworn to before me this 9th day of May, 1990.
(SEAL)

Roberta McKencher

NOTARY PUBLIC

RECORDED

WOOD RIVER JOURNAL JUN 19 1990
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 65
Number of Insertions 2
Lines tabular at 6c / Pica
65 Lines straight at 35.75 5c / Pica
65 Subsequent lines at 28.60 4c / Pica
TOTAL COST 64.35

COPY OF NOTICE
(Paste Here)

3 Applications
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO

*K
1
2-90*

Publication Rates
As of Jan., 1990
(Idaho Code,
Rev. Statutes 1984)
7-8 pt./line straight: .5/pica
7-8 pt./line tabular: .6/pica
7-8 pt./line successive
insertion: .4/pica

No 7002

**Three file on
trust water rights**

**NOTICE OF APPLICATION
FOR TRUST WATER RIGHT**

37-08137 *OK*

WORTHINGTON, KENNETH D.
WORTHINGTON, JUNE *TJH*
RT. 1
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversion Pt: NESE Sec 24 T 01S
R 19E

Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.200 CFS)

Date Filed: 6/30/1983
In: T01S R19E S24 NESE *✓ 8*
20.0 ACRES TOTAL *TJH*

37-08157 *5-18*

DUMKE, EDMUND W.
P.O. BOX 569
SUN VALLEY, ID 83353

Source: SPRINGS
Tributary: SINKS
Diversion Pt: NWNW Sec 16 T
04N R 18E; SWNW Sec 16 T 04N
R 18E

Use: IRRIGATION (.130 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.150 CFS)

Date Filed: 6/30/1983
In: T04N R18E S16 SWNW
NWSW SWSW
30.0 ACRES TOTAL

37-08158

DUMKE, EDMUND W.
P.O. BOX 569
SUN VALLEY, ID 83353

Source: SPRING
Tributary: SINKS
Diversion Pt: NWNW Sec 16 T
04N R 18E

Use: IRRIGATION (.100 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.120 CFS)

Date Filed: 6/30/1983
In: T04N R18E S16 NWNW
25.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720, on or before MAY 21, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal-
May 2 & 9, 1990.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

APRIL 24, 1990

Wood River Journal
Box 988
Hailey, ID 83333

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

MANIFESTED
JUN 19 1990

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08137

WORTHINGTON, KENNETH D.
WORTHINGTON, JUNE
RT. 1
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt: NESE Sec 24 T 01S R 19E

Use: IRRIGATION	(.200 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.020 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 6/30/ 1983

In: T01S R19E S24 NESE

20.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before MAY 21, 1990.

Published 5/ 2/1990 & 5/ 9/1990

R. Keith Higginson, Director

MICROFILMED

JUN 19 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 37-8137

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 3-20-90

=====

The applicant has returned the trust water questionnaire and claims that 16 of the 20 acres under this application were developed prior to October of 1984. This application was filed in June, 1983.

The Department's remote sensing report for 1986 shows 37 of the 40 acres in this quarter-quarter section classified as irrigated (see attached POU report). On the questionnaire, the applicant claims that development of 4 acres has yet to be completed. Based on the response to the questionnaire, I recommend that the Department consider this a trust application and count 4 acres as trust acres.

MICROFILMED

JUN 19 1990

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NE				NW				SW				SE				SUM				
								NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
1986 MAPPING DATA ---		-	COUNTY 13 QUAD Y	75	01S	19E	21	42	38	38	43	:	43	39	37	42	:	43	40	40	41	:	42	37	39	43	647	625
3700094	BROADHURST	D	CHANEY CREEK	01S	19E	22					X	:				:					:							
3701104A	STOCKS	D	SILVER CREEK	01S	19E	22					X	X	:			:					:							
3702600	ROGERS	L	GROUNDWATER	01S	19E	22						:				:		40	39		:					79		
3702607	PRINS	L	UNNAMED DRAIN	01S	19E	22						:				:					:		6			6		
3702608	PRINS	L	GROUNDWATER	01S	19E	22						:				:	40			10	:	10	40			100		
3702609	PRINS	L	GROUNDWATER	01S	19E	22						:				:				30	:					30		
3702641B	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	22						:				:		6			:					6		
3702662B	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	22						:				:		33	20		:					53		
3702685	STINSON	L	GROUNDWATER	01S	19E	22		9	29			:	39	39	21	40	:				:					177		
3704289B	DEAN R. ROGERS INC.	S	GROUNDWATER	01S	19E	22						:				:		4			:					4		
3707284	STINSON	L	GROUNDWATER	01S	19E	22	39	10	36	35		:				23	:				:					143		
1986 MAPPING DATA ---		-	COUNTY 13 QUAD Y	75	01S	19E	22	39	37	39	40	:	40	37	32	42	:	40	37	40	33	:	39	37	42	37	611	470
3700348	JOHNSON	D	SILVER CREEK, MALLET	01S	19E	23						:	X			X	:	X			:		X					
3700349	JOHNSON	D	SILVER CREEK, MALLET	01S	19E	23						:	X			X	:	X			:		X					
3700350	JOHNSON	D	GANNETT CREEK	01S	19E	23						:	X			X	:	X			:		X					
3700354	JOHNSON	D	THOMPSON CREEK	01S	19E	23	X	X	X	X		:				:					:							
3701111	NISSON	D	SILVER CREEK	01S	19E	23						:		X	X		:	X	X		:							
3702580	UNION PACIFIC RAILROAD	L	GROUNDWATER	01S	19E	23						:				:					:			25		25		
3702686B	KENNEDY, JR., TRUSTEE	L	GROUNDWATER	01S	19E	23						:				:					:	28				28		
3707598B	KENNEDY, JR.	L	GROUNDWATER	01S	19E	23						:				:					:	28				28		
3708225	KENNEDY, JR.	A	GROUNDWATER	01S	19E	23						:				:					:	40	40			80		
1986 MAPPING DATA ---		-	COUNTY 13 QUAD Y	75	01S	19E	23	43	39	31	34	:	40	41	38	23	:	2	22	32	10	:	31	5	27	19	437	55
3700351	NISSON	D	LOVING CREEK	01S	19E	24						:				:					:				X			
3700352	NISSON	D	LOVING CREEK	01S	19E	24						:				:					:				X			
3700629	SMITH	D	LOVING CREEK	01S	19E	24					X	X	:			X	:				:		X					
3700630A	SMITH	D	LOVING CREEK	01S	19E	24					X	X	:			X	:				:		X					
3700630B	WORTHINGTON	D	LOVING CREEK	01S	19E	24						:				:					:	20				20		
3700631	SMITH	D	LOVING CREEK	01S	19E	24					X	X	:			X	:				:	X						
3702580	UNION PACIFIC RAILROAD	L	GROUNDWATER	01S	19E	24						:				:			35		:					35		
3702686C	HUBSHMAN, JR.	L	GROUNDWATER	01S	19E	24						:	33	21	39		:	40	36		:		27			196		
3707584	MOLYNEUX	L	GROUNDWATER	01S	19E	24	13					:				:					:					13		
3707598C	MC MAHAN	L	GROUNDWATER	01S	19E	24						:	33	21	39		:	40	36		:		27			196		
3707799	WOODS	L	GROUNDWATER	01S	19E	24		30	31	26		:				33	:				:	16				136		
3708137	WORTHINGTON	A	GROUNDWATER	01S	19E	24						:				:					:	20				20		
1986 MAPPING DATA ---		-	COUNTY 13 QUAD Y	75	01S	19E	24	32	35	39	37	:	38	35	41	36	:	39	38	23	22	:	37	35	10	20	517	380
3700351	NISSON	D	LOVING CREEK	01S	19E	25	X					:				:					:							
3700352	NISSON	D	LOVING CREEK	01S	19E	25	X					:				:					:							
3702223	GROSS	L	SPRINGS	01S	19E	25						:				:			20		:					20		
3702570	CROWLEY	L	GROUNDWATER	01S	19E	25					40	:				35	:	13			:		7			95		
3702580	UNION PACIFIC RAILROAD	L	GROUNDWATER	01S	19E	25						:	20			:					:					20		
3707800	GARDNER	L	GROUNDWATER	01S	19E	25						:				:			30		:					30		
1986 MAPPING DATA ---		-	COUNTY 13 QUAD Y	75	01S	19E	25	3	19	40	1	:	18	10		36	:	16	1	25	2	:	18				189	13
3702580	UNION PACIFIC RAILROAD	L	GROUNDWATER	01S	19E	26	40	40				:				:					:						80	
3702618	GRAY	L	GROUNDWATER	01S	19E	26						:		22	20	:	40	40			:						122	

UNFILED
JUN 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
MAR 19 1990

Application No. 37-8137

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐

b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

sprinkler main line purchased along with two hand lines
have been used on 16 acres

3. Please state the number of acres you have irrigated under this application since October 1, 1984. 16

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 4 additional @ 16 completed
for total of 20 acres

5. If the permit is a supplemental filing please identify other water rights which are used on the same land. 20 inches @

ST LOR # 37-0630 =

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Kenneth D. W. Arthurton

Date March 10, 1990

RECORDED

JUN 19 1990

[illegible]

والله اعلم



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 20, 1990

RE: APPLICATION FOR PERMIT NO. 37-8137

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

MICROFILMED

JUN 19 1990

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 334-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

cc: Region

MICROFILMED

JUN 19 1990