


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 12 1990

Edward W. Fisher
(Applicant)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward W. Strick
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 02 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08117

1. Owner: John Stevenson

Phone No. 788-4826

Current Address: #26 Hillside Ranch Rd., Bellevue, ID 83213

2. Accompanied by: -

EXAM. DATE: 7-8-92 & 7-7-93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-0418A, 0419A, 0667D (no longer used)

☐ Copies Attached


2. Other water rights with same point of diversion: 37-7291, 8196

☐ Copies Attached

☒ Copies of Field Exam's Attached
37-8196

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).





41.0

133.2

57.81
48.3

90.8

90.7

35.0 TIS RISE

52.2

102.0

41.3

54.7

17.8

140.9

152.8

154.6

1310

409.2

74.9

74.8

77.2

76.7

77.3

pu

37-8117

P/D



P/U



APR 25 1995

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 17 day of JAN, 1990, and

the date of the last publication was on the 24 day of JAN, 1990.

Daniel J. Gorham
Subscribed and sworn to before me this 24 day of Jan, 1990.
(SEAL)

Roberta McKee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 34
Number of Insertions 2
Lines tabular at 5.5¢/Pica
34 Lines straight at 18.70 54.5¢/Pica
34 Subsequent lines at 14.96 43.5¢/Pica
TOTAL COST 33.66

COPY OF NOTICE
(Paste Here)

App. # 37-08117
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water (Boise)
BILL TO

Two file on trust water right

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08117

STEVENSON, JOHN F.
STRICKER, EDWARD W.
#36 HILLSIDE RANCH RD.
BELLEVUE, ID 83313

Source: GROUNDWATER
Diversión Pt: NENE Sec 30 T 01N
R 19E

Use: IRRIGATION (1.600 CFS)
Total Diversión: (1.600 CFS)

Date Filed: 6/02/1983

In: T01N R19E S19 SWSE SESE
80.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720, on or before FEBRUARY 5, 1990.

R. Keith Higginson, Director

Publish: Wood River Journal-
January 17 & 24, 1990.

MICROFILMED

MAR 12 1990

PUBLICATION RATES

As of Oct. 1, 1988
(Idaho Code, Reb. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

6899

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08117

Priority: June 2, 1983

Maximum Diversion Rate:

1.24 CFS

This is to certify, that JOHN F STEVENSON
36 HILLSIDE RANCH RD
BELLEVUE ID 83313

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 2, 1983; and
has submitted Proof of Beneficial Use on September 13, 1990. An examination indicates
that the works have a diversion capacity of 4.900 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/15 to 10/15	1.24 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 30, Township 01N, Range 19E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	19E	19	SWSE 39	SESE 38		77

Total number of acres irrigated: 77

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
7. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
8. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

APR 25 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-08117


CONDITIONS/REMARKS:

9. This right uses the same well as Rights 37-07391 and 37-08196 and when combined with those rights shall not exceed a diversion rate of 4.9 cfs.
10. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 269.5 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of APRIL, 1995.

Acting for

R. Keith Higginson, Director



APR 14 1995

RECEIVED
SEP 13 1990

For Office Use Only
Amt. of Fee \$ 125.00
Date 9/13/90
Receipt No. 2018317
Received by J. Harrison

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P 37-08117 Telephone No. 788-4826

Name(s) of Permit Holder(s): John F. Stevenson

Post Office Address: 36 Hillside Ranch Rd. Bellevue Id. 83313

Source of Water: Ground

If ground water, well driller's name: Old well Date drilled: don't know

Extent of Use:
Domestic _____ (No. of households) Irrigation 80 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.6 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5-10-90

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Fee Enclosed: \$ 125 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

John F. Stevenson 788-4826
Name Telephone No.

36 Hillside Ranch Rd
Address

Bellevue Id

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-10-90
Date

John F. Stevenson
Signature (and title if on behalf of a company or organization)

RECEIVED

JAN 17 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 37-08117

Proposed Priority: June 2, 1983 Maximum Diversion Rate: 1.60 CFS
This is to certify, that **JOHN F. STEVENSON**
#36 HILLSIDE RANCH RD.
BELLEVUE, ID 83313
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.60 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 30, Township 01N, Range 19E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	19E	19	SWSE 40	SESE 40		80

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

MAR 12 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08117

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of March, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 12 1990

RECEIVED

DEC 14 1989

State of Idaho

Department of Water Resources

Application for

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Edward W. Stricker, hereby assign to John F. Stevenson

of #36 Hillside Ranch Road, Bellevue, ID 83313
Address

Application for

All my right, title, and interest in and to Permit No. 37-08117
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 12 day of Dec, 19 89.

x Edward W. Stricker
Permit Holder

Spouse of Permit Holder

State of Idaho)

County of BLAINE) ss

On this 12TH day of DECEMBER, 19 89, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

seal

My commission expires:

C. W. Denny
Notary Public residing at

Harvey, Idaho 83333

MICROFILMED

MAR 12 1990

AMENDED

Ident. No. 37-8117

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT



JAN 03 1990
AMENDED

AMENDED

Emergency

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Edward W. Stricker Phone 788-2781

Post office address Rt. 1 Box 130 Bellevue, Idaho 83313

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE NE 30 1N
30 1N Township 1N

Range 19E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.60 for irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

well, pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MAR 12 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.

No groundwater rights - 37-0418A, 0419A, 0667D, are appurtenant.

a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

1. Remarks

MICROFILMED

MAR 12 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 12 1990

Edward W. Thacker
(Applicant)

Received by T.C. Blau Date 6-2-83 Time 8:00
Preliminary check by JP Fee \$ 65⁰⁰/100 # 30230
Receipted by T.C.B. Date 6-2-83
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

MAR 12 1990

ASSIGNED TO:
John F. Stevenson
#36 Hillside *Emergency*
Ranch Rd.
Bellevue, ID 83313

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

VOID
1. Name of applicant Edward W. Stricker Phone 788-2781
Post office address Rt. 1 Box 130 Bellevue, Idaho 83313
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 1N
Range 19E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.60 for irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
well, pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED
MAR - 1980

C

applicant to make this filing

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use ~~applicant~~

9. a. Who owns the property at the point of diversion

No groundwater rights - 37-0418A, 0419A, 0667D, are appurtenant.


c. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated 80

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward M. Smith
(Applicant)

Received by T.G. Blair Date 6-2-83 Time 8:00
Preliminary check by gc Fee \$ 65⁰⁰/100 # 30230
Receipted by T.G.B. Date 6-2-83
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

RECEIVED

MAR 12 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 14, 1995

J F STEVENSON
36 HILLSIDE RANCH RD
BELLEVUE ID 83313

RE: WATER RIGHT NOS. 37-08196 and 37-08117

Dear Water Right Holder:

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

Shelley Walter Keen
Water Right Supervisor

SK:rl

enclosure

APR 25 1995

WR0749NP
No. L37-08117

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/10/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN F STEVENSON 36 HILLSIDE RANCH RD BELLEVUE ID 83313 (208) 788-4826	06/02/1983	IRRIGATION	04-15 10-15	1.240 CFS	
TOTAL DIVERSION:					1.240 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 4.90 CFS

Point(s) of Diversion: T01N R19E S30 NENE BLAINE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE													
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
---	---	---	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
01N	19E	19	:					:					:					:					:		
																						39	38	:	77.0
TOTAL ACRES																								:	77.0

Pou County: BLAINE

Other Rights: 37-0418A, 37-0419A, 37-0667D

Other Water Rights with Same Point(s) of Diversion and Source:
37-07391 37-08117 37-08196 L37-08196

Other Water Rights Listing Overlapping Place(s) of use:
37-00418A 37-00419A 37-00667D 37-08117

Conditions of Approval:

- R55 - This right is for the use of trust water and is subject to review
 - 20 years after the issuance of the permit to determine
 - availability of water and to re-evaluate the public interest.
- R56 - Diversion and use of water under this right is subject to an
 - annual use fee if rules are subsequently promulgated which
 - provide for the submittal of the fee.
- R57 - The Director retains jurisdiction of the right issued to
 - change, add or remove any requirement as determined to be
 - appropriate.

Remarks: The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
This right uses the same well as Rights 37-07391 and 37-08196

WR0749NP
No. L37-08117

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/10/95
PAGE: 2

=====

Remarks: and when combined with those rights shall not exceed a
diversion rate of 4.9 cfs.
This right when combined with all other rights shall provide
no more than .02 cfs per acre nor exceed a combined annual
diversion volume of 269.5 af for the lands above.

Dates: App. Received: 06/02/1983 Priority Date: 06/02/1983
Proof Due Date: 04/01/1991 Proof Made Date: 09/13/1990
Exam Made Date: 07/07/1993 Exam Sent to S.O.: 10/27/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/10/95 BCHAPMAN 04/10/95 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3708117	T01N R19E S19	GROUNDWATER																
	:	:																39
	:	:																38
	:	:																77
A3700117	BIG WOOD R :	:																
A3700353D	BIG WOOD R :	40		1		:												
3700418A	BIG WOOD R :	40		40		40		40		:								40
A3700418A	BIG WOOD R :	:																40
A3700418C	BIG WOOD R :	:																40
A3700418D	BIG WOOD R :	40		40		:												40
3700419A	BIG WOOD R :	40		40		40		40		:								40
A3700419A	BIG WOOD R :	:																40
A3700419C	BIG WOOD R :	:																40
A3700419D	BIG WOOD R :	40		40		:												40
A3700501D	BIG WOOD R :	:																40
T3700577AH	BIG WOOD R :	:																40
3700577AP	BIG WOOD R :	:																40
A3700577AP	BIG WOOD R :	:																40
3700577BA	BIG WOOD R :	:																40
3700664	BIG WOOD R :	:																40
A3700664B	BIG WOOD R :	:																40
3700665C	BIG WOOD R :	:																40
A3700665I	BIG WOOD R :	:																40
3700666A	BIG WOOD R :	:																40
A3700666A	BIG WOOD R :	:																40
A3700666G	BIG WOOD R :	:																40
A3700666H	BIG WOOD R :	:																40
3700667B	BIG WOOD R :	1		1		1		1		:								40
3700667D	BIG WOOD R :	:																40
3700667E	BIG WOOD R :	:																40
A3700667K	BIG WOOD R :	40		40		:												40
A3700667L	BIG WOOD R :	:																40
A3700667M	BIG WOOD R :	:																40
3702345	BIG WOOD R :	:																40
A3702345A	BIG WOOD R :	40		40		:												40
3702656	GROUNDWATE :	:																40
A3702656	GROUNDWATE :	:																40
3707020	GROUNDWATE :	:																40
A3707020	GROUNDWATE :	:																40
3707406	GROUNDWATE :	:																40
A3707406	GROUNDWATE :	:																40
3708003	GROUNDWATE :	:																40
A3708003	GROUNDWATE :	:																40
3708117	GROUNDWATE :	:																40
3708294	GROUNDWATE :	37		38		:												40
A3710828	BIG WOOD R :	:																40
A3711671	BIG WOOD R :	40		40		:												40

LICENSE REVIEW CHECKLIST



PERMIT NO. 37-08117 DATE 4-10-95

NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? ☐ Incorrect fee for rate recommended? NO

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary? ☐

POINT OF DIV Amendment needed? ☒ Overlaps? 37-07391 FOR 3 CFS lists capacity at 35 37-08196 PERMIT TO LICENSE

PLACE OF USE Amendment needed? ☒ Overlaps? Surface water rights

DIV RATE Permit/fee limits: 1.10 CFS Meas Q = 77 x .02 = 1.54 Theo Q = 1.24 Recommend: 1.24 SYSTEM DESIGNED @ 2200 gpm OR 4.9 CFS TOTAL SYSTEM ACRES = 381 Combined rates exceed capacity YES - CONDITION 2 HANDLINES ON TRACT AVERAGE 1.24 CFS (.016 per acre) Volume Limit: Season: 8/3.5 (4-15 to 10-15) NEW Calculations: 77 x 3.5 = 269.5 381 x 3.5 = 1333.5 Flow limit: cfs x x 1.9835 = Combined volumes exceed capacity/allowable NO

CAPACITY = 4.9 CFS
37-07391 = 3.0 CFS
37-08196/08117 1.9 CFS
ANNUAL VOLUME
MAX ALLOWABLE 1333.5
37-07391 = 456
37-08117 = 269.5
37-08196 = 532.0
USES 1257.5 Change in Nature of Use or additional uses? ☒ Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater ☒ PPU Scenario Irr/Dom Combination ☐ Shared G/W System ☒

NEW REMARKS Multiple p/d(s) in 1/4 sec? WB? Other WB3, WB3, WB3, WB4 (EDIT) 37-07391 and 37-08196

NEW CONDITIONS Watermaster control - District ☐ Measuring/Locking Devices ☐ Irrigation Overlap ☐ Other Keep trust R55/R56/R57 ☒ Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: REDUCE ACRES & rate; Supplemental GW

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>1.24</u>	<u>269.5</u>	Adjustment Memo Needed	<u>NO</u>
		<u>(in remarks)</u>	LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	

MULTIPLE RIGHTS SYSTEM

35-08117

T 1N
R 19E
SEC 19 & 30

NWNW	NENW	NWNE	NENE
SWNW	SEnw	SWNE	SENE
NWSW	NESW	NWSE	NESE
SWSW	SESW	SWSE	SESE
NWNW	NENW	NWNE	NENE
SWNW	SEnw	SWNE	SENE
NWSW	NESW	NWSE	NESE
SWSW	SESW	SWSE	SESE

19

[39]

[38]

77 acres

[39]

[38]

P/D

[38]

[38]

152 acres
@ .019 per acre

[38]

[38]

152 acres

[38]

[38]

[] 37-08117 2 Hand Lines
[] LICENSE 37-07391 Circle Pivot
[] 37-08196 Circle Pivot

EXAMPLE
(NOT TO SCALE)

3. Narrative: Description of system operating at time of measurement. Indicate (pressure, number of sprinklers, etc.)

Well, motor, pump, booster motor & pump, mainline to 2 pivots w/corner booms.
One pivot serves NE 1/4 Sec. 30 under this permit, and one pivot covers SE 1/4 Sec. 30 under App. 37-8196. Mr. Stevenson stated that both pivots use the same amount of water.

Pivots are usually operated at the same time.

COPY

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Pump	GE	100	BPJ201359	Aurora	no tag
Booster	U.S. Motors	40	R-9216-03-131M	"	83-4622

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	30	1N	19E	B/line	Aerial photo

6. Place(s) of Use:

Indicate Method of Determination

Permitted Land

Additional P/U being irrigated

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	19E	30	38	38	38	38													152
1N	19E	30													38	38	38	38	152

PAGE FROM

4-10-95

Copy of Exam for 37-07391.

CAPACITY FOR THIS AT 3.52 CFS.

JUN 21 1988

This Exam (for 37-08117) shows a new PUMP HAS BEEN INSTALLED.

FYI

APR 25 1995

37-08117

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 02 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: John Stevenson Permit No. 37-08117
Current Address: #26 Hillside Ranch Rd., Bellevue, ID 83213 Phone No. 788-4826
2. Accompanied by: - EXAM. DATE: 7-8-92 & 7-7-93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-0418A, 0419A, 0667D (no longer used)
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 37-7291, 8196
_____ ☐ Copies Attached ☒ Copies of Field Exam's Attached
37-8196

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, booster motor & pump to 2 pivots on E 1/2 Sec. 30. Separate booster motor & pump to 2 1/2-mile ^{handlines} on S 1/2 SE 1/4 Sec. 19. Well can run everything at once when needed. ^{wheel}
11/64" nozzles, & 5/32" nozzles.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	GE	100	CKJ327170	Aurora	no tag
Booster	U.S. Motors	40	R-7216-03-131M	Peerless	8944079

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	30	1N	19E	Blaine	

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	19E	19															39	38	77

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured. System was designed for 2200 gpm (4.9 cfs) according to Silver Creek Irrigation Co. (150 TDH)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Recommend 1.24 cfs be licensed to this property.

2. Alternate Method for Checking Purposes:

Allow ~~0.02 cfs x 77 ac = 1.54 cfs~~

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 50 psi x 2.31 = 115.5 ft (1); Dynamic pumping level: 60 ft (2)

Total Head: (1) + (2) = 182.5 (3); Flow rate: 4.01 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \overset{3.5}{77} \times \overset{267.5}{268} \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \overset{562}{1.24} \times 184 \times 1.9835 = 452.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \overset{268}{267.5}$

2. Volume Calculations for Other Uses:

APR 25 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Not to exceed 4.9 cfs for all rights combined on this well.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrig.	4-15	10-15	~~1.54~~ 1.24	~~308~~ 269.5
Totals:			~~1.54~~ 1.24	~~308~~ 269.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 7-9-93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

37-8117/8196

1. Assume all 5/32" nozzles, average psi of 28 in 1 line, 32 in second line. Measured 7-7-93

$$\begin{array}{l} 3.8 \text{ gpm} \times 64 = 243 \text{ gpm} \\ 4.06 \text{ gpm} \times 64 = 260 \text{ gpm} \end{array} \left. \vphantom{\begin{array}{l} 3.8 \\ 4.06 \end{array}} \right\} 503 \text{ gpm} = 1.12 \text{ cfs}$$


2. Assume all 1/64" nozzles, ave. psi same

$$\begin{array}{l} 4.6 \text{ gpm} \times 64 = 294 \text{ gpm} \\ 4.92 \text{ gpm} \times 64 = 315 \text{ gpm} \end{array} \left. \vphantom{\begin{array}{l} 4.6 \\ 4.92 \end{array}} \right\} 609 \text{ gpm} = 1.36 \text{ cfs}$$

3. Owner does not know what nozzles are present. System use is somewhere between 1.12 cfs & 1.36 cfs. Recommend 1.24 cfs as average system use on this 80. = 0.81"/ac.


4. System design is 4.9 cfs. Subtract 1.24 cfs = 3.66 cfs for two pivots. ~~under 2 pivots~~ = 1.83 cfs/pivot = 0.60"/ac.

APR 25 1993



APR 25 1995

T.T.N., R.19E Sec 30




37-8117

P/D



P/u



APR 25 1995

December 19, 1990

JOHN F. STEVENSON
#36 HILLSIDE RANCH RD.
BELLEVUE, ID 83313

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08117

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JAN 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 6, 1990

JOHN F. STEVENSON
#36 HILLSIDE RANCH RD.
BELLEVUE, ID 83313

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P37-08117

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

RECORDED

MAR 12 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 12 1990

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 17 day of JAN, 1990, and

the date of the last publication was on the 24 day of JAN, 1990.

Daniel J. Gorham
Subscribed and sworn to before me this 24th day of Jan, 1990.
(SEAL)

Roberta McKee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 34
Number of Insertions 2
Lines tabular at 5.5¢/Pica
34 Lines straight at 18.70 54.5¢/Pica
34 Subsequent lines at 14.9¢ 43.5¢/Pica
TOTAL COST 33.60

COPY OF NOTICE
(Paste Here)

App. # 37-08117
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water (Boise)
BILL TO

Two file on trust water right

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08117

STEVENSON, JOHN F.
STRICKER, EDWARD W.
#36 HILLSIDE RANCH RD.
BELLEVUE, ID 83313
Source: GROUNDWATER
Diversion Pt: NENE Sec 30 T 01N
R 19E
Use: IRRIGATION (1,600 CFS)
Total Diversion: (1,600 CFS)
Date Filed: 6/02/1983
In: T01N R19E S19 SWSE SESE
80.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720, on or before FEBRUARY 5, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-
January 17 & 24, 1990.

MICROFILMED

MAR 12 1990

PUBLICATION RATES

As of Oct. 1, 1988
(Idaho Code, Reb. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

6899

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

JANUARY 11, 1990

Wood River Journal
Box 988
Hailey, ID 83333

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 5, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

REPROFILMED

MAR 12 1990

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08117 ✓

STEVENSON, JOHN F. ✓
STRICKER, EDWARD W. ✓
#36 HILLSIDE RANCH RD. ✓
BELLEVUE, ID 83313 ✓

Source: GROUNDWATER ✓

Diversion Pt: NENE ✓ Sec 30 ✓ T 01N ✓ R 19E ✓

Use: IRRIGATION ✓ (1.600 CFS) ✓
Total Diversion: (1.600 CFS) ✓

Date Filed: 6/02/1983 ✓

In: T01N ✓ R19E ✓ S19 ✓ SWSE ✓ SESE ✓

80.0 ACRES TOTAL ✓

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 5, 1990. ✓

R. Keith Higginson, Director

Published 1/18/1990 & 1/25/1990

RECORDED & INDEXED
MAR 12 1990

FROM

Tom

DATE

1-5-89

TO

Sasha

SUBJECT

Applicant has amended Application
 Plz update DATABASE & Robert's file to me for TRUST
 WATER REASSURING which may be going out next week.

Jim -
 This one got lost in my file
 I've sent the advertising
 newspapers anyway.
 Sorry!!!
 SC

SIGNATURE

HILLSIDE RANCH

36 HILLSIDE RANCH ROAD, BELLEVUE, ID 83313

Jan 1st 1990

Dear Mr. Luke:

Regarding my application for Permit No. 37-8117 I have made the change on the application for the new point of diversion as you suggested in your letter of Dec 29.

I enclose the amended application for your approval and processing.

Sincerely yours,

John F. Stevenson

RECEIVED

JAN 03 1990

Department of Water Resources

MICROFILMED

MAR 12 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 29, 1989

John F. Stevenson
#36 Hillside Ranch Rd.
Bellevue, ID 83313

RE: Application for Permit No. 37-8117

Dear Mr. Stevenson:

The department acknowledges receipt of the trustwater information questionnaire and assignment form for the above referenced application.

I notice from the comments on the questionnaire that you wish to change the recorded point of diversion. Rather than wait for the permit to be approved and file an amendment at a later date, I believe it would be more prudent to have you make the change on the enclosed amended application form. Please delete the point of diversion as shown, add the new diversion point and endorse the change by inserting your initials next to item no. 3.

Amending the application now in this manner may save you some time and expense in the future. If you do not return the amended form by January 10, 1990, we will assume you do not wish to amend the application at this time and will proceed to have the application advertised as presently recorded during the latter part of January.

Please feel free to call me if you have questions concerning this matter.

Sincerely,

Tim Luke
Sr. Water Resource Agent

TL:sc

Enclosure

RECORDED

MAR 12 1990

RECEIVED

DEC 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Department of Water Resources

GENERAL INSTRUCTIONS: Please answer all questions thoroughly.
A separate questionnaire must be completed for each permit.

1. Permit number 37-08117.
2. Was the development or a portion of the development complete and water from the source identified under this permit used before July 1, 1985? Yes _____ No XX

If yes, the Department requests that you submit evidence showing the extent of your development existing on July 1, 1985. Evidence should at least include aerial photos (for developments of five acres or more) which are signed and dated by a local ASCS representative. Other evidence may include power records, irrigation equipment records or receipts, and affidavits from persons who are knowledgeable of your operation and dates of past water use.

3. Are you still interested in developing or completing the development under your water right filing?
Yes XX No _____
If no, please complete and return the attached relinquishment form.
If yes, please submit the required \$20.00 readvertisement fee
4. If you answered yes to question #3, please indicate the number of acres you intend to develop. _____
80 acres

5. Remarks: Land will be watered from an existing well in Sec. 30 T. 1N
R. 19E. Filing will be amended once permit is approved. Connection has
been made from the well to the 80 acres.

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application or cancellation of the permit by the department.

x John F. Stevens
Permit holder

x 12-13-89
Date

Address:
#36 Hillside Ranch Road
Bellevue, ID 83313

x Phone (208) 788-4826

788-4826
726-7453

MICROFILMED

MAR 12 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

RECEIVED
DEC 12 1989

John F. Stevenson
#36 Hillside Ranch Road
Bellevue, ID
83313

Department of Water Resources

December 11, 1989

RE: Application for Permit 37-08117, Edward Stricker

Dear John;

Per our conversation of earlier today, I have prepared an Assignment of Permit form for the above-referenced application. Mr. Stricker should sign this form before a notary. Once this is done, you can complete the Trust Water Information Questionnaire; that is, sign and date the form. The completed forms can be sent directly to Tim Luke in our Boise office. If this is done by December 20, this application can be approved. Please note that no readvertising fee is due, since the application was not previously advertised.

If I can be of further assistance, please feel free to contact me.

Sincerely,

James E. Stanton

James E. Stanton
Sr. Water Resource Agent

CC: Tim Luke, IDWR

MICROFILMED

MAR 12 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 5, 1989

Edward W. Stricker
Rt. 1 Box 130
Bellevue, ID 83313

Re: Application for Permit No. 37-8117

Dear Applicant(s):

CERTIFICATION OF MAILING

I hereby certify that on 12-6-89
a copy of original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

S. Curtis

NOTICE OF PENDING ORDER VOIDING APPLICATION

On June 2, 1983, you filed with the Department of Water Resources (Department) Application for Permit No. 37-8117 which proposed the diversion of 1.60 cubic feet per second from groundwater for the irrigation of 80 acres.

The Department mailed a letter and questionnaire to you on October 23, 1989 in connection with the application. The letter provided notice that the Department was reviewing the application in connection with development which was not complete prior to October 1, 1984.

This letter also requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this letter is to provide a second and final opportunity for you to submit the requested information. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Water Appropriation Rule 4,5,1.

If no development has been completed as proposed by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water under this right, 37-8117, the Department may issue an order requiring you to cease diverting the water.

Please feel free to contact me if you have any questions concerning this matter.

Sincerely,

Tim Luke

TIM LUKE
Sr. Water Resource Agent

MICROFILMED

MAR 12 1990

Enclosure
cc: Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 37-8117

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

MICROFILMED

MAR 12 1990

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

MAR 12 1990

To Whom It May Concern:

March 16, 1988

I, Edward W. Stricker, do hereby request emergency approval of Application for Permit 37-8117 for the irrigation season of 1988 due to the drought conditions that exist this year. I understand that this cannot be done until the Governor declares Blaine County a disaster area again this year.

Thank You,

Edward M. Stricker

A handwritten signature in cursive script, appearing to read "Edward W. Stricker".

MICROFILMED

MAR 12 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

July 22, 1987

Edward W. Stricker
P.O. Box 442
Ketchum, ID 83340

Dear Mr. Stricker:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

In reviewing your application for temporary approval filed July 21, 1987 we discovered that you had filed application 37-8117 for the same project on June 2, 1983.

Therefore, we are returning your new application, filing fee and have approved application 37-8117 for use during this summer. Final action on 37-8117 will be held until the application can be processed under rules and regulations for water appropriation.

A copy of application 37-8117 is enclosed for the purpose of defining the extent of the temporary groundwater use. Any terms contained in the application are limited by the conditions set forth in Exhibit A, enclosed.

Please note condition of approval "L" in Exhibit A which requires you to obtain a well drilling permit prior to construction of the well. The drilling permit requires a fee of \$100.00.

We have taken the liberty of completing a drilling permit application, except for construction start date and drillers name for your signature and filing.

If we can be of any further assistance, please let us know.

Very truly yours,

Loren O. Holmes
Loren O. Holmes, P.E.
Southern Region Supervisor

LH:mb

Enclosures

MICROFILMED

MAR 12 1990

EXHIBIT A
ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO: 37-8117

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 37-8117; and a temporary approval to divert groundwater is granted until November 15, 1987, subject to the following limitations and conditions:

- a. Subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.

MICROFILMED

MAR 12 1990

- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.
- l. The water user must obtain a drilling permit for any well to be constructed under this temporary approval.

Witness my hand this 22 day of July, 1987.


Loren O. Holmes, P.E.
Southern Region Supervisor

MICROFILMED

MAR 12 1990

FROM

Allen

DATE

TO

Loren

SUBJECT

Mr. Stricker has already filed applic.
37-8117 which is being held in Swan Falls.
We should return this applic. & request will permit



SIGNATURE

EMERGENCY GROUNDWATER APPLICATION ANALYSIS SHEET



Is the application acceptable according to a regular Staff Analysis? (Y/N)



Is permanent approval under normal conditions also requested? (Y/N)



Has the Governor issued a drought emergency declaration for the County the P/U is in? (Y/N)



Is the P/U outside a GWMA or CGWA? (Y/N)

Overlap Review


Attach one of the following:



Copy of P/U microfilm showing overlapping surface rights.



Conversation Memo with Canal Co. documenting that the P/U has canal stock.



Does Item 10 of the application correctly identify overlapping surface water rights? *Partials appear correct*

Reviewed by

Adm

37-8117



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

July 14, 1987

RECEIVED

JUL 21 1987

Edward W. Stricker
P.O. Box 442
Ketchum, ID 83340

Department of Water Resources
Southern Region Office

Dear Mr. Stricker:

Enclosed is the application for permit you submitted to our office which contained incomplete items #3, 10, 11a, 11b.

Also, enclosed is the check #1980 in the amount of \$45.00. The correct filing fee for 1.6 cfs is \$65.00.

We also need to know if this is an emergency application. If so, please indicate on the front of the application.

If this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary A. Baldwin

Mary A. Baldwin
Secretary/Office Coordinator

MB

Enclosures

MICROFILMED

MAR 12 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

July 14, 1987

Edward W. Stricker
P.O. Box 442
Ketchum, ID 83340

Dear Mr. Stricker:

Enclosed is the application for permit you submitted to our office which contained incomplete items #3, 10, 11a, 11b.

Also, enclosed is the check #1980 in the amount of \$45.00. The correct filing fee for 1.6 cfs is \$65.00.

We also need to know if this is an emergency application. If so, please indicate on the front of the application.

If this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary A. Baldwin
Secretary/Office Coordinator

MB

Enclosures

MICROFILMED

MAR 12 1990