
R. 21E
T. 15
Graves
Spring (Hot)
BM 4764
Hot Springs Ranch
Spring (Hot)
PD
Carey Cemetery
BM 4768
Gravel Pit
Gravel Pits
Borrow Pit
Borrow Pit
Mile 70
County Fairgrounds
High Sch
Carey
Water Tanks
BM 4783
LANDING STRIP
BM 4773
Flume
BM 4781
BM 4787
CAREY LAKE
Fish
Spring
CANAL
CANAL
ROAD
ROAD
JEEP
HIGH
LINE
HIGH
LINE
WEST
EAST
10
11
12
13
14
15
22
23
24
25
26
27

Applications filed on water rights

NOTICE OF APPLICATION FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8115
ELLSWORTH, MAURICE C.
BOX 158
CAREY, ID 83320

Source: CONDIE SPRING trib. to CAREY LAKE
Date Filed: 06/07/1983
Diversion Pt.: SESE Sec 14 T 01S R 21E
Use: COMMERCIAL (2.00 CFS)
FISH PROP. (2.00 CFS)
HEATING (0.50 CFS)
DOMESTIC (0.06 CFS)
RECREATION (2.00 CFS)
In: SESE Sec 14 T 01S R 21E

37-8123
MATTSON, RICHARD D.
BOX 1567
KETCHUM, ID 83340

Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt.: LOT 05 (SESW) Sec 11 T 04N R 17E
Use: DOMESTIC (0.06 CFS)
In: LOT 05 Sec 11 T 04N R 17E

37-8129
STATE OF IDAHO
DEPARTMENT OF LANDS
STATEHOUSE
BOISE, ID 83720

Source: SPRING trib. to BIG WOOD RIVER
Date Filed: 06/15/1983
Diversion Pt.: SENE Sec 36 T 04N R 17E
Use: STOCKWATER (0.02 CFS)
WILDLIFE (0.02 CFS)
In: SENE Sec 36 T 04N R 17E

37-8130
STATE OF IDAHO
DEPARTMENT OF LANDS
STATEHOUSE
BOISE, ID 83720

Source: SRRING trib. to LITTLE WOOD RIVER
Date Filed: 06/15/1983
Diversion Pt.: NESE Sec 36 T 01N R 21E
Use: STOCKWATER (0.02 CFS)
WILDLIFE (0.02 CFS)
In: NESE Sec 36 T 01N R 21E

37-8145
KRAFT, INC.
P.O. BOX 248
CAREY, ID 83320

Source: GROUNDWATER
Date Filed: 07/07/1983
Diversion Pt.: SESW Sec 27 T 01S R 21E
Use: COMMERCIAL (0.28 CFS)
In: SESW Sec 27 T 01S R 21E

37-8150
WOODS, ROY R.
P.O. BOX 648
MONTEREY, CA 93940

Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt.: SENE Sec 15 T 05N R 17E
Use: IRRIGATION (0.0450 CFS)
DOMESTIC (0.08 CFS)
In: SENE Sec 15 T 05N R 17E FOR 3 ACRES

37-8153
RED CLIFFS
HOMEOWNERS ASSOC.
P.O. BOX 479
SUN VALLEY, ID 83353

Source: GROUNDWATER
Date Filed: 07/27/1983
Diversion Pt.: NENE Sec 31 T 04N R 18E
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.12 CFS)
In: NENE Sec 31 T 04N R 18E NWNW Sec 32 T 04N R 18E FOR 11 ACRES

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho 83301, and received on or before APRIL 1, 1985.

A. KENNETH DUNN
Director

Publish: Wood River Journal–
March 14 & 21, 1985.

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not to Scale

✓ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

___ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 pump	General Electric	1	# WES		
# 2 "	General Electric	1.5	# T65		
# 3 "	STA-RITE	1.5	—		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pygmy Meter						
Five ballon Bucket						

2. **Measurements:** With the pygmy meter, Mel Schulte & I measured a diversion rate of 0.79cfs from the spring.

RECEIVED
JUN 04 1998


7.5 MINUTE SER
34
35
36
Box Spring
Road
Spring
Phillips Springs
BASE
Canyon
3
2
1
TRAIL
Canyon
CANAL
ROAD
HILL
LINE
10
11 Spring
JEEP
HIGH
ROAD
Graves
LINE
HIGH
15
14
13
Spring
Spring (Hot)
Hot Springs Ranch
Spring (Hot)
Carey Cemetery
Fish
Gravel Pit
22
24
PERMIT T37-08115 INIT B.R.B.
T. R. S. Q/Q
P/D 15 21E 14 SESE
SCALE
PHOTO ID.
P/U
P/D
JUN 24 1998

outside view
of the bathhouse

A house that is
heated from this hot spring

P/U

P37-08115
Photos taken on June 28, 1993.

MICROFILMED
JUN 04 1998

P37-08115
These photos were taken on ~~July~~ June 28, 1993.

P/D
Caudie Spring
Bath House Surrounds Spring

exiess discharge flows under deck

Took pygmy meter measurement below edge of deck

JUN 04 1998

P/U

P37-08115

This photo was taken on July 28, 1993.

This old house is now used for the small bottling operation.

This house is also heated from this hot spring.

JUN 04 1998

WARRANTY DEED

For Value Received
LILLIE CONDIE, a Widow

the grantor , does hereby grant, bargain, sell and convey unto
MAURICE C. ELLSWORTH and NORMA ELLSWORTH, husband and wife,
Box 614, Hailey, Idaho 83333

Grantees , the following described premises, in Blaine County Idaho, to-wit:
That portion of the S½SW¼ South of Highway Right-of-way, designated on Blaine County Tax Assessor's Rolls as Tax Lots 1899 and 1900; and that portion of the SW¼SE¼ known as Tax Lot 1901, Section 13; that portion of the NE¼SE¼ lying South of U.S. Highway No. 22, designated on Blaine County Tax Assessor's Rolls as Tax Lot 1898, Section 14; That portion of the NE¼NE¼ except Carey Lake Reservoir, known as Tax Lot 1211, and the SE¼NE¼, and E½SE¼, Section 23; The NW¼, W½NE¼, SE¼NE¼, NE¼SE¼ Section 24, Township 1 South, Range 21 East of the Boise Meridian and Lots 5 and 6 and the SE¼NW¼, Section 19, Township 1 South, Range 22 East of the Boise Meridian, all in Blaine County, State of Idaho.

Together with the following grazing rights:

185 Spring AUMs) Laidlaw Park
59 Fall AUMs) Allotment

75 Spring AUMs) Wild Horse
56 Fall AUMs) Allotment

(Such Grazing rights, however, are subject to any restrictions placed thereon by any governmental agency.)

Together with 260 Inches of Water in the Case Decree and 84 Inches in Fish Creek Reservoir and 74 Inches in Little Wood River.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantees , Their heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantees , that she is the owner in fee simple of said premises; that they are free from all incumbrances

and that she will warrant and defend the same from all lawful claims whatsoever.

Dated: October 3, 1974

Lillie Condie

STATE OF IDAHO, COUNTY OF Twin Falls
On this 3rd day of October , 1974, before me, a notary public in and for said State, personally appeared LILLIE CONDIE

known to me to be the person whose name IS subscribed to the within instrument, and acknowledged to me that SHE executed the same.

R. Rutherford
Notary Public
Residing at Twin Falls , Idaho
Comm. Expires 2/24/78

STATE OF IDAHO, COUNTY OF BLAINE
I hereby certify that this instrument was filed for record at the request of Land Title Guaranty Co
at — minutes past 3:00 o'clock m.,
this 4th day of October ,
1974, in my office, and duly recorded in Book of Deeds at page

Ex-Officio Recorder
By Hazel Baker Deputy
Fees $ 1.00 pd
Mail to: Maurice C. Ellsworth
Box 614, Hailey, Idaho

INSTRUMENT No. 152,534

MICROF

NOTICE OF APPLICATION FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8115

ELLSWORTH, MAURICE C.
BOX 158
CAREY, ID 83320

Source: CONDIE SPRING trib. to CAREY LAKE
Date Filed: 06/07/1983
Diversion Pt.: SESE Sec 14 T 01S R 21E
Use: COMMERCIAL (2.00 CFS)
FISH PROP. (2.00 CFS)
HEATING (0.50 CFS)
DOMESTIC (0.06 CFS)
RECREATION (2.00 CFS)
In: SESE Sec 14 T 01S R 21E

ok
marcya
2/26/85

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 37-08115

Priority: June 7, 1983 Maximum Diversion Rate: 0.14 CFS
Maximum Diversion Volume: 15.6 AF

This is to certify, that MAURICE C ELLSWORTH
R SPENCE ELLSWORTH
PO BOX 158
CAREY ID 83320 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 7, 1983; and has submitted Proof of Beneficial Use on March 29, 1993. An examination indicates that the works have a diversion capacity of 0.790 cfs of water from:

SPRING tributary to **CAREY LAKE**

source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF
HEATING	01/01 to 12/31	0.06 CFS	13.7 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	1.8 AF
	Totals	0.14 CFS	15.6 AF

LOCATION OF POINT(S) OF DIVERSION: SESESE , Sec. 14, Township 01S, Range 21E
BLAINE County

PLACE OF USE: COMMERCIAL

TWN	RGE	SEC	
01S	21E	14	SESE

PLACE OF USE:
HEATING, same as COMMERCIAL use

PLACE OF USE:
DOMESTIC, same as COMMERCIAL use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.

MICROFILMED
JUN 04 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 37-08115

CONDITIONS OF APPROVAL AND REMARKS

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 37N.
6. Use of water under this approval shall comply with applicable water quality standards of the Division of Environmental Quality of the Idaho Department of Health and Welfare.
7. Commercial use is for a bottling operation.
8. Heating and domestic uses are for a home and restrooms/showers in the bottling plant.
9. Source known locally as Condie Spring.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of MAY, 1978.

Acting for KARL J. DREHER, Director

JUN 04 1993

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original App.	37-08115	Maurice C. Ellsworth	2.00
Assignment	37-08115	Maurice C. Ellsworth and/or R. Spence Ellsworth	2.00

APR 12 1993

RECEIVED

MAR 2 9 1993

Department of Water Resources

Form 217
11/91

OFFICE USE ONLY
Amt. of Fee $ 125.00
Date 3-29-93
Receipt No. C 32957
Receipt by JC

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08115 Telephone No. 823-4423 or 823 4591

2. Name(s) of Permit Holder(s): Maurice C. Ellsworth

3. Mailing Address: P.O. Box 158 Carey, ID 83320

4. Source of Water: Natural Spring

   If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

   OPTIONAL:
   Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

   Domestic 2 (No. of households) Stockwater _____ (No. and type of stock)

   Irrigation _____ (No. of acres) Other Commercial (Bottled Water)

6. Total rate and/or volume for which proof is submitted 2.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

   Measuring device: Required? x Yes ___ No Installed? ___ Yes x No
   OR
   Flow Measurement Port: Required? ___ Yes ___ No Installed? ___ Yes ___ No

8. Fee Enclosed: $ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

   R. Spence Ellsworth 823-4591
   Name Telephone No.

   P.O. Box 152, Carey, Idaho, 83320
   Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 1 2 1993

3/26/93 R. Spence Ellsworth (Power of Attorney)
Date Signature (and title, if on behalf of a company or organization)

RECEIVED

FEB 01 1993

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ASSIGNMENT OF ~~APPLICATION FOR~~ PERMIT

I, Maurice C. Ellsworth, hereby assign to Maurice C. &/or R. Spence Ellsworth

of, PO Box 158, Carey, ID 83320
(Full Address)

All my right, title, and interest in and to Application for Permit No. 37-08115 to appropriate the public waters of the State of Idaho.

or (for partial assignments)

The following described portion of my right, title, and interest in and to Application for Application for Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.

_____

_____

_____

Made this 4th day of Feb, 1993

Maurice C Ellsworth
Applicant

State of Idaho)
ss
County of Twin Falls)

On this 4th day of February, ~~1990,~~ 1993 personally appeared before me the signer of the above instrument, duly acknowledged to me that he (she) (they) executed the same.

Mary A. Baldwin
Notary Public

seal

Gooding Id 83330

My commission expires: 10/16/1998

RECEIVED
APR 12 1993

Form 204
4/86

RECEIVED
MAR 20 1990
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof of beneficial use for a water right permit

For Office Use Only
$15 FEE Receipted by C. Wong
Date 3/26/90
Receipt No. 0015927

RECEIVED
MAR 26 1990
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08115

Name(s) of Permit Holder: Maurice C. Ellsworth

Post Office Address: P.O. Box 152, Carey, Id. 83320

Telephone No. 823-4423

Date Proof is Due: April 1, 1990

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

A bottled water business has been developed, Ellsworth Mineral Water Co., Inc. Craters of the Moon Geospring Water, is the brand name. Idaho is the primary market at present, however, people have come from as far as 1000 miles away, to (over) get water, and we've shipped water as far as Vermont Costing $ 80,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Highest and best use of this water, appears to be drinking water. Penetrating the market, and getting shelf space, and establishing credibility, and a reputation, has proved to be a rather slow process. We do have a great deal of optimism about the future, and success of Craters of the Moon Water, and the name identification with Idaho.

Permit holder(s) request an extension to April 1, 1993. (1 yr. minimum)

Maurice C. Ellsworth
(Signature)*

*IF OTHER THAN PERMIT HOLDER, POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: $15.00

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MAY 23 1990

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1993.

Signed this 9th day of May, 19 90.

L. Glen Saxton
Chief, Water Allocation Bureau

and Florida. Many people say that our water is the best that they have ever tasted. We feel that as the water grows in popularity, and with increased interest in the Craters of the Moon area, the creation of a health spa centered around the spring, will be forth coming. We are seeking permission from the Fish and Game to put in a couple of fish ponds. We hope to accomplish this, this spring and summer.

MICROFILMED
MAY 2 8 1990

Form 202
3/78

Ident. No. 37-8115

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Maurice C. Ellsworth Phone 823-4423

   Post office address Box 158, Carey, ID 83320

2. Source of water supply Spring (Condie Spring) which is a tributary of Carey Lake

3. Location of point of diversion is SE ¼ of SE ¼ of Section 14 Township 1S

   Range 21E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes: (See Remarks)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

   a. 2.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline from natural hot spring

   b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

   Period of year when water will be diverted to storage _____ (Month/Day) to _____ (Month/Day) inclusive.

   c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years *(minimum 1 year – maximum 5 years).*

8. Description of proposed uses:
   a. If water is not for irrigation:
      (1) Give the place of use of water: SE ¼ of SE ¼ of Section 14 Township 1S

      Range 21E B.M.

      (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

      (3) List number of each kind of livestock to be watered _____

      (4) Name of municipality to be served _____, or number of families to be supplied with domestic water two.

      (5) If water is to be used for other purposes describe: Heating 2 homes & greenhouses. Commercial use for bottling & sale of mineral water. Recreation for swimming pool & health spa. Commercial catfish production.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

None. Water is now used for irrigation & domestic under Lic. 37-2443 (2 cfs).

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Item 4: · 0.50 cfs for heating from Nov 1 to Apr 1.

· 2.00 cfs for commercial from Jan 1 to Dec 31.

2.00 cfs for recreation from Jan 1 to Dec 31.

· 2.00 cfs for fish propagation from Jan 1 to Dec 31.

·0.06 cfs for domestic from Jan 1 to Dec 31.


R. 21E
T.1S
Graves
Spring
Spring (Hot)
Hot Springs Ranch
BM 4764
Carey Cemetery
BM 4768
Gravel Pit
Gravel Pits
Borrow Pit
Borrow Pit
Mile 70
County Fairgrounds
High Sch
Carey
Water Tanks
BM 4783
LANDING STRIP
BM 4773
Flume
BM 4781
BM 4787
CAREY LAKE
Fish
ROAD
JEEP
HIGH
LINE
HILL
WEST
EAST
CANAL
10
11
12
13
14
15
22
23
24
25
26
27

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurice C. Edwards
(Applicant)

MICROFILMED

Proposed Priority 6/7/83

Received by QP Date 6-7-83 Time 2:30 pm

Preliminary check by [illegible] Fee $ 65.00

Receipted by QP Date 6-7-83 #30263

Publication prepared by macya Date 2/22/85

Published in Wood River Journal

Publication dates 3/7 + 3/14/85 3/14 + 3/21

Publication approved macya Date 2/26/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by AD KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8115, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

   Measuring devices of a type approved by the Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

   Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.

   Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

   Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 32F.

   Use of water under this permit is subject to control by the watermaster of State Water District No. 37N, Upper Little Wood River.

Witness my hand this 30th day of April, 1986.

L. Glenn Saxton

Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

State of Idaho, } SS.
County of Blaine }

GORDON O. GLASMANN

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 14th day of March, 1985, and the date of the last publication was on the 21st day of March, 1985

Gordon O. Glasmann

Subscribed and sworn to before me this 21st day of March, 1985.
(SEAL)

Darla Grott
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line	11	
Number of Lines in Notice	115	
Number of Insertions	2	
_____ Lines tabular at	_____	5¢/Pica
115 Lines straight at	50.60	4¢/Pica
115 Subsequent lines at	37.95	3¢/Pica
TOTAL COST	88.55	

COPY OF NOTICE
(Paste Here)

Application
TITLE OF NOTICE

37-8115 37-8129 37-8145
37-8123 37-8130 37-8150 37-8153

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight	4¢/Pica
7-8 pt. per line tabular	5¢/Pica
7-8 pt. per line successive insertions	3¢/Pica

RECEIVED
No 3945
MAR 25 1985
Department of Water Resources
Southern District Office

[redacted]

NOTICE OF APPLICATION FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8115
ELLSWORTH, MAURICE C.
BOX 158
CAREY, ID 83320
Source: CONDIE SPRING trib. to CAREY LAKE
Date Filed: 06/07/1983
Diversion Pt.: SESE Sec 14 T 01S R [redacted]
U[redacted] CFS)
[redacted] CFS)
[redacted] CFS)
[redacted] CFS)
(RECREATION [redacted] 0.00 CFS)
In: SE[redacted] Sec 14 T 01S R 21E

37-8123
[redacted] RICHARD D.
[redacted] 83340
SOURCE: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt.: LOT 05 (SESW) Sec 11 T 04N R 17E
Use: DOMESTIC (0.08 CFS)
In: LOT 05 Sec 11 T 04N R 17E

37-8129
STATE OF IDAHO
DEPARTMENT OF LANDS
STATEHOUSE
BOISE, ID 83720
Sources: SPRING trib. to BIG WOOD RIVER
Date Filed: 06/15/1983
Diversion Pt.: SENE Sec 36 T 04N R 17E
Use: STOCKWATER (0.02 CFS)
WILDLIFE (0.02 CFS)
In: SENE Sec 36 T 04N R 17E

37-8130
STATE OF IDAHO
DEPARTMENT OF LANDS
STATEHOUSE
BOISE, ID 83720
Source: SPRING trib. to LITTLE WOOD [redacted]
[redacted]
[redacted] CFS)
In: NESE Sec 36 T 01N R 21E

[redacted]
Source: GROUNDWATER
Date Filed: 07/07/1983
Diversion Pt.: SESW Sec 27 T 01S R 21E
Use: COMMERCIAL (0.28 CFS)
In: SESW Sec 27 T 01S R 21E

37-8150
WOODS, ROY R.
P.O. BOX 645
MONTEREY, CA 93940
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt.: SENE Sec 15 T 05N R 17E
Use: IRRIGATION (0.0450 CFS)
DOMESTIC (0.08 CFS)
In: SENE Sec 15 T 05N R 17E FOR 3 ACRES

37-8153
RED CLIFFS
HOMEOWNERS ASSOC.
P.O. BOX 479
SUN VALLEY, ID 83353
[redacted]
[redacted] T
Use[redacted] (0.28 CFS)
In: [redacted] R 18E
NW[redacted] 04N R 18E FOR 11 [redacted]

If issued, the permits will be subject to all prior water rights. Pro[redacted] the granting of an[redacted] Di[redacted] of [redacted] Lakes Boulevard North, Twin Falls, Idaho 83301, and received on or before APRIL 1, 1985.

A. KENNETH DUNN
Director

Publish: [redacted]
March 14 & 21, 1985

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

June 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAURICE C ELLSWORTH
R SPENCE ELLSWORTH
PO BOX 158
CAREY ID 83320

RE: WATER RIGHT NO. 37-08115

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a **preliminary order** issued by the Department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
JUN 04 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) the petition for reconsideration is disposed of; or
> (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

JUN 0 4 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley Watte Keen

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
JUN 04 1998

CERTIFICATE OF MAILING

I hereby certify that on the **1st** day of **June, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 37-08115

MAURICE C ELLSWORTH
R SPENCE ELLSWORTH
PO BOX 158
CAREY ID 83320

Kari Lynn Townsend
Secretary

MICRO
JUN 0 4 98

MEMORANDUM

RATE OF FLOW AND ANNUAL VOLUME FOR HEATING USE

GIVEN:

Source Temperature	=	122	degrees
Area / 1 two story building	=	5000	sq. ft.
Temperature Outside	=	-3	degrees
Temperature Inside	=	65	degrees
Building Efficiency	=	0.67	
Temperature Required	=	70	degrees
Days per year temp below 70	=	212	days
Hours per day temp below 70	=	12	hours

CALCULATIONS:

Single Floor System Heat Load	=	227,800	btu/hr
Two Floor System Heat Load	=	182,240	btu/hr
Temp. Drop Across System	=	15.6	degrees

FLOW RATE:

Single Floor Flow Rate	=	29	gpm
	=	0.07	cfs — (.06 as recommended by examiner is ok.
Two Floor Flow Rate	=	23	gpm
	=	0.05	cfs

VOLUME:

Single Floor Annual Volume	=	13.7	af
Two Floor Annual Volume	=	10.9	af

EFFICIENCY RATING INFORMATION **

0.28 Best energy efficiency rating
0.44 Good energy efficiency rating
0.67 Average energy efficiency rating
1.11 Poor energy efficiency rating

** Source - Administrator's Memorandum dated 9/28/92.

JUN 0 4 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-08115 DATE 5/26/98 REVIEWER: SHARLA

Change/OK

NAME ok
Address ok
SOURCE ok spring - remark of known locally as Condie Spr.
Does change clarify orig. intended source? If no, Void permit

POINT OF DIV ok _ Change (P39 /P47) _ Add (P45/P42) Feds - P40

W32 (multiple in ¼¼)
W36 (overlap)
W59 (subd. desc)

Overlaps: Right(s): _____
File reviewed ___ Profile reports printed ___

PLACE OF USE ok _ Change (P41/P47) _ Add (P41/P42) Feds - P43

W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed ___ Profile reports printed ___

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate 2.00 cfs
Fee limit 2.00 cfs $125.00
Measured .79 cfs
Theoretical — cfs

Recommended Total Div Rate _____ cfs

WATER USES ok Change (P46)

Comm	.02 cfs	.1 af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
Dom	.06 cfs	1.8 af		supp. gw (WB7/065/079)
Heating	.06 cfs	13.7 af		overlap spec. combined rts (W35)
	___ cfs	___ af		<1acre (W31)
	___ cfs	___ af	Domestic	(W01/WB5/070/071/075)
TOTALS	.14 cfs	15.6 af	Power	(W42 or W43/025/027/R22 or R23)

Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS C/bottling ~~plant~~ operation D/1 home and bottling ~~plant~~ ~~house~~.

ADD'L CONDITIONS ~~KA~~ Watermaster Control WD# 37N
___ GW Measurement/Measuring Device
___ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ___ yes ✓ no SRBA Claim N/A

Adjust Memo heat vol. spreadsheet
Amend letters ___/___

meas. dev.

Form 219
6/92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 2 1 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-08115

1. Owner: Maurice Ellsworth / Spence Ellsworth Phone No. 823-4423

Current Address: P.O. Box 158 Carey 83320

2. Accompanied by: Maurice Ellsworth / Spence Ellsworth EXAM DATE: 6-28-93
Mel Schulte (IDWR)

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Goudie Spring tributary to Carey Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NoWE

2. Other water rights with the same point of diversion: A37-02243 (Irrigation)

C. DIVERSION AND DELIVERY SYSTEM

1. **Point(s) of Diversion:**

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SE	14	01S	21E	Blaine	USGS QUAD, Inspection

2. **Place(s) of Use:** Indicate Method of Determination USGS QUAD, Inspection

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	21E	14																H	H
																		C	C
																		D	D

MICROFILMED
JUN 0 4 1998

3. **Delivery System Diagram**: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale - Not to Scale

✓ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

___ Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 pump	General Electric	1	# WES		
# 2 "	General Electric	1.5	# T65		
# 3 "	STH-Rite	1.5	—		

Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pygmy Meter						
Five Gallon Bucket						

2. **Measurements:** With the pygmy meter, Mel Schulle & I measured a diversion rate of 0.79cfs from the spring.

FEB 04 1998

E. NARRATIVE/REMARKS/COMMENTS

see attached sheet

Water is diverted from the spring by pumps to the places of use. Water from the heating system is returned to a natural stream channel that flows into Carey Lake. Water not diverted by pumps from the spring flows into a natural channel that forks into two small streams. One stream flows Southwesterly into Carey Lake in the SWSESE, 5 14, 15, 21E. The other stream flows East and then North and Northwesterly and into Carey Lake in the NWSESE, 5 14, 15, 21E.. This channel flows through an excavated pond intended for recreation use but a true recreational use can't be justified. No measuring device has been installed at the POD that can be used to determine the total flow from the spring.

Have conditions of permit approval been met? ___ yes ✓ no

JUN 04 1998

F. FLOW CALCULATIONS ✓ Additional Computation Sheets Attached

Measured Method:

Commercial Use ≈ Bottled Mineral Water
Measured 10 gallons in 1.5 min as system capacity for bottled water operation

$\frac{10 \text{ gallons}}{1.5 \text{ min}}$ = 0.015 ≈ 0.02 cfs
448.8 gpm

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R}$ = (Acres Irrigated) x (Irrigation Requirement) = _____

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = _____

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = _____

2. Volume Calculations for Other Uses:

Volume For Commercial Use:
≈ 400 cases a month produced
6 gallons in a case ≈ 2400 gallons per month x 12 = 28,800 gallons per year

325,850 gallons in 1 af
= 0.088 afa
≈ 0.10 afa

Heating:
.06 afa X 151 days x 1.9835 = 18.0 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Commercial	1/1	12/31	0.02 cfs	0.10 afa
Domestic	1/1	12/31	0.06 cfs	1.8 afa
Heating	11/1	4/1	0.06 cfs	18.0 "
		Totals:	0.14 cfs	19.9 afa

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ✓ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ✓ Other Add to P/D description to show location to the nearest 10 acre parcel.

I. AUTHENTICATION

Field Examiner's Name Brett Bauer Date 9-20-93

Reviewer _____ Date _____ SEAL

JUN 04 19..

DATE: September 20, 1993

FROM: Brett Barry

TO: File 37-08115

SUBJECT: Field Exam P37-08115 - Narrative/Comments

On June 28, 1993, the field exam for the above permit was conducted. Maurice Ellsworth, Spence Ellsworth, and Mel Schulte accompanied myself during this examination. This permit was to appropriate water for heating, commercial, recreation, fish propagation and domestic uses.

I found the fish propagation use for the raising of catfish and the recreation use for swimming and health spa not developed. Therefore, I will not recommend these uses for licensing.

A diversion rate of 0.79 cfs was measured from this spring(often called Condie Spring or Carey Hot Springs). The USGS measured this spring on February 26, 1993 and found this spring produced 0.78 cfs.

This permit overlaps point of diversion with Adjudication Claim 37-02443. This claim is for 2.0 cfs for irrigation use only. A system capacity condition will be applied when combining these two rights.

Three pumps divert water from this spring to Maurice's house and an old farm house. The hot water from the spring radiantly heats Maurice's house. The water is also used for internal and external domestic use at this home. The water is used at the old farm house for a commercial bottling operation and internal domestic use. Because the old farm house has occasional internal use(showers,bathroom) and occasional external use(very minimal yard irrigation), a full internal use was recommended.

The commercial use had a system capacity measured at 0.02 cfs. The heating use had a recommended diversion rate based on the estimated square footage of each home and the temperature of the spring. Administrator's Memorandum #23 explains the procedure and theory of recommending flow rates for geothermal heating systems. The spring had a temperature of 122° F.

The maximum combined rate of diversion under this right and Adjudication Claim 37-02443 shall not exceed 0.79 cfs.

JUN 0 1 1993


35
36
Spring
Phillips
Springs
Box
Road
Canyon
BASE
Spring
3
2
1
TRAIL
Canyon
CANAL
HILL
10
11 Spring
JEEP
HIGH
LINE
PERMIT P37-08115 INIT B.R.B.
T. R. S. Q/Q
P/D 15 21E 14 SESE
SCALE
PHOTO ID.
Graves
15
14
13
Spring
Hot Springs Ranch
Spring (Hot)
Carey Cemetery
Fish
22
Gravel Pit
JUN 24 1998

P37-08115 See Administrator's Memorandum #23 for explanation of design heat load & rates of flow

Design Heat Load

Maurice's House ≈ 4000 sq. feet home

$E = [e \cdot \Delta T] A$

$e = 0.67$ 4° ≈ assumed outside design temperature

$\Delta T = 70° - 4° = 66°F$

$E = [0.67 \cdot 66°F] 4000 \text{ sq. feet} = 176,880 \text{ Btu/hr}$

Flow Rate Required

$w = \frac{Q}{500(\Delta T_s)} = \longrightarrow \frac{176,880}{500(15.6°)} = 22.68 \text{ gpm}$

$\Delta T_s = 0.3(122°F - 70°F) = 15.6°$

Old Farm House ≈ 1000 sq. feet home

$E = [e \cdot \Delta T] A$

$e = 0.67$ 4° ≈ Assumed outside design temperature

$\Delta T = 70° - 4° = 66°F$

$E = [0.67 \cdot 66°F] 1000 \text{ sq. feet} = 44,220 \text{ Btu/hr}$

Flow Rate Required

$w = \frac{Q}{500(\Delta T_s)} = \longrightarrow \frac{44,220}{500(15.6°)} = 5.67 \text{ gpm}$

$\Delta T_s = 0.3(122°F - 70°F) = 15.6°F$

Total Diversion Rate Required = 28.35 gpm or 0.06 cfs

5



outside view
of the bathhouse

A house that is
heated from this hot spring

P/U

P37-08115
Photos taken on June 28, 1993.

JUN 04 1993

P37-08115
These photos were taken on July 28, 1993.
June

P/D

Caudie Spring

Bath House Surrounds Spring

excess discharge flows under deck



Took pygmy meter measurement below edge of deck

DEC 04 1998

P/U

P37-08115

This photo was taken on July 28, 1943.

This old house is now used for the small bottling operation.

This house is also heated from this hot spring.

JUN 04 1998

April 2, 1993

R SPENCE ELLSWORTH
MAURICE C. ELLSWORTH
PO BOX 158
CAREY ID 83320

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08115

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
APR 12 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 37-08115 Reviewed by KLG Date 3/30/93

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic-2
commercial
Correct Uses? Yes

SOURCE OF WATER

✓ Surface water source
___ Ground water source
NA Drilling permit required?
___ Copy in the file? Drilling Permit No. ___
___ Amount paid for permit ___ Correct?
___ Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
125 Amount Submitted
Yes Correct?

MEASURING DEVICE

Yes Required?
No Installed?
No Waiver requested?

PRIORITY CALCULATION

Date proof received	NA		
Date proof due		-	
No. of days late		=	
Priority Date		+	
New Priority Date			

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs a measure

DATA ENTRY
New Address ___ Proof Made 3/29/93
4/2/93 KLG

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 30, 1993

Maurice C Ellsworth
R Spence Ellsworth
PO Box 158
Carey, ID 83320

Re: Permit No. 37-08115

Dear Permit Holder:

We acknowledge receipt of the correspondence and assignment transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

The Department will continue to analyze the proof of beneficial use submitted in connection with this permit. We will notify you of our findings.

I am also returning the Request for Extension of Time submitted in connection with this permit. Since the Department did not take any official action on the extenson request, you are entitled to a refund of the $15 filing fee. I have begun the process to refund the $15. The process takes between two and four weeks and will arrive under separate cover.

Also, per your request is an application for permit and instructions so that you may file for a new permit.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

RECEIVED

APR 12 1993

Karen L. Gustafson
Secretary/Records Manager

CC: IDWR - Regional Office
Fiscal

Enclosures

RECEIVED

Form 204
11-91

FEB 04 1993

For Office Use Only
$15 Fee Received by [illegible]
Date 2-4-93
Receipt No. 5015355

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 37-08115

Name(s) of Permit Holder: Maurice C. Ellsworth

Mailing Address: PO Box 158, Carey, ID 83320

Date Proof is Due 4-1-93 Telephone No. 823-4423

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Bottled-water business has been started, 2 homes are being heated, one fish pond has been constructed.

Costing $100,000.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Problems with the Army Corps of Engineers over construction of fish ponds has prevented completion of all the fish facility. Also, the bottled-water business is still being developed.

Permit holder(s) request an extension to April 1, 1998.

FEE: $15.00

Maurice C Ellsworth
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

APR 12 1993

IT IS HEREBY ORDERED that the above request for extension of time be .

Signed this _____ day _____, 19____ _____

R. Spence Ellsworth
(208) 823-4302

Maurice C. Ellsworth
(208) 823-4423

Ellsworth Mineral Water Company, Inc.

World's Finest Mineral Water

P.O. Box 152 • Carey, Idaho 83320

March 26, 1993

Karen L. Gustafson
Secretary/Records Manager
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-7866

Dear Karen,

As per our conversation this morning, I am requesting an application for Permit, for the water originating from this spring, that would not be proved up on ~~of~~ the field examination.

Please find enclosed, the Proof of Beneficial Use form, and a check for the fee.

Sincerely,

R. Spence Ellsworth

RECEIVED
APR 12 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 17, 1993

Spence Ellsworth
PO Box 152
Carey, ID 83320

Re: Permit No. 37-08115

Dear Mr. Ellsworth:

Per our telephone conversation yesterday afternoon, I have enclosed another proof of beneficial use and instruction sheet. The proof form and fee need to be submitted to this office on or before April 1, 1993 in order to be in compliance with all of the required dates.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L Gustafson

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED
APR 12 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 9, 1993

Maurice C Ellsworth
PO Box 158
Carey, ID 83320

Re: Permit No. 37-08115

Dear Mr. Ellsworth:

On February 8, 1993, the Department corresponded with you and explained the need to submit additional information before we could process your extension request. As of this date, we have not received any such information.

The Department will allow an additional 15 days for you to submit the previously requested information. If we have not received any further information from you at the end of the 15 day period, the Department will be forced to deny your extension request.

In the mean time, if you have and questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L Gustafson

Karen L. Gustafson
Secretary/Records Manager

RECEIVED
APR 12 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 8, 1993

Maurice C Ellsworth
PO Box 158
Carey, ID 83320

Re: Permit No. 37-08115

Dear Permit Holder:

The Department is in receipt of the Request for Extension of Time submitted in connection with the above referenced permit.

The Department has already granted one extension of time based on due diligence. Section 42-204, Idaho Code does not allow the Department to grant more than one extension of time based on due diligence. Therefore, the Department would not be able to grant this extension based on due diligence.

However, the Department is authorized to grant an extension based on governmental agency delay. In order to do so, however, we must have additional information. You indicate that the Army Corp of Engineers has prevented completion of the fish facility. Please supply the Department with correspondence from the Army Corps of Engineers in reference to this water right.

The Department will allow an additional 30 days for you to compile and submit this information. Without this information, the Department will be forced to deny your request for extension.

In the mean time, if you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L Gustafson

Karen L. Gustafson
Secretary/Records Manager

RECEIVED
APR 12 1993

January 31, 1993

MAURICE C. ELLSWORTH
P.O. BOX 158
CAREY ID 83320

PROOF DUE NOTICE

RE: PERMIT NO. 37-08115

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL
NO. 139812

RECEIVED
APR 12 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

Copy

May 14, 1990

Maurice C. Ellsworth
P. O. Box 152
Carey, ID 83320

Dear Mr. Ellsworth:

Re: Permit No. 37-8115

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1993.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED
MAY 23 1990

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 37-8115 Reviewed by [illegible] Date 5-7-90

BASIC INFORMATION

- y Date stamp received
- y Extension received timely (not too early not too late)
- y Fee received and receipted
- y Name and signature same as permit
- y Address change

BASIS FOR EXTENSION REQUEST

- y Has adequate work been completed to demonstrate due diligence?
- y Has the cost incurred been adequate to demonstrate an intent to complete the project?
- N/A Has the permit been involved in litigation?
  a. Swan Falls _____ Dismissed from Swan Falls _____
  Other _____ Identify _____
  b. Is supporting documentation needed to complete the file? _____
  Requested _____
  c. Calculate the period of delay

  Date litigation completed _____

  Date litigation began - _____

  Total period of delay = _____

  Present proof due date + _____

  NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
  Is supporting documentation needed to complete the file? _____
  Requested? _____

ACTION TAKEN - address only one ext of time
Recommend approval based on due diligence
for three years

- N/A Reinstate

Date extention received _____ = _____

Proof due date _____ = - _____

No. of days late = _____

Priority date _____ = + _____

ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

_____ Change proof due date _____ Address change
_____ Priority date change

March 20, 1990

Maurice C. Ellsworth
P. O. Box 152
Carey, ID 83320

Dear Mr. Ellsworth:

Re: Permit No. 37-8115

Returned is the request for extension of time form. Note that before the department can take action on the request, a $15 filig fee is required.

Please remit the fee along with the extension request before April 1, 1990 to keep the permit in good standing.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
MAY 23 1990

/38/14

January 31, 1990

MAURICE C. ELLSWORTH
P.O. BOX 158
CAREY, ID 83320

PROOF DUE NOTICE

RE: PERMIT NO. 37-08115

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
MAY 23 1990

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 37-8115

Name(s) of Permit Holder(s): Maurice C. Ellsworth

Post Office Address: Box 158, Carey, ID 83320

Tel. No. 823-4423

RECEIVED
MAY 2 3 1988

XX I hereby certify that construction of diversion works for the above referenced permit began on November, 1986 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

3-4-88
Date

Maurice C. Ellsworth
Signature of Permit Holder

ELLSWORTH MINERAL WATER CO., INC.
BOX 152
CAREY, IDAHO 83320
208-823-4302



MAR - 7 1988

Department of Water Resources

MICROFILMED

DEPARTMENT OF WATER RESOURCES

MAY 23 1990

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

- -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MAY 06, 1986

ELLSWORTH, MAURICE C.
BOX 158
CAREY, ID 83320

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 37-8115

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT YOUR PLANS FOR FISH PROPAGATION MAY BE SUBJECT TO REGULATIONS OF THE IDAHO DEPARTMENT OF FISH AND GAME. WE SUGGEST THAT YOU CHECK WITH THEM BEFORE STARTING CONSTRUCTION.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

Form No. 202a
3/79

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: D.F. ELLSWORTH, Maurice C. APPLICATION NUMBER: 37-8115

CHECK:

- ☒ Source.
- ☒ Point of diversion.
- ☒ County.
- ☒ Quantity of water and period of use.
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map.
- ☒ Signature.
- ☒ Fee.

Field check by: _____
Date: _____
Comments: _____

- ☒ Yes ☐ No Field check required.
- ☐ Yes ☒ No Critical groundwater area.
- ☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
- ☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:
B Construction Drawings

SEND COPIES TO:

☒ Idaho State Health Department.	Copies sent by:	mary 2	Date: 3/5/85
☒ Idaho Fish and Game Department.		marya	4/15/86
☐ Idaho Department of Lands.			
☐ U.S. Bureau of Land Management.			
☐ U.S. Forest Service.			
☒ Other Blaine Co. Planning & Zoning		LOH	2/22/85

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. 4-77
- ☒ Yes ☐ No Other rights on same place of use. 37-2493
- ☒ Yes ☐ No* In form for advertising.
  Final date for protests: 3/25/85 4/1/85
- ☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/25/85
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☒ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.
- ☒ Yes ☒ No Measuring device required.
- ☒ Yes ☐ No Access port required.
- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37N
- 6/7/83 Date of priority recommended.

Special conditions of approval or cover letter. 01F, 09D, 07A

Meas. device shall be installed on inflow & discharge to fish ponds.

DCMI - ok to process

By: ADL Date: 4/21/86

STATE OFFICE REVIEW:

L06, L17 02 07A 09D 33 26 05 (37-N, Upper Wood River)

RECEIVED
APR 28 1986
Department of Water Resources

☐ See attached sheet for more information.
By: RW Date: 4/29/86

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

INTER-DEPARTMENT MEMO — 1

FROM Allen

DATE 4/21/86

TO File 37-8.15

SUBJECT Response to our 2/1/85 letter.

The letter we recieved 2/28/86 responds to our letter but the response seems somewhat speculative. I discussed this matter with Lorn and we decided to forward the application to Boise since at this time we may not get any more definite plans than the response describes.

[redacted]

Allen

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

April 15, 1986

Bob Bell, Regional Fisheries Biologist
Idaho Fish & Game Department
Region #4
P. O. Box 428
Jerome, Idaho 83338

Re: Application for Permit No. 37-8115

Dear Mr. Bell:

Please find enclosed a copy of the above referenced application for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

Encl:

RECEIVED
FEB 28 1986
Department of Water Resources
Southern District Office

A Permit has been requested by Maurice C. Ellsworth to use the Hot Spring on (Well # 37-2443 which is on property owned by him and (a deed accompanies this proposed discription of use).

Following is a discription of proposed uses for this hot spring:

1. Presently we wish to use the water in a Commercial use, namely bottling. We will start on a very small scale, bottling water by hand, in the kitchen of the old farm house. We have also be approached by three different groups ~~that~~ proposing to buy water and transport it in tankers to their respective facilities and bottle it under their own label. It is hard to estimate the amount of water that will be used for bottling purposes, however we feel that this is the springs highest and best use. We would like to see the entire flow go for this purpose. This would amount to over 1,000,000 gallons/day.

2. As the business grows, generating a positive cash flow further commercial use would be considered. We would look seriously at the development of a Health Resort. The water would be used for heating, mineral hot baths, swiming and drinking. This would encompass the Commercial, Recreational, Heating, and Domestic ~~uses~~ uses. At this point

it would be very difficult to even guess the amount of water used as the size of the development would dictate that. The size of the development would depend largely on the cash generated by the bottled water sales, and the availability of financing and the ~~demo~~ market analysis, and demand for such a development.

3. At this point and time fish propagation would be the last alternative for using the water. It would appear that we have enough water to maintain 10 one acre ponds for the purpose of fish production.

These are our plans for the use of the hot spring. If you have further questions, please let us know.

Thank you,

R. Lynn Edwards

ENCLOSURE

...TH, husband and wife,

...Blaine County Idaho, to-wit:

...of Highway Right-of-way, described ...Miles on the Lots 10(5) and 1(6); and ...on the 1st NW¼, Section 13; thence ...of U.S. Highway No. 93, described ...Miles on the Lot 10(5), Section 24, ...Fish Creek Reservoir, Section 25; The NW¼, W½NE¼, ...1 South, Range 21 East of the Boise ...and the E½SE¼, Section 19, Township 1 South, ...Boise Meridian, all in Blaine County, State of I...

...the following grazing rights:

...Active	)	Laidlaw Park
...Suspended	)	Allotment
...ing AUMs	)	Wild Horse
...Suspended AUMs	)	Allotment

...grazing rights, however, are subject to any restrictions placed thereon ...governmental agency.)

...together with 260 Inches of Water in the Case Decree and 84 Inches in Fish Creek Reservoir and 74 Inches in Little Wood River.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantees, Their heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantees, that she is the owner in fee simple of said premises; that they are free from all incumbrances

and that she will warrant and defend the same from all lawful claims whatsoever.

Dated: October 3, 1974

Lillie Condie

STATE OF IDAHO, COUNTY OF Twin Falls

On this 3rd day of October, 1974, before me, a notary public in and for said State, personally appeared LILLIE CONDIE

...known to me to be the person whose name IS ...subscribed to the within instrument, and acknowledged to me that SHE executed the same.

...Notary Public

Residing at Twin Falls, Idaho

Comm. Expires 2/24/78

STATE OF IDAHO, COUNTY OF BLAINE

I hereby certify that this instrument was filed for record at the request of Land Title Guaranty Co

at - minutes past 3:10 o'clock P.M., this 4th day of October, 1974, in my office, and duly recorded in Book of Deeds at page

...
Ex-Officio Recorder

By ... Deputy

Fees $ 1.50

Mail to: Maurice C. Ellsworth
Box 614, Hailey, Idaho

MICR...

...No. 1...

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

May 1, 1985

Maurice C. Ellsworth
Box 158
Carey, Idaho 83320

RE: Application for Permit 37-8115 for Fish Propagation

Dear Mr. Ellsworth:

Our office has completed advertising of your Application for Permit 37-8115. Since you plan to use the water for fish propagation purposes, the following items must be submitted for inclusion with your application before it can be forwarded to the IDWR State Office for final action by the Director:

1) A plan of ;the proposed facility. This must be a scale drawing showing the proposed layout of the ponds on the property and giving length, width and depth dimensions of all ponds.

2) Proof of possessory interest in the land upon which the water is to be used. This may be in the form of a copy of a warranty deed, title report, sale or lease agreement, or tax notice, giving ownership and legal description of the property.

We request that the above information be submitted to our office by May 20, 1985. If the necessary material is received before that date there should be no additional delay in handling your application.

If you have any questions, please contact this office.

Very truly yours,

Allen Merritt
Water Resource Engineer.

AM:am

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

March 5, 1985

Gary Burkett
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Applications for Permit Nos. 36-8196, 36-8163, 36-8175, 36-8171, 37-8115, 47-7872, 47-7917

Dear Mr. Burkett:

Please find enclosed copies of the above referenced applications for permits for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

February 22, 1985

Ed Nighbor - Director
Blaine County Planning & Zoning
Old County Courthouse
Hailey, Idaho 83333

Re: Applications for Permits Nos. 37-8115, 37-8123, 37-8129
37-8130, 37-8145, 37-8150, 37-8153

Dear Mr. Nighbor:

Enclosed for your information are copies of notices of applications for water permits which have been filed with this office.

If you have any questions regarding these applications please feel free to contact this office.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 22, 1985

Wood River Journal
P.O.Box 988
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 25, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

37-8115

ELLSWORTH, MAURICE C.

BOX 158, CAREY, ID 83320

Source: CONDIE SPRING trib. to CAREY LAKE

Date Filed: 06/07/1983

Diversion Pt: SESE Sec 14 T 01S R 21E

Use:	COMMERCIAL	(2.00 CFS)
	FISH PROP.	(2.00 CFS)
	HEATING	(0.50 CFS)
	DOMESTIC	(0.06 CFS)
	RECREATION	(2.00 CFS)

In: SESE Sec 14 T 01S R 21E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before ~~MARCH 25,~~ April 1, 1985.

A. KENNETH DUNN

Director

Published ~~3/7 & 3/14/85.~~ 3/24 & 3/31

RECEIVED



NOTICE OF APPLICATION
FOR WATER RIGHT

NOTICE IS HEREBY GIVEN,

[redacted]

(0.50 CFS)
DOMESTIC (0.06 CFS)
RECREATION (2.00 CFS)
In: SESE Sec 14 T 01S R 21E

ok
mary
2/26/85

3/83

IDENT. NO._____

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

Initials	Date	Item
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
VERIFIED KAW	5-8-86	Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Updated
		Transfer Updated
		Keypunched by State Office