


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 13E

Twp 15




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


FEB 21 1990

Ronald E. Jones
(Applicant)





Sec 10, T01S, R13E



○ P/D A0007832
(R090219A)
Reading taken 30' E.
of P/D

□ Outbuilding/Barn
□ Trailer

02 SEPT 98 1330 hrs.
G. SATTERLEE

WILSON

37-08106



photo looking S'ly

p/u NWNW $\frac{1}{4}$ Sec 10



trailer in background see A37-13359
for D/S

GPS tag A0007832

photo looking NE'ly p/d NWNW $\frac{1}{4}$ Sec 10

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08106

Proposed Priority: May 23, 1983

Maximum Diversion Rate:

0.18 CFS

This is to certify, that **RONALD E. JONES**
P.O. BOX 11
CORRAL, ID 83322

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.12 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW Sec. 10, Township 01S, Range 13E,
CAMAS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	13E	10	NWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13 day of February, 1990.

MICROFILMED

FEB 21 1990

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald E. Jones Phone 764-2687
Post office address Box 11, Corral, ID 83322
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 1S
Range 13E B.M. Camas County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 cfs for Irrigation purposes from Apr. 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 cfs for Livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well, 2 hp submersible pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 1S
Range 13E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 15 hd range cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.


(5) If water is to be used for other purposes describe: _____

MICROFILMED

FEB 21 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 13E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

FEB 21 1990

Ronald E. Jones
(Applicant)

Received by TGB Date 5-28-83 Time 5:00 pm
Preliminary check by JP Fee \$ 30⁰⁰/100
Receipted by TGB Date 5-23-83 # 27386
Publication prepared by MB Date 11/8/89
Published in The Snowshoe
Publication dates 12/6 & 12/13/89
Publication approved M. Ballwin Date 11-24-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by LA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

FEB 21 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
 ss.
County of Camas)

Donnie Peters, being first duly sworn, deposes and says that he/she is the designated agent for publisher of the Snowshoe, a newspaper published every week in Fairfield, County of Camas, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement, a copy of which is hereto attached, was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 6 day of November, 1989, and the date of the last publication was on the 13 day of November, 1989.

Donnie Peters

Subscribed and Sworn to before me this 21 day of Nov, 1989.

[Signature]
Notary Public in and for
The State of Idaho.
Residing at Fairfield.

THE SNOWSHOE
Fairfield, Idaho
Cost of Publication

Number of lines in notice 29
Number of insertions 2 times
Cost for advertisement \$35.09

MB
11-24-89
Please pay

RECEIVED

NOV 22 1989

Department of Water Resources
Southern Region Office

MICROFILMED

FEB 1 1990

Legal Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08106

JONES, RONALD E.

BOX 11

CORRAL, ID 83322

Source: GROUNDWATER

Diversion Pt:

NWNW

Sec 10 T 01S R 13E

Use: IRRIGATION

(.120 CFS)

STOCKWATER

(.020 CFS)

DOMESTIC

(.040 CFS)

Date Filed: 5/23/1983

In: T01S R13E S10

NWNW

6.0 ACRES TOTAL

The application(s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit(s) will be subject to all prior water rights except subordinated hydropower rights. Protest must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, ID 83301 on or before December 26, 1989.

R. Keith Higginson, Director

Published 12/6 & 12/13/89.

Old Soldier Native Dies After Theatrical Career

Theatre in Pittsburgh


MICROFILMED

FEB 21 1990

MB
11-24-89

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2			


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube/Pressure Gage						

2. Measurements: Theoretical



GPS A0007832
RD90219A


02 SEPT 1998
1330 HRS.

Hill City

Fairfield 6mi ±

R13E

Corral 7.5' Quad Y69 1986
A37-13359 37-08106



3

9 10 T164

0.3 ac lawn

5.0 ac

4

174.2

T190


1 137

2 220.3

3 6.2


4 59.8

Sec 10, T01S, R13E



● P/D A0007832
(R0902.19A)
Reading taken 30' E.
of P/D

□ Outbuilding/Barn
□ Trailer



02 SEPT 98 1330 hrs.
G. SATTERLEE

WILSON

37-08106

37-08106

Attachment "A"
Irrigating Pasture

Weather Tec. (4) @ 4.3 gpm 17.2
Nelson (2) @ 4.6 gpm + 9.2

6 sprinklers / 1 hard line
moved along a main line.

26.4 gpm

0.06 cfs

Irrigating lawn w/ movable sprinklers

	Rate	Annual Volume
Domestic Use (No lawn)	0.04	0.6
Stockwater	0.02	0.2
	<u>0.06</u>	<u>0.8</u>

A37-13359 Recommendation

Jones, Ronald E.
A37-13359, 37-08106

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-08106
DATE: A37-13359
BY: 02 SEPT 1998

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

- Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (2.4P) \times (0.70)}{[(20) + (65 \times 2.31)]} = \frac{12.32}{170.2} = 0.07 \text{ cfs}$$

LIFT FROM:
measurement ()
owner ()
area estimate (X)
well logs ()
Booster (Y) (N)

PSI FROM:
measurement ()
owner (X)
estimate ()
owner gage ()

NOTES ON PUMP:
Motor Make, Serial or ID
NONE AVAILABLE
Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annun = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	POTENTIAL
3/15 - 11/15	246	= $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL =

REQUIRED Acre Feet/Acre/Annun =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

Jones, Ronald E.
A37-13359





photo Looking S'ly

p/u NNNW Sec 10

Jones, Ronald E.

37-08106

trailer in background see A37-13359
for D/S



GPS tag A0007832

photo Looking NE'ly p/d NNNW Sec 10

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 09 September 1998
RE: 37-08106

I met with Ronald E. Jones on 02 September 1998 to conduct field examination. The permit calls to domestic, stockwater, and irrigation from a well. The well is located in the NWNWNW $\frac{1}{4}$ of Section 10, T01S, R13E. The place of use is located in the same property location.

The adjudication claim, A37-13359, is in the name of Ronald E. and Penny A. Jones. The claim calls to domestic and stockwater from the same well in the NWNWNW $\frac{1}{4}$ of Section 10.

Mr. Jones requests Penny's name to be taken off the adjudication claim. I sent him the Change of Ownership form and a letter explaining what will be needed to omit her.

The field examination verified the irrigation, stockwater, and domestic uses. I measured six sprinklers with a pressure gage and pitot tube. The measured rate is 0.06 cfs and a theoretical rate is 0.07 cfs. I will recommend for irrigation the system capacity of 0.07 cfs.

The stockwater is for 6-10 head a cattle. The domestic use is for one trailer, see photograph.

RECOMMENDATION:

37-08106 irrigation 5.3 acres includes lawn area
0.07 cfs 18.6 afa

A37-13359 domestic one home only
0.04 cfs 0.6 afa

stockwater
0.02 cfs 0.2 afa

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

See Attachment "A"

$$\sum \text{irrigation } 1''/\text{acre} \\ 5.3 \text{ ac.} (0.02) = 0.11 \text{ cfs (Theoretical)} \\ \text{Rate } 0.07 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5.3 (3.5) = 18.6$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 = 0.11 (215) 1.9835 = 46.9$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18.6$$

2. Volume Calculations for Other Uses:

Exam Fee Limit 0.20 cfs
Permit Rate 0.18 "
Recommendation 0.07 "
Measured Rate 0.06

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	0.07	18.6 af
Totals:			0.07	18.6 af

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Georgia Satterlee Date 10 Sept 98

Reviewer _____ Date _____

SEAL

January 25, 1991

RONALD E. JONES
P.O. BOX 11
CORRAL, ID 83322

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08106

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

FEB 2 1991

RECEIVED
JAN 15 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 50.00
Date 1/15/91
Receipt No. 19398
Received by J. Peterson

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 37-08106 Telephone No. (208) 764-2687

2. Name(s) of Permit Holder(s): Ronald E. Jones

3. Post Office Address: P.O. Box 11 Corral, Id. 83322

4. Source of Water: Groundwater

a. If ground water, well driller's name: CAMAS Well Drillers Date drilled: Dec. 1977

b. Pump horsepower: 2 HP Pressure (psi): 65 psi Dynamic pumping level (ft.): 20 ft.

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation 6 (No. of acres)

Stockwater 15 hd (No. and type of stock)
range cattle

Other _____

6. Total rate and/or volume for which proof is submitted 0.18 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Ronald E. Jones
Name

208-764-2687
Telephone No.

Box 11 Corral, Id. 83322
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-14-91
Date

Ronald E. Jones
Signature (and title if on behalf of a company or organization)

FEB 6 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8106

Date: 1-24-91

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change no If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 1. well log in file 1777
 2. drilling permit NA
 NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ✓ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

proof acceptable

Priority Calculation:

Date proof received

JB NA

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138900

December 31, 1990

RONALD E. JONES
P.O. BOX 11
CORRAL, ID 83322

PROOF DUE NOTICE

RE: PERMIT NO. 37-08106

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FILED

FEB 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
February 13, 1990

RONALD E. JONES
P.O. BOX 11
CORRAL, ID 83322

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P37-08106

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

FEB 21 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 21 1971

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: J.F. Stanton

JONES, Ronald E. 8106
APPLICATION NUMBER: 37-

CHECK:

- ☐ Source.
☐ Point of diversion.
☐ County.
☐ Quantity of water and period of use.
☐ Description of diverting works.
☐ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☐ Map.
☐ Signature.
☐ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☐ No Field check required.

☐ Yes ☐ No Critical groundwater area.

☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No Platted by: JS Map No. Y-19

☐ Yes ☒ No Other rights on same place of use. _____

☐ Yes ☐ No* In form for advertising.

Final date for protests: _____

☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 11/22/89

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37 or 37A

5/23/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

App. in TRUST area - Exempt - see memo of 11-289.


By: Loren D. Stanton Date: 1/15/90

STATE OFFICE REVIEW:

P05, P23 P16 46

☐ See attached sheet for more information.

By: KW Date: 1-29-90



POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

24-Nov-1989

The Snowshoe
c/o Margaret Brackenbury
Box 360
Fairfield, ID 83327

Dear Mrs. Brackenbury:

Re: Publication of Application for Permit No. 37-08106
(Jones)

Enclosed please find a copy of the above referenced legal.
Please note that the desired publication dates were December
6 and December 13, not November as published.

It is important that publications be made on the requested
dates. The Department's Rules & Regulations specify that the
first ad for new applications must start either on the first
or third publication date of the month so that attorneys and
other interested parties can more accurately anticipate when
the legals will appear.

Thank you for your cooperation in this matter. If you have
any questions or if this office can be of further assistance,
please feel free to contact me.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

RECEIVED

FEB 21 1990

09-Nov-1989

Ronald E. Jones
P.O. Box 11
CORRAL ID 83322

Re: Application for Permit No. 37-08106

Dear Applicant(s):

The Department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy. In connection with this processing, the Department requests the information described below.

Additional information required before final regional review of the application includes evidence of development prior to October 1, 1984 such as ASCS area photos predating 1984 with a signed statement from an ASCS agent or power bills predated October 1, 1984 for meter specifically servicing well.

From the Department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

Please feel free to contact the Department if you have questions.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

NOVEMBER 8, 1989

THE SNOWSHOE
BOX 360
FAIRFIELD, ID 83327

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

FEB 21 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl tion(s) have been filed appropriate the public
waters of the State of Idaho:

RECORDED

FEB 21 1990

37-08106 ✓

JONES, RONALD E.
BOX 11
CORRAL, ID 83322

Source: GROUNDWATER

Diversion Pt: NWNW Sec 10 T 01S R 13E

Use: IRRIGATION	(.120 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)

Date Filed: 5/23/1983

In: T01S R13E S10 NWNW

6.0 ACRES TOTAL

MICROFILMED

FEB 21 1990

The application (s) alleges completion of development and beneficial use of water described above prior to October 1, 1984. If approved, the permit (s) will be subject to all prior water rights except subordinated hydropower rights. Protest must be filed with the Director, Department of Water Resources, 2148 4th Avenue East, Twin Falls, ID 83301 on or before December 26, 1989.

R. Keith Higginson, Director

Published 12/6 & 12/13/89.

NOTIFIED

FEB 21 1990

ER-DEPARTMENT MEMO — 1

FROM *Tim LUKE*

DATE *11/2/89*

TO *Southern*

RECEIVED

NOV 6 1989

SUBJECT *App # 37-8106*

Department of Water Resources
Southern Region Office

This App is exempt from SWAN FALLS Review based on evidence of prior development. It may be advertised. Please advertise ASAP

MICROFILMED

FEB 21 1990

Tim Luke

SIGNATURE

MEMORANDUM

TO: FILE/APPLICATION NO. 37-8106

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-2-89

=====

The applicant has returned the trust water questionnaire and claims that the source was developed and used prior to October of 1984. The application was filed in May, 1983. The applicant requested one year in which to complete the diversion and apply the water to beneficial use (where filings are made to validate existing uses, one year is normally given for department administrative purposes). The applicant claims on the questionnaire that the well was drilled in 1977 and the irrigation system installed in 1978. The applicant further states that the well described under this application is a replacement well.

As of this date, the department has not yet classified the 1986 remote sensing data for this area. However, the 1974 7.5 min. orthophoto for this area does appear to show approximately 6 acres of irrigation for the place of use described in the application. The irrigated field in the orthophoto matches the field drawn on the map by the applicant.

Based on available information and the applicants response to the questionnaire, I recommend that the department approve the application as a non-trust water use. The application should be exempt from further review requirements of Section 42-203C.

The file is being returned to the regional office for advertising. I do not believe any special language is required for the advertising.

MICROFILMED

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

NOV 01 1989

Application No. 37-8106

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes x No
b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes x No
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

I have installed 3" main line and 2 laterals, five sprinklers each. Approx 6 Acres
this system was installed in 1978

3. Please state the number of acres you have irrigated under this application since October 1, 1984. 6 Acres

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. None

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

None

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Ronald E. Jones

Date 10-27-89

MICROFILMED

FEB 21 1990

page 2

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

This well was drilled in 1977 and is a
replacement well.

the old well dates back to 1907

Microfilm

FEB 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 37-8106

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

MICROFILMED

FEB 21 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

FEB 21 1990

