

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 1 N R 18 E

P.D.

P.U.

Sec 12

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bruce Ambury
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

FEB 14 1989

Permit No. 37-8098

Phone No. 788-2824

A. GENERAL INFORMATION

1. Owner: Bruce ARMSTRONG
Current Address: Rt 1 Bx 58 Bellevue, Ida

2. Accompanied by: _____ EXAM. DATE: 8/3/87

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to ✓


B. OVERLAP REVIEW

1. Other water rights with same place of use: no ☐ Copies Attached

2. Other water rights with same point of diversion: no ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



WELL AND WELLHOUSE.




PROPERTY BEING IRRIGATED



HOUSES AND LAWN THAT IS IRRIGATED.



6861 R 1 101
MICROFILMED




T 1 N

T
-
N

MICROFILMED

JUL 19 1989



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08098

Priority: May 13, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.06 CFS
2.4 AF

This is to certify, that BRUCE ARMSTRONG

RT. 1 BOX 58

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 13, 1983; and has submitted Proof of Beneficial Use on September 16, 1985. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 12, Township 01N, Range 18E
BLAINE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 18E 12

SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 14th day of June, 1989.

WATER RIGHT DIVISION

JUL 19 1989

Acting for

Norman C. Young
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Bruce Armstrong Phone 788-2366
Post office address Rte 1, Bx 58 Bellevue, IDAHO 83313
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 1N
Range 18E B.M. BLAINE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.06 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. well

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 1N
Range 18E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED


SECRET

Total number of acres to be irrigated

10/10/10

applicant to make this filing

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bruce Ambury
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 5/13/83 mayer 5/13/83 11:30 a
Received by HJ Date 4/19/83 Time 2:52
Preliminary check by TB Fee \$ 30.00 # 27243
Receipted by mayer Date 5/13/83
Publication prepared by mayer Date 1/14/85
Published in wood river journal
Publication dates 1/31 + 2/7/85
Publication approved mayer Date 1/22/85
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8098, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District 37, Big Wood River.

Witness my hand this 22nd day of April, 1985.

J. Glen Saxton
Chief, Operations Bureau

EXHIBIT "A"

The following-described portion of Section 12, Township 1 North, Range 18 East, B.M., in Blaine County, State of Idaho, to-wit:

The Southeast Quarter of the Northwest Quarter (SE 1/4 NW 1/4); The East Half of the Southwest Quarter (E 1/2 SW 1/4); the Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4); and the Northwest Quarter of the Southeast Quarter (NW 1/4 SE 1/4) EXCEPT Tract No. 1 and Tract No. 2 described below:

EXCEPTED Tract No. 1:

The following-described portion of the Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4) of said Section 12, T. 1 N., R. 18 E., B.M.: Commencing at the intersection of the North line of said SW 1/4 NE 1/4 and the West boundary of U. S. Highway 93, thence West 284 feet, thence South 394 feet, thence South 64°22' East 55.5 feet, thence South 52°26' East 295 feet to the West boundary of U. S. Highway 93, thence North along the West boundary of said U. S. Highway 93, 598 feet to the point of beginning.

EXCEPTED Tract No. 2:

A parcel of land situated in Section 12, T. 1 N., R. 18 E., B.M., more particularly described as follows: Commencing at an iron pin marking the intersection of the South boundary of Section 1, T. 1 N., R. 18 E., B.M. and the West boundary of U. S. Highway 93, thence Southerly along the West boundary of said Highway 2,480 feet, more or less, to an old fence on the North edge of an old orchard, which point is the REAL POINT OF BEGINNING, thence continuing Southerly along said U. S. Highway 93, 770 feet, more or less, to a fence on the Southerly side of W. J. MYER'S driveway, thence Westerly 270 feet, more or less, perpendicular to said Highway, to a point on the top of a bench, thence Northerly, parallel to U. S. Highway 93, 430 feet, more or less, to a point on the top of a bench, thence approximately North 30° East, 390 feet, more or less, along the top of said bench to a point on an old fence on the Northerly edge of the said old orchard, thence Easterly 50 feet, more or less, perpendicular to said U. S. Highway 93, to the POINT OF BEGINNING, containing 3.9 acres, more or less.

//////////

TOGETHER WITH all water and water rights, ditches and ditch rights, appurtenant thereto, including but not limited to 200 inches of priority June 1, 1884.

MICROFILMED

(Paste Here)

SS.

being first duly sworn,

• *Chlorophyll a* (Chl a) is the primary photosynthetic pigment in all photosynthetic organisms. It is a green pigment that absorbs light energy in the blue and red regions of the visible spectrum. Chl a is found in the thylakoid membranes of chloroplasts in plants and in the plasma membrane of cyanobacteria and algae. It plays a central role in the light reactions of photosynthesis, where it captures light energy and transfers it to the reaction center, leading to the photolysis of water and the reduction of NADP+ to NADPH.

July 17, 1989

BRUCE ARMSTRONG
RT. 1 BOX 58
BELLEVUE, ID 83313

RE: PERMIT NO. 37-08098

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAILED

JUL 19 1989

April 11, 1989

BRUCE ARMSTRONG
RT. 1 BOX 58
BELLEVUE, ID 83313

RE: PERMIT NO. 37-08098

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
JUL 19 1989

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 37-8098

BY: *JA*

	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	<u>4/30/86</u>	_____
B. DATE FEE DUE (60 days)	<u>6/29/86</u>	_____
C. DATE FEE RECEIVED	<u>5/27/87</u>	_____
D. NUMBER OF DAYS LATE (C - B)		<u>332</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>5/13/83</u>	_____
F. NEW PRIORITY DATE (D + E)	<u>4/9/84</u>	_____

REMARKS:

MICROFILMED

JUL 19 1989

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE EXAMINATION
CHECKLIST

WATER RIGHT 37-8098

REVIEWER DRJ

DATE 1-17-89

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>N/A</u>	1,5. <u>N/A</u>
1,6. <u>✓</u>	1,7. <u>N/A</u>	1,8. <u>N/A</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>✓</u>	1,13. <u>✓</u>
1,14. <u>N/A</u>	1,15. <u>✓</u>	1,16. <u>N/A</u>	1,17. <u>✓</u>

RULE 6 MEASUREMENT TERMINOLOGY;

N/A — No measurements made

1,1. <u> </u>	1,2. <u> </u>	2. <u> </u>	3. <u> </u>
4. <u> </u>	5. <u> </u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>✓</u>	1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>
1,5. <u>✓</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u> </u>	2,2. <u> </u>	2,3. <u> </u>	2,4. <u> </u>
--------------------	--------------------	--------------------	--------------------

Reviewer

Date

N/A = NOT APPLICABLE
** = SEE ATTACHMENT NO.

* = SEE ITEM IN BENEFICIAL USE
*** = SEE REMARKS ATTACHED

MICROFILMED

JUL 19 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

June 2, 1987

Bruce Armstrong
Rt 1, Box 58
Bellevue, ID 83313

Re: Permit No. 37-8098

Dear Mr. Armstrong;

Please find enclosed receipt No. 45010 in the amount of \$50.00 for examination fee received in this office 06/01/87 for the above referenced permit.

Please feel free to contact this office if you have any questions.

Very truly yours,

A handwritten signature in cursive script, appearing to read "Lori Graves".

Lori A. Graves
Clerk

Encl:

MICROFILMED
JUL 17 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

FEB 14 1989

A. GENERAL INFORMATION


1. Owner: Bruce ARMSTRONG Permit No. 37-8098
Current Address: Rt 1 Bx 58 Bellevue, Ida Phone No. 788-2824
2. Accompanied by: _____ EXAM. DATE: 8/3/87
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to ✓

B. OVERLAP REVIEW

1. Other water rights with same place of use: no ☐ Copies Attached
2. Other water rights with same point of diversion: no ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	GE	7.5	-		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	12	1 N	13 E	Jerome	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1 N	18 E	12								D									

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

2 Domestic House w/ Lawns
106 cfs. 2.4 AFA.

Marked for Review
JUL 2 1999

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.06 cfs	2.7
Totals:			0.06 cfs	2.7

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Cory Funderburg
Signature Cory Funderburg
Certification Date 5/15/87
Field Report Preparation Date 8/3/87

Lorenthal
CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


JOM 3/6/89



WELL AND WELLHOUSE.



37-8098 BRUCE ARMSTRONG



HOUSES AND LAWN THAT IS IRRIGATED.



PROPERTY BEING IRRIGATED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37-8098
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CG 7/10/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index CG 7/10/87 (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ ~~Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.~~

C. Review and Processing:

Exam Completed 8/3/87 (Signature of examiner) and date

Exam Reviewed by Senior Water Resource Agent DRS 1-18-89 (Initial and date)

Exam Reviewed by Manager of Regional Office 2/10/89 (Initial and date)


Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

6861 R + 111

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 37-8098
Name(s) of Permit Holder(s): BRUCE ARMSTRONG
Post Office Address: RT. 1 BOX 58 BELLEVUE ID. 83313
Tel. No. 7882824

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on SEPTEMBER 1980 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
JUL 1 1989

*Note: A financing difficulty is not an acceptable reason.


5-10-85
Date

Bruce Armstrong
Signature of Permit Holder

CALYPSO CANTER HORSES

Route 1, Box 88

Bellevue, ID 83616



RECEIVED



MICROFILMED

MAY 15 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

37-8096
ARMSTRONG, BRUCE
RT. 1 BOX 58
HELLEVOUE, ID. 83313

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

MICROFILMED

Enclosure

JUL 19 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

37-8098
ARMSTRONG, BRUCE
RT. 1 BOX 58
BELLEVUE, ID 83313

138770

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECEIVED

JUL 1 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

NOVEMBER 19, 1985

BRUCE ARMSTRONG
RT. 1 BOX 58
BELLEVUE

ID 83313

RE: Permit No. 37-8098

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MAA
Poor Quality
POOR QUALITY

MICROFILMED

JUL 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
SEP 16 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 37-8098

Name(s) of Permit Holder: BRUCE ARMSTRONG

Post Office Address: RT. 1 Box 58 BELLEVUE, ID. 83313

Telephone No. 7882824

Source of Water: GROUND WATER - WELL

Extent of Use:

Domestic 2 (number of households)

Stockwater 25 HORSES (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 4-23-83

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

BRUCE ARMSTRONG
(Name)

RT. 1 Box 58 BELLEVUE, ID. 7882824
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

9-13-85
Date


Bruce Armstrong
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

CALYPSO QUARTER HORSES

Route 1, Box 58

Bellevue, ID 83313



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON

CHIEF, OPERATIONS BUREAU

MICROFILMED

May 8, 1985

RE: Permit No. 37-8098

Bruce Armstrong
Rt. 1, Box 58
Bellevue, ID 83313

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note that one of the conditions of approval is that the diversion of water under this permit is subject to the control of a State Watermaster. The reason for this is that some hydrologic studies of rivers in the state indicate that wells constructed in the sand and gravel aquifers of the river areas may intercept water that otherwise would have entered the river. However, the extent of the alluvial material thickness is not known nor is the precise degree of interference of wells with surface water flows. Studies do indicate that as much as 50% of the water diverted from a well located one mile from the river would have reached the river if impermeable layers of clay on hard rock do not separate the river from the aquifer from which the well is producing.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and its tributaries. If this were to occur, it would essentially mean that there would not be water available for a 1983 priority diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

MICROFILMED

May 8, 1985
RE: Permit No. 37-8098
Page 2 of 2

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Kay Walker

DATE 4/10/85


TO Application for Permit No. 37-8098

SUBJECT: Watermaster Control Recommendation

Pursuant to review of this application, I recommend that it be subject to watermaster control because of the close proximity of the well to the river, and the shallowness of the well itself.

MICROFILMED

SIGNATURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

ARMSTRONG, Bruce

INITIAL REVIEW BY: T.G. Blau

APPLICATION NUMBER: 37-8098

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt. /

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: marcy Date: 1/15/85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. Y-23
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 2/18/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/8/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37
5/13/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in first S.F. dismissal

By: ADH Date: 2/26/85

STATE OFFICE REVIEW:

"K" letter w/ L17

26 05 (37) Big Lost River

RECEIVED
MAR 08 1985

- ☐ See attached sheet for more information.

By: FW Date: 4/10/85 Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

3/83

IDENT. NO. 37-8098

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials

Date _____

Item

Jc

6/20/83

Original form entered

[Edit](#) [Report](#) [Correct](#)

Date Protested

Date of Hearing

Date Approved/Denied

(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Updated

Transfer Updated

Keypunched by State Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 16, 1985

Bob Bell, Regional Fisheries Biologist
Idaho Fish & Game Department
Region #4
P. O. Box 428
Jerome, Idaho 83338

Re: Applications for Permit No. 37-8098 & 8086

Dear Mr. Bell:

Please find enclosed copies of the above referenced applications for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 17, 1985

Mood River Journal
P.O. Box 988
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 18, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-8098-

ARMSTRONG, BRUCE

RT. 1 BOX 58, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 04/19/1983

Diversion Pt: SENN Sec 12 T 01N R 18E

Use: DOMESTIC (0.06 CFS)

In: SENN Sec 12 T 01N R 18E - FOR 2 HOMES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN

Director

Published 1/31 & 2/7/1985.

MICROFILMED

37-8098
ARMSTRONG, BRUCE
RT. 1, BOX 58
BELLEVUE, ID 83313
Source: GROUNDWATER
Date Filed: 04/19/1983
Division Pt.: SENW Sec 12 T
01N R 18E
Use: DOMESTIC (0.06 CFS)
In: SENW Sec 12 T 01N R 18E -
FOR 2 HOMES.

1/5/85
S.M.
J.B.

1/5/85
S.M.
J.B.