


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 22 1990

William W. Martindale
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: William D. Martindale Permit No. 37-08081
Current Address: P.O. Box 451 Bellevue, ID 83333 Phone No. 788-2207
2. Accompanied by: William EXAM. DATE: 7/10/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUN 24 1992





P/D

P/U



PROFILMED

24 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08081

Priority: April 21, 1983

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that WILLIAM D MARTINDALE

PO BOX 451

HAILEY ID 83333

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1983; and has submitted Proof of Beneficial Use on April 9, 1990. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.06 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 36, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 18E 36	NWNW 2			2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This license for the use of trust water is subject to a term review of 20 years after the date of issuance to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

RECORDED
JUN 24 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08081

CONDITIONS/REMARKS:

7. The Director retains jurisdiction of the license issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of JUNE, 1992.

Acting for *R. Keith Higginson* Director

MICROFILMED
JUN 24 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08081

Proposed Priority: April 21, 1983 Maximum Diversion Rate: 0.10 CFS
This is to certify, that WILLIAM D. MARTINDALE

P.O. BOX 451
HAILEY, ID 83333

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 36, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	36	NWNW	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECORDED

MAR 22 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 37-08081

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-8081

RECEIVED

APR 20 1983

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant William D. Martindale Phone 788-2207
Post office address Bx 451 Hailey, ID 83333
2. Source of water supply groundwater which is a tributary of ✓
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 2 N
Range 18 E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for IRR purposes from 4-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, motor pump.
w/sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

c. Proposed well diameter is 24 inches; proposed depth of well is 12 feet.
(Month/Day) (Month/Day)

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MAR 22 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	36					5												5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED

MAR 22 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

5

well P.D.

Sec. 36

T 2 N R 18 E

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 22 1990

William D. Martindale
(Applicant)

Received by LS Date 4/19/83 Time 4:38 A.M
Preliminary check by LH Fee \$ 30.00 # 27248
Receipted by maga Date 4/21/83
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

MAR 22 1990

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

RECEIVED
FEB 26 1990

Department of Water Resources

_____, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 20 day of Dec, 19 89, and

the date of the last publication was on the 27 day of Dec, 19 89.

Subscribed and sworn to before me this _____ day of _____, 19_____.
(SEAL)

NOTARY PUBLIC

MICROFILMED

WOOD RIVER JOURNAL MAR 22 1990
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line _____
Number of Lines in Notice 45
Number of Insertions 2

Lines tabular at _____ 5.5¢/Pica
45 Lines straight at 24.75 4.5¢/Pica
45 Subsequent lines at 19.80 4.35¢/Pica
TOTAL COST 44.55

COPY OF NOTICE
(Paste Here)

2 Applications (Weaver & Martindale)
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Res. (B.D.S.)
BILL TO

Two file on trust water rights

NOTICE OF APPLICATION FOR TRUST WATER RIGHT 37-08079

WEAVER, PATRICIA A.
WEAVER, THOMAS N.
P.O. BOX 1413
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: SWSW Sec 4 T 02N R 18E
Use: IRRIGATION (.160 CFS)
Total Diversion: (.160 CFS)
Date Filed: 4/21/1983
In: T02N R18E S04 SWSW
8.0 ACRES TOTAL
37-08081

MARTINDALE, WILLIAM D.
P.O. BOX 451
HAILEY, ID 83333
Source: GROUNDWATER
Diversion Pt: NWNW Sec 36 T 02N R 18E
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/21/1983
In: T02N R18E S36 NWNW
5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720, on or before JANUARY 10, 1990.

R. Keith Higginson, Director
Publish: Wood River Journal-December 20 & 27, 1989.

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive
insertion....3.5/pica

6861

14385

June 16, 1992

WILLIAM D MARTINDALE
PO BOX 451
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08081

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUN 24 1992

March 25, 1992

WILLIAM D MARTINDALE
PO BOX 451
HAILEY ID 83333

RE: WATER RIGHT NO. 37-08081

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

FILED
JUN 24 1992

FROM Jim Stanton

DATE 3-11-92

TO Pam Skaggs *CS*

SUBJECT Permit 37-08081, William Martindale

Mr. Martindale was in today in response to your recent letter concerning licensing of this permit. He has paid an examination fee of \$50. under Receipt #S014244 in order to obtain a license for 2 acres of irrigation and 0.07 cfs of groundwater flow.

MICROFILMED

JUN 24 1992



SIGNATURE

3/11/1992

MARTINDALE, EOLA

EXAMINATION FEE - 37-08081

540122 1238 6490

50.00

CHECK

4035

\$50.00

Region: SOUTHERN

Signature: _____

MICROFILMED
JUN 24 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 5, 1992

William D. Martindale
P.O. Box 451
Hailey, ID 83333

RE: Permit #37-08081

Dear Mr. Martindale:

On July 10, 1990, an examination was made on the above referenced water right to determine actual development completed under this permit. The examiner found a total of 2 irrigated acres and a rate of diversion of .07 cubic feet per second (cfs).

On September 4, 1990, you visited the Southern Region office and stated that only 1/2 acre is irrigated from the well identified on this right.

Before this permit can be licensed, I will need additional clarification as to the extent of use. The field exam identifies pasture, garden and lawn being irrigated through a sprinkler system from the well. When was the use limited to 1/2 acre of garden? Do you intend to permanently discontinue watering the yard and pasture from this system? Please be specific in your explanation in order to avoid unwarranted reduction of your water right.

If you wish to retain the 2 acres and .07 cfs identified in the field exam, a \$50.00 examination fee must be paid. The exam fee is based on the rate of diversion. You claimed a rate of .04 cfs on the Proof of Beneficial form and no fee was required. The additional rate may be licensed since it is within the parameters of the Permit, but the additional fee must be paid. Since Regional Staff advised you not to pay the fee, the normal late charge will be waived.

If you choose to reduce the water right to 1/2 acre irrigation and .02 cfs, no exam fee will be required. The license would be limited to use on 1/2 acre at a pumping rate of .02 cfs. If you continue to use the sprinkler system found in place by the examiner's after a reduced license is issued, you would be diverting water without a water right to cover the diversion. Illegal diversions of water are subject to issuance of a Cease and Desist Order.

MICROFILMED

JUN 24 1992

If you resume irrigation of the extra acreage after a license is issued, a new application would be required to cover the additional use. You should be aware that you are located within the recently designated Big Wood Groundwater Management Area and most new consumptive use applications are denied unless it can be demonstrated there will be no injury or you can provide acceptable mitigation to prior rights.

I will withhold the Permit from further processing for 15 days in order to allow you to respond. If no response is received in that time, the permit will be recommended at the reduced amount and acres.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Technical Records Specialist

DATE:

SUN 24 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

MARTINDALE, WILLIAM

37-8081
RECEIVED
JUL 22 1991

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 6-11-90 A.S. (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 6-11-90 A.S. (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Charles Backen 7/12/90 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent J.S. 9/6/90 (Initial and date)
Exam Reviewed by Manager of Regional Office J.P. 7/15/91 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE EXAMINATION
CHECKLIST

WATER RIGHT 37-8081

REVIEWER Jim Stanton

DATE 9-6-90

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>	1,5. <u>N/A</u>
1,6. <u>✓</u>	1,7. <u>✓</u>	1,8. <u>***</u>	1,9. <u>N/A</u>
1,10. <u>✓</u>	1,11. <u>N/A</u>	1,12. <u>N/A</u>	1,13. <u>✓</u>
1,14. <u>N/A</u>	1,15. <u>***</u>	1,16. <u>N/A</u>	1,17. <u>N/A</u>

RULE 6 MEASUREMENT TERMINOLOGY;

1,1. <u>**</u>	1,2. <u>**</u>	2. <u>✓</u>	3. <u>✓</u>
4. <u>✓</u>	5. <u>✓</u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>✓</u>	1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>**</u>
1,5. <u>✓</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u> </u>	2,2. <u> </u>	2,3. <u> </u>	2,4. <u> </u>
--------------------	--------------------	--------------------	--------------------

Reviewer

Date

N/A = NOT APPLICABLE

** = SEE ATTACHMENT no. Memo

* = SEE ITEM IN BENEFICIAL USE RPT

*** = SEE REMARKS ATTACHED

FROM Jim Stanton

DATE 9-5-90

TO Exam File 37-8081, William Martindale

SUBJECT Error On ~~File~~/ Field Exam

Mr. Martindale was in yesterday to discuss this exam. Although the examiner showed 2 acres of irrigation, the permittee stated that his well is only used to irrigate 1/2 acre of garden at this time. Two buried lines serve 8 and 7 sprinkler heads; only 1 line can run at a time. Chuck's measurement for 8 heads showed a flow of 0.07 cfs, whereas the Proof only showed 0.04 cfs. Mr. Martindale was told that an exam fee of \$50 was due. But since the license can only be issued for 0.02 cfs, I told him not to pay the additional fee. Anyway, the field report should be changed to show 1/2 acre of irrigation instead of 2 acre. There is absolutely no question that 0.07 cfs is being beneficially used on this land, but apparently our goofy rules don't allow this amount to be licensed. So the exam should show a flow rate of 0.02 cfs and 1.5 AFA.

MICROFILMED

JUN 24 1992

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: William D. Martindale Permit No. 37-08081
 Current Address: P.O. Box 451 Bellevue, ID 83333 Phone No. 784-2207
 2. Accompanied by: William EXAM. DATE: 7/10/90
 Address: _____ Phone No. _____
 Relationship to Permit Holder: _____
 3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
 2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

JUN 24 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
 Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
 place(s) of use (required).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible well, mainline with 15 heads on 3ft risers spaced 20 ft apart. 8 heads at a time sprinkle. One house on Bellevue city water.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>no info</i>	<i>1 1/2</i>	<i>no info</i>		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			<i>NW</i>	<i>NW</i>	<i>36</i>	<i>2N</i>	<i>18E</i>	<i>Blaine</i>	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>2N</i>	<i>18E</i>	<i>36</i>					~~<i>2</i>~~												~~<i>2.0</i>~~
							<i>2</i>												<i>2.0</i>

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge						

2. Measurements:

48 psi, 9/64" nozzle = 3.9 gpm/hd
8 heads

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 8 (3.9) = 31.2 \text{ gpm} = .07 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.5 (2.4) = 6.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 (215) (1.9835) = 29.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0$

2. Volume Calculations for Other Uses:

MICROFILMED
JUN 24 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Irrigation season is 4/1 - 11/1, not 4/15 - 11/15 as on permit

Average is 2.2 ac minus house & drive = 2.0 ac.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	~~0.04~~ 0.04	~~7.5~~ 6.0
Totals:			~~0.04~~ 0.04	~~7.5~~ 6.0


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


- ☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Mark Brockway
 Signature [Signature]
 Certification Date 4/10/21
 Field Report Preparation Date 7/12/20



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.





P/D

P/U



PROFILMED

24 1992

June 4, 1990

WILLIAM D. MARTINDALE
P.O. BOX 451
HAILEY, ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08081

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUN 7 - 1990

Department of Water Resources
Southern Region Office

MICROFILMED

JUN 24 1992

RECEIVED

APR 9 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

APR 11 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08081 Telephone No. _____

Name(s) of Permit Holder(s): William D. Martindale

Post Office Address: P.O. Bx 451, Bellevue, Ida 511 Nth Main Bellevue.

Source of Water: ground

If ground water, well driller's name: Ken Smith Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 3 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

RECEIVED

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 6 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

William Martindale 788-2207
Name Telephone No.

Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-9-90
Date

William D. Martindale
Signature (and title if on behalf of a company or organization)

MICROFILMED
JUN 24 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name William D. Martindale
Address 511 N. MAIN Bellevue, Ida.
Owner's Permit No. 37-90-S-036 ^{OK}
37-8081

7. WATER LEVEL

Static water level 12' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>25</u>	<u>33</u>	<u>1</u>

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____


5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness 2.50 inches Diameter 6 inches From 1 feet To 40 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 2.0 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port Well CAP

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>6</u>	<u>0</u>	<u>7</u>	<u>Dirt</u>		☒
	<u>7</u>	<u>15</u>	<u>gravel - sand</u>		☒
	<u>15</u>	<u>25</u>	<u>"</u>	☒	
	<u>25</u>	<u>40</u>	<u>"</u>	☒	
	<u>40</u>	<u>42</u>	<u>gravel - sand</u>	☒	
			RECEIVED		
			JUN 7 - 1990		
			Department of Water Resources		
			Southern Region Office		
			RECEIVED		
			APR 30 1990		
			Department of Water Resources		
			Southern Region Office		
			RECEIVED		
			MAY 10 1990		
			Department of Water Resources		

6. LOCATION OF WELL

Sketch map location must agree with written location.Subdivision Name _____
Lot No. _____ Block No. _____County BlaineNW 1/4 NW 1/4 Sec. 36 T. 2 S. R. 18 E. W. 18

10.

Work started 4-22-90 finished 4-22-90

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Scotty Drilling & Pump Firm No. 327
Address Hayden, Idaho 83401
(208) 788-5019
Signed by (Firm Official) James A. Scott
and
(Operator) James A. Scott

June 4, 1990

WILLIAM D. MARTINDALE
P.O. BOX 451
HAILEY, ID 83333

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08081

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 19 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-8081

Date: 6-1-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☐ 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
 ☒ Has one been installed?
 ☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

NA	

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

APR 9 1990

Department of Water Resources
ScribbleSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

APR 11 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08081 Telephone No.

Name(s) of Permit Holder(s): William D. Martindale

Post Office Address: P.O. Box 451, Bellevue, Ida 511 Nth Main Bellevue.

Source of Water: ground

If ground water, well driller's name: Jim Scott Date drilled: 4-21-90

Extent of Use:

Domestic (No. of households) Irrigation 3 (No. of acres)

Stockwater (No. and type of stock) Other

Total rate and/or volume for which proof is submitted .04 cfs acre/feet

Show date water was first diverted and beneficially used under this permit: 4-21-90

note: Original well developed in 1975, Sprinkler System for Garden installed 1976,

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ (See License Examination Fee Schedule)

Department of Water Resources

Person to contact to accompany the Department representative during the field examination:

Name: William Martindale Telephone No. 788-2207

Address: 511 N. Main, Bellevue - P.O. Box 451 Hailey, Ida

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 19 1990

4-9-90
DateWilliam D. Martindale
Signature (and title if on behalf of a company or organization)

RECEIVED

Drilling Permit No. 37-90-S-036Water Permit No. 37-8081

Injection Permit No. _____

APR 17 1990

State of Idaho
Department of Water ResourcesDepartment of Water Resources
Southern Region Office

DRILLING PERMIT

RECEIVED
APR 18 1990

(Authorizing Construction of a Well) Department of Water Resources

1. Applicant William D. Martindale
2. Address 511 N. Main - Bellevue, Idaho
P.O. Box 451 Hailey, Ida. 83333 Telephone 786-2207
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 36, Twp. 2N, Rge. 18E, County Blaine,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
(X) Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 40'
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 4-20-90
7. Well Driller (if known) Scott Drilling & Pump
Address 4050 Black Oak Dr. Hailey, Ida
8. Applicant's signature W. D. Martindale
Title Owner
Date 4-17-90

RECEIVED

JUN 19 1990

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 17 day of April, 1990.

Signed

Title MANAGER, SOUTHERN REGION

Received by L.P. Fee \$100.00 Date 4.17.90

Receipt No. 5012095 Construction start extension to _____

Extension approved by _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name William D. Martindale
Address 511 N. MAIN Bellevue, Ida.
Owner's Permit No. 37-90-S-036 ^{OK}
37-8001

7. WATER LEVEL

Static water level 12' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>25</u>	<u>33</u>	<u>1</u>

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____Thickness 2.50 inches Diameter 6 inches + 1 feet 40 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld☐ Cemented between strataDescribe access port Well cap

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	7	Dirt		☒
	7	15	gravel - sand		☒
	15	25	" "		☒
	25	40	" "		☒
	40	42	gravel - sand		☒


RECEIVED

APR 30 1990

Department of Water Resources
Southern Region OfficeRECEIVED
MAY 10 1990

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location

Subdivision Name _____

Lot No. _____ Block No. _____

County BlaineNW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 36, T. 2 S $\frac{1}{4}$ R. 18 W $\frac{1}{4}$

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Scott, Drilling & Pump Firm No. 327Address Hailey, Idaho 83426 (208) 788-5019Signed by (Firm Official) [Signature]and
(Operator) [Signature]

May 2, 1990

William D. Martindale
P. O. Box 451
Hailey, ID 83333

Dear Mr. Martindale:

Re: Permit No. 37-8081

Returned is the proof of beneficial use form submitted to this office on April 11, 1990.

Note the highlighted areas on the form. Please supply this information as a month and if possible.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 19 1990

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

WILLIAM D. MARTINDALE
P.O. BOX 451
HAILEY, ID 83333

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P37-08081

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 22 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 22 1990

3/79

Sharon falls
HoldState of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

MARTINDALE, William D.

INITIAL REVIEW BY: LHAPPLICATION NUMBER: 37-8081

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. Y-23
☒ Yes ☐ No Other rights on same place of use. 37-0005 (618 Wood R.)
☐ Yes ☐ No* In form for advertising.
☐ Yes ☐ No Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 37-P05
4-21-83 Date of priority recommended.
 Special conditions of approval or cover letter. _____

Trust Water App -

By: _____

Date: _____

STATE OFFICE REVIEW:

P05, P23

P16

51 52 53 46

RECEIVED

- ☐ See attached sheet for more information.

By: LWDate: 3/5/90

OCT 16 1989

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

DECEMBER 13, 1989

Wood River Journal
Box 988
Hailey, ID 83333

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 10, ~~1989~~ 1990

Yours truly,

SHARLA CURTIS
Secretary

Encl.

MicroFILMED

MAR 22 1990

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

37-08081 ✓

MARTINDALE, WILLIAM D ✓
P.O. BOX 451 ✓
HAILEY, ID 83333 ✓

Source: GROUNDWATER ✓

Diversion Pt: NWNW ✓ Sec 36 ✓ T 02N R 18E ✓

Use: IRRIGATION (.100 CFS) ✓
Total Diversion: (.100 CFS) ✓

Date Filed: 4/21/1983 ✓

In: T02N R18E S36 ✓ NWNW ✓

5.0 ACRES TOTAL ✓

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JANUARY 10, 1989. 1990 ✓

Published 12/21/1989 & 12/28/1989

R. Keith Higginson, Director

RECEIVED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Application No. 37-8081

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐
b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☐ No ☒
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

3. Please state the number of acres you have irrigated under this application since October 1, 1984. _____

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 5 acres

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Sh. D. Martindale

Date 12-5-89

MICROFILMED

MAR 22 1990

(over)

I thought we had applied for the
Well until I got the notice of
Withdrawal. They would we
withdraw?

Please take care of this -

do not Withdraw. You
have our application

RECEIVED

MAR 22 1990

IDaho DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 5, 1989

William D. Martindale
Box 451
Hailey, ID 83333

Re: Application for Permit No. 37-8081

Dear Applicant(s):

CERTIFICATION OF MAILING
I hereby certify that on 12-6-89
a copy of this letter was
deposited in the United States Mail
postage prepaid addressed to the
individual(s) named above.
S. Curtis

NOTICE OF PENDING ORDER VOIDING APPLICATION

On April 19, 1983, you filed with the Department of Water Resources (Department) Application for Permit No. 37-8081 which proposed the diversion of 0.10 cubic feet per second from groundwater for the irrigation of 5 acres.

The Department mailed a letter and questionnaire to you on October 23, 1989 in connection with the application. The letter provided notice that the Department was reviewing the application in connection with development which was not complete prior to October 1, 1984.

This letter also requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this letter is to provide a second and final opportunity for you to submit the requested information. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Water Appropriation Rule 4,5,1.

If no development has been completed as proposed by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water under this right, 37-8081, the Department may issue an order requiring you to cease diverting the water.

Please feel free to contact me if you have any questions concerning this matter.

Sincerely,

Tim Luke

TIM LUKE
Sr. Water Resource Agent

MICROFILMED

MAR 22 1990

Enclosure
cc: Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 37-8081

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

MICROFILMED

MAR 22 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

MAR 22 1990