


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 13 1989

A. W. Molyneux
(Applicant)

Water right sought by Molyneux

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08068

MOLYNEUX, A.W.
P.O. BOX 400
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt: SENW Sec 19 T
01S R 20E

Use: IRRIGATION (1.040 CFS)

Date Filed: 1/24/1983

In: T01S R20E S19 NENW NWNW
52.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MARCH 6, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
February 15 & 22, 1989.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-8048

1. Owner: A.W. Molyneux Phone No. 788-2552

Current Address: Box 460 Bellevue, ID 83313

2. Accompanied by: Mr. Molyneux EXAM. DATE: 6/25/90

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached

2. Other water rights with same point of diversion: 37-04229, 37-04278
☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = 1/8 mi

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).





P/D



P/U

MICROFILMED

OCT 17 1990



MICROFILMED

OCT 17 1990



MICROFILMED

JUN 13 1989



FOOR QUALITY

**Water rights
sought by Mo.**

NOTICE OF SALE
FOR WATER RIGHTS

THE STATE OF MISSOURI
DOES hereby certify that
the following water rights
are for sale:

MOLLYN, J. W.
P.O. BOX 100
TALLEY, MO. 64688
Owner of Water Right

Water Right No. 1
Data Right No. 1
in FORM 3
22.140

The purpose of the
sale is to provide
the water right
of Sec. 4
to the
State of
Missouri
for the
purpose of
the
State of
Missouri
for the
purpose of
the
State of
Missouri

R. Keith Higginson, Director
Publish: Wood River Journal
February 16 & 22, 1989

OK
EG 2/13/89

MICROFILMED

JUN 13 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08068

Priority: January 24, 1983

Maximum Diversion Rate: 1.04 CFS
Maximum Diversion Volume:¹ 156.0 AF

This is to certify, that A. W. MOLYNEUX

P.O. BOX 400

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 24, 1983; and has submitted Proof of Beneficial Use on March 9, 1990. An examination indicates that the works have a diversion capacity of 1,200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.04 CFS	156.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 19, Township 01S, Range 20E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	20E	19	NENW 40	NWNW 12		52
Total number of acres irrigated:						52

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

OCT 17 1990

J117


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-08068

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of OCTOBER, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

OCT 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-8068

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant A. W. Molyneux Phone 788-2552

Post office address Box 400, Bellevue, ID 83313

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 1S

Range 20E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

* 1.04
Amount 1.2 cfs for irrigation purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: * Per telecon w/applicant 9-24-86

a. 1.2 1.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 14 inches; ~~proposed~~ depth of well is 98 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is ~~not~~ for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 13 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

70-10-1893

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	20E	19					40	*12 20											*52-60

Total number of acres to be irrigated 52-60 *

c. Describe any other water rights used for the same purposes as described above. _____

none

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The well was developed in 1961 for use on adjacent lands under Lic. 37-
2629. Water is pumped under the county road for use on above lands (52* ac.)
Well produces 3.5 cfs.

ORIGINAL FILED

JUN 13 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 13 1989

A. W. Molyneux
(Applicant)

Proposed Priority 1/24/83

Received by [Signature] Date 1-24-83 Time 1:55 am

Preliminary check by TGB Fee \$ 65⁰⁰

Receipted by [Signature] Date 1-24-83 # 23953

Publication prepared by LC Date 2/16/89

Published in Wood River Journal

Publication dates 2/15 & 2/22/89

Publication approved M. Baldwin Date 2/27/89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8068, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The maximum rate of diversion for irrigation purposes under this permit shall not exceed 1.04 cfs.

Witness my hand this 19th day of April, 1989.

[Signature]

MICROFILMED

JUN 13 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

DANIEL J. GORHAM

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the

annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first

publication of said advertisement was on the 15th day of Feb., 19 89, and

the date of the last publication was on the 22nd day of Feb., 19 89.

Daniel J. Gorham

Subscribed and sworn to before me this 22nd day of Feb., 19 89.
(SEAL)

Roberta McKeecher

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11
Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 36 5¢/Pica
Lines straight at 17.82 4¢/Pica
Subsequent lines at 13.86 3¢/Pica
TOTAL COST 31.68

MICROFILMED

JUN 13 1989

COPY OF NOTICE

(Paste Here)

Not. of Application #37-08068
TITLE OF NOTICE Molyneux

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
BILL TO—

PUBLICATION RATES

AS OF OCT. 1, 1988

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight....4.5/pica
7-8 pt. per line tabular....5.5/pica
7-8 pt. per line successive insertion....3.5/pica

No 6409

RECEIVED

FEB 23 1989

Department of Water Resources
Southern Region Office

Water right sought by Molyneux

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

37-08068

MOLYNEUX, A.W.
P.O. BOX 400
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt: SENW Sec 19 T
01S R 20E

Use: IRRIGATION (1.040 CFS)

Date Filed: 1/24/1983

In: T01S R20E S19 NENW NWNW
52.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before MARCH 6, 1989.

R. Keith Higginson, Director

Publish: Wood River Journal-
February 15 & 22, 1989.

October 5, 1990

A. W. MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

RE: PERMIT NO. 37-08068

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 17 1990

RECEIVED
OCT 17 1990

PLACE OF USE LOTS OVERLAP REPORT

09/27/90

WR-NUMBER	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	LOT + SUM
L3708068	TOIS	R20E	S19										
3700095C													
3700237C													
3700426C													
3700442													
3700632A													
3700706C													
3700943A													
3700944C													
3707584													
13 MAPPING:	1L43	2L34	3L43	4L37									

diff source, diff pld

ok

MICROFILMED
OCT 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37-8068
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
SEP 21 1990

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 5-3-90 TP (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 5-3-90 TP (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Chuck Brochery 1/4/92 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent DE 8/17/90 (Initial and date)

Exam Reviewed by Manager of Regional Office LE 8/21/90 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

BENEFICIAL USE EXAMINATION

WATER RIGHT 37-8068

REVIEWER TRJ

DATE 7/20/91

SEE FOOTNOTE FOR SYMBOLS

1,2. <u>N/A</u>	1,3. <u>/</u>	1,4. <u>/</u>	1,5. <u>N/A</u>
1,6. <u>/</u>	1,7. <u>/</u>	1,8. <u>/</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>N/A</u>	1,13. <u>/</u>
1,14. <u>N/A</u>	1,15. <u>/</u>	1,16. <u>N/A</u>	1,17. <u>/</u>

1, 1. ✓ 1, 2. ✓ 2. ✓ 3. ✓
4. N/A 5. ✓

1,1. 1,2. 1,3. 1,4.
1,5.

2,1. 2,2. 2,3. 2,4.

Reviewer

Date _____

N/A = NOT APPLICABLE
 ** = SEE ATTACHMENT NO.

* = SEE ITEM IN BENEFICIAL USE RF
*** = SEE REMARKS ATTACHED

RECEIVED

SEP 21 1990

Form 219
6/86

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 37-8044
Phone No. 788-2552
1. Owner: A.W. Molyneux
Current Address: Box 400 Bellevue, ID 83313
2. Accompanied by: Mr. Molyneux EXAM. DATE: 6/25/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: 37-04229, 37-04278 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = 1/8 mi

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 40 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well serves 52 acres (this permit) and occasionally some previously licensed acreage

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	U.S. Electric	30	2956511	Winthrop	9123
Booster	GE	30	284TCZ	Berkeley	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	19	1S	20E	Blaine	

6. Place(s) of Use:


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	20E	19					40	12											52

MICROFILMED


OCT 17 1990

Do not use this space




MICROFILMED
OCT 17 1969

T-15 R206
T-15 R206
Aug 19




P/D



P/M

MICROFILMED

OCT 17 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Chuck Brockway
Owner: _____

Date 6/25/90
Permit No. 37-8068

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 25.3125
T = Pipe Thickness in Inches = .1875
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 7.68

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 8"
State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 27.4
Low Reading = 21.7
High - Low = H = 5.7


CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$
$$Q = \frac{(7.68)^2 \cdot (\sqrt{5.7}) \cdot (3.87)}{448.8} = 1.2 \text{ cfs}$$

SKETCH (If not shown on Field Report)

MICROFILMED
OCT 17 1990

P/U (52 acres)



outlet ① serves land under this permit;

②, ③, ④ serve licensed land

outlet ③ is an overflow used to control flow in other outlets, but there are sprinklers connected to it

Fig. 1

RECEIVED

OCT 17 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar / manometer					8"	

2. Measurements:

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 52 (2.5) = 130$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.04 (215) (1.9835) = 43.5$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 130 \text{ ac/ann}$

2. Volume Calculations for Other Uses:

RECORDED
OCT 17 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

see Fig. 1. Flow measured with ④ and ② off, i.e. the maximum water diverted to P/U under normal conditions. With m.p. placement, there is no way to measure capacity of pump.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	1.04	130
Totals:			1.04	130


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Cheryl Brockway
 Signature [Signature]
 Certification Date 7/16/90
 Field Report Preparation Date 7/9/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

9-26-90

MICROFILMED

OCT 17 1990

April 13, 1990

A. W. MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 37-08068

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 18 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 37-848

Date: 3-21-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
_____ 1. well log in file Before 1983
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

NA

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/86

RECEIVED

MAR 9 1990

Department of Water Resources
Southern Region OfficeRECEIVED
MAR 13 1990Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 125.00
Date 3/9/90
Receipt # 15011445
Receipt by LG
Reviewed by LW MS-32
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-08068Name(s) of Permit Holder: A. W. MolyneuxPost Office Address: RT.1 BOX 400Bellevue, Idaho 83313Telephone No. 208 788 2552Source of Water: Well

Extent of Use:

Domestic (number of households)Stockwater (number and type of stock)Irrigation 52 (acres)Other/Remark Total rate and/or volume for which proof is submitted 1.04 cfs acre-feetShow the date water was first diverted and beneficially used under this permit: Measuring Device: Required? Yes ✓ No
Installed? Yes ✓ NoFee enclosed \$ 125.00
(See License Examination Fee Schedule)Flow Measurement Port: Required? ✓ Yes No
Installed? ✓ Yes No

Person to contact to accompany the Department representative during the field examination:

Permit Holder
(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/9/90

Date

A. W. Molyneux
Signature of Permit Holder (and title, if appropriate)

APR 18 1990

MICROFILMED

130223
February 28, 1990

A. W. MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

PROOF DUE NOTICE

RE: PERMIT NO. 37-08068

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 18 1990

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

MICROFILMED

APR 18 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 2, 1989

A. W. MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 37-08068

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

JUN 13 1989

~~~~~

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

MICROFILMED  
JUN 13 1989

State of Idaho  
Department of Water Resources

8068

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: T. G. Blau APPLICATION NUMBER: 37-8068 MOLYNEUX, A. W.

CHECK:

- ☒ Source.  
☒ Point of diversion.  
☒ County.  
☒ Quantity of water and period of use.  
☒ Description of diverting works.  
☒ Time required for beneficial use of water.  
☒ Place of use or acres irrigated.  
☒ Map.  
☒ Signature.  
☒ Fee.

Field check by: ☒

Date: \_\_\_\_\_

Comments: See File 37-7584

- ☐ Yes ☒ No Field check required.  
☐ Yes ☒ No Critical groundwater area.  
☐ Yes ☒ No Request dam safety information. Sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
☒ Yes ☐ No\* In form to receipt.

\*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: \_\_\_\_\_

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
☐ Idaho Fish and Game Department. \_\_\_\_\_  
☐ Idaho Department of Lands. \_\_\_\_\_  
☐ U.S. Bureau of Land Management. \_\_\_\_\_  
☐ U.S. Forest Service. \_\_\_\_\_  
☐ Other \_\_\_\_\_

PROCESSING:

- ☐ Yes ☒ No Platted by: \_\_\_\_\_ Map No. \_\_\_\_\_  
☐ Yes ☐ No Other rights on same place of use. \_\_\_\_\_  
☒ Yes ☐ No\* In form for advertising. 37-7584  
☐ Yes ☒ No Final date for protests: 3/16/89  
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/23/89  
☒ Application published correctly. If not, record action taken: \_\_\_\_\_  
☒ Fee amount, receipt date & number, recorded on application. 65/23953  
☒ Publication dates and paper, recorded on application. 2/15 & 2/22/89 Wood River Journal  
☒ Protests, dates, withdrawal, etc., recorded on application.  
☒ Recommendation & initial, recorded on application.  
☐ Yes ☒ No Measuring device required.  
☒ Yes ☐ No Access port required.  
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37M-P05  
1/24/83 Date of priority recommended.  
Special conditions of approval or cover letter. OIG, D3A

App. in TRUST area - see development statement below.

Note: This is Grandfathered Snake Falls River  
Proof of B.D. in file

By: Larund Johnson Date: 3/15/89  
STATE OFFICE REVIEW: P23, P05, P03, P16 46 28 (irrig 1.04 cfs) 01G

☐ See attached sheet for more information.  
By: KW Date: 4/12/89 MAR 20 1989

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.  
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.  
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.  
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.  
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.  
lot (R) REACH

IDAHO STREAM CODE INDEX

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Southern Region  
2148 4th Avenue East  
Twin Falls, ID 83301  
(208)734-3578

---

FEBRUARY 6, 1989

WOOD RIVER JOURNAL  
P.O. BOX 988  
HAILEY, ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 6, 1989.

Yours truly,

Mary Baldwin  
Secretary/Office Coordinator

Enclosure

MICROFILMED  
JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public  
waters of the State of Idaho:

7000 1 1 1989

2000 1 1 1989

MICROFILMED

JUN 13 1989

2000 1 1 1989

# INDEX

NOTICE OF PUBLIC HEARING  
FOR WATER

The following people were  
born in the  
state of  
Ohio

MOLYNELLS, J.  
P.O. BOX 100  
DELEVILLE, MISSISS.

SECRET

1. RESEARCH DESIGN

Date Filed: 12/4/2013

TO: T015R20  
S22 AD

The permit I will be  
prior water. I will be  
he submit a copy of  
of Sept. 4, 1901, and  
and for the  
order of  
Sept. 20, 1901, and  
the Director of  
Minerals. 2-05  
Supt. Twin Falls  
or before [ ] and [ ]

1. Mr. J. Edgar Hoover      Director  
 2. Mr. Clegg      Chief of Bureau  
 3. Mr. Glavin      Chief of Bureau  
 4. Mr. Ladd      Chief of Bureau  
 5. Mr. Nichols      Chief of Bureau  
 6. Mr. Rosen      Chief of Bureau  
 7. Mr. Tracy      Chief of Bureau  
 8. Mr. Carson      Chief of Bureau  
 9. Mr. Egan      Chief of Bureau  
 10. Mr. Gurnea      Chief of Bureau  
 11. Mr. Hendon      Chief of Bureau  
 12. Mr. Mumford      Chief of Bureau  
 13. Mr. Quinn      Chief of Bureau  
 14. Mr. Nease      Chief of Bureau  
 15. Mr. Gandy      Chief of Bureau

OK 2/13/89  
TJ

**MicroFILMED**

**JUN 13 1989**



37-08068

MOLYNEUX, A. W.  
P.O. BOX 400  
BELLEVUE, ID 83313

Source: GROUNDWATER

Diversion Pt:                SENW        Sec 19 T 01S R 20E

Use: IRRIGATION                                ( 1.040 CFS)

Date Filed: 1/24/1983

In: T01S R20E S19                                NENW                                NWNW

52.0 ACRES TOTAL

MICROFILMED

JUN 13 1989



State of Idaho

# DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS  
Governor

R. KEITH HIGGINSON  
Director

February 2, 1989

A. W. Molyneux  
P.O. Box 400  
Bellevue ID 83313

Re: Application for Permit No. 37-8068

Dear Mr. Molyneux:

On March 25, 1988, the Federal Energy Regulatory Commission (FERC) issued an order satisfying the last condition to make the Swan Falls Agreement effective. The Department is now prepared to proceed with the normal processing of your application. This process includes the preparation of a notice of the application which shall be published once a week for two consecutive weeks in a newspaper printed within the county wherein the point of diversion lies.

The Department wishes to know of any reason why it should not plan to process your above-referenced application. If there is a reason for not processing this particular application or you no longer have any interest in seeking a water right permit under this application, please notify the Department within ten days of the date of mailing this notice.

Please do not hesitate to contact this office if you have any questions regarding this matter.

Sincerely,

Loren O. Holmes  
Manager, Southern Regional Office

LOH:jg

MICROFILMED

JUN 13 1989



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN REGION

John V. Evans  
Governor

A. Kenneth Dunn  
Director

1041 Blue Lakes Blvd. North  
Twin Falls, Idaho 83301  
(208) 734-3578

September 26, 1985

A. W. Molyneux  
Box 400  
Bellevue, Idaho 83313

Re: Application for Permit No. 37-8068  
Application for Permit No. 37-8207

Dear Mr. Molyneux:

In regards to the conversation we had this date about filing proof of beneficial use, these applications are still being held in our 'Swan Falls' hold file and proof cannot be submitted until they can be processed.

If you have questions concerning this matter, please feel free to contact this office.

Very truly yours,

Gary L. Funderburg  
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED

JUN 13 1989

FORM A

RECEIVED

FFB 13 1987

Department of Water Resources  
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

## PROOF OF BENEFICIAL USE

RECEIVED

JUL 3 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 37-8068Name(s) of Permit Holder: A.W. MolyneuxPost Office Address: Box 400 BELLEVEUE, Ida.83313Telephone No. 788-2552

Source of Water: \_\_\_\_\_

Extent of Use: Domestic \_\_\_\_\_ (number of households)

Stockwater \_\_\_\_\_ (number and type of stock)

Irrigation 120 (acres)

Other/Remarks \_\_\_\_\_

Indicate the date water was first diverted and beneficially used under this permit: 5-31-77

Measuring Device: Required? Yes  
Installed? Yes

Yes Yes  
No No

No  
No

Flow Measurement Port: Required? Yes  
Required? Yes

Yes Yes  
No No

No  
No

Person to contact to accompany the Department representative during field examination: A.W. Molyneux

(Name)

Box 400 BELLEVEUE 83313  
(Address)

788-2552  
(Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.


May 22, 1985  
Date

MICROFILMED

A.W. Molyneux  
Signature of Permit  
(and Title, if appropriate)

JUN 13 1989

Statement of development for exemption  
from Swan Falls processing. Not acceptable  
as proof of beneficial use.



MICROFILMED

JUN 13 1989



3/79

IDENT. NO. 37-8068IDAHO DEPARTMENT OF WATER RESOURCESWATER RIGHT  
DATA ENTRY LOGInitialsDateItemLC2/6/94*leg date*

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied  
(Proof due date, stage and/or status,  
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted  
and changes entered

License Signed

Transfer Approved

Key punched by State Office