

A 20x20 grid with handwritten labels in blue ink. The labels are as follows:

- R. 14E** located at row 14, column 14.
- T. 6S** located at row 6, column 6.
- 23** located at row 13, column 13.
- PD & PU** located at row 13, column 14, with a small square symbol below the text.

MICROFILMED

37-8055

HILT, DARYL &/or
ELAINE

RT. 2 BOX 230, GOODING,
ID 83330

Source: GROUNDWATER

Date Filed: 10/21/982

Amount: 1.30 CFS

Diversion Point: NESE Sec
23 T 06S R 14E, GOODING
Co.

Use: STOCKWATER (0.11
CFS) from 01/01 to 12/31

COMMERCIAL (1.11 CFS)
from 01/01 to 12/31

DOMESTIC (0.08 CFS) from
01/01 to 12/31

Place of Use: NESE Sec 23 T
06S R 14E

Diversion Means: WELLS &
PUMPS

If issued, the permit(s)
will be subject to all prior
water rights. Protests a-
gainst the granting of any
permit must be filed with the
Director of the Idaho De-
partment of Water Re-
sources, 1041 Blue Lakes
Blvd. North, Twin Falls,
Idaho 83301 and received on
or before DECEMBER 27,
1982.

/s/ A. KENNETH DUNN
Director

PUB: 12-8, 15, '82

RECEIVED

MAY 01 1987

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Daryl AND/for Elaine Hilt

Permit No. 37-8055

Phone No. 934-8507

Current Address: Rt #2, Box 230, Gooding ID

2. Accompanied by: Owner

EXAM. DATE: 7-15-86

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-4263 Same 40 different use

☐ Copies Attached


2. Other water rights with same point of diversion: 37-4263 Irrigation well in same 40

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED


OCT 02 1987

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



000

47°30"

INTERIOR GEOLOGICAL SURVEY, WASHINGTON, D. C. - 1962

683000m.E.

114



1 MILE

5000 5500 6000 6500 7000 FEET

ROAD CLASSIFICATION

Heavy-duty	—————	Light-duty	—————
Medium-duty	- - - - -	Unimproved dirt	

HILT 37-8055



MICROFILMED

OCT 02 1987

MICROFILMED

OCT 02 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5316
WATER RIGHT NO(S) ~~36-07460Z~~/37-08055
37-08891

This is to certify that: DARYL HILT
ELAINE HILT
2163 S 1700 E
GOODING ID 83330

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 36-07460Z :			
STOCKWATER	01/01 to 12/31	0.30 CFS	42.0 AF
COMMERCIAL	01/01 to 12/31	0.30 CFS	25.6 AF
Priority: 03/25/1974			
SUBTOTAL:		0.30 CFS	67.6 AF
Right No. 37-08055 :			
STOCKWATER	01/01 to 12/31	0.08 CFS	7.2 AF
COMMERCIAL	01/01 to 12/31	0.08 CFS	12.1 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
Priority: 10/28/1982			
SUBTOTAL:		0.08 CFS	22.9 AF
TOTAL:		* 0.38 CFS	* 90.5 AF
<u>SOURCE</u>			
GROUNDWATER			

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 23, Township 06S, Range 14E
GOODING County

PLACE OF USE: STOCKWATER

TWN RGE SEC

06S 14E 23 NESE SESE

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC

TWN RGE SEC

06S 14E 23 NESE

MICROFILMED

JUN 24 1999

TRANSFER NO. 5316
WATER RIGHT NO(S). 36-07460Z/37-08055


CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. The right holder shall measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code.
3. Use of water under this approval shall comply with applicable water quality standards of the Division of Environmental Quality of the Idaho Department of Health and Welfare.
4. The dairy operation authorized under this approval shall comply with applicable county zoning and use ordinances.
5. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
6. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
7. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- * 8. The total instantaneous diversion of water from all points of diversion under Transfer 5316 shall not exceed 0.38 cfs, nor a total combined annual volume of 90.5 af.
9. The water used for commercial purposes under this approval is applied to and irrigates land listed in the place of use to satisfy water quality requirements. Water shall not irrigate growing plants unless the water is first beneficially used in the dairy as authorized by these water rights.
10. Commercial use is for a dairy located within the NESE, S23, T06S, R14E.
11. Domestic use is for 3 homes.
12. Two points of diversion are located within NESE, S23, T06S, R14E.

Dated this 10th day of

June

, 19 99


Chief, Water Allocation Bureau

MICROFILMED
JUN 24 1999

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-8055

Priority: October 28, 1982 Amount: .08 CFS 22.9 AFA

This is to certify, that DARYL HILT
ELAINE HILT

RT. 2 BOX 230

GOODING, ID 83330

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 21, 1982, and has submitted proof to the Department of Water Resources on July 8, 1986, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .08 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.08 cfs	7.2 afa
Commercial	01/01 to 12/31	.08 cfs	12.1 afa
Domestic	01/01 to 12/31	.08 cfs	3.6 afa
	Totals	.08 CFS	22.9 AFA

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 23, Township 6S, Range 14E
Gooding County

PLACE OF USE: Stockwater

TWN RGE SEC

6S 14E 23 NESE

PLACE OF USE: Commercial, same as Stockwater use

PLACE OF USE: Domestic, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Commercial use is for dairy and domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of SEPTEMBER, 1987.

RECORDED

OCT 02 1987

Assistant Director

Norman C. Young

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 37-8055 IN THE
NAME OF DARYL &/OR ELAINE HILT

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1986; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, July 1, 1986 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 8, 1986;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 37-8055 be REINSTATED and the priority advanced to October 28, 1982.

Dated this 12th day of December, 1986.

MICROFILMED

SEP 10 1987

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING DEVICE)
REQUIREMENT FOR PERMIT NO. 37-8055 IN) ORDER
THE NAME OF DARYL AND/OR ELAINE HILT)
_____)

WHEREAS, on June 13, 1985, the Department of Water Resources issued Permit No. 37-8055 in the name of Daryl and/or Elaine Hilt with the requirement that:

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department;


and,

WHEREAS, on July 9, 1986, the Department received a request from the permit holders to remove the measuring device requirement; and,

WHEREAS, the Department of Water Resources has determined that a measuring device is not required at this time for a determination of the quantity of water appropriated;

THEREFORE, the condition of approval requiring a measuring device is REMOVED.

Dated this 22nd day of July, 1986.


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Daryl &/or Elaine Hilt Phone 934-8507

Post office address Route #2 Box 230, Gooding, ID 83330

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is 2 points
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 6S

Range 14E B.M. Gooding County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.11cfs for commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount 0.11cfs for livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount 0.08cfs for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)

5. Total quantity to be appropriated:

a. 1.30 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two wells & pumps

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 6S

Range 14E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 150 dairy cows, 100 heifers

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: commercial use in dairy barn

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elaine Hilt
(Applicant)

MICROFILMED

Proposed Priority 10/21/82

MICROFILMED

Received by JS Date 10-21-82 Time 11:26 am

Preliminary check by TGB Fee \$ 65.00 # 23507

Receipted by maeyu Date 10/21/82

Publication prepared by maeyu Date 10/25/82

Published in Gooding Co. Leader

Publication dates 10/3 + 11/10/82 12/8 + 12/15/82

Publication approved mary 2 Date 12/21/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Adm kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-8055, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

Witness my hand this 13th day of June, 1985.

A. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
County of Gooding)

Gary Prosk, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 8 day of Dec
19 82, and the date of the last publication was on the 15
day of Dec, 19 82.

Subscribed and sworn to before me this 15
day of Dec, 19 82.
(SEAL)

Cindy Chaires
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho
COST OF PUBLICATION

Number of Lines in Notice. 40
Number of Insertions. 2
Lines tabular at 42¢
40 Lines straight at 32¢ 12.80
40 Subsequent lines at 21¢ 8.40
Total Cost 21.20

COPY OF NOTICE (Paste Here)

Office of App. for
TITLE OF NOTICE
Water Right
37-8055
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water
BET. TO

ok
mayer

REC 31

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight 32¢
7 pt. per line, tabular 42¢
7 pt. per line, successive
insertions 21¢

No. 268

MICROFILMED

NESE Sec 23, GOODING,
ID 83202

STOCKWATER
Date Filed: 12/2/52

Amount: 1.11 CFS
Diversion Point: NESE Sec
23 T 66S R 14E, GOODING
Co.

USE: STOCKWATER (0.11
CFS) from 01/01 to 12/31

COMMERCIAL (1.11 CFS)
from 01/01 to 12/31

Domestic (0.00 CFS) from
01/01 to 12/31

Place of Use: NESE Sec 23 T
66S R 14E

Diversion Means: WELLS &
PUMPS

If issued, the permit(s)
will be subject to all prior
water rights. Protests a-
gainst the granting of any
permit must be filed with the
Director of the Idaho De-
partment of Water Re-
sources, 1001 Blue Lakes
Blvd., Boise, Idaho Falls,
Idaho 83402, received on
or before DECEMBER 27,
1952.

/s/ A. ROBERT DUNN
Director

PUB: 12-2, 15, '52

MEMORANDUM

TO: File 36-07460W & 37-08055

FROM: Pam Skaggs/State Office

SUBJECT: Transfer 5316

DATE: June 9, 1999

Transfer 5316 changes the points of diversion, place, nature and season of use under a portion of Right 36-07460W, splitting the right into Parts Y and Z. Right 37-08055 serves the same dairy and the transfer adds the second well to the system. The applicant purchased 16.9 acres of the 36-07460W right to move to the dairy site about a mile north, just inside Basin 37. The right will be renumbered to Basin 37 when the transfer is approved.

The application was prepared using the full diversion volume associated with the irrigated acres instead of the consumptive use volume. The region manager has recommended that we allow the transfer to be approved as prepared since it occurred prior to our policy of limiting the transfer to the consumptive use volume.

Two existing domestic wells were identified as the points of diversion for this transfer by a pre-transfer field exam. Resource Protection staff has been informed and will pursue upgrade of the drilling permits when the transfer has been approved.

Season of use was adjusted to year round use for the dairy. The map and region staff identify the place of use within both the NESE and SESE of Section 23. Domestic use remains the same as originally licensed under Right 37-08055.

Recommended conditions include drilling permit requirements, multiple points of diversion/measuring devices, annual reporting, water quality, county zoning, land application and standard transfer conditions.

	<u>Change in Nature of Use Evaluation</u>			
	Rate	Use	Acres	Div. Vol.
Transferred				
Portion Before:	0.30 cfs	IRR	16.9	67.6 afa
After:	0.30 cfs	STOCK/COMMERCIAL		67.6 afa

MICROFILMED

JUN 24 1999

MEMORANDUM

TO: FILE 37-08055

FROM: PAM SKAGGS

RE: TRANSFER # 5316

DATE: 8/26/98

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 36-07460W

MICROFILMED
JUN 24 1999

September 28, 1987

DARYL & ELAINE HILT
RT. 2 BOX 230
GOODING, ID 83330

RE: Permit No. 37-8055

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

ENCLOSURE FILMED

OCT 02 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

theoretical:

$$\frac{3 \text{ hp.} \times 8.8 \times .8 \text{ eff}}{(2.31 \times 20) + 220} = 0.079 \approx 0.08 \text{ cfs}$$

per our normal allowance

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

Stock = permit allows for only 150 dairy cows and 100 stock

$$\begin{aligned} 150 \times 0.0391 &= 5.865 \\ 100 \times 0.0134 &= 1.34 \end{aligned} > = 7.205 \text{ AFA} \approx 7.2 \text{ AFA}$$

2. **Overlap Review**

a) Other water rights with same place of use: *all irrig., no overlap*
01-0006, 01-0212, 01-0213, 01-0215,
01-0220, 37-4263 - ~~Recommend R~~

b) Other water rights with same point of diversion: 37-4263 - claim for
irrig. use, same pt. holder -

c) Analysis:

MICROFILMED

OCT 02 1987

10 days

- Date 8/10/87

August 21, 1987

DARYL & ELAINE HILT
RT. 2 BOX 230
GOODING, ID 83330

RE: Permit No. 37-8055

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 02 1987

RECEIVED

MAY 01 1987

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Daryl ^{AND} Elaine Hilt Permit No. 37-8055
 Current Address: Rt #2, Box 230, Gooding, ID Phone No. 934-8507
 2. Accompanied by: Owner EXAM. DATE: 7-15-86
 Address: _____ Phone No. _____
 Relationship to Permit Holder: _____
 3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-4263 Same 40 different use
 _____ ☐ Copies Attached
 2. Other water rights with same point of diversion: 37-4263 Irrigation well in same 40
 _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
OCT 02 1987

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and
 place(s) of use (required) ☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

Pre Wash Cows 7'8" x 5'3" x 3' Cistern $\approx 120.75 \text{ cf} \times 7.48 \text{ gal/cf} \times 6 \text{ times/day} \times 365 \text{ days/ann} = 1,978,030 \text{ gal/ann}$

2. Measurements:

Clean Milk Room $\cdot 572 \text{ cfs} \times 448.8 \text{ gpm/cfs} \times 3 \text{ min/day} \times 365 \text{ days/ann} = 17,572 \text{ gal/ann}$

Milk tank wash Mueller Matic 2000 gal 96 gal/day " = 35,040 "

Milker wash 35 gal. $\times 4 \text{ times/day} \times 365 \text{ days/ann} = 51,100 \text{ "}$

Milk cooling 1.011 gal/sec $\cdot 60 \text{ min/hr} = 60.66 \text{ gpm} \times 11 \text{ hrs/day} \times 365 \text{ days/ann} = 974,200 \text{ gal/ann}$

Wash Cows $1 \text{ gal/sec} \times 60 \text{ min/hr} = 60 \text{ gpm} \times 190 \text{ cows/milking} \times 2 \text{ milking/day} \times 365 \text{ days/ann} = 756,545 \text{ gal/ann}$

Wash milking parlor $\cdot 572 \text{ cfs/sec} = 0.0358 \text{ cfs} \times 448.8 \text{ gpm/cfs} \times 20 \text{ min/day} \times 365 \text{ days/ann} = 117,146 \text{ gal/ann}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Not Required

2. Alternate Method for Checking Purposes:

$\frac{8.8 \times 3 \text{ hp}}{2.31 \times 20' + 220'} = 0.0992 \text{ cfs} \times 70\% \text{ eff} = .07 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

See ITEM D. 2. $3,929,633 \text{ gal/ann} \div 325,851 \text{ gal/AF} = 12.0596 \text{ AF/ann} - \text{Round to } 12.1 \text{ AF/ann}$

Stockwater: 140 milking cows $\times 359 \text{ gal/day} + 210 \text{ dry stock} \times 12 \text{ gal/day} \times 365 \text{ days/ann} = 37,050 \div 325,851 \text{ gal/AF} = 10.27 \text{ AF}$

Domestic: 3 homes @ $1.2 \text{ AF/ann/home} = 3.6 \text{ AF/ann}$ OCT 02 1987

System Description (continued)

3. Narrative: Descrip. (As operating at time of measurement. Include pressure, number of sprinklers, etc.)

3hp STARITE Submersible Pump Set at 236' with a SWL of 222' with pipelines delivering to places of use including 3 houses and at least 9 stock troughs. As well as supplying water to wash, cows, equipment and buildings.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STARITE	3			VIP III 20P3

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	23	6S.	14E.	Gooding	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S.	14E	23													6S D				

INDEXED

OCT 02 1987

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Pump Model, setting and water level was obtained from Eaton's Well drilling and Pump Service.

This pump will supply the required volume by pumping 12 hrs per day

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Commercial	1/1	12/31	.07	12.1 afa
Livestock	1/1	12/31	.07	10.3
domestic	1/1	12/31	.07	3.6
			Totals: .07 cfs	26.0 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name TERRY G. BLAU

Signature Terry Blau

Certification Date _____


Field Report Preparation Date 1-21-87




CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 02 1987





MICROFILMED

OCT 02 1987

MICROFILMED

OCT 02 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

37-8055
Permit No.

RECEIVED
MAY 01 1987

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☐ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☐ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index TB - 1-21-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index TB - 1-21-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 1-21-87 Lewis R. Blum (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent JS 2-2-87 (Initial and date)
Exam Reviewed by Manager of Regional Office JS 4/14/87 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

FILED
OCT 02 1987

^ALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 37-8055

DATE: 12-12-86

Date proof received

189

July 8, 1986

Proof due

- 182

July 1, 1986

Number of day proof late

7

Priority date

+ 294

October 21, 1982

New priority date

301

October 28, 1982

Remarks:

MICROFILMED

JAN 26 1987

RECEIVED STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

JUL 8 1986

PROOF OF BENEFICIAL USE

RECEIVED

JUL 9 1986

Date 7/8/86
Receipt # 38610
Accepted by T.B./ay
Reviewed by
Sent to region 12-86

Department of Water Resources
Division of Water Rights

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-8055

Name(s) of Permit Holder: DARYL HELAINE HILT

Post Office Address: RT 2 BX 230 GOODING, IDA 83330

Telephone No. 934-8507

Source of Water: GROUND WATER

Extent of Use:

Domestic 3 (number of households) Stockwater 400 DAIRY (number and type of stock)

Irrigation _____ (acres) Other/Remark COMMERCIAL DAIRY

Total rate and/or volume for which proof is submitted 0.2 cfs OCT 1982 acre-feet

Show the date water was first diverted and beneficially used under this permit: OCT 1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

AMOUNT OF USE LESS THAN AMOUNT
REQUIRING PORT.

Person to contact to accompany the Department representative during the field examination:

DARYL HILT (Name) 934-8507 (Telephone Number)

RT 2 BX 230 GOODING, IDA 83330 (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-8-86
Date

Daryl Hilt
Signature of Permit Holder (and title, if appropriate)

JAN 20 1987

RECEIVED

JUL 8 1986
4/86

DEPARTMENT OF WATER RESOURCES
BUREAU OF WATER RIGHTS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 50.00
Date 7/8/86
Receipt # 38610
Receipt by T. Blaw
Sent to S.O. 7/8/86

RECEIVED

JUL 9 1986

1. Permit No. 37-8055

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Daryl and/or Elaine Hilt

3. Post Office Address: Rt 2 Box 230 Gooding ID. 83330
Telephone No. 934-8507

4. Source of Water: Groundwater

5. Extent of Use: (Dairy)
Domestic 3 (No. of households) Stockwater 400 (No. and type of stock)
Irrigation _____ (acres) Other/Remark Commercial

6. Total rate &/or volume for which proof is submitted .20 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

OCT. 1982

8. Person to contact to accompany the department representative during the field examination:

SAME AS ABOVE.

(Name)

JAN 20 1987

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

7-8-86
Date

Daryl Hilt
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

RECEIVED
JUL 9 1986

Department of Water Resources

Rt. 2, Box 230
Gooding, ID 83330
July 8, 1986

Glen Saxton
Statehouse
Department of Water Resources
Boise, ID 83720

RE: Permit 37-8055

Dear Mr. Saxton:

The amount of water we are using is approximately .2 cfs which is much less than what was filed on.

We would therefore request a Waiver of Conditions **1.d.** on our permit.

Sincerely,

Daryl Hilt

DH:MB



RECEIVED

JUL 10 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

138346

HILT, DARYL & ELAINE
RT. 2 BOX 230
GOODING, ID 83330

PROOF DUE NOTICE

RE: PERMIT NO. 37-8055

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MAILED
JAN 29 1987

JAN 29 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

JAN 26 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HILT, DARYL & ELAINE
RT. 2 BOX 230
GOODING, ID 83330

JUNE 19, 1985

RE: PERMIT NO. 37-8055

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAPEY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

MICROFILMED

RE: PERMIT 37-8055

PAGE 01
JUNE 19, 1985

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID P. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

HILT, Daryl &/or Elaine

INITIAL REVIEW BY: T.G. Blau

APPLICATION NUMBER: 37-8055

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: marcy

Date: 10/25/82

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. AA-20
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 4/22/82 12/27/82
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/21/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 37
10/21/82 Date of priority recommended.
Special conditions of approval or cover letter. OIC, OPE

app. released in 1st S.F. dismissal

By: ADm

Date: 4/24/85

STATE OFFICE REVIEW:

L11, L03, L05, L16

32 04 OIC

- ☐ See attached sheet for more information.

By: KW

Date: 6/7/85

APR 25 1985

Department of Water Resources

MICROFILMED

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 25, 1982

Mr. Alex Schaefer
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Application for Permit No. 37-8055

Dear Mr. Schaefer:

Please find enclosed a copy of the above referenced application for permit for your information and files.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

OCTOBER 25, 1982

Goodins County Leader
P.O. Box 56
Goodins, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 27, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

32-8055.

HILT, DARYL &/or ELAINE

RT. 2 BOX 230, GOODING, ID 83330

Source: GROUNDWATER

Date Filed: 10/21/1982

Amount: 1.30 CFS

Diversion Point: NESE Sec 23 T 06S R 14E, GOODING Co.

Use: STOCKWATER	(0.11 CFS)	from 01/01 to 12/31
COMMERCIAL	(1.11 CFS)	from 01/01 to 12/31
DOMESTIC	(0.08 CFS)	from 01/01 to 12/31

Place of Use: NESE Sec 23 T 06S R 14E

Diversion Means: WELLS & PUMPS

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before DECEMBER 27, 1982.

KEN DUNN, Dir.

Published 12/8 & 12/15/82

MICROFILMED