


NOTED



HES 123
CORNER 3

U. S. FOREST SERVICE

S 51° 16' 00" E 364.00'

UNPLATTED

APPROX. LOCATION ONLY
OF STREAM CH. ALIGNMENT

N 54° 07' 00" W
101.13'

N 51° 16' 00" W 321.12'

Stream

BLOCK
3 2 1

SUBJECT PROPERTY

T5N R17E HES 123

COMMENCING AT CORN. #3 OF HES 123

THENCE N 51° 16' 00" W 180.52' to pt. of beginning

THENCE N 51° 16' 00" W 282.46'

THENCE N 38° 44' 00" E 325.0'

THENCE S 51° 16' 00" E 321.12'

THENCE S 45° 31' 00" W 327.29'

CANCELS TL 4000

CONTAINS 2.23 ACRES INST. # 140921

TAX LOT 4312

BLOCK
6 5 4 3 3

NORTH



MICROFILMED

WOOD RIVER ESTATES
KETCHUM IDAHO

TRACING FROM OFFICIAL
PLAT ON FILE IN ASSESSOR'S
OFFICE - BLAINE CO. CRT. HSE.
12-26-80 H.H.M.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN, That the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

37-7882

WOODS, Roy R.

c/o NORMAN H. MALONE, Agent
P.O. Box 1087

Hailey, Idaho 83333

Source: SPRING tributary to SINKS

Date Filed: 02/25/1981

Amount: 0.09 CFS

Diversion Point: NESE Sec 15 T 05N R 17E, Blaine County

Use: IRRIGATION (0.03 CFS) from 05/15 to 10/31; WILDLIFE (0.03 CFS) from 05/15 to 10/31; AESTHETICS (0.03 CFS) from 05/15 to 10/31.

Place of Use: NESE Sec 15 T 05N R 17E, for 1 acre

Diversion Means: HEADGATE, POND, PUMP.

IF ISSUED, The permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301, and received ON OR BEFORE APRIL 6, 1981.

C. STEPHEN ALLRED

Director

Publish: Wood River Journal-March 19 & 26, 1981.

RECEIVED

RECEIVED

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 28 1987

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Roy Woods Permit No. 37-7882
Current Address: Box 1028, Sun Valley, Idaho Phone No. _____
2. Accompanied by: Gerald Martens EXAM. DATE: 6-23-87
Address: 1139 Falls Ave E, Twin Falls, Idaho Phone No. 734-4888
Relationship to Permit Holder: None
3. Source: Unnamed Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

AUG 15 1994

RECEIVED

JUL 02 1987

Form 219
6/86

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1987

Department of Water Resources
Southern Region Office
37-8150

Permit No. 37-7882

Phone No. _____

A. GENERAL INFORMATION

1. Owner: Roy Woods

Current Address: Box 1028, Sun Valley, Idaho

2. Accompanied by: Gerald Martens

EXAM. DATE: 6-23-87

Address: 1139 Falls Ave E, Twin Falls, Idaho

Phone No. 734-4888

Relationship to Permit Holder: None

3. Source: Unnamed Spring tributary to Sinks


B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached

2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 15 1994




Storage Pond




Control Structure - 1 HP Domestic Pump

RECEIVED
AUG 15 1994



Control Structure




3 HP Irrigation Pump

HYDROFILM
AUG 15 1994



Wier Structure

RECEIVED
AUG 15 1994




ENGINEERS/PLANNERS/SURVEYORS • 1139 Falls Ave. E., Suite B Twin Falls, Idaho 83301 Phone 734-4888


BY SN DATE 6-22-87 SHEET _____ OF _____

SCALE 1" = 20"



Top



Side



Weir



Total Head - $2\frac{1}{2}''$ or .20833'

For 90° notch $\rightarrow Q = 2.536 H^{5/2}$

$$Q = .05024 \text{ cu. ft sec}$$


$Q = 22.55 \text{ gpm}$

H = head in ft.
 Q = Flow H_2O in cu. ft. sec

20 in CV H. sec

MAILED

AUG 15 1994



State of Idaho
Department of Water Resources

AMENDED

AMENDED

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07882

Priority: February 12, 1981

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

15.8 AF

This is to certify, that ROY R WOODS
PO BOX 1028

SUN VALLEY ID 83353 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1981; and has submitted Proof of Beneficial Use on April 27, 1983. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/15 to 10/31	0.03 CFS	3.0 AF
WILDLIFE	05/15 to 10/31	0.03 CFS	12.8 AF
RECREATION	05/15 to 10/31	0.03 CFS	12.8 AF
Totals		0.05 CFS	15.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NENESE, Sec. 15, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	17E	15	NESE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

WILDLIFE, same as IRRIGATION use

PLACE OF USE:

RECREATION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-07882

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 37.
6. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
7. Return flow is discharged into the Big Wood River system in the NESE, S15, T05N, R17E.
8. Return flow shall meet Idaho Water Quality Standards.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11th
day of October, 1994.


R. Keith Higginson, Director

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07882

Priority: July 14, 1981

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

15.8 AF

This is to certify, that ROY R WOODS
PO BOX 1028

SUN VALLEY ID 83353 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 12, 1981; and
has submitted Proof of Beneficial Use on April 27, 1983. An examination indicates
that the works have a diversion capacity of .050 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/15 to 10/31	0.03 CFS	3.0 AF
WILDLIFE	05/15 to 10/31	0.03 CFS	12.8 AF
RECREATION	05/15 to 10/31	0.03 CFS	12.8 AF
	Totals	0.05 CFS	15.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NENESE , Sec. 15, Township 05N, Range 17E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	17E	15	NESE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

WILDLIFE, same as IRRIGATION use

PLACE OF USE:

RECREATION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

AUG 15 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 37-07882

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 37.
6. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
7. Return flow is discharged into the Big Wood River system in the NESE, S15, T05N, R17E.
8. Return flow shall meet Idaho Water Quality Standards.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of AUGUST, 1994.



Acting for: Keith Higginson, Director




AUG 15 1994



**Roy A. Woods Property
118 & 122 Black Bear Road
Beneficial Use Exam - Schematic Diagram**




**Roy A. Woods Property
118 & 122 Black Bear Road
Beneficial Use Exam - Site Plan**



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho



1. Name of applicant Roy R. Woods (Norman H. Malone, agent) Phone 1-788-3303 agent
1-408-624-4281 or 726-3557
Post office address PO Box 648, Monterey, CA 93940 or PO Box 1028 Sun Valley, ID 83353
agent's address: PO Box 1087, Hailey, ID 83333

2. Source of water supply Unnamed Spring which is a tributary of sinks
Forest-Service-spring-* unsurveyed-see attached plat of Wood River Estates
3. Location of point of diversion is NE 1/4 1/4 of SE 1/4 1/4 of Section 15 Township 5N
Range 17E B.M. HES 123 Blaine County, additional points of diversion if any: _____

* Per conversation w/Norman Malone 2-26-81

4. Water will be used for the following purposes:

Amount .03 cfs for irrigation purposes from 5/15 to 10/31 annually (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 cfs for aesthetics purposes from 5/15 to 10/31 annually (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 cfs for wildlife habitat purposes from 5/15 to 10/31 annually (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .09 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. small headgate to be constructed on
applicant's property diverting water to a small pond, returning the water to the
original channel. Small pump to lift water from the pond to irrigate adjacent lawn.

b. Height of storage dam 4 ft plus or feet, active reservoir capacity one acre-feet; total reservoir
minus
capacity one acre-feet, materials used in storage dam: excavated

Period of year when water will be diverted to storage 5/15 to 10/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: T5N R17E HES 123; see attached plat of subject prop.

(1) Give the place of use of water: NE 1/4 1/4 of SE 1/4 1/4 of Section 15 Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: none horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered none

(4) Name of municipality to be served none, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: development of a small pond to irrigate
the adjacent landscape; contribute to the aesthetics of the surroundings and
to complement the wildlife habitat within the surrounding area (Forest Service)

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	17E	15													1				1

Total number of acres to be irrigated one

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The stream flow measurements were taken by Mr. Reid J. Newby, Watermaster for Water District 37 and 37M, Big and Little Wood River and Silver Creek. Attached to the application are his computations. It should be noted that the date of this reading was December 31, 1980 which reflects the minimum stream flow for this channel. The water needs applied for are between the dates of mid-May thru October, annually. This Forest Service spring fed stream sinks before reaching the Big Wood River.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

PLEASE REFER TO THE ATTACHED DRAWING. Thank you.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Boey A Woods
(Applicant)

(Applicant)

Roy R. Woods

U.S. Forest Service Lands



NORTH
Scale: 1" = 20'

PRELIMINARY DESIGN CONCEPT
SUBJECT TO CORRECTION

SCHEMATIC PROPOSAL
Stream Channel Diversion - Pond Development
MR. ROY WOODS PROPERTY
NORTH OF KETCHUM, IDAHO T5N R17E HES 123



Proposed Priority 2/12/81

Received by marpa Date 2/25/81 Time 2:15 pm
Preliminary check by JS Fee \$ 20.00 # 16852
Receipted by marpa Date 2/26/81
Publication prepared by marpa Date 3/6/81
Published in Wood River Journal
Publication dates 3/19 & 3/26/81
Publication approved marpa Date 3/30/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JS R

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7882, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District # 37, Big Wood River.

Witness my hand this 18th day of May, 1981.

A. Glen Saxon
Chief, Operations Bureau

MICROFILMED

Station Number Stream - W name. 123 Springs

Date 12-31, 1980 Party Reid J. Newby

Width 1.8 Area _____ Vel. _____ G.H. — Disch. .057

Method 6 No. secs. 6 G. H. change — in — hrs. Susp. Red

Method coef. — Hor. angle coef. — Susp. coef. — Meter No. R-751

GAGE READINGS

TIME	RECORDER	INSIDE	OUTSIDE
WEIGHTED M. G. H.			
G. H. CORRECTION			
CORRECT M. G. H.			

Date rated 6-24-74 Used rating

for rod _____ susp. Meter _____ ft.

above bottom of wt.

Wading, cable, ice, boat, upstr., downstr.,

side Chert upstream 15 feet feet, mile, above,

below gage, _____

Measurement rated excellent (2%), good (5%), fair (8%), poor (over 8%), based on

following conditions: Cross section _____

Flow Even Weather Clear - cold

Other _____ Air _____ °F @ _____

Gage None Water _____ °F @ _____

Record removed None Intake flushed U

Control Chert

Remarks Location 9 Springs


T S N. R 17E HES 123

Measured for Norm Maione

G. H. of zero flow Mr. Maione Present

Reid Newby

ANGLE CO-EFFICIENT	DIST. FROM INITIAL POINT	WIDTH	DEPTH	REVOLUTIONS	TIME IN SECONDS	VELOCITY		ADJUSTED FOR HOR. ANGLE OR	AREA	DISCHARGE	
						AT POINT	MEAN IN VERTICAL				
	Right Bank					2:55 pm					
	0	.2	0	0	40	0			0	0	.90
	.4	.4	.22	5	63	.122			.089	.011	.92
	.8	.4	.22	5	40	.166			.089	.015	.94
	1.2	.4	.30	7	40	.213			.120	.026	.96
	1.6	.3	.10	7	51	.177			.030	.005	.96
	1.8	.1	0	0	40	0			0	0	.97
	Left Bank					3:10 pm					.98
										.057	.99
						.057 c.f.s.			2.85 inches		1.00
						2.85 inch x 9.0 gal per min					
						9.0 x 2.85 = 25.65 gals per minute					.99
											.97
											.96
											.94
											.92
											.90
	</										



HES 123
CORNER 3

U. S. FOREST SERVICE

S 51° 16' 00" E 564.00'

UNPLATTED

APPROX. LOCATION ONLY
OF STREAM CHANNEL

N 54° 07' 00" W 101.13'

N 51° 16' 00" W 321.12'

Stream

BLOCK 3 2 1

SUBJECT PROPERTY

T5N R17E HES 123

COMMENCING AT CORN. #3 OF HES 123

THENCE N 51° 16' 00" W 180.52' to pt. of beginning

THENCE N 51° 16' 00" W 282.16'

THENCE N 38° 44' 00" E 325.0'

THENCE S 51° 16' 00" E 321.12'

THENCE S 45° 31' 00" W 327.29'

CANCELS TL 4000

CONTAINS 2.23 ACRES INST. # 140921

TAX LOT 4312

6

BLOCK 5

4

NORTH



MICROFILMED

WOOD RIVER ESTATES
RECHUM ROAD

TRACING FROM OFFICIAL
PLAT ON FILE IN ASSESSOR'S
OFFICE - BLAINE CO. CRT. HSE.

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FEB 23 1981

Department of Water Resources
Southern District Office

POWER OF ATTORNEY

(Roy Woods Property)
The undersigned holder(s) of Permit / Application No. 123 Springs of the
Department of Water Resources of the State of Idaho hereby nominates Norman H. Malone, President
Inter'mtn. Landscape Co, Inc.
Post Office Box 1087
Hailey, Idaho 83333, whose address is

as attorney-in-fact, with full authority to act for and on behalf of the undersigned in all matters pertaining to the above numbered permit or application. Such acts shall include, but not be limited to, the filing of application, receiving of all notices, the signing and filing of applications for extension of time and for amendments of said permits, and the submission of proofs of completion of works and beneficial use of water.

Dated this 11 day of February, 1981.

Roy R. Woods
Roy R. Woods, Owner

Norman H. Malone
Norman H. Malone, Agent

STATE OF IDAHO)
County of Blaine) ss.

On this 11th day of February, 1981, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he ~~(she)~~ ~~(they)~~ executed the same.

seal

Debra D. Lee
Notary Public
Residing at Hailey, Idaho


My Commission expires: Lifetime

STATE OF CALIFORNIA

County of Monterey

)
) ss.
)

On this 11th day of February, 1981, personally appeared before me the signer of the above instrument known to me as ROY R. WOODS, who duly acknowledged to me that he executed the same.



June E. Fordham
Notary Public for California
Residing at:

RECEIVED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

GORDON O. GLASMANN, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 19 day of March, 1981, and the date of the last publication was on the 26 day of March, 1981.

Gordon O. Glasmann

Subscribed and sworn to before me this 26th day of March, 1981.
(SEAL)

Roberta Ingerfer

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 39
Number of Insertions 2
Lines tabular at _____ 4¢ / Pica
39 Lines straight at 15.21 3¢ / Pica
39 Subsequent lines at 10.14 2¢ / Pica
TOTAL COST 25.35

COPY OF NOTICE

(Paste Here)

Permit 37-7882
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lake Blvd. N
T. F. 83301

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1980)

7-8 pt. per line, straight	3¢ / Pica
7-8 pt. per line, tabular	4¢ / Pica
7-8 pt. per line successive insertions	2¢ / Pica

RECEIVED

MAR 30 1981 431

Department of Water Resources
Southern District Office

MICROFILMED

NOTICE

37-7882

WEDNESDAY, MAY 12
C/O MICHAEL H. MALONE, Agent
P.O. Box 1087
Albany, Calif. 94533

Re: Application for permit to SINKS
Date Filed: 12/22/1961
Amount: 0.03 CFS

Permit No. NERE Sec 15 T 05N
R 17E, Contra Costa

1.03 IRRIGATION (0.03 CFS) from
05/15 to 10/31; WILDLIFE (0.03 CFS)
from 05/15 to 10/31; AESTHETICS
(0.03 CFS) from 05/15 to 10/31.

Please see NERE Sec 15 T 05N R
17E for details.

Diversion structure: HEADGATE,
POND, PUMP.

If issued, this permit will be sub-
ject to all water rights. Provisions
regarding the granting of any permit
must be filed with the Director of the
State Department of Water
Resources, 1041, San Jose, San
Francisco, California 94104, and
marked ON OF RECORD, 1961, 2
1961.

and to be filed with the

State Department of Water

Resources, 1041, San Jose, San

Francisco, California 94104, and

MEMORANDUM

TO: File 37-07882
FROM: Sharla
DATE: October 4, 1994
RE: Amended License

ok 

On this date, Jim Speck called concerning the license recently issued on this right and questioned the date of priority advancement. The date of priority was advanced based upon the date the "Amended" beneficial use field report was submitted to the department.

After reviewing the file, it appears that the advancement was not necessary due to the fact that the only major correction made to the report was the removal of reference to another permit, No. 37-08150.

I told Mr. Speck that the priority would be changed to the original date and an amended license would be issued and sent.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 10, 1994

ROY R WOODS
PO BOX 1028
SUN VALLEY ID 83353

RE: WATER RIGHT NO. 37-07882

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

AUG 15 1994

MEMORANDUM

TO: File 37-07882
FROM: Sharla
DATE: April 7, 1994
RE: License Issuance

Roxanne originally reviewed this permit for licensing and recommended the addition of domestic use; it appeared that it would not be an expansion of the right since the wildlife and aesthetic uses were not being licensed. A licensing amendment was solicited, at which time Mr. Speck disagreed with the amendment due to the fact that wildlife and aesthetic uses were not listed.

After receiving information from the certified examiner verifying the wildlife and aesthetic uses, a license has been prepared with these uses. The domestic use cannot be included, however, because ~~with~~ the wildlife and aesthetic uses are being licensed. The inclusion of domestic at this point would create an expansion of the right.

A licensing amendment is no longer required since domestic use is not being added and a license can be issued.


AUG 15 1994

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 37-07882

FROM: SHARLA CURTIS

RE: PRIORITY ADVANCE REVIEW

DATE: 7-APR-1994

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	FEBRUARY 12 1981	43
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	JUNE 30 1986	181
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		1 DAY(S)
CERTIFIED EXAM		
Exam Received Date:	SEPTEMBER 28 1987	271
Exam by Examiner Due Date:	APRIL 30 1987	120
Days Late:		151 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	FEBRUARY 12 1981	43
Total Days Late:		152 DAY(S)
New Priority Date:	JULY 14 1981	195

RECEIVED
AUG 15 1994

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION

ATTORNEYS


TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

November 8, 1990

Mr. Gary Spackman
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720



Department of Water Resources

Re: Idaho Water Permit No. 37-07882
Roy R. Woods


Dear Gary:

Enclosed you will find a copy of the October 4, 1990, letter to me from Gerald L. Martens, P.E., regarding the wildlife habitat use existing under the above-reference Idaho Water Permit. Will this be sufficient to document this use for licensing purposes? Please call me if you have any questions.

Thank you.

Sincerely yours,

HOGUE, SPECK & AANESTAD


James P. Speck

JPS/rlk
enclosure
cc: Roy Woods
Gerald Martens

AUG 15 1994



Edwards, Howard & Martens, Inc.

ENGINEERS / PLANNERS / SURVEYORS

1139 Falls Ave. E., Suite B
Twin Falls, Idaho 83301
Phone 734-4888

October 12, 1990

IN THE FIELDS OF:

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

RECEIVED
OCT 15 1990
Department of Water Resources

Mr. Gary Spackman
Idaho Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83701


Re: Idaho Water Permit
No. 37-07882

Dear Mr. Spackman,

Please find attached a letter sent to Mr. James Speck in regard to the above referenced permit.

Please call if there are any questions.

Respectfully yours,
EHM ENGINEERS, INC.



Gerald L. Martens, P.E.

GLM/jm
cc:file

RECEIVED
AUG 15 1984



Edwards, Howard & Martens, Inc.

ENGINEERS / PLANNERS / SURVEYORS

1139 Falls Ave. E., Suite B
Twin Falls, Idaho 83301
Phone 734-4888
October 4, 1990

IN THE FIELDS OF:

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

Hogue, Speck & Aanestad
Attorneys at Law
120 East Avenue
P.O. Box
Ketchum, Idaho 83340

Attn: Mr. James Speck

Re: Idaho Water Permit
No. 37-07882

Dear Mr. Speck,


Per your request I revisited the Roy Wood residence at the location referred by the above Idaho Water Use Permit. The purpose of the visit was to verify the use of the water streams and ponds by wildlife.

The water areas are visually secluded by vegetation from adjacent roadways or other public areas. Willows, reeds, hedges and other riparian grasses all provide a natural setting that encourages wildlife usage. Water quality is good providing a gravity fishing.

The water courses and ponds are regularly utilized by ducks and other birds utilizing stream side plantings for cover, shelter or feeding purposes. The area receives minimal interruptions from people, dogs or traffic due to the vegetation screening and relatively remote setting.

Please call me if additional supporting data is required.

Respectfully yours,
EHM ENGINEERS, INC.


Gerald L. Martens, P.E.

GLM/jm
cc:file

AUG 15 1994

HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
J. STEPHEN CRABTREE
TRACY DUNLAP

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567

October 2, 1990

Mr. Gary Spackman
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RECEIVED
OCT 3 1990

Department of Water Resources

Re: Idaho Water Permit No. 37-07882
Roy R. Woods

Dear Gary:

This will confirm telephone conversations concerning the licensing of the above-referenced Permit issued in the name of my client, Mr. Roy R. Woods. As we discussed, the Permit sought the use of water for wildlife habitat and the field report performed by Mr. Gerald Martens omitted this use. Mr. Martens has indicated he would go back out and inspect the use and write a letter confirming it exists. I understand you will hold off licensing until you receive that letter. I will continue to press Mr. Martens to get this done.

I will be out of the office until November 5, 1990 and will check in with your on this matter when I return. Thank you for your continued cooperation and assistance on these matters.

Sincerely yours,

HOGUE, SPECK & AANESTAD

Jim
James P. Speck *jl*

JPS/jal
cc: Mr. Roy R. Woods
Mr. Gerald Martens

1990

MEMORANDUM

TO: FILE

FROM: JIM JOHNSON

RE: TELEPHONE CONVERSATION

DATE: September 19, 1990

=====

On this date Jim Speck called explaining why the amendment for permit had not yet been returned. Essentially, it is because the wildlife habitat use originally listed on the permit had not been included on the field exam conducted by the engineer hired to do the examination. Jim Speck had previously talked to Gary Spackman and was told that the department would accept the addition of the use to the examination report if the engineer could provide evidence of the use. Jim reported that this effort was under way but not yet completed. He expected to have the information to us before the end of the month.

RECEIVED

SEP 19 1990

September 11, 1990

ROY R. WOODS
P.O. BOX 1028
SUN VALLEY, ID 83353

RE: PERMIT NO. 37-07882

Dear Permit Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

Since the license will be permanent water right you prompt attention to this matter will be appreciated.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:SC

Enclosure

Abstract

July 19, 1990

ROY R. WOODS
P.O. BOX 1028
SUN VALLEY, ID 83353

RE: PERMIT NO. 37-07882

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

15 1994



Edwards, Howard & Martens, Inc.

SEP 28 1987

ENGINEERS / PLANNERS / SURVEYORS

1139 Falls Ave. E., Suite B
Twin Falls, Idaho 83301
Phone 734-4888

IN THE FIELDS OF:

Department of Water Resources

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

September 25, 1987

Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: Jim Johnson

RE: Permit Nos. 37-8150 and
37-7882

Dear Mr. Johnson:

Transmitted herewith is an amended Beneficial Use
Field Report for Permit No. 37-7882. Deleted is all
reference to Permit No. 37-8150 for a well currently
used to supplement domestic and irrigation needs.

Respectfully yours,

EHM ENGINEERS, Inc.


Gerald L. Martens, P.E.

GLM/bn
cc: file

encl.

RECEIVED

AUG 15 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 14, 1987

RE: Permit Nos. 37-8150 & 37-7882

Gerald L. Martens
Edwards, Howard & Martens, Inc.
1139 Falls Ave. E.
Twin Falls, ID 83301

Dear Mr. Martens:

We are in receipt of your correspondence regarding the above referenced permits.

You make reference to a field exam for Permit 37-8150, yet I find no information concerning development or use of water under this permit on your beneficial use report.

If a well has been used under this right, then a separate beneficial use field report is required. Otherwise, the permit will be lapsed and of no further force or effect.

If you have any questions on this matter, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

AUG 15 1994

RECEIVED

SEP 28 1987

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-7882

1. Owner: Roy Woods

Phone No. _____

Current Address: Box 1028, Sun Valley, Idaho

2. Accompanied by: Gerald Martens

EXAM. DATE: 6-23-87

Address: 1139 Falls Ave E, Twin Falls, Idaho

Phone No. 734-4888

Relationship to Permit Holder: None

3. Source: Unnamed Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more.)

AUG 15 1994

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water flows from unnamed spring through pipeline to wier box (see attached photo) discharge from wier structure to holding tank and control structure. A 1 HP domestic pump located in control structure to supply water to residence, discharges from structure into pond from which irrigation water is pumped. Irrigation pump is 3 HP Berkley Type CP rated at 31 gallons/minute - 64 psi.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	15	5N	17E	Blaine	Wood River Estates Plat

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	17E	15													1				1.0

Do not use this space

AUG 15 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measured flow over 90° V notch wier

$Q = 2.536 H^{5/2}$ $H = 0.20883 \text{ ft} = 2.5 \text{ inches}$

$Q = 0.05024 \text{ cfs} = 22.5 \text{ gpm}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07(215)(1.9835) = 29.85$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
AUG 15 1997

H. REMARKS AND OVERLAP REVIEW ANALYSIS

37-7882 - 0.09 cfs = 40+ gpm

Measured flow was 22.55 gpm

Pond storage allows use of irrigation pump for intermittent usage

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	Jan 1	Dec 31	0.04	
Irrigation	May 15	Oct 31	0.07	
Totals:				

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Gerald Martens
Signature *Gerald Martens*
Certification Date 6-30-87
Field Report Preparation Date 6-23-87



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Edwards, Howard & Martens, Inc.

ENGINEERS / PLANNERS / SURVEYORS

1139 Falls Ave. E., Suite B
Twin Falls, Idaho 83301
Phone 734-4888

IN THE FIELDS OF:

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

June 30, 1987

RECEIVED

JUN 30 1987

Department of Water Resources
2148 Fourth Avenue East
Twin Falls, Idaho 83301

Department of Water Resources
Southern Region Office

Attention: Loren Holmes

RE: Woods Water Right

Dear Mr. Holmes:

Please find enclosed the Beneficial Use Field Report
for Permit Nos. 37-8150 and 37-7882.

Please call me if there are any questions.

Respectfully yours,
EHM ENGINEERS, Inc.

Gerald L. Martens
Gerald L. Martens, P.E.

GLM/bn
cc: file
encl.

RECEIVED

JUL 09 1987

Department of Water Resources

RECEIVED

AUG 15 1987

RECEIVED
JUL 02 1987

RECEIVED

JUN 30 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
BENEFICIAL USE FIELD REPORT

Department of Water Resources
Southern Region Office

Permit No. 37-7882

Phone No. _____

A. GENERAL INFORMATION

1. Owner: Roy Woods

Current Address: Box 1028, Sun Valley, Idaho

2. Accompanied by: Gerald Martens

EXAM. DATE: 6-23-87

Address: 1139 Falls Ave E, Twin Falls, Idaho

Phone No. 734-4888

Relationship to Permit Holder: None

3. Source: Unnamed Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

AUG 15 1994

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water flows from unnamed spring through pipeline to wier box (see attached photo) discharge from wier structure to holding tank and control structure. A 1 HP domestic pump located in control structure to supply water to residence, discharges from structure into pond from which irrigation water is pumped. Irrigation pump is 3 HP Berkley Type CP rated at 31 gallons/minute - 64 psi.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	15	5N	17E	Blaine	Wood River Estates Plat

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	17E	15													1				1.0

Do not use this space

AUG 15 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measured flow over 90° V notch wier

$Q = 2.536 H^{5/2}$ $H = 0.20883 \text{ ft} = 2.5 \text{ inches}$

$Q = 0.05024 \text{ cfs} = 22.5 \text{ gpm}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: $3.6 \times \text{_____} \text{ KH} \times \text{_____} \text{ CTR or } \text{_____} \text{ MULT} \times \text{_____} \text{ PTR} \times \text{_____} \text{ N/ } \text{_____} \text{ T} = \text{_____}$ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{_____}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 (215) (1.9835) = 29.85$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \text{_____}$

2. Volume Calculations for Other Uses:

AUG 15 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Applicant has two filings:

37-8150 - 0.04 cfs = 18 gpm

37-7882 - 0.03 cfs = 13 gpm

Measured flow was 22.55 gpm

Pond storage allows use of irrigation pump for intermittent usage

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	Jan 1	Dec 31	0.04	
Irrigation	May 15	Oct 31	0.07	
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None


☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Gerald Martens
Signature *Gerald Martens*
Certification Date 6-30-87
Field Report Preparation Date 6-23-87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
AUG 15 1994




Storage Pond




Control Structure - 1 HP Domestic Pump

AUG 15 1994




Control Structure



3 HP Irrigation Pump

AUG 15 1994



Wier Structure

AUG 15 1994



Edwards, Howard & Martens, Inc.


ENGINEERS/PLANNERS/SURVEYORS • 1139 Falls Ave. E., Suite B Twin Falls, Idaho 83301 Phone 734-4888

JOB NAME NORM MALONE WATER RIGHTS JOB NO. _____


BY N DATE 6-22-87 SHEET _____ OF _____

SCALE 1" = 20"



Top



Side



Weir



Total Head - 2 1/2" or .20833'


For 90° notch → $Q = 2.536 H^{5/2}$

$Q = .05024$ cu ft sec

$Q = 22.55$ gpm

H = head in Ft
Q = Flow H₂O in cu Ft. sec

AUG 15 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

31-1002
BOISE, IDAHO
C/O DEPARTMENT OF WATER RESOURCES
P.O. BOX 1002
BOISE, ID 83720

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

AUG 15 1994



te of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 13, 1987

RE: Permit No. 37-7882

Norman H. Malone
Box 1087
Hailey, ID 83333

Dear Mr. Malone:

In response to your letter of 3/19/87 concerning the field examination due on the above referenced permit, this correspondence will serve to inform you that the examination report is not due in this office until July 30, 1987.

This should allow you sufficient time to conduct the examination.

If you have any questions on this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

AUG 15 1987

INTER-DEPARTMENT MEMO — 1

DATE 4-6-87

FROM Jim

TO File

SUBJECT EXAMINATION DUE Date.

The 4-30-86 letter said exam was due within 1yr of the date of the letter.

Rule 9, 1, 2. allows 1yr and 60 days before permit will lapse.

EXAMINATION IS DUE ON THIS DATE July 30, 1987



AUG 15 1994

SIGNATURE

RECEIVED

INTERMOUNTAIN
LANDSCAPE COMPANY, INC.

MAR 24 1987

Department of Water Resources
Southern Region Office

Norman H. Malone, President

March 19, 1987

Mz. Terry Blon
State of Idaho
State Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83307

Re:
Permit # 37-7882
Extension of Time in
Proof of Beneficial Use

RECEIVED

MAR 31 1987

Dear Terry:

Department of Water Resources

In follow-up to my March 18 telephone conversation with you with regard to the above stated matter, I am with this letter documenting the substance of that telephone conversation.

I am, as agent for Mz. Roy Woods, formally requesting a ninety (90) day extension of time from the deadline date of April 30, 1987 for the field examination of the owner's property in full filling the terms of the above noted permit, in proof of beneficial use.

The pond is installed and functioning as permitted. Yet to be installed is the irrigation delivery pump and a water measurement device. Due to the long winters in the owner's property area, it is physically impossible to have both facilities installed and properly functioning prior to the April 30 deadline. Therefore, I must request this extension of time. Anticipating your early response, I remain —

Respectfully yours,
Norman H. Malone

AUG 15 1987



4/86

Returned to State Dept. of
Water Resources by Certified Mail

RECEIVED

JUN 30 1986

Department of Water Resources
Southern District

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Sent to S.O. 6/30/86

Chose
Private
Examiner

RECEIVED

JUL 2 1986

1. Permit No. 37-7882

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

- ☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)
Agent: Norman H. Malone, Box 1087, Hailey, ID. 83333

2. Permit Holder: Roy R. Woods3. Post Office Address: PO Box 648, Monterey, CA 93940Agent: 788-3303 or 788-2002Telephone No. owner: 408-624-42814. Source of Water: Unnamed Spring

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2.23 (acres) Other/Remark _____.03 cfs aesthetics .03 cfs wildlife habitat6. Total rate &/or volume for which proof is submitted .09 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

Note: As of this date, Mr. Gerald Martius, of the engineering firm of Edwards, Howard and Martius has been retained in the capacity of a "Certified Water Right Examiner"

(Name) (Address) (Telephone Number)

- ☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 6/23/86Norman H. Malone

Signature of Permit Holder (and title, if appropriate)

Agent for Permit Holder

AUG 15 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 14, 1986

RE: Permit Nos. 37-7882/8150

Roy R. Woods
Box 648
Monterey, CA 93940

Dear Mr. Woods:

We are in receipt of a statement from Mr. Gerald Martens, P.E. that he has been retained by you to complete the water right examinations on the above referenced permits.

You need to fill in the enclosed forms and return them to us as soon as possible.

If you have any questions, please let us know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

cc: Gerald Martens

AUG 15 1986



Edwards, Howard & Martens, Inc.

ENGINEERS / PLANNERS / SURVEYORS

IN THE FIELDS OF:

PLANNING
SURVEYING
HIGHWAYS
WATER
SEWAGE
STRUCTURAL
SUBDIVISIONS
AIRPORTS
BRIDGES

June 23, 1986

RECEIVED

JUN 24 1986

DEPARTMENT OF WATER RESOURCES
SACRAMENTO DISTRICT OFFICE

RECEIVED

JUN 27 1986

Idaho Department of Water Resources
1041 Blue Lakes Boulevard N.
Twin Falls, Idaho 83301

Attention: Lauren Holmes

Dear Mr. Holmes:

Department of Water Resources

I have been retained by Norman Malone, agent for Roy R. Woods,
to complete the water right examination for Permits No. 37-7882
and 37-8150.

Respectfully yours,

EHM ENGINEERS, INC.

Gerald L. Martens
Gerald L. Martens, P.E.

GLM:ia

cc: Norman Malone

AUG 15 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

37-7882
WOODS, ROY R.
C/O NORMAN H. MALONE, AGENT
P.O. BOX 1087
HAILEY, ID 83333

Mailing address:
Statehouse
Boise, Idaho 83720

138748

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

AUG 15 1994

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

AUG 15 1994

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

JUNE 10, 1983

ROY R. WOODS
P.O. BOX 648
MONTEREY

CA 93940

RE: Permit No. 37-70227882

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

Enclosure

AUG 15 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 7882

Name(s) of Permit Holder:

Roy R. Woods - P.O. Box 648
Montrose, Ch. 93940

Post Office Address:

Agent: Norman H. Malone, Intermountain
Landscape Co., Inc. P.O. Box 1087 - Hailey, Id. 83433

Source of Water:

Spring

Extent of Use:

☒ Domestic

two

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device required?

☒

Yes

☐ No

Installed?

☐ Yes

☒ No

Access Port required?

☐

Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-22-83

Date

Norman H. Malone
AGENT FOR: Roy R. Woods

Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

APR 27 1983

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CONVERSATION MEMORANDUM

DATE May 19, 1983
FILE 57-7882

NAME OF PARTY Rita Fleck
EMPLOYEE Norman Malone

RE: _____

From my discussions on this date with both Norman Malone and Loren Holmes, I determined that a change of nature of use will be needed at the time the field exam is done.

MICROFILMED

originals mailed to DWR 1 Wm
Falls office attn: Allen Merritt
2/19/81. NW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POWER OF ATTORNEY

The undersigned holder(s) of Permit/Application No. 123 Springs (Roy Woods Property) of the
Norman H. Malone, President
Department of Water Resources of the State of Idaho hereby nominates Inter'mtn. Landsce Co, Inc
Post Office Box 1087
_____, whose address is Hailey, Idaho 83333

as attorney-in-fact, with full authority to act for and on behalf of the undersigned in all
matters pertaining to the above numbered permit or application. Such acts shall include,
but not be limited to, the filing of application, receiving of all notices, the signing and
filing of applications for extension of time and for amendments of said permits, and the
submission of proofs of completion of works and beneficial use of water.

Dated this 11 day of February, 1981.

Roy R. Woods
Roy R. Woods, Owner

Norman H. Malone
Norman H. Malone, Agent

STATE OF IDAHO)
) ss.
County of Blaine)

On this 11th day of February, 1981, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he ~~(she)~~ ~~(they)~~ executed the same.

Debra D. Lee
Notary Public
Residing at Hailey, Idaho

Commission expires: Lifetime

se
MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

WOODS, ROY R.
C/O NORMAN H. MALONE, AGENT
P.O. BOX 1087
HAILEY, ID 83333

138396

PROOF DUE NOTICE

MARCH 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7882 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WOODS, ROY R.
C/O NORMAN H. MALONE, AGENT
P.O. BOX 1087
HAILEY, ID 83333

JUNE 03, 1981

RE: PERMIT NO. 37-7882

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION WORKS.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

WOODS, Roy R.

INITIAL REVIEW BY: J. P. Stanton

APPLICATION NUMBER: 37-7882

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: Came with Reid Newby, WM, WD 37 indicated that water is not tributary to Big Wood R. During irrigation season.

JPS

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other Reid Newby

Copies sent by: _____

Date: _____

mary

3/5/81

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 4/6/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/30/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 37
2/12/81 Date of priority recommended.
Special conditions of approval or cover letter. OIE

By: Loren O. Hansen Date: 4/30/80

STATE OFFICE REVIEW:

SLW/LO1, LO2 OIE, 05(37 Big Wood R.)

- ☐ See attached sheet for more information.

By: [Signature] Date: 5/14/81



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

March 5, 1981

Mr. Norman H. Malone
P. O. Box 1087
Hailey, Idaho 83333

for

Roy R. Woods
P. O. Box 648
Monterey, CA 93940
or

P. O. Box 1028
Sun Valley, Idaho 83353

Re: Application for Permit No. 37-7882

Dear Mr. Malone:

Enclosed is your receipt No. 16852 for check No. 92-232 in the amount of \$30.00 for the above referenced Application for Permit which was received in this office February 26, 1981.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Mary A. Hill
Sr. Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

March 5, 1981

Mr. Reid Newby
Watermaster District 37
Box T
Shoshone, Idaho 83352

Re: Application for Permit No. 37-7882

Dear Mr. Newby:

Enclosed is a copy of the above referenced application for permit for your information and files.

Sincerely,

Mary A. Hill
Sr. Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-2882

WOODS, ROY R.

C/O NORMAN H. MALONE, AGENT, P.O. BOX 1087, HAILEY, ID 83333

Source: SPRING tributary to SINKS

Date Filed: 02/25/1981

Amount: 0.09 CFS

Diversion Point: NESE Sec 15 T 05N R 17E, BLAINE Co.

Use: IRRIGATION	(0.03 CFS) from 05/15 to 10/31
WILDLIFE	(0.03 CFS) from 05/15 to 10/31
Aesthetics	(0.03 CFS) from 05/15 to 10/31

Place of Use: NESE Sec 15 T 05N R 17E FOR 1 ACRES

Diversion Means: HEADGATE, POND, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before APRIL 6, 1981.

C. STEPHEN ALLRED

Director

Published 3/19 & 3/26/81.

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

MARCH 6, 1981

Wood River Journal
P.O.Box 988
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 6, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED