


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bellevue Cemetery Board
(Applicant)
Evelyn Barker, Secy

**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-7839

BELLEVUE CEMETERY BOARD
EVELYN BARKER, SECRETARY
BELLEVUE, ID. 83313

Source: GROUNDWATER

Date Filed: 06-30-1980

Amount: 0.40 CFS

Diversion Point: NESE Sec 36 T
02N R 18E, BLAINE Co.

Use: IRRIGATION (0.40 CFS) from
04-01 to 11-01


Place of Use: NESE Sec 36 T 02N R
18E LOT 03 (NWSW) Sec 31 T 02N
R 19E FOR 20 ACRES

Diversion Means: WELL & PUMP

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the Direc-
tor of the Idaho Department of
Water Resources, 1041 Blue Lakes
Blvd. North, Twin Falls, Idaho
83301, and received ON OR
BEFORE AUGUST 4, 1980.


C. STEPHEN ALLRED
Director

Publish: July 17th & 24th, 1980.



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SE 1/4; Sec 36 T 2N R 18 E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	19E	31									10	43							10
2N	18E	36												10					10

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature

Checked by

Approved by

Larry Jundberg
Mike Murre
Kay Walker

Date


Date

Date

9/6/1983
12/13/83
8-21-84

2N 19E

North



MICROFILMED

SURVEYS DESIGNATED	By Whom Surveyed	Date of Contract
Township Lines		
Subdivisions	Allen M. Thompson	July 1 st , 1881

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7839 Priority June 30, 1980 Amount 0.32 cfs

THIS IS TO CERTIFY, that Bellevue Cemetery Board
of Bellevue, Idaho, has complied with the terms and conditions of Permit
No. 37-7839 issued pursuant to Application for Permit dated June 30, 1980,
and has submitted proof to the Department of Water Resources on July 2, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.32 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.32</u> cfs and	<u>60.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.32 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
60.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36,
Twp 2N, Rge 18E in the County of Blaine

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	18E	36													10				10
2N	19E	31													10				10

Total number of acres irrigated 20

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 13TH day of
SEPTEMBER, 19 84.

MAILED

Acting for the Director

Norman C. Young

Fee: \$35.00 Before July 1
00 After July 1.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 37-7839

RECEIVED
APPROVED
JUL 1 1980
Department of Water Resources
Southern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Belleve Cemetery Board Phone _____
Post office address % Evelyn Barker, Secretary
Belleve, Idaho 83313

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 36 Township 2N
Range 18E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .40 for irrigation purposes from Apr. 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .40 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	36													10				10
2N	19E	31										10							10

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above. _____

Decreed surface water rights delivered by ditch


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks P/U within Bellevue Cemetery

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bellevue Cemetery Board
(Applicant)
Evelyn Barker, Secy

Proposed Priority 6/30/80
Received by macy Date 6/30/80 Time 1:30 pm
Preliminary check by [initials] Fee \$ 335.00 # 16483
Receipted by macy Date 6/30/80
Publication prepared by mm Date 7/8/80
Published in Wood River Journal
Publication dates 7/17 & 7/24/80
Publication approved mm Date 7/31/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [initials] RA jin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7839, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 19th day of August, 19 80.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED AFFIDAVIT OF PUBLICATION

JUL 31 1980

State of Idaho,
Department of Water Resources SS.
County of Blaine
Southern District Office

GORDON O. GLASMANN, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 17 day of July

1980, and the date of the last publication was on the 24

day of July, 1980

Subscribed and sworn to before me this 28th

day of July, 1980
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 12

Number of Lines in Notice 34

Number of Insertions 1

Lines tabular at _____ 4¢ / Pica

34 Lines straight at 12.24 3¢ / Pica

34 Subsequent lines at 8.16 2¢ / Pica

TOTAL COST 20.40

COPY OF NOTICE

(Paste Here)

Permit 37-7839

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lake Blvd N. TF


PUBLICATION RATES

(Idaho Code, Rev. Statutes 1980)

7-8 pt. per line, straight	3¢ / Pica
7-8 pt. per line, tabular	4¢ / Pica
7-8 pt. per line successive insertions	2¢ / Pica

No

065



**NOTICE OF APPLICATION
FOR WATER RIGHT**

NOTICE IS HEREBY GIVEN,
That the following application has
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

37-7839

BELLEVUE CEMETERY BOARD
HEVELYN BARKER, SECRETARY
BELLEVUE, ID. 83313

Source: GROUNDWATER

Date Filed: 06 30-1980

Amount: 0.40 CFS

Diversion Point: NESE Sec 36 T
02N R 18E, BLAINE Co.

Use: IRRIGATION (0.40 CFS) from
04-01 to 11-01

Place of Use: NESE Sec 36 T 02N R
18E LOT 03 (NWSW) Sec 31 T 02N
R 19E FOR 20 ACRES

Diversion Means: WELL & PUMP

If issued, the permit will be sub-
ject to all prior water rights. Pro-
tests against the granting of any
permit must be filed with the Direc-
tor of the Idaho Department of
Water Resources, 1041 Blue Lakes
Blvd. North, Twin Falls, Idaho
83301, and received ON OR
BEFORE AUGUST 4, 1980.

C. STEPHEN ALLRED
Director

Publish: July 17th & 24th, 1980.

VERIFIED DJ

3-2/-85

WATER RIGHT NUMBER 37-7939

OWNER LAST NAME - BELLEVUE CEMETERY BOARD

ADDRESS LINE 1 - C/O EVELYN BARKER

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

TOTAL DIV. VOLUME - 60.00 AFA TRFR/AMEND -

DIVERSION POINT - NESE 36 02N 18E LOT REDIV -

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE - IRRIGATION

USE - IRRIGATION

DECREE NAME -

REMARKS - P/U WITHIN BELLEVUE CEMETERY

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 08-01-1985 PERMIT/DENIED - 08-19-1980 PROTESTED -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - R29

DIVERSION MEANS - WELL & PUMP.

FIRST NAME - ORIG OWNER -

ADDRESS LINE 2 -

CITY - BELLEVUE

STATE - ID ZIP CODE - 83313

TRIBUTARY OF -

PRIORITY - 06-30-1980 COUNTY - BLAINE

TOTAL DIV. RATE - .3200 -CFS

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE - .3200 CFS USE DIV. VOLUME - 60.00 AFA

PLACE OF USE - TWN 02N RNG 19E SEC 31 TRACT NWSW LOT 03 AC 10

PLACE OF USE - TWN 02N RNG 18E SEC 36 TRACT NESE LOT AC 10

DATE -

TOTAL ACRES 20

HEARING -

OLD NO. -

September 19, 1984

RE: Permit No. 37-7839

Bellevue Cemetery Board
Box 125
Bellevue, ID 83313

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

August 24, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 37-7839

Bellevue Cemetery Board
Box 125
Bellevue, ID 83313

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 37-7839, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.32 cfs Source: groundwater

The maximum quantity diverted shall not exceed 60.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, Twp 2N, Rge 18E

Beneficial Use: Irrigation of 10 acres within NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, Twp 2N,
Rge 18E and 10 acres within Lot 3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$) Sec. 31, Twp 2N, Rge 19E

Priority date established: June 30, 1980

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.


If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

37-1839

Permit No.

Department of Water Resources

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	Sept. 17, 1982	LF	
☐ Telephone call made:			
(List Telephone No. used)			
☐ Appointment scheduled for:			
(Date, time, location)			

EXAMINATION

Date 1:30 PM. 7-12-1983 Accompanied by MARGRET DUOLEY Total Q measured 0.32 cfs.
If source is surface water, estimate total flow of source ✓
Methods of measurement pressure gage Meets Permit requirements? yes.

Measurement calculations: WS 30 Rainbirds 9/64" No 33 el (19) Hds 45/16 = 72.96
5/32" No 27 el (14) Hds 50/16 = 69.72
(1.98 ACFt) (0.32 cfs) (214 days) = 135.8
20 Acres x 3.0 ACFt/ANN = 60 ACFt/ANN. ✓
14268 gpm / 444.8 gpm/cfs = 0.32 cfs ✓ Allow

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	15	Barkley	652AM-S					

System Description well, motor submersible system w/ sprinkler lines.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE IRRIGATION ✓
Irrigation requirement = 3.0 ✓ AFA/Acre
Q (cfs) 0.32 cfs ✓ V (afa) 60.0 AFA ✓ FROM 2-15 TO 11-1
214 days

Total 0.32 CFS. ✓ 60.0 AFA ✓

Remarks this well is used to irrigate Bellevue City Cemetery. The well is 126' Deep 8" dia. 50°F


GPI = 8.8 (15 Hp) (6.70 Eff) = 0.36 cfs
(115' Hd) + (60 PSI) (2.3)

NOT RECORDED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SE 1/4; Sec 36 T 2N R 18E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	19E	31										10	43						10
2N	18E	36													10				10

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature *Harry Lundberg*
 Checked by *Al & M. Miller*
 Approved by *Al & M. Miller*

Date 9/6/1983
 Date 12/13/83
 Date 3-21-84

Overlap Review for 37-7839

per permit: decreed surface water

per micro-fische: 8/21/84

p/d - 37-7637 gw

p/u - 37-0114 Big Wood River

37-0117 Big Wood River

37-7955 gw

37-1201 Seamans Creek

Recommend R16(3.0) for surface water rights overlap.

37-7637 - Lic, gw, different well per exams - no overlap


37-7955 - permit, no exam in file - no overlap -

kw

allow capacity of system -

MICROFILMED

2N 19E



SURVEYS DESIGNATED	By Whom Surveyed	Date of Contract
Township Lines		
Subdivisions	Allen M. Thompson	July 1 st , 1881



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 17, 1982

Mrs. Evelyn Barker, Secretary
Bellevue Cemetary Board
Box 125
Bellevue, Idaho 83313

Re: Permit No. 37-7839

Dear Mrs. Barker:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-1839

Name(s) of Permit Holder: Bellevue Cemetery Board

Post Office Address: Box 125

Bellevue, Idaho 83313 Tel. No. 788-2846

Source of Water: Well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 20 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No


Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-30-82
Date

Carolyn Barker, Sec'y
Signature of Permit Holder

Bellvue Country
Box 125
Bellvue, Idaho 83313



RECEIVED



JUL 2 1982 IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE
Department of Water Resources
BOISE, IDAHO 83720

MICROFILMED

June 15, 1982

Evelyn Barker, Secretary
Bellevue Cemetary Board
P.O. Box 125
Bellevue, ID 83313

Dear Ms. Barker:

Re: Permit No. 37-7839

Pursuant to your request, enclosed is the "Statement of Beneficial Use" postcard.

Please be advised that the statement should not be completed and returned until such time as the proposed project has been developed and the water placed to a beneficial use.

If you have questions concerning this matter, please feel free to contact me at (208) 334-4290.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure



Beta

State of Idaho
Dep. of Water Resources
Statehouse
Boise, Idaho 83720

Bellevue, Idaho
May 27, 1982

RECEIVED

MAY 28 1982

Department of Water Resources

Re: Permit no. 37-7839

Dear Sir,

According to the form entitled "making proof of Beneficial Use" which we received with our permit, we ~~must~~ take further action to develop the permit into a license. Would you please forward us the form necessary to do this.

Thank you.

Sincerely
Evelyn Barker, Secy
Bellevue Cemetery Board.
Box 125
Bellevue, Idaho 83313

MICROFILMED

IDENT. NO. 37-7839

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BELLEVUE CEMETERY BOARD
BELLEVUE, ID 83313

AUGUST 28, 1980

RE: PERMIT NO. 37-7839

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECORDED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

BELLEVUE Cemetery Board

INITIAL REVIEW BY: J. F. Stanton

APPLICATION NUMBER: 37-7839

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: Y Map No. Y-25
☒ Yes ☐ No Other rights on same place of use: Big Wood R. secured right (surface water)
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/4/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/31/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6-30-80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: _____ Date: _____


STATE OFFICE REVIEW:

SLW/cond

- ☐ See attached sheet for more information.

By: Robyn Jones

Date: 8/14/80



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-2839

BELLEVUE CEMETERY BOARD
% EVELYN BARKER, SECRETARY

BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 06/30/1980

Amount: 0.40 CFS

Diversion Point: NESE Sec 36 T 02N R 18E, BLAINE Co.

Use: IRRIGATION (0.40 CFS) from 04/01 to 11/01

Place of Use: NESE Sec 36 T 02N R 18E LOT 03 (NWSW) Sec 31 T 02N R 19E
FOR 20 ACRES

Diversion Means: WELL & PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 4, 1980.

C. STEPHEN ALLRED
Director

Published 7/17 & 7/24.

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JULY 8, 1980

Wood River Journal
P.O. Box 988
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before AUGUST 4, 1980.

Yours truly,

Mary A. Hill
Secretary

Encl.

MAILED
JUL 10 1980



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 2, 1980

Evelyn Barker, Secretary
Bellevue Cemetery Board

Bellevue, Idaho 83313

Re: Application for Permit No. 37-7839

Dear Mrs. Barker:

Enclosed is your receipt No. 16483 for check No. 92-232 in the amount of \$35.00 for the above referenced Application for Permit which was received in this office June 30, 1980.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MAILED
JUL 12 1980
TWIN FALLS, IDAHO