

AFFIDAVIT OF PUBLICATION

RECEIVED

State of Idaho,
County of Blaine

SS.

JAN 29 1979

Department of Water Resources
Southern District Office

GORDON O. GLASMAN

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 28 day of DECEMBER

19 78, and the date of the last publication was on the 4

day of JANUARY, 19 79

Subscribed and sworn to before me this 15

day of January, 19 79
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 22

Number of Insertions 2

X Lines tabular at 39c

22 Lines straight at 26c 5.72

22 Subsequent lines at 15c 3.30

TOTAL COST 9.02

COPY OF NOTICE

(Paste Here)

PERMIT 37-7751

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

DEPT. OF WATER RESOURCES

BILL TO

NOTICE OF APPLIC

FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho: 37-7751

Name: Buhler, Hans U.

Address: P.O. Box 423, Bellevue, Id., 83313

Source: Groundwater

Date Filed: 12/08/1978

Amount: 0.12 cfs

Diversion Point: SESE, Sec. 36, T. 02N, R. 18E., Blaine County

Use: Irrigation (0.12 cfs) from 04/01 to 11/01

Place of Use: SESE, Sec. 36, T. 02N, R. 18E., for 6 acres

Diversion Means: Well, pump, & sprinkler system

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301, on or before January 15, 1979.

C. Stephen Allred

Director


PUBLISH: Wood River Journal -- December 28, 1978, January 4, 1979.

8 pt. per line successive
insertion 15c

Nº 0562

MICROFILMED

37-7751




APR 28 1989

MULDOON RANCH SUBDIVISION

Land Title Guaranty Company
101 North Main St.
Hailey, Idaho 83333

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

T.2N. R.18E., B.M.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07751

Priority: December 8, 1978 Amount: 0.12 CFS 18.0 AFA

This is to certify, that HANS U. BUHLER
P.O. BOX 423
BELLEVUE, ID 83313

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 8, 1978, and has submitted proof to the Department of Water Resources on December 13, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.12 CFS	18.0 AFA

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 36, Township 02N, Range 18E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	18E	36	SESE	6		6

Total number of acres irrigated: 6

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3rd day of April, 1989.

Acting for the Director

MICROFILMED

APR 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED
DEC 8 1978

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant Hans U. Buhler Phone 788-3180

Post office address P.O. Box 423 - Bellevue, Idaho 83313

2. Source of water supply well ^{Groundwater} which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 36 Township 2N

Range 18E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for irrigation purposes from Apr 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, sprinkler

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 130 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICRO

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	36																6	6

Total number of acres to be irrigated 6

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion applicant
- b. Who owns the land to be irrigated or place of use applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks

MULDOON RANCH SUBDIVISION

Land Title Guaranty Company
101 North Main St.
Hailey, Idaho 83333

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

T.2N. R.18E., B.M.



*I am not
sure how the
house set on
the lot*

*89°-23'-10"
7'-23"
89-35-33"*

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Hans M. Buhler
(Applicant)

Proposed Priority 12-8-78

Received by JS Date 12-8-78 Time 1:30 pm

Preliminary check by ADM Fee \$ 20.00

Received by marye Date 12/8/78 # 12635

Publication prepared by ADM Date 12/14/78

Published in maad river journal

Publication dates 12/28/78 + 1/4/79

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JS SS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7751, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 15th day of February, 19 79.

J. Glen Saxton

Chief, Operations Bureau

AFFIDAVIT PUBLICATION RECEIVED

State of Idaho, }
 Connty of Blaine } SS.

JAN 29 1979

Department of Water Resources
 Southern District Office

GORDON O. GLASMAN, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 28 day of DECEMBER 19 78, and the date of the last publication was on the 4 day of JANUARY, 19 79

Subscribed and sworn to before me this 15th day of January, 1979.
 (SEAL)

Roberta Ingerich

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 22
 Number of Insertions 2
X Lines tabular at 39c
22 Lines straight at 26c 5.72
22 Subsequent lines at 15c 3.30
 TOTAL COST 9.02

COPY OF NOTICE

(Paste Here)

PERMIT 37-7751

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

DEPT. OF WATER RESOURCES

BILL TO

NOTICE OF APPLICATION FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

37-7751

Name: Buhler, Hans U.

Address: P.O. Box 423, Bellevue, Id., 83313

Source: Groundwater

Date Filed: 12/08/1978

Amount: 0.12 cfs

Diversion Point: SESE, Sec. 36, T. 02N,

R. 18E., Blaine County

Use: Irrigation (0.12 cfs) from 04/01 to 11/01

Place of Use: SESE, Sec. 36, T. 02N, R. 18E., for 6 acres

Diversion Means: Well, pump, & sprinkler system

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301, on or before January 15, 1979.

C. Stephen Allred

Director

PUBLISH: Wood River Journal --
 December 28, 1978, January 4, 1979.

8 pt. per line successive
 insertions

15c

Nº 0562

MICROFILMED

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

DEC 28 1978

1. WELL OWNER

Southern District Office

Name HANS BUHLER
Address MULDOON ROAD
BELLEUE, IDA 83313
Owner's Permit No. 37-78-C-0001-000

7. WATER LEVEL

Static water level 76 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK

W.R. 37-07751

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____

UNTESTED

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type) _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6"	0	4	BROWN SOIL & SMALL Boulders		
"	4	15	BROWN CLAY & GRAVEL		
"	15	54	LIGHT BROWN CLAY & GRAVEL		
"	54	66	SAND & GRAVEL		
"	66	84	BROWN CLAY & SAND	X	
"	84	91	BROWN CLAY		
"	91	98	BROWN CLAY & SAND	X	
"	98	101	COARSE GRAVEL	X	
"	101	111	BROWN CLAY & SAND	X	
"	111	126	BROWN CLAY & COARSE GRAVEL	X	
"	126	131	COARSE GRAVEL	X	

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>131</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ TorchSize of perforation 3/8 inches by 4 inches

Number	From	To
<u>120</u> perforations	<u>95</u> feet	<u>125</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet


Surface seal depth 18 Material used in seal: ☐ Cement grout☐ Puddling clay ☒ Well cuttingsSealing procedure used: ☒ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location. 37Subdivision Name MULDOONRANCH SUB DIVLot No. 7 Block No. _____County BLAINENE 1/4 SE 1/4 Sec. 36, T. 2 N. R. 18 E.

10.

Work started 24 NOV 78 finished 1 DEC 78

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.RAY ROESSLERFirm Name WELL DRILLING Firm No. 262129 5TH AVE E.Address GOODING, IDA 83330 Date 2 DEC 78Signed by (Firm Official) Ray Roessler

and

(Operator) Ray Roessler

April 4, 1989

HANS U. BUHLER
P.O. BOX 423
BELLEVUE, ID 83313

RE: PERMIT NO. 37-07751

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

APR 28 1989

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
3707751	02N	18E	36	SE SE		GROUNDWATER	BUHLER, HANS U
3707228						GROUNDWATER	RIGGEN, ROBERT
3707244						GROUNDWATER	DIGGINS, THOMA
3707342						GROUNDWATER	MC STAY, G. M.
3707925						GROUNDWATER	ROBISON, C. DE

MICROFILMED

APR 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 15 1985

37-7751
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

5/32" Rainbird 25 Sprinkler @ 46psi = 4.73 gpm X 10 Nozzles = 47.3 gpm
1 Orbitjet 260 5/32" x 1/8" = 4.73 gpm + 3.32 gpm = 7.95 gpm
Total = 55.25 gpm = 0.12 cfs

By Computation: $Q = \frac{8.8 \times HP}{T.D.H.} \times \text{eff}$ $HP = 5$ $\text{SWL @ } 76'$ $\text{Press @ Pump} = 60 \text{ psi} \times 2.31 = 139'$
 $\text{Assume PW @ } 78'$
 $T.D.H. = 139 + 78 = 217'$
 $Q = \frac{8.8 \times 5}{217} \times 60\% = 0.12 \text{ cfs}$ Verifies measured flow

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6 \times 3 = 18 \text{ AF/ANN}$
 $V_{D.R.} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.12 \times 214 \text{ days} \times 1.9835 = 50.9$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18 \text{ AF/ANN}$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: N/A

b) Other water rights with same point of diversion: N/A

c) Analysis:

MICROFILMED

APR 28 1989

RECOMMENDED AMOUNTS

3.

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity

4.

Permit Holder:

Address:

5.

Source:

tributary to

6.

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Flow Control	1981	1983	2	180.0

Allowable Maximums:

7.

Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County

8.

Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
Total Acres																			

9.

Recommended Conditions/Remarks:

10.

Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

11.

Examiner's Signature

Larry A. Blau

Date

12-19-84

Checked in Regional Office by

JF Stanton

Date

12-19-84

Approved in State Office by

JOM

Date

2/22/89

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

[illegible]

13. ☐ **Photo of Diversion & System Attached**

- ☐
- Aerial Photo of Place of Use Attached
-
- or Map of Irrigated Acreage Attached

14. Remarks _____

- ## 15. Recommended Amendments



- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Terry S. Blum Date 12-19-84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

HANS Buhler 37-775



RECORDED


APR 28 1989

MULDOON RANCH SUBDIVISION

Land Title Guaranty Company
101 North Main St.
Hailey, Idaho 83333

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

T.2N. R.18E., B.M.



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as an agreement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7751.

Name(s) of Permit Holder: HANS U. BUHLER

Post Office Address: BOX 423

BELLEVEUE, ID 83313 Tel. No. 788-3180

Source of Water: WELL

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 5 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-10-83
Date

Hans U. Buhler
Signature of Permit Holder

HAL'S U. S. MAIL
BOX 423
BELLLEVUE, LA 70313



Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 12, 1984

HANS U. BUHLER
BOX 423
BELLEVUE

ID 83313

RE: Permit No. 37-7751

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary R. Newby
Secretary

MICROFILMED

APR 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138219

BUHLER, HANS U.
P.O. BOX #423
BELLEVUE, ID 83313

PROOF DUE NOTICE

NOVEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7751 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
NOV 30 1983

IDENT. 37-7751

WATER RIGHT
DATA ENTRY LOG

Item	Value
1. The first step in the process of creating a new product is to identify a market need.	100%
2. The second step in the process of creating a new product is to develop a prototype.	100%
3. The third step in the process of creating a new product is to conduct market research.	100%
4. The fourth step in the process of creating a new product is to develop a business plan.	100%
5. The fifth step in the process of creating a new product is to secure financing.	100%
6. The sixth step in the process of creating a new product is to launch the product.	100%
7. The seventh step in the process of creating a new product is to monitor sales and customer feedback.	100%
8. The eighth step in the process of creating a new product is to make improvements based on feedback.	100%
9. The ninth step in the process of creating a new product is to expand the product line.	100%
10. The tenth step in the process of creating a new product is to establish a long-term relationship with customers.	100%

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Signed

Transfer Approved



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 15, 1979

Re: Permit No. 37-7751

Hans U. Buhler
P.O. Box 423
Bellevue, Idaho 83313

Dear Mr. Buhler:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. W Source
3. ✓ Point of Diversion
4. 0.12 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 6 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No. ✓

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>✓</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>✓</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted for same lot.

Water rights 37-7228, 37-7342, and 37-7241 are in the same subdivision but on different lots.

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs. yes

SNAKE RIVER CONDITION NO

Payette River Letter NO

Priority Date 12/8/78

Water Quality #16 NO

Water Quality #10 intrastate interstate

Meas. Dev. or Sc. Meas. NO

Totalizing meter NO

Supplemental NO

Right-of-Way Cond. NO

Watermaster Cond. NO

Wtr. Dist No. NO

Meas. Dev. Cond. for apps within a Water Dist. NO

Jeri Reviewer

2/14/79 Date

NOT REPRODUCED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7751 - BUHLER, Hans U.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AM 12-12-78

In form to receipt.

(2) " "

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) " "

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) 11 11

In form for advertising

(5)

Platted on Map No.

(6)

Located within Water District No.

(7) LH 2-2-79

Critical groundwater area: yes no ☒

(8)

Groundwater levels:

Declining, Stable, Increasing

(comment)

(9)

Other rights on the same place of use

(10)

Comments:

(11) manya 1/29/79

Affidavit of Publication received (date) 1/29/79

(12) manya 1/15/79

Final date for protests 1-15-79

Protests received: yes no ☒

(13) LH 2-2-79

All requested information received from agencies or applicant: 11 yes no

(14) LH 2-2-79

Action recommended:

☒ Approve Deny

12-8-78 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

RECEIVED
FEB 05 1979

Department of Water Resources

(15) District S By Loren O'Hallinan Date 2-2-79

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 14, 1978

Wood River Journal
P.O.Box 998
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JANUARY 15, 1979.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

NOTICE APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-2251-

BUHLER, HANS U.

P.O. BOX #423, BELLEVUE, ID 83313

Source: GROUNDWATER

Date Filed: 12/08/1978

Amount: 0.12 CFS

Diversion Point: SESE Sec 36 T 02N R 18E, BLAINE Co.

Use: IRRIGATION (0.12 CFS) from 04/01 to 11/01

Place of Use: SESE Sec 36 T 02N R 18E FOR 6 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before

C. STEPHEN ALLRED JANUARY 15, 1979.

Director

Published 12/28 & 1/4/79.

MICROFILMED