








Sun Valley 7.5' Quad  
1967 No Revision X24

CURTIS, CARL

37-07707


T4N RISE



1984 FLIGHT  
1" = 1000'

CURTIS, CARL  
37-07707

A  
NTS  
|  
NTS



irrigated  
landscaped  
area

PARKER  
GULCH

SIZE:  
 $140' \times 85' \times 12' =$

POND #1

HOME

FORK @  
SIDE PANEL

POND #2

SOUTH CHANNEL

SIZE:  
 $225' \times 90' \times 7' =$

CURTIS, CARL

37-07707

1/6 PHOTO LOOKING SW'LY



the place where measurement was taken with portable flume  
Parker Gulch looking downstream towards fork in the creek (at the slide panel) \*



THIS IS THE OLD DIVERSION SYSTEM, (PUTTED AWAY BY LIMESTONE PER SCOTT CURTIS)



Photo was taken after measurement  
Photo was taken after measurement



PHOTO LOOKING SW'LY ±

South Channel meanders in a south west direction  
Slide panel at fork  
North Channel feeds into ponds downstream

SEE PHOTO TO LEFT

NORTH CHANNEL OF PARKER GULCH DAMPS, IN HERE

2/5



PHOTO LOOKING S'LY

PUMP IN POND #1



N-CHANNEL

PHOTOS LOOKING N'LY



CURTIS HOME

CURTIS HOME



3/6




→ continue on next photo

pasture area south west of the  
Curtis property, i.e. on the sw side  
of the most south westerly pond.  
Land is located in ptns. of the NWNW $\frac{1}{4}$   
of Sec 15, and ptn. of E $\frac{1}{2}$ NE $\frac{1}{4}$  of Sec 16,  
both in T04N, R18E

SECTIONS



Photo looking SW'ly



approximately 5 $\pm$  acres of irrigated  
pasture, land located in ptns. of the  
S $\frac{1}{2}$  of SW $\frac{1}{4}$  of Sec 10, T04N, R18E

Curtis, Carl 37-07707  
13 May 1998 1300 hrs. Examiner  
Examiner: G.Satterlee  
37-07707

Photo looking SE'ly

37-07707

CARL CURTIS

LANDSCAPED LAWN  
SURROUNDING  
CURTIS' HOUSE




PHOTO LOOKING NE'LY

LARGE POND BELOW THE HOUSE WHERE FISH ARE KEPT.

PHOTOS TAKEN 1985-1986?

HOUSE WITH SHRUBS AND FLOWERS



CURTIS  
HOME

4/6

LOOKING SE'LY

TAKEN FROM PARKER GULCH RD

HEADGATE FROM PARKER GULCH  
TO DITCH THAT CARRIES THE  
WATER ~~TO THE POWER PLANT~~  
~~AND~~ TO THE PONDS.

N/A  
5/1998



LOOKING NW'LY

SUDE PANEL



LOOKING NE'LY OR UPSTREAM

PHOTOS TAKEN 1985-1986?


DITCH FROM PARKER GULCH  
WHICH SUPPLIES THE WATER  
FOR THE POWER PLANT AND  
THE WATER TO THE PONDS.

→ INLET TO POWER PLANT.

AS OF 5/1998,  
NOT EXISTANT




LOOKING SW'LY



LOOKING NE'LY

PHOTOS 1985-1986?

10. Other water rights on these lands \_\_\_\_\_
11. Other water right diverted from same p.d. \_\_\_\_\_
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks The water used on this place is mostly used for  
esthetics. Shrubs, flower beds & lawn. A small generator  
was set-up to demonstrate the power use. 4" DIA pipe is  
used to divert the water to the power plant.

15. Recommended Amendments
- |                                                         |                                                      |                                |
|---------------------------------------------------------|------------------------------------------------------|--------------------------------|
| <input type="checkbox"/> Change P.D. as reflected above | <input type="checkbox"/> Add P.D. as reflected above | <input type="checkbox"/> None  |
| <input type="checkbox"/> Change P.U. as reflected above | <input type="checkbox"/> Add P.U. as reflected above | <input type="checkbox"/> Other |
16. Examiner's/Consultant's Signature Larry Funderburg Date 12/22/86
- Consultant's License Number \_\_\_\_\_
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination \_\_\_\_\_


Date

CONSULTANT SEAL

10 - 390:28/61


Submersible pump in parcel.  
1 Hp

32 ftches  
over all time  
by Pass Ditch



2

3 Deer Brn





\$120.00



motor & pump information



1/2 hp.

1725 RPM

60 cycle

115-230

10' Fall  
17



HEADGATE FROM PARKER GULCH  
TO DITCH THAT CARRIES THE  
WATER TO THE POWER PLANT  
AND TO THE PONDS.




DITCH FROM PARKER GULCH  
WHICH SUPPLIES THE WATER  
FOR THE POWER PLANT AND  
THE WATER TO THE PONDS.

INLET TO POWER PLANT. —



37-7707  
CARL CURTIS



LARGE POND BELOW THE HOUSE WHERE FISH ARE KEPT.




HOUSE WITH SHRUBS AND FLOWERS

Parker Gulch  
FOX HALL MS

081878

cor-1



O = BRASS CAP

• = REBAR


DIST. IS HORIZ  
UNLESS NOTED

HOUSE



POND


DAM



TRAVELLED ROAD

1970 RESURVEY M.S. 605  
FOX HALL LODGE

UNOFFICIAL





# AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(State Here)

State of Idaho, }  
 Connty of Blaine } SS.

APR 18 1978

Department of Water Resources  
 Southern District Office

Permit 37-7707

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Gordon O. Glasman, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 6 day of April

19 78, and the date of the last publication was on the 13

day of April, 1978.

Subscribed and sworn to before me this 17th

day of April, 1978.  
 (SEAL)

Roberta J. Kuehn

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

## COST OF PUBLICATION

Number of Lines in Notice ..... 33

Number of Insertions ..... 2

..... Lines tabular at ..... 39c

33 Lines straight at ..... 26c 8.58

33 Subsequent lines at ..... 15c 4.95

TOTAL COST .... 13.53

Dept. of Water Resources  
 1041 Blue Lakes Blvd N  
 Twin Falls, Idaho 83301

## NOTICE OF APPLICATION FOR WATER PERMIT

NOTICE IS HEREBY GIVEN that Carl Curtis, Ketchum, Idaho 83340, has on 3-24-78, submitted Application No. 37-7707, for a permit to appropriate 1.3 cubic feet per second of water from Parker Gulch, tributary of Big Wood River by means of approx. 10 dirt ponds, 2 KW electric generator, gravity irrigation system within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , 2 points SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 10; SE $\frac{1}{4}$ NE $\frac{1}{4}$  (3 points), 3 points NW $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 16, Twp. 4N., Rge. 18E., B.M., Blaine County, to be used from Jan. 1 to Dec. 31 for diversion to storage, storage for irrigation, recreation, aesthetics, & power; from Apr. 1 to Nov. 1 from storage for irrigation of 65 acres, within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , S $\frac{1}{2}$ SW $\frac{1}{4}$ , Sec. 10; S $\frac{1}{2}$ NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Sec. 16, Twp. 4N., Rge. 18E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho 83301, on or before April 24, 1978.

C. Stephen Allred  
 Director

Publish: Wood River Journal April 6, 13, 1978.

Nº 0109

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES  
OF THE  
STATE OF IDAHO

|                               |   |                                                              |
|-------------------------------|---|--------------------------------------------------------------|
| IN THE MATTER OF PERMIT TO    | ) |                                                              |
|                               | ) |                                                              |
| APPROPRIATE WATER NO. 37-7707 | ) |                                                              |
|                               | ) |                                                              |
| IN THE NAME OF CARL CURTIS    | ) |                                                              |
|                               | ) |                                                              |
| <hr/>                         |   | ORDER TO SHOW CAUSE WHY<br>PERMIT SHOULD NOT BE<br>CANCELLED |

This matter having come before the Idaho Department of Water Resources (Department) as a result of a field examination, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. Permit no. 37-7707 (permit) authorized the diversion of 1.3 cfs of water from Parker Gulch Creek, tributary to the Big Wood River, for storage, irrigation, recreation, aesthetics and power purposes.
2. A condition of the permit required installation of measuring devices as part of the diverting works.
3. Following proof of beneficial use, the use of water was examined by personnel of the Department. The examiner found that the measuring devices had not been installed.
4. The permit holder was notified in July, 1985, and again in December, 1987, that the measuring device requirement would need to be waived, or the measuring devices installed prior to issuance of a water right.
5. On May 16, 1989, the Department sent a notice of pending order voiding permit to the permit holder, informing him that he

had failed to comply with the conditions of his permit, and that the permit would be voided.

6. The permit holder contacted the Department, and also wrote a letter to the Department requesting that the Department remove the measuring device requirement. The request was sent to Reid Newby, watermaster for the Big Wood River. Mr. Newby inspected the place of use, and determined that measuring devices were required.

7. As a result of Newby's inspection the Department again corresponded with the permit holder on December 14, 1989, and told him that the watermaster required installation of measuring devices. The permit holder was notified that he must coordinate the installation with Reid Newby, and inform the Department within sixty (60) days of notification what his intentions were regarding the measuring devices.

8. The permit holder failed to respond to the letter from the Department.

#### CONCLUSIONS OF LAW

1. Idaho Code § 42-311 states, in part:

If the director of the Department of Water Resources finds, on the basis of available information at any time after a permit is issued but prior to license, that the permittee has refused or failed to comply with any of the conditions in the permit, or has refused or failed to comply with the provisions of the law governing the permit, then the director of the Department of Water Resources may issue (a) an order to show cause before the director of the Department or the director's designee on or before a date therein set, which shall not be less than thirty (30) days from the date of service, why the director of the Department should not cancel said permit; . . .

2. The permit holder has failed or refused to comply with the condition of permit no. 37-7707 requiring the installation of measuring devices.

ORDER

IT IS HEREBY ORDERED that the permit holder, Carl Curtis, is ordered to appear before the Department on or before July 3, 1990, and show cause why the Department should not cancel permit to appropriate water no. 37-7707.

Dated this 17<sup>th</sup> day of May, 1990.


  
L. GLEN SAXTON, Chief  
Water Allocation Bureau

CERTIFICATE OF MAILING

I hereby certify that on this 22<sup>nd</sup> day of May, 1990, I mailed a true and correct copy of the Order Cancelling Permit, by certified mail, return receipt requested, to the following individuals:

Carl Curtis  
Box 1073  
Ketchum, ID 83340

Reid Newby  
Box T  
Shoshone, ID 83352

  
JENNIFER SEIFERT  
Clerical Assistant

Identification No. \_\_\_\_\_

Application No. 37-7707

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

**APPROVED**

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Carl Curtis Phone: 1-726-3102  
post office address Box 1073, Ketchum, Idaho 83340

2. Source of water supply Parker Gulch Ca which is a tributary of Big Wood River

3. a. Location of point of diversion is SW  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Section 10 Township 4N  
Range 18E B.M. Blaine County; additional points of diversion if any: \_\_\_\_\_  
NE $\frac{1}{4}$ SW $\frac{1}{4}$ , 2 points SW $\frac{1}{4}$ SW $\frac{1}{4}$  Sec. 10; SE $\frac{1}{4}$ NE $\frac{1}{4}$  (3 points), 3 points NW $\frac{1}{4}$ SE $\frac{1}{4}$  Sec. 16  
T. 4N R. 18E

b. If water is not consumed, it will be discharged into Parker Gulch at a point in SW  $\frac{1}{4}$   
of SW  $\frac{1}{4}$  of Section 10 Township 4N Range 18E B.M. (power use)

4. Water will be used for the following purposes: Also see Remarks  
1.3cfs storage  
Amount 1.3cfs for div. to storage purpose from Jan 1 to Dec 31 (both dates inclusive)  
(cfs or acre-feet per annum) for irrigation, recreation, & aesthetics  
Amount 100 AF for storage purpose from Jan 1 to Dec 31 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount 1.0cfs for power purpose from Jan 1 to Dec 31 (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.3 cubic feet per second and/or

b. 100 acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. approximately 10 dirt ponds, 2 KW  
electric generator, gravity irrigation system

b. Height of storage dam under 10 feet, active reservoir capacity 100 acre feet; total reservoir  
capacity 100 acre feet, materials used in storage dam: earth total for all ponds

Period of year during which storage will occur Jan 1 to Dec 31 inclusive.  
(Mo. Day) (Mo. Day)

c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use  
is 5 years.

b. Estimated construction cost is \$10,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 10 Township 4N  
Range 18E B.M. For Power

(2) Amount of power to be generated: 2 KW under 30 feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water \_\_\_\_\_

(5) If water is to be used for other purposes describe: Storage ponds will also provide recreation  
(fishing) and aesthetic beauty for area residents

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

| TWP. | RANGE | SEC. | NE¼ |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|------|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|      |       |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |        |
| 4N   | 18E   | 10   |     |     | 3   |     |     |     |     |     | 5   |     | 2   | 5   |     |     |     |     | 15     |
|      |       | 16   |     |     | 3   | 7   |     |     |     |     |     |     |     |     | 16  | 16  | 5   | 3   | 50     |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|      |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |

Total number of acres to be irrigated 65

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Item 4: 1.3 cfs from storage for irrigation Apr 1 - Nov 1.

No single pond will be over 10' deep or 40 AF capacity. Ponds will be depressions dug into the ground rather than being formed by dams in creek bottom (although 1 pond may be formed by a dam).



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

This image shows a full page of blank graph paper. The grid consists of solid black lines forming large squares, with dashed lines further subdividing each large square into four smaller ones. There are no margins or other markings on the page.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

for permit to appropriate the public

 Carl C. Carter  
(applicant)

Proposed Priority 3/24/78

Received by AS Date 3-24-78 Time 2 pm

Preliminary check by AS Fee \$ 35.00 # 7582

Received by Sm Date 3/27/78

Publication prepared by Sm Date 3/28/78

Published in Hood River Journal

Publication dates 4/6 + 4/13/78

Publication approved Dj Date 4/18/78

Priority reduced to \_\_\_\_\_ Reason \_\_\_\_\_

Protests filed by: \_\_\_\_\_

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by mls jo

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7707, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 83.
- c. Other: Measuring devices of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to the control by the watermaster of State Water District No.37, Big Wood River.

This permit shall not be assigned or sold without first securing the written approval of the Department of Water Resources.

Witness my hand this 15<sup>th</sup> day of June 1978.

Norm C Young  
Administrator

Individual Owner

AFFIDAVIT TO ESTABLISH RESIDENCE

I, CARL CURTIS of Blaine Ketchum, County of  
Blaine, State of Idaho, being duly sworn, do hereby certify that I  
am a bona fide resident of the State of Idaho.

/s/

Subscribed and sworn to before me this 7 day of Dec, 1977

/s/

Notary Public

Residence

Sun Valley, IDAHO

My Commission Expires

8-8-79

DEC 8 1977

Department of Water Resources  
Southern District Office

RECEIVED

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = \_\_\_\_\_

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS


1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| PORTABLE FLUME        |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements: FLUME, LEVELED, w/ CONSTANT FLOW 21.0 CM = 1.32 cfs



T4N RISE




1984 FLIGHT

1" = 1000'

CURTIS, CA

37-07-07

A  
NTS  
|  
NTS



irrigated  
landscaped  
area

PARKER  
GULCH

NORTH  
CHANNEL

FORK @  
SLIDE PANEL

SOUTH CHANNEL

SIZE:  
140' x 85' x 12' =

POND #1

HOME

POND #2

SIZE:  
225' x 90' x 7' =

CURTIS, CARL

37-07707


1/6

Photo looking SW'ly



Parker Gulch looking downstream towards fork in the creek. (at the slide panel)\*

the place where measurement was taken with portable flume



South Channel meanders in a south west direction

THIS IS THE OLD DIVERSION SYSTEM (PUTTED AWAY BY LIMESTONE PER SCOTT CURTIS)





Photo was taken after measurement

was taken



SEE PHOTO TO LEFT

Slide panel at fork


Feeds into ponds downstream

North Channel

Photo looking SW'ly

NORTH CHANNEL OF FRYER CATCH DIRT IN HERE

PHOTO LOOKING S'LY



PUMP IN POND #1



CURTIS HOME




N-CHANNEL

PHOTOS LOOKING N'LY



CURTIS HOME

3/6



→ continue on next photo

5 13 '98


5 13 '98

pasture area south west of the  
Curtis property, i.e. on the SW side  
of the most south westerly pond.  
Land is located in ptns. of the NWNW $\frac{1}{4}$   
of Sec 15, and ptn. of E $\frac{1}{2}$ NE $\frac{1}{4}$  of Sec 16,  
both in T04N, R18E

SECTIONS

Photo looking SW'ly

5 13 '98



approximately 5 $\pm$  acres of irrigated  
pasture, land located in ptns. of the  
S $\frac{1}{2}$  of SW $\frac{1}{4}$  of Sec 10, T04N, R18E

13 '98

Photo looking SE'ly



Curtis, Carl 37-07707  
13 May 1998 1300 hrs. Examiner  
Examiner: G. Satterlee  
37-07707

37-57707

CARL CURTIS

4/6

LANDSCAPED LAWN  
SURROUNDING  
CURTIS'S HOME




PHOTO LOOKING NE'LY

LARGE POND BELOW THE HOUSE WHERE FISH ARE KEPT.

PHOTOS TAKEN 1985-1986?



CURTIS  
HOME

HOUSE WITH SHRUBS AND FLOWERS

1 NOV 11 V. GE'LY

TAKEN FROM ROAD TO GULCH RD

HEADGATE FROM PARKER GULCH  
TO DITCH THAT CARRIES THE  
WATER ~~TO THE POWER PLANT~~  
~~AND~~ TO THE PONDS.

N/A  
5/1998



SUDE PANEL

LOOKING NW'LY



LOOKING NE'LY OR UPSTREAM

PHOTOS TAKEN 1985-1986?

DITCH FROM PARKER GULCH  
WHICH SUPPLIES THE WATER  
FOR THE POWER PLANT AND  
THE WATER TO THE PONDS.

→ INLET TO POWER PLANT. →

AS OF 5/1998,  
NOT EXISTANT



LOOKING SW'LY



LOOKING NE'LY

PHOTOS 1985-1986?

## E. NARRATIVE/REMARKS/COMMENTS

### E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee  
DATE: 17 June 1998  
RE: 37-07707

On 13 May 1998 at 1330 hrs., I met with Scott Curtis, son to Carl Curtis, to conclude the field examination on the above permit. I determined the flow rate and verified the uses that the previous examiner neglected to conduct the first time.

The source is Parker Gulch. Upstream from the two ponds approximately 1500 feet is a fork where the creek splits into a north channel and south channel. The north channel eventually dumps into the first of the two on-stream ponds. From the first pond, the water feeds into the second pond on the northerly side. Meanwhile, the south channel meanders along the south east edge of the Curtis property and dumps into the second pond on the south east side of the pond. The second pond discharges into the creek bed. Please see schematic of the ponds included in the file.

About 150 feet upstream from the fork is where the portable flume was placed for measurement. The rate measured was 21.0 cm = 1.32 cubic feet per second.

Scott Curtis said they did install a weir and a measuring device, as requested by the department. Please see photo page 1/6, photo on top left of page. As the photo shows, what is left of the weir is no longer able to measure. According to Scott Curtis, "...the weir was existing, but the department took too long in coming out to see the weir, and the limestone rotted it away...". Scott Curtis was present when the last examiner was there and he referred to the inability of IDWR to conclude this examination.

The beneficial uses include irrigation storage, irrigation from storage, recreation storage, diversion to storage, and aesthetic. No beneficial use for power.

The surface size of the ponds is 0.8 acre and the volume is 6.52 acre feet. The pump size (in pond #1) has not changed, for this information, please see beneficial use field report from 1985-1986.

Scott Curtis says they irrigate the pasture area with handlines and sprinklers (approximately 10 birds per handline @ 35 psi is run at one time). At the time of the examination, all of the sprinklers/handlines were in storage. The landscaped yard is irrigated by a timers. There are 15 stations, 6 rainbirds per station, one rainbird=1/2" riser mounted impact head, flow is 1.5 gpm.

Although I could not find the same amount of irrigated acres as permitted, I documented what I thought was appropriate. I suggested to Scott Curtis that they may provide other documentation to prove the additional acres (directed mostly at the SE $\frac{1}{4}$  of Section 16). He repeated the statement about the department are the ones to be confronted, i.e. incompetency and procrastination.

Have conditions of permit approval been met? ☒ yes ☐ no

## F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

EXAM FEE LIMIT ?  
 PERMIT 1.30  
 MEASURED 1.32  
 RECOMMEND 1.30

## G. VOLUME CALCULATIONS

### 1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 12.4(3.5) = 43.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.25) 184(1.9835) = 91.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 43.4 \sqrt{V_{I.R.}}$$

### 2. Volume Calculations for Other Uses:

POND #1 =  $140' \times 85' \times 12' \text{ deep} = 3.27 \text{ ac.}$  (0.3 ac surface)  
 #2 =  $225' \times 90' \times 7' = 3.25 "$  (0.5 " " " )  
PONDS 6.52 ft<sup>3</sup> 0.8 ac Surface Only

## H. RECOMMENDATIONS

### 1. Recommended Amounts

| Beneficial Use       | Period of Use | Rate of Diversion | Annual Volume |
|----------------------|---------------|-------------------|---------------|
| FROM STORAGE         | From To       | Q (cfs)           | V (afa)       |
| IRRIGATION           | 4/15 10/15    | 0.25              | 43.4          |
| IRRIGATION STORAGE   | 1/1 12/31     |                   | 6.52          |
| RECREATION " "       | 1/1 12/31     |                   | " "           |
| AESTHETIC            | 1/1 12/31     |                   | " "           |
| DIVERSION TO STORAGE | 1/1 12/31     | 1.30              | " "           |
|                      | Totals:       | 1.30              | 49.42         |

### 2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None  
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

## I. AUTHENTICATION

Field Examiner's Name

Georgia Satterlee Date 17 June 98

Reviewer

Date

SEAL

**FIELD EXAM**

**FOR**

**PERMIT NO 37-07707**

**RETURNED TO REGION**

**6 / 8 / 94**

## MEMORANDUM

TO: Southern / Gary Funderburg  
FROM: Brenda Chapman *BC*  
DATE: June 8, 1994  
RE: Returned Exam and Additional Information  
File 37-07707 / Carl Curtis

=====

The exam for the above referenced file is being sent back to the region. There were no indications of any measurements done during the exam. Uses were listed with no recommendations for them. The information is too sketchy to make any accurate recommendations from. Also, more information is necessary concerning the power use.

For your information, I am also including some correspondence between the permit owner and Gary Spackman concerning measuring devices.

Department of Water Resources  
Permit No. 37707  
Phone No. 1-726-3102

- Department of Water Resources  
Permit No. 1-770-102  
Phone No. 1-726-3102
1. Owner: CARL Curtis  
Current Address: Bx 1073 Ketchum, Ida
2. Accompanied by: Scott Curtis EXAM. DATE: 4-1-86  
Address: \_\_\_\_\_ Phone No. 7-10-85  
Relationship to Permit Holder: Son
3. Source: Parker Gulch Cr. tributary to Big Wood River

| Well/Diversion*<br>No. | Motor<br>Make | HP | Motor<br>Serial No. | Pump<br>Make | Pump Serial No. or<br>Discharge Size |
|------------------------|---------------|----|---------------------|--------------|--------------------------------------|
|                        |               | 1  | M-39028161          |              |                                      |
|                        |               |    |                     |              |                                      |
|                        |               |    |                     |              |                                      |
|                        |               |    |                     |              |                                      |
|                        |               |    |                     |              |                                      |

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)  
water is diverted from the Cr. to a large pond next to the House.  
a small pump is then used to pump the water into the Sprinkler  
lines to Irr. the property. The water leaves the pond at the  
house and spills into another pond below the house. There  
is large Rainbow Trout in these Ponds. (See Item 14)


| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

- 1hp. motor & pump M-390-28161, was used to demonstrate the power generation capabilities.

- [illegible]

- | Twp. |  | Rge. |  | Sec. |  | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | Totals      |   |   |  |
|------|--|------|--|------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|---|---|--|
|      |  |      |  |      |  | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |             |   |   |  |
| 4N   |  | 18E  |  | 10   |  |        |        |        |        |        |        |        |        |        |        |        | R, S   |        |        |        |        |             |   |   |  |
|      |  |      |  | 15   |  |        |        |        |        |        | P, S   |        |        |        |        |        |        |        |        |        |        |             |   |   |  |
|      |  |      |  | 10   |  |        |        |        |        |        |        |        |        |        |        | 3      | 3      |        |        |        |        |             | 6 |   |  |
|      |  |      |  | 15   |  |        |        |        |        |        | 3      |        |        |        |        |        |        |        |        |        |        |             | 3 |   |  |
|      |  |      |  | 15   |  |        |        |        |        |        | R      |        |        |        |        |        | 4      |        |        |        |        |             |   |   |  |
|      |  |      |  |      |  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Total Acres |   | 9 |  |

10. Other water rights on these lands \_\_\_\_\_
11. Other water right diverted from same p.d. \_\_\_\_\_
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks The water used on this place is mostly used for  
aesthetics. Shrubs, flower beds & lawn. A small generator  
was set-up to demonstrate the power use. 4" DIA pipe is  
used to divert the water to the power plant.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Sandy J. Lumburg Date 12/22/86

Consultant's License Number \_\_\_\_\_

IDWR Director's Authorization to Conduct

Beneficial Use Examination \_\_\_\_\_

Date

CONSULTANT SEAL




- c) Analysis:


11 - 390:28/61


Submersible pump in parcel.  
1 Hp

both  
switches  
over all time  
By Pass Ditch



3 Acres Brn





# Motor & pump information

1/2 hp.



17.25 RPM

60 cycle

115-230

3.5 Amp

10' Fall  
17'



HEADGATE FROM PARKER GULCH  
TO DITCH THAT CARRIES THE  
WATER TO THE POWER PLANT  
AND TO THE PONDS.




DITCH FROM PARKER GULCH  
WHICH SUPPLIES THE WATER  
FOR THE POWER PLANT AND  
THE WATER TO THE PONDS.

INLET TO POWER PLANT. —



37-7707  
CARL CURTIS



LARGE POND BELOW THE HOUSE WHERE FISH ARE KEPT.



HOUSE WITH SHRUBS AND FLOWERS

MEMORANDUM

TO: File No. 37-7707 in the Name of Carl Curtis  
FROM: Gary Spackman *Gary*  
DATE: July 17, 1990

RE: Installation of Measuring Devices as Required by Permit

I have spoken to Reid Newby, watermaster for Water District #37, Big Wood River. Reid has told me that Carl Curtis has installed measuring devices which are acceptable to him.

I also understand that Parker Gulch Creek is tributary to Elkhorn Creek, and has not been regulated in the past. As a result, I propose that we accept Reid's representation as sufficient information to find that Carl Curtis has complied with the conditions of permit no. 37-7707. The permit can be prepared for licensing.

RECEIVED  
JUN 4 1990

Department of Water Resources

WATER DISTRICT #37 & 37-M  
P. O. BOX T  
SHOSHONE, IDAHO 83352

JUNE 1, 1990

Gary Spackman  
Department of Water Resources  
1301 North Orchard  
Boise, ID 82706-2237

Re: Permit No. 37-7707

Sir:


After considerable investigation on the premises of Mr. Carl Curtis. I found that: There is one small diversion from Parker Gulch Creek to an old lime pit and from this cleaned out old lime pit the water falls to an old beaver pond. which has been cleaned out, and from this beaver pond back to the stream.

Mr. Scott Curtis stated he will install cippoletti wiers at a point above the upper pond, where water diverts from the creek channel and another below lower pond to check the return flow.

This will be more than necessary to check all requirements on permit. This will need to be finished by June 15th, 1990 and the permit should ber licensed.

Thank you.

Sincerely,

  
Reid J. Newby

RJN/ic

PS Form 3811, July 1983 447-B45

DC ESTIC RETURN RECEIPT

**SENDER: Complete items 1, 2, 3 and 4.**

your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for service(s) requested.

1. ☒ Show to whom, date and address of delivery.
2. ☐ Restricted Delivery.

**3. Article Addressed to:**

*Reid Newby*  
*Box T*  
*Shoshone, ID 83352*

**4. Type of Service:**

- ☐ Registered ☐ Insured  
☒ Certified ☐ COD  
☐ Express Mail

**Article Number**

*33491*

Always obtain signature of addressee or agent and  
**DATE DELIVERED.**

**5. Signature - Addressee**

*X*

**6. Signature - Agent**

*X*

*Grez Crathern*

**7. Date of Delivery**

*5/23/90*

**8. Addressee's Address (ONLY if requested and fee paid)**

*37-7707*

UNITED STATES POSTAL SERVICE  
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

RECEIVED

MAY 25 1990



PENALTY FOR PRIVATE  
USE, \$300

Department of Water Resources

RETURN  
TO



Department of Water Resources  
(Name of Sender)  
Statehouse  
(No. and Street, Apt., Suite, P.O. Box or R.D. No.)  
Bowie, Md 20715  
(City, State, and ZIP Code)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

CERTIFIED MAIL #33491

May 21, 1990

Reid Newby  
Box T  
Shoshone, ID 83352

RE: Permit to Appropriate Water No. 37-7707 in the Name of Carl  
Curtis

Dear Mr. Newby:

Please find enclosed a copy of an Order to Show Cause why  
the Permit should not be Cancelled regarding the above referenced  
permit.

Note that any information in response to this Order must be  
submitted within 30 days. Please contact this office if you have  
any questions.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Manager  
Water Right Permits Section

GS:js

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

CERTIFIED MAIL #33490

May 21, 1990

Carl Curtis  
Box 1073  
Ketchum, ID 83340

RE: Permit to Appropriate Water No. 37-7707 in the Name of Carl Curtis

Dear Mr. Curtis:

Please find enclosed a copy of an Order to Show Cause why the Permit should not be Cancelled regarding the above referenced permit.

Note that any information in response to this Order must be submitted within 30 days. Please contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Manager  
Water Right Permits Section

GS:js

Enclosure



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 14, 1989

Carl Curtis  
Box 1073  
Ketchum, ID 83340

RE: Permit to Appropriate Water No. 37-7707; Request for  
Removal of Measuring Device Requirement

Dear Mr. Curtis:

I have spoken to Reid Newby, watermaster for the Big Wood River, regarding your request for removal of the measuring device requirement. He has recommended that we require installation of the measuring device. As I discussed your project with Mr. Newby, he stated that a measuring device should be installed at the point of diversion, and also at the place where the water is discharged back to Parker Gulch Creek. With the installation of two measuring devices, your non-consumptive use of water for aesthetics and recreation can be verified.

It also became evident in our discussion that if you desire to irrigate from Parker Gulch Creek under this water right, you must have storage that is accumulated either prior to or early in the irrigation season. When high water flows decline you will not be entitled to irrigate from your ponds while water is flowing through the ponds to maintain their level. A storage water right is intended to allow storage during the off season, and use from the storage and not the stream during the irrigation season. In order to divert water under your storage right, you must store water in a pond, and use the water during the irrigation season that was stored earlier in time. Your use of water appears to be diversion of direct flow from Parker Gulch Creek during the summer. This is not authorized under your water right.

I have included a water measurement manual for your reference. If you want to further clarify what you must do, please call me or Reid Newby. I am sure Mr. Newby would be happy to visit with you, and work out possible measurement solutions.

Please inform the Department within sixty (60) days of this letter what you intend to do regarding the measuring devices. If



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 10, 1989

Reid Newby  
Box T  
Shoshone, ID

RE: Permit to Appropriate Water No. 37-7707 in the Name of Carl Curtis

Dear Reid:

Enclosed is some information regarding a permit to appropriate water. I have enclosed a copy of the permit, a copy of the field examination, and a copy of a request by Carl Curtis to remove a measuring device requirement.

The permit authorizes storage of water from Parker Gulch Creek to storage for irrigation, recreation and aesthetics. It also authorizes the diversion of 1.0 cfs for power purposes. The field examination found 9 acres irrigated, and several ponds in place.

Following the field examination, Gary Funderberg informed Mr. Curtis that the permit would be cancelled unless a measuring device as required by the permit was installed. Mr. Curtis did not respond, and I sent him a notice of Pending Order Voiding Permit. In response, Mr. Curtis sent a letter requesting that we remove the measuring device requirement.

I do not want to be unreasonable with Mr. Curtis, and I recognize that the development was much smaller than originally planned. I am concerned, however, that you need adequate control over the diversion itself. Will you please comment on Mr. Curtis' request. If you feel that a measuring device is needed, we will impose the requirement. If it is not installed, we will cancel the permit.

Sincerely,

GARY SPACKMAN, Manager  
Water Right Permits Section


GS:js

Enclosures

cc. Carl Curtis

you do not inform the Department, the failure to do so is cause for cancellation of your permit.

Respectfully,

A handwritten signature in cursive script, reading "Gary Spackman".

GARY SPACKMAN, Manager  
Water Right Permits Section

GS:js

Enclosure

cc. Southern Region

RECEIVED

JUN 27 1989

Department of Water Resources

To Dept of Water Resources.  
ATT MR. Gary Spackman MGR

Re No. 37-7707

As per The Department  
Requirement: We are asking for  
A ~~winner~~ of The Measuring device  
to be installed at the point of  
diverting The water.

There was no diverting  
of the water, it was in the old  
beds. As shown on the U.S.G.S map.

Only two + two of the 10 ponds  
were built. And no diverting of water.


I Hope This clears up  
The Long Time Open File.

Thank For The Help  
& cooperation  
June 16-17

Mr. Carl Curtis  
Bhutan Valley Ranch  
Post Box 1073  
Ketchum, ID 83340 USA

1989  
Carl Curtis

208-7263102



INTER-DEPARTMENT MEMO — 1

FROM

Bary

TO

File no. 37-7707

DATE

June 15, 1989

SUBJECT

I spoke to Carl Curtis today. He is sending a request for waiver of the measuring device.

Bary

SIGNATURE



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

May 16, 1989

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Carl Curtis  
P.O. Box 1073  
Ketchum, ID 83340

RE: Permit to Appropriate Water No. 37-7707

Dear Permit Holders:

NOTICE OF PENDING ORDER VOIDING PERMIT

On June 15, 1978 the Department of Water Resources approved an application to appropriate water, numbered 37-7707, from Parker Gulch Creek tributary to Big Wood River, for storage, irrigation, recreation, aesthetics and power purposes located in the SW1/4 NE1/4, NE1/4SW1/4, S1/2SW1/4, Sec. 10,, S1/2NE1/4, SE1/4, Sec. 16; T4N, R18E, Blaine County, B.M.

Based on a field inspection conducted by a representative of our Department it has come to our attention that you have not complied with the conditions of approval on this permit. On July 11, 1985, and December 10, 1987, the Department requested that you either install a measuring device on your system or request a waiver of the permit condition. To this date we have not received a response to our request.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

GARY SPACKMAN, Manager  
Water Right Permits Section

I hereby certify that on this 19th day of May, 1989, I sent the original copy of this letter, postage prepaid, to the person and address listed above.



State of Idaho

# DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS  
Governor

R. KEITH HIGGINSON  
Director

Mailing Address:  
Southern Region  
2148 4th Ave. East  
Twin Falls, Idaho 83301  
(208) 734-3578

December 10, 1987

Carl Curtis  
Box 1073  
Ketchum, ID 83340

Dear Mr. Curtis:

This letter is a follow-up of the letter which was sent to you July 11, 1986. As I informed you before, we cannot continue to issue a license of a water right to you until either a measuring device is installed or the requirement is waived.

If I don't hear from you within 30 days, I will recommend the permit to be canceled.

Sincerely,

A handwritten signature in cursive script, reading "Gary L. Funderburg".

Gary L. Funderburg  
Sr. Water Resource Agent

LAW



**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
*SOUTHERN REGION*

John V. Evans  
*Governor*

A. Kenneth Dunn  
*Director*

1041 Blue Lakes Blvd. North  
Twin Falls, Idaho 83301  
(208) 734-3578

July 11, 1985

Carl Curtis  
Box 1073  
Ketchum, Idaho 83340

Re: Permit No. 37-7707

Dear Mr. Curtis:

Before we can continue to process your permit for a license you will need to write to our State Office and request a wavier of the measuring device.

Since you are not irrigating the original 65 acres, as you indicated on your application, the requirement of a measuring device could be withdrawn.

If you have questions concerning this matter, please feel free to contact this office.

Very truly yours,

Gary L. Funderburg  
Sr. Water Resource Agent

LOH:GLF:marya

## FOX HALL

DATE


- /-/70 BLM DEPENDENT RESURVEY OF MS 605 (FOX HALL)
- 11/15-17/76 FIRST SURVEY TIED MS 605 & SECTION CORNERS
- 5/18/77 TIED BADGER CORNER
- 5/24/77 LETTER TO R.O. INDICATING CORNERS ARE IN THE WRONG LOCATION
- 6/23/77 TIED IN ADDITIONAL CORNERS
- 9/06/77 SURVEYED
- 11/08/78 SURVEY
- 11/08/78 DON DUDEN - BLM SURVEYOR RESET CORNERS ON FOX HALL.
- 11/78 POSTED FOX HALL & PART OF UVA.

MIKE BROWN  
PAYETTE N.F.  
P.O. BOX 1026  
MC CALL, ID 83638  
PH. 634-2255  
8151

Parker Gravel  
FOX HALL MS

081878

Cor-1



House


O = BRASS CAP

• = REBAR

DIST. IS HORIZ  
UNLESS NOTED

POND

DAM




Cor-4

TRAVELLED ROAD

1970 RESURVEY M.S. 605  
FOX HALL LODGE

UNOFFICIAL



MS-605

Duplicate

4-17  
Fairhall Lode Mining Claim in  
Sections 10 and 15 Township 4 North  
Range 18 East of Boise Meridian

Heron Springs Creek Mining Dis-  
trict Alturas County Idaho  
Survey T-2605

The Philadelphia and Idaho  
Company of Ketchum Idaho  
Applicants  
Surveyed August 15<sup>th</sup> 1887

Sub I commenced this survey at  
Heron Springs State and with Mag-  
netic Variation  $18^{\circ}30'$  East from  
Hence

$S 38^{\circ}30' N$

down gulch

280 intersect road to Ketchum

405 intersect road to Ketchum

720 to a point on Southwest end of  
claim Hence

$S 47^{\circ}26' E$

166 to Southeast corner of claim,  
set a line post 4 ft. long, 4  
inches square in earth and  
stone mound and marked it  
Corner 2-1 for Survey T-2

Vol. 20

418

Forhall Lodge Mining Claim Sur

Sub. 605 Corner N<sup>o</sup> 1

Thence

— N 39° 33' E —

along hillside close to and up  
gulch

758 intersect line between sections  
10 and 15 Township 4 North  
Range 18 East S 89° 39' E 1254.8  
feet from corner common to  
sections 9, 10, 15 and 16

1469.2 to Northeast corner of claim, a  
pin post 4 feet long, 4 inches  
square in earth and stone  
ground, marked it Sub 605  
Cor N<sup>o</sup> 2 for Survey N<sup>o</sup> 605  
Corner N<sup>o</sup> 2

Thence

— S 77° 26' E —

descending

15 enter gulch, thence across gulch  
270 intersect stream 1 foot wide  
Corner Southwest

XERO  
COPY

XERO  
COPY

Hamm Springs Creek Mining District  
 T<sup>2</sup>-605 Alturas County, Idaho

| Foot |                                                                                                                                                                                                                      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 342  | intersect Southwest corner of<br>Corner T <sup>2</sup> -4 of Leo Lode lode<br>T <sup>2</sup> -51                                                                                                                     |
| 385  | intersect road to Ketchikan                                                                                                                                                                                          |
| 395  | leave gulch and ascend hill                                                                                                                                                                                          |
| 445  | to Southwest corner of claim<br>set a pine post 4 feet long,<br>4 inches square in earth and<br>stone mound and marked<br>it as 605 Cor T <sup>2</sup> -3 for survey<br>T <sup>2</sup> -605 Corner T <sup>2</sup> -3 |

thence  
 — S 34° 11' 00" —  
 along hillside close to and  
 down gulch  
 1023.4 intersect line between sections  
 10 and 15 Townships 4 North  
 Range 18 East S 89° 39' E 804.2  
 feet from corner common to  
 sections 9, 10, 15 and 16.  
 1483 to Southwest corner of claim  
 set a pine post 4 feet long  
 and 4 inches square in earth

420

*Tasball Lodge Mining Claim Etc*

and stone mound and marked it on 605 Cor N:4 for Survey N:605 Corner N:4

thence

— S 47° 26' E —

descending

- 20 enter gulch and intersect road
- 212 intersect thence across gulch
- 212 intersect small creek a foot
- with course Southwest
- 290 leave gulch and ascend
- 306 to corner N:1 and place of beginning survey of exterior boundaries, containing an area of 12  $\frac{1}{2}$  Acres, no conflicts

O.K.  
JES

1427  
Harrow Springs Creek Mining District  
Twp N<sup>o</sup> 60 S Alturas County Idaho

Bearing Objects

From Corner N<sup>o</sup> 1 Corner N<sup>o</sup> 3  
of Ranger N<sup>o</sup> 2 Lode Mining  
Claim, U.S. N<sup>o</sup> 42 bears S 21° 45'  
W 226 feet, measured, Section  
Corner common to sections 9, 10,  
15 and 16 Township 4 North  
Range 18 East of Boise Merid-  
ian bears N 52° 31' W 973 feet  
distant measured. A cotton-  
wood tree 14 inches diam. bears  
N 51° 30' W 136 feet distant, a  
cottonwood tree 8 inches diam.  
bears N 25° 45' E 62 feet dis-  
tant, staked and marked each  
tree per B.O.S. Cor N<sup>o</sup> 21 B.O.

From Corner N<sup>o</sup> 2 Corner N<sup>o</sup> 1  
of Sundown Lode Mining  
Claim U.S. N<sup>o</sup> 58 bears S 70°  
08' E 265 1/2 feet distant  
A cottonwood tree 12 inches  
diam. bears N 8° 15' W 105 feet  
distant, a cottonwood tree 10  
inches diam. bears N 1° 15' E 41


422

Sayball Lake Whipping Claim Survey

put distant, blazed and marked each tree from 605 Cor to 2 BT

From Corner to 3 Corner to 4 of the Lake Whipping Claim test to 51 bears S 47° 26' E 103 feet distant, a quaking aspen tree 6 inches diam. bears S 8° 30' W 165 feet distant, a quaking aspen tree 6 inches diam. bears S 20° W 128 feet distant, blazed and marked each tree from 605 Cor to 3 BT

From Corner to 4 an open cut 75 ft. wide 10 ft. deep and 200 ft. long Course from head bears, at its southwest corner, to 36° E 175 feet distant a cottonwood tree 12 inches diam. bears to 63° 30' E 180 feet distant, a cottonwood tree 14 inches diam. bears S 47° E 180 feet distant, blazed and marked each tree from 605 Cor. to 3 BT



The original land was owned by the Foxfall Lode Company, which was organized in 1891. The land was surveyed by the Idaho Territory Surveyors, and the survey was completed in 1891. The land was then divided into lots, and the lots were sold to the public. The Foxfall Lode Company was organized for the purpose of mining on the Foxfall Lode. The company was organized by the Foxfall Lode Company, which was organized in 1891. The company was organized for the purpose of mining on the Foxfall Lode. The company was organized by the Foxfall Lode Company, which was organized in 1891. The company was organized for the purpose of mining on the Foxfall Lode.

MEMORANDUM

TO: SOUTHERN REGION

FROM: KAY WALKER

RE: PERMIT NO. 37-7707

DATE: 16-MAR-1989

*put bill  
on call-up  
for 6-1-89*

=====

I HAVE BEEN REVIEWING FILES FOR LAPSING THAT HAVE NOT COMPLIED WITH THE EXAMINATION FEE REQUIREMENTS. IN GOING THROUGH A NUMBER OF FILES I NOTICED THAT PERMIT NO. 37-7707 HAS AN EXAM MADE DATE IN THE DATA BASE. ACCORDING TO OUR FILES THIS PERMIT HAS LAPSED DUE TO NO EXAM FEE. PLEASE CHECK YOUR OFFICE FOR AN EXAM ON THIS PERMIT AND SEND IT UP IF YOU CAN LOCATE IT. THANKS.... KAY

I certify that file No. 37-7707 has been reviewed and is ready to be MICROFILMED and DESTROYED.

Kay Walker  
Signature

3/15/1989  
Date

3/16/89  
checked computer  
field exam has  
made date has  
been entered -  
(4-1-1986).  
need verification  
from person  
KW



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS  
GOVERNOR  
R. KEITH HIGGINSON  
DIRECTOR

October 28, 1988

37-7707  
Carl Curtis  
P. O. Box 1073  
Ketchum, ID 83340

Dear Permit Holder:

LAPSE NOTICE  
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit has lapsed for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of Section 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

When a permit lapses, it can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department within sixty (60) days of the mailing of this notice, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to reinstate the permit. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief  
Operations Bureau

LGS:hm

Enclosure



State of Idaho

## DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

37-7707  
CURTIS, CARL  
P.O. BOX 1073  
KETCHUM, ID 83340

Mailing address:  
Statehouse  
Boise, Idaho 83720

138717

April 30, 1986

CERTIFIED MAIL

### EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources  
4055 Government Way  
Coeur d'Alene, ID 83814  
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources  
150 Shoup Ave., Suite 15  
Idaho Falls, ID 83401  
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources  
1041 Blue Lakes Blvd. North  
Twin Falls, ID 83301  
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources  
450 W. State St., (Third Floor)  
Boise, ID 83720  
Phone: 334-2190

Sincerely,



L. GLEN SAXTON  
Chief, Operations Bureau

Enclosures

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Southern Region

---

1041 Blue Lakes Blvd. N.  
Twin Falls, Idaho 83301  
(208) 734-3578

JUNE 10, 1983

CARL CURTIS  
BOX 1073  
KETCHUM ID 83340

RE: Permit No. 37-7707

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,  
s/Mary A. Newby  
Secretary

Enclosure

## DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7707

Name(s) of Permit Holder: CARL CURTIS

Post Office Address: Box 1073 Ketchum ID

Tel. No. 726 3102

Source of Water: SAME AS Application

Extent of Use: ☐ Domestic (number of households)  
☐ Stockwater (number and type of stock)  
☐ Irrigation (acres)  
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No  
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-10-83  
Date

CARL CURTIS  
Signature of Permit Holder

Carl Curtis  
Box 1073  
Ketchum, Idaho 83340



IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

April 26, 1983

Carl Curtis  
Box 1073  
Blutan Valley Ranch  
Ketchum, ID 83340

Dear Mr. Curtis:

Re: Permit No. 37-7707

Enclosed for your review is the Statement of Beneficial Use postcard submitted on April 15, 1983 and a copy of the above-referenced permit.

Please note the discrepancies between the postcard and the permit on the source of water and the extent of use. Could you have filed the postcard for a different water right permit?

I've enclosed another Statement of Beneficial Use postcard. If the proposed project under this permit has been completed, fill out and return the postcard. If additional time is needed, fill out and return the enclosed extension of time form on or before June 1, 1983.

If you have questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK  
Secretary/Records Manager

Enclosures: B/U postcard  
Permit  
B/U postcard (blank)  
Ext. Request w/instructions

RECEIVED

# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of permit No. 37-7707.

Name(s) of Permit Holder: CARL CURTIS  
 Post Office Address: Box 1073 - Bluff Valley Ranch Tel. No. 726 3102

Source of Water: Spring (number of households)  
 Extent of Use: ☒ Domestic 3  
☒ Stockwater Hance - 1 - 10 (number and type of stock)  
☒ Irrigation 25 (acres)  
☐ Other

Measuring Device: ☒ Yes ☐ No  
 Access Port: ☒ Yes ☐ No  
 Installed? ☐ Yes ☐ No  
 Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Carl Curtis  
 Signature of Permit Holder

4-13-83  
 Date

UNRECORDED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

---

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
CERTIFIED MAIL

CURTIS, CARL  
P.O. BOX 1073  
KETCHUM, ID 83340

138395

PROOF DUE NOTICE

MARCH 31, 1983.

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7707 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK  
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho  
**DEPARTMENT OF WATER RESOURCES**  
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS  
Governor

C. STEPHEN ALLRED  
Director

Mailing address:  
Statehouse  
Boise, Idaho 83720  
(208) 384-2215

June 16, 1978

Re: Permit No. 37-7707

Carl Curtis  
Box 1073  
Ketchum, ID 83340

Dear Mr. Curtis:

Your approved copy of Application for Permit No. 37-7707 is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

MICROFILMED

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON  
Chief, Operations Bureau

LGS:kw  
Enclosure

RECEIVED  
MAY 19 1964

37-7307 - Curtis

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Points of Diversion *all ok*
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. ☒ Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map *aerial*
11. ☒ Fee & Rec't. No.

Copies Sent To:

☒ Idaho Health Department  
☒ Idaho Fish & Game Dept.  
☒ Bureau of Land Management

☒ U.S.F.S.  
☒ Dept. of Lands  
☒ Other

Dam Safety Information N/A (Goes to Permit Section)  
*under 10 feet*

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land 37-7308 - not same lands as listed under this app. - other acreages

Withdrawals of all protests received ☐ yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☐

ID Power Co. Letter - G.W. & Tribs. ☒

Snake River Condition ☐

Payette River Letter ☐

Priority Date 3-24-78

Water Quality #16 ☐

Water Quality #10 ☐  
intrastate ☐ interstate ☐

Meas. Dev. or Sc. Meas. ☐

Totalizing meter ☐

Supplemental ☐

Right-of-Way Cond. ☐

Watermaster Cond. ☒  
Wtr. Dist No. 16 *Big Wood R.*

Meas. Dev. Cond. for apps within a Water Dist. ☒

MICROFILMED

Returned to District on 5/22/78 to change total cfs diverted to 1.3 cfs from 1.0 cfs. See attached notes.

*Jan Grover*  
Reviewer

6/5/78  
Date

Glen,

Should the total  
division rate be

1.0 cfs rather

than 1.3 cfs,

Jan

~~No. It looks peculiar  
& could be interpreted as  
incorrect~~

Item 4(a) div to storage  
should be changed from  
1.0 to 1.3 cfs

FROM

Mhen S

DATE

6-14-78

TO

NCY

~~SUBJECT~~

This is the app that looked peculiar to you. I agree. It still looks peculiar.

We have added the "assignment" condition.

The proposed use is approx 3 mi N.E. of Elk Horn Village.

JH

SIGNATURE

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Terry Blau

DATE March 31, 1978


TO File No. 37-7707 - Carl Curtis

SUBJECT Pre-Permit exam on surface water Application

On March 30, I visited Parker Gulch. There was too much snow to reach the point of diversion and place of use as the road had not been plowed.

I am familiar with the area and the flow of the stream through investigations made during the past year. There is at present and during much of the year sufficient flow to cover this application. I am not aware of any existing use that would be in conflict with the proposed use.

MICROFILMED

  
SIGNATURE

# AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(State Here)

Permit 37-7707

TITLE OF NOTICE

State of Idaho, }  
County of Blaine } SS.

APR 18 1978

Department of Water Resources  
Southern District Office

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Gordon O. Glasman, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 6 day of April

1978, and the date of the last publication was on the 13

day of April, 1978

Subscribed and sworn to before me this 17th

day of April, 1978

(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

## COST OF PUBLICATION

Number of Lines in Notice ..... 33

Number of Insertions ..... 2

Lines tabular at ..... 39c

33 Lines straight at ..... 26c 8.58

33 Subsequent lines at ..... 15c 4.95

TOTAL COST .... 13.53

## NOTICE OF APPLICATION FOR WATER PERMIT

NOTICE IS HEREBY GIVEN that Carl Curtis, Ketchum, Idaho 83340, has on 3-24-78, submitted Application No. 37-7707, for a permit to appropriate 1.3 cubic feet per second of water from Parker Gulch, tributary of Big Wood River by means of approx. 10 dirt ponds, 2 KW electric generator, gravity irrigation system within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , 2 points SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 10; SE $\frac{1}{4}$ NE $\frac{1}{4}$  (3 points), 3 points NW $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 16, Twp. 4N., Rge. 18E., B.M., Blaine County, to be used from Jan. 1 to Dec. 31 for diversion to storage, storage for irrigation, recreation, aesthetics, & power; from Apr. 1 to Nov. 1 from storage for irrigation of 65 acres, within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , S $\frac{1}{2}$ SW $\frac{1}{4}$ , Sec. 10; S $\frac{1}{2}$ NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Sec. 16, Twp. 4N., Rge. 18E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho 83301, on or before April 24, 1978.

C. Stephen Allred  
Director

Publish: Wood River Journal April 6, 13, 1978.

Nº 0109

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Carl Curtis

Ketchum, ID 83340

has on 3/24/78 submitted Application No. 37-7707

for a permit to appropriate 1.3 cubic feet per second ~~acre feet per annum~~  
of water from Parker Gulch, tributary of Big Wood River

by means of approx. 10 dirt ponds, 2 KW electric generator, gravity irrigation system  
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , 2 points SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 10; SE $\frac{1}{4}$ NE $\frac{1}{4}$  (3 points), 3  
points NW $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 16, Twp. 4N, Rge. 18E., B.M., Blaine County

to be used from Jan. 1 to Dec. 31 for diversion to storage, storage for irrigation,  
recreation, & aesthetics, & power; from Apr. 1 to Nov. 1 from storage for irrigation  
for of 65 acres

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$ , S $\frac{1}{2}$ SW $\frac{1}{4}$ , Sec. 10; S $\frac{1}{2}$ NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Sec. 16, Twp. 4N, Rge.  
18E., B.M.

If issued, this permit will be subject to all prior water rights. Protests  
against the granting of the permit must be filed with the Idaho Department of  
Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or be-  
fore April 24, 1978.

C. STEPHEN ALLRED

Director

Published in the Wood River Journal

on 4/6 and 4/13/78

MICROFILMED

March 28, 1978

Wood River Journal  
P. O. Box 988  
Hailey, ID 83333

Re: Application for Permit No. 37-7707 - Carl Curtis

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele  
Southern Region Supervisor

MLS:sm

Enc.

Bill submitted: \_\_\_\_\_

MICROFILMED