


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C William Goodwin
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Kim R. Compton being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 29 day of September

19 77, and the date of the last publication was on the 6

day of October, 19 77.

Subscribed and sworn to before me this 6

day of October, 19 77.
(SEAL)

Garnett Hall
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 40 40
Number of Insertions 2 2
Lines tabular at 315c
Lines straight at 40 21c 8.40
Subsequent lines at 40 15c 6.00
TOTAL COST 14.40

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given
that C. William Goodwin,
Gooding, Idaho 83330 has on
9/15/77 submitted Applica-
tion No. 37-7677 for a permit
to appropriate 4.0 cubic feet
per second of water from
ground water by means of
well, pump, concrete ditches
&/or sprinklers within the

NE 1/4 SE 1/4, Sec. 12, Twp. 6S,
Rge. 15E, B. M. Gooding
County to be used from Apr.
1 to Oct. 15 for irrigation
purposes of 240 acres within
the SE 1/4, Sec. 12, Twp. 6S,
Rge. 15E; W 1/2 SW 1/4, Sec. 7,
Twp. 6S, Rge. 16E, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Re-
sources, 1041 Blue Lakes
Blvd., North, Twin Falls,
Idaho, 83301 on or before
October 17, 1977.

/s/ C. Stephen Allred
Director
Pub: 9-29; 10-6

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

Nº 1390

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 37-7677

1. Owner: John W. & Carol Walker Phone No. 934-8525

Current Address: 1955 B S 2400 E Gooding Id. 83330

2. Accompanied by: John Walker EXAM. DATE: 6/24/88

Address: _____ Phone No. _____

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).



"NOT TO SCALE"

Serial F21651

Peerless Pump

No. 5, 1250203

125 H.P. Newman motor

779849


note

note - 2 - 176

= 2.00 c.f.


= 898 gpa

1000 gal / 66.8 sec.



MICROFILMED

DEC 10 1991



Looking North

RECEIVED
DEC 10 1991



← Wheel Lines

↑
Siphon Irrigation

↑
Concrete ditch



Looking South at Irrigated
ground

DEC 10 1991



5" Riser For Discharge Into
Canal ditch



Point where Supplement water From 5" ~~Line~~ enters ditch.

MICROFILMED
DEC 10 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07677

Priority: September 15, 1977

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 520.0 AF

This is to certify, that JOHN W WALKER
1955 B S 2400 E
GOODING ID 83330

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 15, 1977; and
has submitted Proof of Beneficial Use on October 19, 1987. An examination indicates
that the works have a diversion capacity of 2.180 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	520.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 12, Township 06S, Range 15E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	15E	12	NESE 34	NWSE 39	SWSE 37	130
			SESE 20			

Total number of acres irrigated: 130

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECEIVED

DEC 10 1991


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 37-07677

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of NOVEMBER, 1991.

Acting for


R. Keith Higginson, Director


DEC 10 1991

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	37-7677	C. William Goodwin	4.0 cfs
Full Assignment	37-7677	John W. Walker	4.0 cfs

MICROFILMED

RECEIVED

MAY 14 1984

Department of Water Resources
Southern District Office

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED

MAY 18 1984

Department of Water Resources

I, C. William Goodwin, hereby assign to John W. Walker
of Route #1 Box 173, Hansen, ID 83334
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 37-7677
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 11 day of May, 19 84.

C. William Goodwin
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of ADA) ss.

On this 11th day of May, 1984, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Dale J. Shroy
Notary Public residing at
Boise, Idaho

My commission expires:
20 August 1985

Made this 7 day of May, 19 84.

Permit Holder

Kathryn Goodwin
Spouse of Permit Holder

State of Idaho)
County of Goodwin) ss.

On this 7th day of May, 19 84, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Melvin Wallace
Notary Public residing at
Goodwin, Idaho

My commission expires:
1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received <u>15.00</u>
Date <u>9-29-82</u>
Receipt # <u>24730</u>

REQUEST FOR EXTENSION OF TIME

RECEIVED

To provide additional time in which to submit
proof of beneficial use on a water right permit

SEP 27 1982

Department of Water Resources

C. William Goodwin of RT2 Box 57, Gooding ID 83330
(Name) (Address)

State of IDAHO, deposes and says:That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 37-7677.That under the terms and conditions of said permit, work thereunder was required to be completed on or before 01 NOVEMBER, 1982.

That he has heretofore performed the following work described under said permit: 100 A LEVELLED
(This must be filled out! If no work has been completed put none.)
AND/OR SMOOTED OUT FOR IRRIGATION SYSTEM. IRRIGATION
WELL 16"/260' deep DRILLED. MAINLINE LAID, 4-1800' wheel
LINES and 2-1/2 mile HANDLINES PURCHASED. 125HP PUMP PURCHASED.
Costing \$ 60,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
FARMING HAS BEEN INEQUITABLE FOR THE PAST 4
YEARS and JUST HAVEN'T HAD THE MONEY. HOPE TO
COMPLETE PROJECT WITHIN FIVE YEARS.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to 1 NOVEMBER 1987.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

C. William Goodwin
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to November 1, 1987.


Signed this 6th day of October, 19 82.

J. Glen Saxton
Chief, Operations Bureau

C.W. Goodwin

RT 2 Box 57

Goodwin, ID 83330



PAID 0.05

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7677

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED

SEP 15 1977

Department of Water Resources
Southern District Office

Identification No. _____

Application No. 37-7677

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant C. William Goodwin Phone: 934-8132
post office address RT #2 BOX 57 Gooding, Idaho 83330
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 12 Township 6 SOUTH
Range 15 E.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ S.M. _____
4. Water will be used for the following purposes:
Amount 4.0 for irrigation purpose from Apr. 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second ~~XXXX~~
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drill well and pump out of it.
Well, pump, concrete ditches &/or sprinklers.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20" inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses: N/A
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
6S	15EBM	12													40	40	40	40	160
6S	16EBM	7																	80


Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above. 105.16 shares of stock in Big Wood Canal Co.

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use C. William Goodwin (Applicant)
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The well will be used to provide irrigation water using either a sprinkler system or surface irrigation. Smith Brilling and Pumping Company, 328 West Ave A, Jerome, Idaho was contacted for well drilling bid.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Goodwin
(Applicant)

Proposed Priority 9/15/77

Received by JS Date 9-15-77 Time 3pm
Preliminary check by ADIA Fee \$ 55.00 # 8771
Receipted by JS Date 9/24/77
Publication prepared by JS Date 9/24/77
Published in Bozeman County Leader
Publication dates 9/24 + 10/6/77
Publication approved JS Date 10/11/77
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by mls:js


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7677, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water. (2) The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall for exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 30 day of November 1977.


Deputy, Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding. } SS.

Kim R. Compton
being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 29 day of September

19 77, and the date of the last publication was on the 6

day of October, 19 77.

Subscribed and sworn to before me this 6

day of October, 19 77.

(SEAL)

NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 40 40
Number of Insertions 2 2
Lines tabular at 315c
Lines straight at 40 21c 8.40
Subsequent lines at 40 15c 6.00
TOTAL COST 14.40

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given
that C. William Goodwin,
Gooding, Idaho 83330 has on
8/15/77 submitted Applica-
tion No. 37-7677 for a permit
to appropriate 4.0 cubic feet
per second of water from
ground water by means of
well, pump, concrete ditches
&/or sprinklers within the

NE 1/4, Sec. 12, Twp. 6S,
Rge. 15E. B. M. Gooding
County to be used from Apr.
1 to Oct. 15 for irrigation
purposes of 240 acres within
the SE 1/4, Sec. 12, Twp. 6S,
Rge. 15E; W 1/2 SW 1/4, Sec. 7,
Twp. 6S, Rge. 16E, B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Re-
sources, 1041 Blue Lakes
Blvd., North, Twin Falls,
Idaho, 83301 on or before
October 17, 1977.

/s/ C. Stephen Allred
Director

Pub: 9-29: 10-6

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight 21c
7 pt. per line, tabular 315c
7 pt. per line, successive
insertions 15c

No 1390

November 20, 1991

JOHN W WALKER
1955 B S 2400 E
GOODING ID 83330

RE: WATER RIGHT NO. 37-07677

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
DEC 10 1991

October 31, 1991

JOHN W WALKER
1955 B S 2400 E
GOODING ID 83330

RE: WATER RIGHT NO. 37-07677

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECORDED
DEC 10 1991

LICENSE REVIEW CHECKLIST

Permit No. 37-7677

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 4.0

Capacity Actual measurement checked

Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -	Dates/Misc. -
Measuring device <u>permit cond. Complied with</u>	Water Dist <u> </u>
W.Master control <u>R31</u>	App Rec'd ☒
Overlap <u> </u>	Proof Rec'd ☒
Water quality <u> </u>	
Other <u> </u>	

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

SC Date 10/28/91 Review time 7 min
RECEIVED

DEC 10 1991

[Signature]

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/28/91
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN W WALKER 1955 B S 2400 E GOODING ID 83330	09/15/1977	IRRIGATION	03-15 11-15	2.00 CFS	520.0 AFA
TOTAL DIVERSION:					2.00 CFS	520.0 AFA

O C WILLIAM GOODWIN

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.18 CFS

Point(s) of Diversion: T06S R15E S12 NE SE

Place of use Legal Description for: IRRIGATION

	NE	NW	SW	SE	SUM
T R S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: SUM
06S 15E 12	: : : : : 34	: : : : : 39	: : : : : 37	: : : : : 20	: 130.0
TOTAL ACRES					130.0

Other Water Rights with Same Point(s) of Diversion and Source:

~~37-07677~~

Other Water Rights Listing Overlapping Place(s) of use:

~~37-07677~~

Conditions of Approval:

R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Dates: App. Received: 09/15/1977 Priority Date: 09/15/1977
Proof Due Date: 11/01/1987 Proof Made Date: 10/19/1987
Exam Made Date: 06/24/1988 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/28/91 CURTIS

MICROFILMED

DEC 10 1991

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADDUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE Lt	NE Ac	NW Lt	NW Ac	SW Lt	SW Ac	SE Lt	SE Ac	NE Lt	NE Ac	NW Lt	NW Ac	SW Lt	SW Ac	SE Lt	SE Ac	SUM
L3707677	T065 R15E S12																	130
0100006	SNAKE RIVE :																	
A3700867E2	LARGE CLAI :			40		37		37		40		37		40		39		441
3707252	GROUNDWATE :	40				40												80
A3707252	GROUNDWATE :		40				38											78
~~3707677~~	~~GROUNDWATE :~~	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	~~160~~
A3707677	GROUNDWATE :			40		37		37		40		37		40		39		100
A3713043	SILVER CRE :	39		40		37		37		40		37		40		36		441
--86 MAP--	C47Q-AA 22 :																	507

UNRECORDED

1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 37-7677
1. Owner: John W. & Carol Walker Phone No. 934-8525
Current Address: 1955 B S 2400 E Gooding Id. 83330
2. Accompanied by: John Walker EXAM. DATE: 6/24/88
Address: _____ Phone No. _____
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well supplies 4 wheel Lines: 3-1880' & 1-1325' 167
 Weather Tec 10-30 nozzles were measured at 57 psi. Pressure at well
 was 60 psi in 10" main line. Also a 5" line supplies supplement
 water to ^(concrete) canal ditch for siphon tube irrigation of 30 acres. This
 section was dismantled at time of measure. When supplement
 water is used, the wheel lines are shut down. Depth to DWL 140ft.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
well	Newman	150	S, 1250 203	Peerless	F 21651

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SE	12	6S	15E	Gooding	Aerial photo

6. **Place(s) of Use:**

Indicate Method of Determination Aerial photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	15E	12													34	39	37	20	130
																			130

RECEIVED

0 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Installed Flow Meter	Rate-A-Flow	Muesco	779849			

2. Measurements:

1) Flow meter $\frac{9800}{60s}$; $Q = 9006 \text{ gpm} = 2.0 \text{ cfs}$ at 60 psi in 8" mainline
3 ft from Pump discharge.
2) 168 Nozzles $\frac{9}{64}$ " orifice weather-Tec 10-30 at 57 psi.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{9006 \text{ gal}}{\text{min}} \times \frac{1}{4.8} = 2.0 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = \frac{150 \text{ HP} \times 8.8 \times .46}{140 + (2.31 \times 60)} = 2.18 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 60 psi x 2.31 = 139 ft (1); Dynamic pumping level: 190 ft (2)

Total Head: (1) + (2) = 279 (3)

: Flow rate: 2.0 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 63 (5)

Meter Input KW: 3.6 x 4.8 KH x 40 MULT x 1 PTR x 5 N/ 39 T = 102

Meter Input HP: (6) x 1.34 = 136 (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = 46 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{520 \text{ AFA}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{972}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{520 \text{ AFA}}$

2. Volume Calculations for Other Uses:

DEC 10 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The 5" main which supplements Canal company water is not permanently installed at this date. Mr. Walker plans to bury line in the future. Since this was not included in measured flow, Recommend 2.0 cfs.

The 80 acres in Sec. 7 SW⁴ are not being irrigated by this system.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	Apr 1	Oct. 15	2.0 cfs	520 AFA
Totals:			2.0 cfs	520 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


J. AUTHENTICATION

Field Examiner's Name Carl Reeb
Signature Carl E Reeb
Certification Date 4/10/91
Field Report Preparation Date 6/24/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 10 1991



Serial F21651

Peerless Pump

No. S1250203

125 H.P. Peerless motor

779849


note

12 ft - 2 - 1/2 in

= 200 ft

= 898 gpm

1000 gal / 66.8 sec



RECEIVED

DEC 10 1931

37-7677



Flow Meter 10" Main



Looking North


RECEIVED
DEC 10 1991



← Wheel
Lines

↑
Siphon Irrigation

↑
concrete ditch



Looking South at Irrigated
ground

RECEIVED
DEC 10 1991



5" Riser For Discharge Into
Canal ditch



Point where Supplement water From 5"
Line enters ditch.

MICROFILMED
DEC 10 1991

John W. Walker

RECEIVED

NOV 6 1987

Department of Water Resources
Southern Region Office

FACT SHEET
for
Excessive Irrigation Flows

Ident. No. _____

This information is to be submitted with any application for permit for which the irrigation rate of flow requested is more than .02 cfs per acre. One exception is that .03 cfs per acre is allowed for up to five (5) acres.

Soil type and soil profile: Snowmore loamy sand
Paulville sandy loam } 20-36" depth
Somerset sandy loam

Soil water holding capacity: .07 - .11 inches/inch

Soil intake family (if known): permeability 2.0 - 6.0 in/hr.

Field slope: 1 to 4%

Anticipated crops: potatoes Beans & Hay & Wheat

Method of irrigation: Sprinkler

Remarks _____

DEC 10 1991

Soils information provided by Soil Conservation Service (Soil Conservation Service) are shown for major soil types

Brian M. Miller
District Conservation

RECEIVED

OCT 18 1987

Department of Water Resources
Southern Region Office

RECEIVED

OCT 21 1987

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 1.50

Date 10/19/87

Receipt # 44285

Receipt by T.B./a

Reviewed by fy

Sent to Region 2 10/20/87
10-26-87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 37-7677

Name(s) of Permit Holder: John W. Walker & Carol Walker ✓

Post Office Address: 1955B S 2400E Hooding Ida. 83330

Telephone No. 934-8525

Source of Water: Ground ✓

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 100 ✓ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 2.1 ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1978

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 1.50 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

John W. Walker
(Name)

934-8525
(Telephone Number)

1955B South 2400 East Hooding Ida. 83330
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 10 1988

Oct 19 1987
Date

John W. Walker ✓
Signature of Permit Holder (and title, if appropriate)

734-5666

INTER-DEPARTMENT MEMO — 1

FROM Rita Fleck

DATE 9-22-1987

TO File 37-7677

SUBJECT Returned B/L Notice

The Gooding County Assessor has an address of 1955A S. 2400 E., Rt. 2, Gooding, ID 83330.

I'm forwarding the notice to this address.

MAILED

MAR 10 1988

SIGNATURE


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720



REASON CHECKED
Unclaimed _____
Attempted Not known ☒ ~~XXXX~~
Insufficient Address _____
No such street _____ number _____
No such office in state _____
Do not remain in this envelope

RECEIVED
SEP 04 1987

Department of Water Resources



U.S. POSTAGE

Claim Check
No.

441063

☐ Hold

Date

9-3-87

1ST Notice

2ND Notice


Return

Detached from
PS Form 3849-A,
Oct. 1985

RECEIVED

MAR 10 1988

CERTIFIED MAIL
138880



WALKER, JOHN W.
RT. 1 BOX 173
HANSEN, ID 83334

CERTIFIED MAIL
August 31, 1987

138880

PROOF DUE NOTICE

RE: Permit No. 37-7677

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 10 1988

May 23, 1984

RE: Permit No. 37-7677

John W. Walker
Rt. 1, Box 173
Hansen, ID 83334

Dear Permit Holder:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Chief Clerk

KW:sc
Enclosure

cc: John Rosholt, Atty.

MICROFILMED

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
2. Notary? ✓
3. a. Full Assign? ✓
b. Partial Assign?
4. "No assignment" condition on permit? No
5. Commencement of works received? No-yes, see extension
6. Affidavit of Residency required? No

1. Type Permit Summary sheet ✓
2. Coding sheet ✓
3. Acknowledgement letter type [#]1
4. Copy to region ✓

Date: 5/23/84Employee: Kew

please send cc: of ack. letter to
John Rosholt, Attorney
P.O. Box 1906
Twin Falls 83301

RECEIVED
MAY 24 1984
DEVELOPMENT

October 8, 1982

C. William Goodwin
Rt. 2 Box 57
Gooding, ID 83330

Dear Mr. Goodwin:

Re: Permit No. 37-7677.

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to November 1, 1987.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enc: Ext. of Time



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

September 29, 1982

C. William or Kathryn Goodwin
Route 2, Box 57
Gooding, ID 83330

PERMIT NO. 37-7677

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 24730.

Roberta Garrett
Records Supervisor

Enclosure

MAILED
SEP 30 1982
BOISE, ID

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138570

GOODWIN, C. WILLIAM
RT. 2 BOX 57
GOODING, ID 83330

AUGUST 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7677 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
SEP 1 1982
DEPT. OF WATER RESOURCES
BOISE, IDAHO



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

Re: Permit No. 37-7677

Dear Mr. Goodwin:

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY. D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7677 - C. William Goodwin

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ADM 9/21/77

In form to receipt

(2) ADM 9/21/77

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) ADM 9/21/77

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) JS 9-21-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 10-17-77

Critical groundwater area: yes _____ no ☒

(8) mls 10-17-77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none (cu)

(11) JS 10/11/77

Affidavit of Publication received (date) 10/17/77

(12) JS 9/21/77

Final date for protests 10/17/77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 10-17-77

Action recommended:

☒ Approve _____ Deny

9-15-77 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern

By Michael Steels Date 10-17-77

Copy to Boise 9-21-77 JS

Supplemental

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that C. William Goodwin
Gooding, Idaho 83330
has on 9/15/77 submitted Application No. 37-7677
for a permit to appropriate 4.0 cubic feet per second acre feet per annum
of water from ground water
by means of well, pump, concrete ditches, &/or sprinklers
within the NE1/4, Sec. 12, Twp. 6S, Rge. 15E, B. M. Gooding, County

to be used from Apr. 1 to Oct. 15 for irrigation purposes of 240 acres.
for
xxx

within the SE1/4, Sec. 12; Twp. 6S, Rge. 15E; W1/4SW1/4, Sec. 7, Twp. 6S, Rge. 16E,
B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 17, 1977.

C. Stephen Allred

Director

Published in the Gooding County Leader
on 9/29 and 10/6/77

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that C. William Goodwin, Gooding, Idaho 83330 has on 9/15/77 submitted Application No. 37-7677 for a permit to appropriate 4.0 cubic feet per second of water from ground water by means of well, pump, concrete ditches &/or sprinklers within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 12, Twp. 6S, Rge. 15E, B. M. Gooding County to be used from Apr. 1 to Oct. 15 for irrigation purposes of 240 acres within the SE $\frac{1}{4}$, Sec. 12, Twp. 6S, Rge. 15E; W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 7, Twp. 6S, Rge. 16E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 17, 1977.

/s/ C. Stephen Allred
Director
Pub: 9-29: 10-6

OK
4/28/77

September 21, 1977

Gooding County Leader
Box 56
Gooding, Idaho 83330

Re: Application for Permit No. 37-7677 - C. William Goodwin

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS/dj

Bill submitted: _____