


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William P. Sweet
(Applicant)

RECEIVED

JUL 29 1977

Department of Water Resources
Southern District Office

*DF/OK
8/1/77*

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that William E. Sweet Fairfield, ID 83327 has on 7/5/77 submitted Application No. 37-7638 for a permit to appropriate 9.0 cubic feet per second of water from ground-water by means of pump, sprinkler system within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 29, Twp. 1S, Rge. 15E., B.M., Camas County to be used from Apr. 1 to Nov. 1 for irrigation purposes of 480 acres within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 29, Twp. 1S, Rge. 15E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 8, 1977.

C. Stephen Allred
Director

Published in the Mountain Home News on 7/21 and 7/28/77.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, *Floyd S. Waters* do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having been made on the *21* day of *July*, 19*77*, and the last publication having been made on the *28* day of *July*, 19*77*; every Thursday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Floyd S. Waters


Subscribed and sworn to me this *28*

day of *July*, 19*77*

Floyd S. Waters
Notary Public

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		30			
		60			


*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Not measured. Theoretical capacity is 2.45 cfs









Diversion Works



South 5-tower pivot

North 7-tower pivot

37-7638





Spaling Meter on End of pipe. from well



well motor & pump.

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	37-7638	Sweet, William E.	9.0
Full, Assignment	37-7638	Idaho State Bank	9.0

MICROFILMED

AUG 18 1987

RECEIVED

JUL 29 1987

State of Idaho
Department of Water Resources

RECEIVED

JUL 27 1987

ASSIGNMENT OF PERMIT

Department of Water Resources

Department of Water Resources
Southern Region Office

I, William E. Sweet, hereby assign to Idaho State Bank
of P.O. Box 909 Glenns Ferry, Idaho
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 37-7638
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 24 day of July, 19 87.

William E. Sweet
Permit Holder

Barbara C. Sweet
Spouse of Permit Holder

State of Idaho)
County of Camas) ss.

On this 24 day of July, 19 87, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) (they) executed the same.

seal

Donald Long
Notary Public residing at
Kuna, Idaho

MICROFILM

AUG 18 1987

My commission expires:
5/7/88

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7638

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

AUG 18 1987

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 37-7638

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant William E. Sweet Phone: 764-2542
post office address Route #1, Fairfield, ID 83327
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 1S
Range 15E., B.M. Camas County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 9.0cfs for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 9.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 150 hp electric pump to lift water
which will then be plumbed into existing sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 15,000 (sprinkler existing)
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	15E	29	40	40	40	40	40	40	40	40	40	20	20	40		40			480


Total number of acres to be irrigated 480

c. Describe any other water rights used for the same purposes as described above. 700 shares of Twin Lakes Reservoir.

9. a. Who owns the property at the point of diversion William E. Sweet
b. Who owns the land to be irrigated or place of use William E. Sweet
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Twin Lakes water is normally available during the months of June, July and first half of August. This water is necessary to make a more economical operation for the sprinkler system which is already in operation by lengthening the sprinkling season. Also during low water years it will be extremely important

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William S. Sweet
(Applicant)

Priority 7/5/77

Received by TGB Date 7-5-77 Time 12:30

Preliminary check by D.K. Fee \$ 105.00

Receipted by TGB Date 7-5-77 Ref. # 8621

Publication prepared by Am Date 7/2/77

Published in Mountain Home News

Publication dates 7/21 & 7/28/77

Publication approved AD Date 8/1/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7638, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 16 day of September 19 77.


Deputy Director

RECEIVED

JUL 20 1977

Department of Water Resources
Southern District Office

DF/OK
8/1/77

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that William E. Sweet Fairfield, ID 83327 has on 7/5/77 submitted Application No. 37-7638 for a permit to appropriate 9.0 cubic feet per second of water from ground-water by means of pump, sprinkler system within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 29, Twp. 1S, Rge. 15E., B.M., Camas County to be used from Apr. 1 to Nov. 1 for irrigation purposes of 480 acres within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 29, Twp. 1S, Rge. 15E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 8, 1977.

C. Stephen Allred
Director

Published in the Mountain Home News on 7/21 and 7/28/77.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Lloyd S. Waters do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having been made on the 21 day of July, 1977, and the last publication having been made on the 28 day of July, 1977; every Thursday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this 28

day of July, 1977

Lloyd S. Waters
Notary Public

MICROFILMED

MEMORANDUM

TO: File 37-07638

FROM: Sharla


DATE: May 7, 1999

RE: Telecon

On this date Matt Howard (Beeman & Hofstetter) called and asked that license review not be conducted on this permit until the Snake River Basin Adjudication resolves some issues. I told him we would call this file up in six months and he suggested we then speak with Jo Beeman for an update.

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		30			
		60			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Not measured. Theoretical capacity is 2.45 cfs

E. NARRATIVE/REMARKS/COMMENTS

Well, ~~motor~~, 2 submersible pumps to two pivots, hand/lines.
This exgm replaces the original exgm done in 1989. Original exgm erred in the recommended p/ce of use. I have been trying to determine the correct P/U for some time without success. Ambrose Farms now owns this Farm. They have just converted the system from gravity to sprinkler irrigation, reducing pump horsepower and eliminating some formerly-irrigated ground. Under gravity irrigation, well water was commingled with Mormon Reservoir water in ditches. Under sprinklers, only the well will be used. The surface water (a poor supply in most years) will be shifted to other lands they own across the road. I did not observe the gravity system in operation. However, based on ASCS data, it appears that a maximum of 298 acres were irrigated under the old system. This is much less than the 480 permitted acres & the 463 previously-recommended acres. Only 140 acres are now irrigated with the 2 pivots installed in 1995. Owner considered installing additional sprinklers in 1996, but has not done so. Therefore, only the land under the pivots is recommended for licensing.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS✓ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 140.6 \times 3.5 = 492.1$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.45 \times 184 \times 1.9835 = 892.6$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 492.1$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-15	2.45	492.1
Totals:			2.45	492.1

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name J. F. Stanton Date 8-15-96

Reviewer _____ Date _____

SEAL

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-7638
DATE: 8-3-95
BY: J. J. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (60) \times (0.70)}{[(80) + (73.5 \times 2.31)]} = 1.48$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner (X)	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage (X)	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = $\frac{184 \times (1.98) \times (1.48)}{140.6} = 6.3$

REQUIRED Acre Feet/Acre/Annum = 3.5
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 37-7638

DATE: 8-3-95

BY: J.E. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (30) \times (0.70)}{[(80) + (47.5 \text{ PSI} \times 2.31)]} = 0.97$$

LIFT FROM:

measurement ()

owner (X)

area estimate ()

well logs ()

Booster (Y) (N)

PSI FROM:

measurement ()

owner (X)

estimate ()

owner gage (X)

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

$$\text{POTENTIAL Acre Feet/Acre/Annum} = \frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$$

(season) (days)

3/15 - 11/15 246

4/1 - 11/1 215

4/15 - 10/15 184

3/1 - 12/1 276

$$\text{POTENTIAL} = \frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$$

$$\text{POTENTIAL} = \underline{\hspace{2cm}}$$


REQUIRED Acre Feet/Acre/Annum =


(AF/Ann/Ac irrigation requirement from chart for area)


NOTE that this is NOT Consumptive use



IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()











Diversion Works



South 5-tower pivot

North 7-tower pivot

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Idaho State BANK. Permit No. 37-7638
Current Address: P.O. Box 909 Phone No. 208-266-7492.
2. Accompanied by: Glenns Ferry, Ida 83623 EXAM. DATE: 8-15-89
RON AMBROSE. Address: _____ Phone No. _____
Relationship to Permit Holder: purchaser -
3. Source: groundwater tributary to ✓

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-2105 (Twin Lakes Canal Co.
shares) ☐ Copies Attached
2. Other water rights with same point of diversion: _____
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Low is Irrigated by gravity flow -

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
U.S.	U.S. Vertical	125	84-14696-391	Laing	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**


Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		"	SE	NW	29	1S	15E	Camas	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	15E	29	40	40	40	40	39	38	36	40	40	20	10	40		40			463

Do not use this space





Spaling Meter on End of pipe. From well



well motor & pump.

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

12" dia .15.5 Reading

$(12.0)^2 (3.85) \sqrt{15.5} =$

$(144) (3.85) (3.94) = 2184.336 \text{ gpm} = 4.87 \text{ cfs.}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3}{(215)} (463) = 99.545 \text{ } 1389$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (4.87 \text{ cfs}) (215) (1.9835) = 2076.82$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1389 \text{ A.F.F./A.W.W.}$

2. Volume Calculations for Other Uses:

[illegible]

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

Field Report Preparation Date _____

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

4/86

RECEIVED

JUL 27 1987

Department of Water Resources
Southern Region Office

RECEIVED

JUL 29 1987

STATE OF ~~Idaho~~ Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received \$300,

Date 7-27-87

Receipt # 45109

Receipt by G. E. Tanton

Sent to S.O. 7/28/87

1. Permit No. 37-7638

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Idaho State Bank3. Post Office Address: P.O. Box 909 Glennis Ferry Idaho 83623Telephone No. 208-366-74924. Source of Water: well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 480 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 9.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Early 1981

8. Person to contact to accompany the department representative during the field examination:

Don Rowe

(Name)

P.O. Box 386 Kuna Idaho

(Address)

208-922-1105

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 7-27-87Idaho State Bank S. Donald Rowe Property manager
Signature of Permit Holder (and title, if appropriate)

pd. fee
in Twin Falls.
pd. \$300.00
requested exam
not be done
this yr. per
hwy Dave 8/17/87.
CISB

Do +
Not
Film
this note
plz⁰⁰⁰



RETURNED
TO
SENDER
REASON CHECKED
☒ Unknown
☐ Refused
Address _____
City _____
State _____
Zip _____
in state _____
in this envelope _____

SE NW Sec 27 175
R15E Camas

RECEIVED
JUN 7 1986

Department of Water Resources

MICROFILMS
After microfilming
need to be placed
after fee & form
notification notice
DATED 4/30/1986



Same



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

37-7638
SWEET, WILLIAM E.
RT. 1
FAIRFIELD, ID 83327

138706

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

4/86

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

1. Permit No. _____

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: _____

3. Post Office Address: _____

_____ Telephone No. _____

4. Source of Water: _____

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted _____ cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

_____ (Name)

_____ (Address) _____ (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

_____ Date

_____ Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

File



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

July 16, 1987

Denton Graves
Idaho State Bank
P.O. Box 909
Glenns Ferry, ID 83623

Re: Permit 37-7638, William E. Sweet

Dear Mr. Graves:

Per our conversation of 7/13/87, we are forwarding an Assignment of Permit, Examination Fee Information form, and a copy of the above-referenced permit to you. We suggest that you submit the Examination Fee Information form and correct examination fee to this office as soon as possible, since this permit is losing a day of priority for every day that this is not done. The permit will lapse altogether on 8/28/1987.

You may also wish to have Mr. Sweet assign the permit to you, since he is no longer involved with this property. A form is included for this purpose.

If you have any questions or if this office can be of assistance, please feel free to contact us.

Very truly yours,

James E. Stanton

James E. Stanton
Sr. Water Resource Agent

JS:MB

Enclosures

MICROFILMED

AUG 18 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 6, 1987

RE: Permit No. 37-7638

Idaho State Bank
Box 909
Glenns Ferry, ID 83623

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you. Enclosed for your records is a copy of the permit.

As new owners of the permit, you are required to submit either an EXAMINATION FEE or a statement from a certified examiner that he has been retained to do a field examination of your water use. Enclosed is a copy of the original EXAMINATION FEE NOTICE sent to the previous permit owner. Also enclosed is a copy of the Lapse Notice sent on April 30, 1987.

In order to keep this permit in good standing, you must respond to the Lapse Notice as soon as possible. If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

AUG 18 1987

Permit No. 37-7638

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? - yes
2. Notary? - Yes
3. a. Full Assignment? - Yes
b. Partial Assignment?
4. "No assignment" condition on permit? -
5. Commencement of Works received? yes
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? - NO
7. Extension granted due to litigation? - N/A
(If yes, commencement of works is not required.)

1. Type permit summary sheet.
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region.

sharla
sharla
#1 spec
sharla

Date 8-6-87

Employee Jim



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

37-7638
SWEET, WILLIAM E.
RT. 1
FAIRFIELD, ID 83327

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

MICROFILMED

Enclosure

AUG 18 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720

37-7638
SWEET, WILLIAM E.
RT. 1
FAIRFIELD, ID 83327

138706

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

RECEIVED
AUG 18 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

AUG 18 1987

July 22, 1977

Mountain Home News
P. O. Drawer 0
Mountain Home, ID 83647

Re: Application for Permit No. 37-7638 - William E. Sweet

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosure

Bill submitted: _____

RECEIVED
JUL 24 1977
SOUTHERN REGION



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

August 27, 1982

William E. Sweet
Rt. 1
Fairfield, Idaho 83327

Re: Permit No. 37-7638

Dear Mr. Sweet:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

MICROFILMED

AUG 18 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7638.

Name(s) of Permit Holder: William E Sweet

Post Office Address: Rt. 1

Fairfield, Idaho Tel. No. 864-2542

Source of Water: Underground

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


12 July 82
Date

William E Sweet
Signature of Permit Holder

William E. Sweet

RT 1

Fairfield Idaho 83375



AUG 18 1981



JUL 15 1982

IDAHO DEPARTMENT OF WATER RESOURCES

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138239

SWEET, WILLIAM E.
RT. 1
FAIRFIELD, ID 83327

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7638 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

AUG 18 1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

AUG 18 1987

September 19, 1977

Re: Permit NO. 37-7638

William E. Sweet
Route #1
Fairfield, ID 83327

Dear Mr. Sweet:

Enclosed is a copy of your approved Application for Permit No. 37-7638 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED
SEP 21 1977
FLEENOR

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7638 - William E. Sweet

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) S.R. 7/5/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) JK 7-12-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) ADM 8/9/77

Critical groundwater area: yes _____ no ☒

(8) ADM 8/9/77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Cal Other rights on the same place of use none

(10) _____

Comments: _____

(11) JK 8/1/77

Affidavit of Publication received(date) 7/29/77

(12) Am 7/12/77

Final date for protests 8/8/77

Protests received: yes _____ no ☒

(13) ADM 8/4/77

All requested information received from agencies or applicant: yes ☒ no _____

(14) ADM 8/9/77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern

By Allen D. Merrill For REGIONAL SUPERVISOR Date 8/9/77

cc sent to Boise 7/13/77 JK

RECEIVED

Supplemental

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that William E. Sweet
Fairfield, ID 83327
has on 7/5/77 submitted Application No. 37-7638
for a permit to appropriate 9.0 cubic feet per second ~~acre feet per annum~~
of water from groundwater
by means of pump, sprinkler system
within the SE 1/4, Sec. 29, Twp. 1S, Rge. 15E., B.M., Camas County

to be used from Apr. 1 to Nov. 1 for irrigation purposes of 480 acres
for ~~xxx~~

within the NE 1/4, NW 1/4, SW 1/4, NW 1/4 SE 1/4, Sec. 29, Twp. 1S, Rge. 15E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 8, 1977.

C. Stephen Allred

Director

Published in the Mountain Home News

on 7/21 and 7/28/77

MICROFILMED