


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Travis, this 15 day of April, 19 83.

[Signature]
(Signature)
Deane Rogers Jr - Sec

FOR DEPARTMENT USE ONLY

Preliminary check by Diet Fee = \$20.00

Received by RG Date Apr 15, 1983 # 26498

Publication prepared by mary a Date 6/3/83

Published in Wood River Journal

Publication dates 6/9 & 6/16/83

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby APPROVE the above Application for Amendment with the following conditions: 1) Use of water under this permit is subject to control by the watermaster of State Water District No. 37M, Little Wood River. 2) A measuring device and lockable controlling ^{works} of a type acceptable to the Department shall be permanently installed and maintained at the point of diversion, point of rediversion and point of injection.

Witness my hand this 8th day of August, 19 83.

[Signature]
Chief, Operations Bureau

AFFIDAVIT PUBLICATION

State of Idaho, }
County of Blaine } SS.

GORDON O. GLASMANN

, being first duly sworn, depose and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the ninth day of June, 1983 and the date of the last publication was on the sixteenth day of June, 1983.

Subscribed and sworn to before me this 23rd day of June, 1983.
(SEAL)

Roberta Brinker
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 13
Number of Lines in Notice 44
Number of Insertions 2
Lines tabular at _____ 4¢ / Pica
44 Lines straight at 17.16 3¢ / Pica
44 Subsequent lines at 11.44 2¢ / Pica
TOTAL COST 28.60

COPY OF NOTICE

(Paste Here)

Permit 37-7633
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept Water Resources
1041 Blue Lakes Blvd N. TF

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 37-7633

NOTICE IS HEREBY GIVEN, That Dean R. Rodgers, Inc. is the holder of approved permit No. 37-7633 authorizing the diversion of 6.44 cubic feet per second of water from groundwater in the NW¼SE¼, Sec. 7, T1S, R19E, B.M., County of Blaine, to be used for irrigation (on 760 acres) within SE¼, Sec. 7; NWNW¼, Sec. 20; W¼, Sec. 17; NE¼, E¼SE¼, Sec. 18; NE¼NE¼, Sec. 19, T1S, R19E.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to add injection points into and redirection points from the Buhler Drain and unnamed stream as follows: Pts of injection into Buhler Drain: NW¼SE¼, Sec. 7, T1S, R19E;

Point(s) of Diversion: NW¼SE¼, Sec. 7, T1S, R19E; Pts. re-diversion into Buhler Drain: SW¼SE¼, Sec. 7; NW¼NE¼, SW¼NE¼, SE¼NE¼, Sec. 18, T1S, R19E; Point of injection into unnamed spring NE¼SE¼, Sec. 7, T1S, R19E; Point of re-diversion from unnamed spring: NW¼NW¼, Sec. 17, T1S, R19E.

Place of Use: No change

Any protest against the approval of the amending of Permit No. 37-7633 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301, on or before June 27, 1983.

A. KENNETH DUNN

Director

Publish: Wood River Journal-June 9, 16, 1983.


No

2621

JUN 28 1983

Department of Water Resources
Southern District Office

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Myers Jr. - Sec
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
 Connty of Blaine } SS.

JUL 19 1977

Donald W. Rosebrook, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7 day of July, 1977, and the date of the last publication was on the 14 day of July, 1977.

Donald W. Rosebrook
 Subscribed and sworn to before me this 15th day of July, 1977.
 (SEAL)

Robert J. Ketchum
 NOTARY PUBLIC

WOOD RIVER JOURNAL
 Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33
 Number of Insertions 2
 Lines tabular at 315c
33 Lines straight at 21c 6.93
33 Subsequent lines at 15c 4.95
 TOTAL COST 11.88

COPY OF NOTICE

(Paste Here)

Permit 37-7633
 TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd. N
Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dean R. Rogers, Inc. Bellevue, Idaho 83313 has on 6-20-77 submitted Application No. 37-7633 for a permit to appropriate 6.44 cubic feet per second of water from groundwater by means of well, pump, ditches within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 1S, Rge. 19E., B.M., Blaine County to be used from Apr. 1 to Nov. 1 for irrigation purposes of 760 acres within the SE $\frac{1}{4}$, Sec. 7; NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20; NW $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 17; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 18; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 1S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 25, 1977.

C. Stephen Allred
 Director

Published Wood River July 7,
 July 14 1977

Insertions 15c

Nº 1699



pump
House.

Controlling Gate for back up.
water for pump.




Weir off Head Ditch on
Buhler DRAIN.

APR 19 1990
MICROFILMED

DEAN Roggers

37-7633

6-13-1984



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07633

Priority: June 20, 1977

Maximum Diversion Rate: 4.06 CFS
Maximum Diversion Volume:¹ 1723.3 AF

This is to certify, that DEAN R. ROGERS INC.

RT. 1 BOX 305

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 20, 1977; and has submitted Proof of Beneficial Use on July 12, 1982. An examination indicates that the works have a diversion capacity of 4.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	4.06 CFS	1723.3 AF

LOCATION OF POINT(S) OF DIVERSION:

Rediversion

Rediversion

Rediversion

Rediversion

Rediversion

NWSE , Sec. 7, Township 01S, Range 19E

SWSE , Sec. 7, Township 01S, Range 19E

SWNE , Sec. 18, Township 01S, Range 19E

SENE , Sec. 18, Township 01S, Range 19E

NWNW , Sec. 17, Township 01S, Range 19E

NWSW , Sec. 17, Township 01S, Range 19E

BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	19E	7	NWSE 40	SWSE 40		80
		17	NWNW 40	SWNW 40	NESW 40	
			NWSW 40	SWSW 40	SESW 36	236
		18	NENE 40	NWNE 40	SWNE 40	
			SENE 40	NESE 40	SESE 36	236
		19	NENE 5.3			5.3
		20	NENW 2.6	NWNW 22		24.6

Total number of acres irrigated: 581.9

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

APR 19 1990

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-07633

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 37M
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained at the point of diversion, point of re-diversion and point of injection.
8. Point of injection into Buhler Drain is located in NWSE, S7, T1S, R19E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director affixed at Boise, this 14TH
day of April, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

APR 19 1990

State of Idaho
Department of Water Resources

RECEIVED
MAR 20 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07633

Department of Water Resources

Date of Priority: June 20, 1977

Maximum Diversion Rate: 4.06 CFS
Maximum Diversion Volume:¹ 1723.3 AF

Comes now
RT. 1 BOX 305
BELLEVUE, ID 83313

DEAN R. ROGERS INC.

and represents to the Director of the

APPROVED

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-07633, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	4.06 CFS	1723.3 AF

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	
Rediversion	NWSE , Sec. 7, Township 01S, Range 19E
Rediversion	SWSE , Sec. 7, Township 01S, Range 19E
Rediversion	SWNE , Sec. 18, Township 01S, Range 19E
Rediversion	SENE , Sec. 18, Township 01S, Range 19E
Rediversion	NWNW , Sec. 17, Township 01S, Range 19E
Rediversion	NWSW , Sec. 17, Township 01S, Range 19E

BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	19E	7	NWSE 40	SWSE 40			80
		17	NWNW 40	SWNW 40	NESW 40		
			NWSW 40	SWSW 40	SESW 36		236
		18	NENE 40	NWNE 40	SWNE 40		
			SENE 40	NESE 40	SESE 36		236
		19	NENE 5.3				5.3
		20	NENW 2.6	NWNW 22			24.6


Total number of acres irrigated: 581.9

MICROFILMED

APR 19 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 20 day of Mar, 1990.


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07633

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00✓

Received by Chong Date 3/20/90

#C015774

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit NO. 37-07633 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
15. Use of water under this water right is subject to control by the watermaster of State Water District No. 37M
16. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. Point of injection into Buhler Drain located in NWSE, S7, T1S, R19E.

Witness my hand this 14th day of April, 1990.

Norman C. Young
Acting for R. Keith Higginson, Director

MICROFILMED

APR 13 1990

STATE OF IDAHO

APPROVED
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Dean R. Rogers, Inc. Phone 788-3121
of (address) Rt. 1, Box 305, Bellevue, ID 83313, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 37-7633, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 SE 1/4, Section 7, Township 1S, Range 19E, B.M.,
County of Blaine. Other points of diversion: Point of injection into
Buhler Drain: NW 1/4 SE 1/4, Sec. 7, Twp. 1S, Rge. 19E; Points of Rediversion from Buhler
Drain: SW 1/4 SE 1/4, Sec. 7; NW 1/4 NE 1/4, SW 1/4 NE 1/4, SE 1/4 NE 1/4, Sec. 18, Twp. 1S, Rge. 19E;
Point of injection into unnamed stream: NE 1/4 SE 1/4, Sec. 7, Twp. 1S, Rge. 19E; Point
of Rediversion from unnamed stream: NW 1/4 NW 1/4, Sec. 17, Twp. 1S, Rge. 18E.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 6.44 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: No change


TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: Note: The purpose of this application for
amendment is to allow the permit holder to inject into and redivert from
two sources that provide water to downstream users.

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Tim, this 15 day of April, 19 83.

[Signature]
by Don Hoyer Jr - Sec
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by Dier Fee = \$20.00 Received by R6 Date Apr 15, 1983 # 26498
Publication prepared by mya Date 6/3/83 Published in Wood River Journal
Publication dates 6/9 & 6/16/83

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby APPROVE the above Application for Amendment with the following conditions: 1) Use of water under this permit is subject to control by the watermaster of State Water District No. 37M, Little Wood River. 2) A measuring device and lockable controlling ^{works} of a type acceptable to the Department shall be permanently installed and maintained at the point of diversion, point of rediversion and point of injection.

Witness my hand this 8th day of August, 19 83.

[Signature]
Chief, Operations Bureau

AFFIDAVIT PUBLICATION

State of Idaho, }
County of Blaine } SS.

GORDON O. GLASMANN, being first duly sworn, depose and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the ninth day of June 19 83 and the date of the last publication was on the eighth day of June, 19 83.

Subscribed and sworn to before me this 23rd day of June, 19 83.
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 13
Number of Lines in Notice 44
Number of Insertions 2

Lines tabular at _____ 4¢ / Pica
44 Lines straight at 17.16 3¢ / Pica
44 Subsequent lines at 11.44 2¢ / Pica

TOTAL COST 28.60

COPY OF NOTICE

(Paste Here)

Permit 37-7633

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept Water Resources
1041 Blue Lakes Blvd N.T.

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 37-7633

NOTICE IS HEREBY GIVEN, That Dean R. Rodgers, Inc. is the holder of approved permit No. 37-7633 authorizing the diversion of 6.44 cubic feet per second of water from groundwater in the NW¼SE¼, Sec. 7, T1S, R19E, B.M., County of Blaine, to be used for irrigation (on 760 acres) within SE¼, Sec. 7; NW¼NW¼, Sec. 20; W¼, Sec. 17; NE¼, E¼SE¼, Sec. 18; NE¼NE¼, Sec. 19, T1S, R19E.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to add injection points into and redirection points from the Buhler Drain and unnamed stream as follows: Pts of injection into Buhler Drain: NW¼SE¼, Sec. 7, T1S, R19E;

Point(s) of Diversion: NW¼SE¼, Sec. 7, T1S, R19E; Pts. re-diversion into Buhler Drain: SW¼SE¼, Sec. 7; NW¼NE¼, SW¼NE¼, SE¼NE¼ Sec. 18, T1S, R19E; Point of injection into unnamed spring NE¼SE¼, Sec. 7, T1S, R19E; Point of re-diversion from unnamed spring: NW¼NW¼, Sec. 17, T1S, R19E.

Place of Use: No change

Any protest against the approval of the amending of Permit No. 37-7633 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301, on or before June 27, 1983.

A. KENNETH DUNN
Director

Publish: Wood River Journal--June 9, 1983.

N^o 2621
JUN 28 1983

Department of Water Resources
Southern District Office

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7633

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 11 1981
WATER RESOURCES
DIVISION

Identification No. _____

Application No. 37-7633

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Dean R. Rogers, Inc. Phone: 788-3121
post office address Route #1, Box 305, Bellevue, ID 83313
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 1S
Range 19E., B.M. Blaine County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6.44 ~~cfs~~ for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 6.44 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, ditches.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 8,500.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

[illegible]

Total number of acres to be irrigated.....760

c. Describe any other water rights used for the same purposes as described above. Licenses #37-2598,
37-2642, 37-2643, 37-2661.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dean J. Bryans Jr.
(Applicant)

Expressed Priority, 6/20/77

Received by JK Date 6/20/77 Time 10 am
Preliminary check by ADM Fee \$ 85⁰⁰
Receipted by sm Date 6/21/77 # 8601
Publication prepared by sm Date 6/27/77
Published in Hood River Journal
Publication dates 7/7 + 7/14/77
Publication approved AD Date 7/19/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM JK


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7633, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

Witness my hand this 22 day of August 19 77.


Deputy Director

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

JUL 19 1977

Donald W. Rosebrock of Water Resources
deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 7 day of July 1977, and the date of the last publication was on the 14 day of July, 1977.

Donald W. Rosebrock

Subscribed and sworn to before me this 15th

day of July, 1977
(SEAL)

Robert J. Kercher

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>33</u>	
Number of Insertions	<u>2</u>	
Lines tabular at	315c	
<u>33</u> Lines straight at	21c	<u>6.93</u>
<u>33</u> Subsequent lines at	15c	<u>4.95</u>
TOTAL COST		<u>11.88</u>

WOOD RIVER JOURNAL

COPY OF NOTICE

(Paste Here)

Permit 37-7633

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd. N
Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dean R. Rogers, Inc. Bellevue, Idaho 83313 has on 6-20-77 submitted Application No. 37-7633 for a permit to appropriate 6.44 cubic feet per second of water from groundwater by means of well, pump, ditches within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 1S, Rge. 19E, B.M., Blaine County to be used from Apr. 1 to Nov. 1 for irrigation purposes of 760 acres within the SE $\frac{1}{4}$, Sec. 7; NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20; NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17; NE $\frac{1}{4}$ E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 18; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 1S, Rge. 19E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 25, 1977.

C. Stephen Allred
Director

Published Wood River July 7, July 14 1977

Insertions 15c

Nº 1699



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

April 17, 1990 DIRECTOR

Copy

DEAN R. ROGERS INC.
RT. 1 BOX 305
BELLEVUE, ID 83313

RE: PERMIT NO. 37-07633

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT REFILED

APR 19 1990

NR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	SUM
3707633	BROWN	D	BIG WOOD RIVER	01S	19E	7													
3700102A	MACKAY	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3700433A	MACKAY	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3700434A	MACKAY	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3700435A	MACKAY	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3700436A	MACKAY	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3700884	FATOR	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3701206	BASE LINE CANAL CO.	D	BIG WOOD RIVER	01S	19E	7	X	X	X	X									
3702556A	SHERBINE	L	GROUNDWATER	01S	19E	7	13	11	11	13									118
3702556B	SCHOESSLER	L	GROUNDWATER	01S	19E	7	20	26	26										52
3702582	PATTERSON	L	GROUNDWATER	01S	19E	7													40
3702642	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	7													145
3702661	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	7													155
3702682	SCHOESSLER	L	GROUNDWATER	01S	19E	7													129
3704109	BASELINE PUMP ASSN.	S	GROUNDWATER	01S	19E	7	40	40	40	40									400
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	7													160
3707817	SCHOESSLER	P	GROUNDWATER	01S	19E	7	26	26											52
3707633	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	7													80
3707817	SCHOESSLER	L	GROUNDWATER	01S	19E	7	26	26											52
1986	MAPPING DATA	-	COUNTY 13 QUAD Y	74	01S	19E	7	39	38	38	40								462
3707633	BULLER	D	BIG WOOD RIVER	01S	19E	17													
3700114	BULLER	D	BIG WOOD RIVER	01S	19E	17													
3701206	BASE LINE CANAL CO.	D	BIG WOOD RIVER	01S	19E	17													
3702581	BICKETT	L	GROUNDWATER	01S	19E	17													160
3702598	ROGERS	L	UNNAMED DRAIN	01S	19E	17													320
3702604	BICKETT	L	GROUNDWATER	01S	19E	17													160
3702616	BICKETT	L	GROUNDWATER	01S	19E	17													160
3702642	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	17													282
3702643	ROGERS	L	GROUNDWATER	01S	19E	17													135
3702661	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	17													144
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	17													320
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	17													236
1986	MAPPING DATA	-	COUNTY 13 QUAD Y	75	01S	19E	17	40	39	39	39								633
3707633	BULLER	D	BIG WOOD RIVER	01S	19E	18													
3700114	BULLER	D	BIG WOOD RIVER	01S	19E	18													
3701206	BASE LINE CANAL CO.	D	BIG WOOD RIVER	01S	19E	18													
3702552	MURST	L	GROUNDWATER	01S	19E	18													109
3702598	ROGERS	L	UNNAMED DRAIN	01S	19E	18													120
3702642	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	18	40	38	38	40									228
3702643	ROGERS	L	GROUNDWATER	01S	19E	18													75
3702661	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	18	40	36	2	25									103
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	18	40	40	40	40									240
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	18	40	40	40	40									236
1986	MAPPING DATA	-	COUNTY 13 QUAD Y	74	01S	19E	18	36	40	40	38								393
3707633	BULLER	D	SWAMP	01S	19E	19													
3700118	BULLER	D	SWAMP	01S	19E	19													

MICROFILMED

APR 19 1990

MR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	SUM
3701206	BASE LINE CANAL CO.	D	BIG WOOD RIVER	01S	19E	19	X												40
3702576	HUTCHISON	L	GROUNDWATER	01S	19E	19													16
3702642	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	19	16												7
3702643	ROGERS	L	GROUNDWATER	01S	19E	19	7												10
~~3702643~~	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	19	~~4~~												5
(13707633)	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	19	5												106
	1986 MAPPING DATA ---	-	COUNTY 13 QUAD Y	74	01S	19E	19	15											
									29										
3707633	BULLER	D	SWAMP	01S	19E	20													
3700118	BASE LINE CANAL CO.	D	BIG WOOD RIVER	01S	19E	20													
3702581	BICKETT	L	GROUNDWATER	01S	19E	20	35	20											55
3702598	ROGERS	L	UNNAMED DRAIN	01S	19E	20													30
3702599	BICKETT	L	GROUNDWATER	01S	19E	20	35	20											55
3702604	BICKETT	L	GROUNDWATER	01S	19E	20	35	20											55
3702616	BICKETT	L	GROUNDWATER	01S	19E	20	35	20											55
3702642	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	20													24
3702643	ROGERS	L	GROUNDWATER	01S	19E	20													23
3702649A	BALDWIN	L	GROUNDWATER	01S	19E	20													212
3702681	PIERRET	L	GROUNDWATER	01S	19E	20													170
3707633	DEAN R. ROGERS INC.	P	GROUNDWATER	01S	19E	20													30
(13707633)	DEAN R. ROGERS INC.	L	GROUNDWATER	01S	19E	20													24
	1986 MAPPING DATA ---	-	COUNTY 13 QUAD Y	75	01S	19E	20	41	40	42	41								636
												39	36	42	39				
												37	43	43	38				
												40	40	42	33				

MICROFILMED

APR 19 1990

March 7, 1990

DEAN R. ROGERS INC.
RT. 1 BOX 305
BELLEVUE, ID 83313

RE: PERMIT NO. 37-07633

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 19 1990

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
3707633	01S	19E	7	NW SE		GROUNDWATER	DEAN R. ROGERS
NO MATCHES FOR THIS POD							

MICROFILMED

APR 19 1990

Department of Water Resources
Permit No. 37-76

Resources
57-7633

- 2:00 P.M.

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- ARTISIAN well with motor & pump discharges into the Buhler drain and is diverted thru weirs on to the ground irrigated. This well water also discharges into a unnamed stream then rediverted to New grounds thru weirs for irrigation. (See Remarks)


7. Measurements ☐ Additional data/computation sheets attached

- Wier 2 & 3 included water from the Spring. This ground is very ~~Swampy~~ Swampy, Subs quite abit.

- | Place(s) of Use: | | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination _____ | | | | | | | | | | | | | | | | | |
|------------------|------|---|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Twp. | Rge. | Sec. | NE 1/4 | | | | NW 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | Totals |
| | | | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | |
| 1S | 19E | 7 | | | | | | | | | | | | | 2 | 40 | 40 | | 80.0 |
| | | 17 | | | | | 40 | 40 | | | 40 | 40 | 40 | 36 | | | | | 236.0 |
| | | 18 | 40 | 40 | 40 | 40 | | | | | | | | | 40 | | | 36 | 236.0 |
| | | 19 | 5.3 | | | | | | | | | | | | | | | | 5.3 |
| | | 20 | | | | | 2.6 | 22 | | | | | | | | | | | 24.6 |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | Total Acres <u>587.9</u> | | | | | | | | | | | | | | | | |

10. Other water rights on these lands Lic 37-2598, 37-2642, 37-2643, & 37-2661
11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks this water is mingled with Spring Water
which has been de-aerated a Pelouze pump 5 hp
pumps water from drain to gravity flow ditches this
ground is all gravity flow Irrigation.
Re'div 9/50 in SE/NE Sec. 18 T.15 R.17E.

15. Recommended Amendments
- | | | |
|--|--|--------------------------------|
| ☒ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☒ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature Harry J. Anderson Date 11-14-1984
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

OCT 31 1985

27-7633
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 581.9 \text{ Ac} \times 3.0 = 1745.7 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4.06 \times 21504 \times 1.9835 = 1731.39 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1656.1 \text{ A.F.A.N.} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: _____
- b) Other water rights with same point of diversion: _____
- c) Analysis: _____

MICROFILMED

APR 19 1990

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|----------|----------|-----------|----------------------|-----------------|
| 27-7633 | | 4.06 cfs | | | 4.06 GFS |

4. Permit Holder: Dean Rogers Inc.
Address: Rt 1 Box 305 Bellevue, VA

5. Source: groundwater tributary to _____

- | 6. Beneficial Use | Period of Use | | Rate of Diversion | Annual Volume |
|-------------------|---------------|------|-------------------|------------------------------------|
| | From | To | Q (cfs) | V (afa) |
| IRRIGATION | 7-1 | 11-1 | 4.06 cfs | ~~1656.4 fN~~
1745.7 A/A |

Allowable Maximums:

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
			Total Acres <u>802</u>																

9. Recommended Conditions/Remarks: This water should be treated as Supplemental water.

MICROFILMED

- ## 10. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Harry J. Jansburg Date 11-14-79

Checked in Regional Office by J. P. Stanton

Approved in State Office by _____

Date 11-14-79

Date 11-19-84

Date _____



pump
House.

Controlling Gate for back up.
water for pump.



Weir off Head Ditch on
Buhler Drain.


MICROFILMED

APR 19 1990

DEAN ROGERS

37-7633

6-13-1984





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 9, 1983

RE: Permit no. 37-7633

Dean Rogers, INC.
Rt. 1 Box 305
Bellevue, Id 83313

Dear Mr. Rogers:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely

JIM JOHNSON
Water Distribution Supervisor

JJ:jvv
Enclosure

RECEIVED
AUG 11 1983

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: ADM

Right Number 37-7633 Applicant DEAN R. ROGERS, INC.

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).
☐ Increase amount. ☐ Change place of use. ☐ Other Injection points into and redirection points from the Butler Drain and unnamed stream.

CHECK:

- ☒ Description of amended point(s) of diversion.
☒ Amount, nature and period of use. If increased, delay date of priority.
☒ Description of amended places of use. If expanded, delay date of priority.
☒ Ownership of point of diversion and place of use.
☒ Map.
☒ Signature (must be permit holder).
☒ Fee.
☒ Existing water rights from the same source, amended place of use. — N/A
☐ Right number(s) _____
☒ Yes ☐ No Should amendment be advertised?
☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

Send Copy to W.M. Dist. 37-M.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
☒ Amendment published correctly.
☒ Protests processed. — None
☒ Approve.
☐ Deny.
Conditions 05 37-M 01E @ pt/div. & pt/of injection & pt. of rediv.

By ADM Date 7/5/83

STATE OFFICE PROCESSING: use above conditions

- ☒ Amendment correct and complete. By Jmi Date 8-1-83
☐ Approved copy sent to applicant and to Region. By _____ Date _____

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 37-7633

Notice is hereby given that Dean R. Rodgers, Inc. is the holder
of approved permit No. 37-7633 authorizing the diversion of 6.44
cubic feet per second of water from groundwater in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec.7,
T1S, R19E, B.M.

County of Blaine, to be used for irrigation W $\frac{1}{2}$
(on 760 acres) within SE $\frac{1}{4}$, Sec.7; NWNW $\frac{1}{4}$, Sec. 20; ~~NW $\frac{1}{4}$ SE $\frac{1}{4}$~~ , Sec. 17; NE $\frac{1}{4}$,
E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 18; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, T1S, R19E

The permit holder has applied to the Department of Water REsources for an Amendment
add injection points into and rediversion points from the Buhler drain and
to the permit, to ~~change the (Point(s) of diversion) from the Buhler drain to the~~
unnamed stream as follows: Pts of injection into Buhler Drain: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec.7; T1S, R19E;
Point(s) of Diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec.7, T1S, R19E; Pts Re-diversion into Buhler Drain: SW $\frac{1}{4}$ SE $\frac{1}{4}$,

Sec. 7; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 18, T1S, R19E; Point of injection into unnamed spring
NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, T1S, R19E; Point of rediversion from unnamed spring NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, T1S, R19E
Place of Use: NO CHANGE

Any protest against approval of the amending of Permit No. 37-7633

as set forth above must be filed with the Idaho Department of Water Resources

1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301, on or before

June 27, 1983.

A. KENNETH DUNN
Director

Published in the Wood River Journal

on June 9 AND June 16, 1983.

OK
ADM
6/1/83

June 3, 1983

Wood River Journal
P. O. Box 908
Hailey, Idaho 83333

Re: Notice of Proposed Change of Water Right No. 37-2642, 37-2661; and 37-2546
Notice of CORRECTED Proposed Change of Water Right No. 37-0687
Notice of Amendment to a Water Permit No. 37-7533

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Newby
Sec/Office Corrd

Encl:

Bill submitted: _____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 29, 1982

Dean R. Rogers, Inc.
Rt. 1 Box 305
Bellevue, Idaho 83313

RECEIVED
NOV 1 1982
Department of Water Resources

Re: Permit No. 37-7633

Dear Mr. Rogers:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

-LOH:GLF:marya

DEPARTMENT OF WATER RESOURCES 37-7633

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____.

Name(s) of Permit Holder: Dean R. Rogers Inc.

Post Office Address: Route # 1 Box 305

Belleuve, Idaho 83312 Tel. No. 788-4286

Source of Water: Pump well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation up to 430 Acres (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/19/82
 Date

Dean R. Rogers Inc.
 Signature of Permit Holder

Dean R. Rogers III
Rt. #1, Box 305
Bellevue, 83313

BELEVED

JUL 12 1982



Department of Water Resources

SEP 31 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

September 14, 1982

Dean R. Rogers Inc.
Route 1 Box 305
Bellevue, ID 83313

Gentlemen:

Re: Permit No. 37-7633

Enclosed is the statement of beneficial use postcard submitted to this office on July 12, 1982.

Please have an authorized agent of the corporation sign it and return to this office on or before October 1, 1982 to keep the permit in good standing.

If you have any questions about your permit, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

DEAN R. ROGERS INC.
RT. 1 BOX 305
BELLEVUE, ID 83313

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7633 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 31, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

August 25, 1977

Re: Permit No. 37-7633

Dean R. Rogers, Inc.
Route #1
Box 305
Bellevue, ID 83313

Dear Mr. Rogers:

Enclosed is a copy of your approved Application for Permit No. 37-7633. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED
AUG 28 1977
FLEENOR

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7633 - Dean R. Rogers, Inc.

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) ADM 6-22-77

In form to receipt

(2) " "

Send Copies to:

- Idaho State Health Department
- Idaho Fish and Game Department
- Bureau of Land Management

(3) " "

- Request Special Use Permit from U.S.F.S.
- Request Easement from B.L.M.
- Request Information from Applicant

(4) DS 6-28-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) ADM 7-26-77

Critical groundwater area: yes _____ no ☒

(8) ADM 7-26-77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) Possibly declining due to drought

(9) _____ _____

Other rights on the same place of use

(10) _____

Comments: obj

(11) DS 7/19/77

Affidavit of Publication received(date) 7/19/77

(12) Am 6/27/77

Final date for protests 7/25/77
Protests received: yes _____ no ☒

(13) ADM 7-26-77

All requested information received from agencies or applicant: yes ☒ no _____

(14) ADM 7-26-77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

MICROFILMED

(15) District Southern

By Alex D. Merrill Date 7-26-77
For Regional Supervisor

cc: sent to Boise 6/28/77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dean R. Rogers, Inc.
Belleuve, ID 83313
has on 6/20/77 submitted Application No. 37-7633
for a permit to appropriate 6.44 cubic feet per second ~~acre feet per annum~~
of water from groundwater
by means of well, pump, ditches
within the NW¹SE¹, Sec. 7, Twp. 1S, Rge. 19E., B.M., Blaine County
to be used from Apr. 1 to Nov. 1
for irrigation purposes of 760 acres
within the SE¹, Sec. 7; NW¹NW¹, Sec. 20; NW¹, SW¹, Sec. 17; NE¹, E¹SE¹, Sec. 18;
NE¹NE¹, Sec. 19, Twp. 1S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 25, 1977.

C. Stephen Allred

Director

Published in the Wood River Journal

on July 7 and July 14, 1977

RECEIVED
JUL 25 1977



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

June 27, 1977

Wood River Journal
P. O. Box 988
Hailey, ID 83333

Re: Application for Permit No. 37-7632 - The Odmark Co.
" " " No. 37-7633 - Dean R. Rogers, Inc.
" " " No. 37-7620 - Molford &/or Catherine Sweat
" " " No. 37-7618 - Milford &/or Catherine Sweat
" " " No. 37-7630 - J. Leon Peck &/or Walter L. Peck
&/or Earle Baird

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosures

MICROFILMED

June 21, 1977

Dean R. Rogers, Inc.
Route #1, Box 305
Bellevue, ID 83313

Re: Application No. 36-7633 - Dean R. Rogers, Inc.

Dear Mr. Rogers;

Enclosed is your Receipt No. 8601 for Check No. 92-77 in the amount of \$85.00 for the above referenced application for permit, which was received in this office June 20, 1977.

If you have any questions regarding this application, please feel free to contact this office.

Sincerely,

Sheryl Munsee
Secretary

Enclosure